ELSEVIER

Information Processing Letters 78 (2001) 5–336

Information Processing Letters

www.elsevier.com/locate/ipl

Subject Index to Volumes 1–75

The numbers mentioned in this Subject Index refer to the Reference List of Indexed Articles (pp. 337–448 of this issue).

0, 1 semaphore, 470
0, 1 sequence, 768
(0, 1)-CVP, 2395
(0, 1)-matrix, 2395, 2462, 2588, 3550
(0, 2)-graph, 583
0/1 knapsack problem, 2404, 2529
0L
  language, 47, 2665
  scheme, 940
  system, 47, 940
  systems, 297
0L-D0L equivalence problem, 456
0-1
  integer programming, 3597
  law, 3232, 3276
  linear programming, 1533
  matrix, *see* (0, 1)-matrix
  polynomial, 436
  programming, 216
  resource, 648
0-capacity channel, 2055
0-dimensional object, 281
0.5-bounded, 2404
  greedy algorithm, 2404, 2529
(1, 0)/(1, 1) ms precedence form, 955
(1, 1)-disjoint Boolean sums, 3711
(1, 1)-method, 26
1ACMP-(k, i), 1139
1DFA, 663
1DFA(3), 1371
1DFA(k), 1371
1DPDA, 1103
1GDSAFA, 2038
1NFA, 663, 1065
1NFA(2), 1065
1NFA(k), 1065
1NPDA, 894
1T-NPDA, 1065
1T-NPDA(1), 1065
1T-NPDA(k), 1065
1-approximation algorithm, 3109
1-bounded conflict free Petri net, 2154, 2369
1-center, 3000
1-colourable, 2299
1-conservative Petri net, 2253
1-copy serializability, 3001
1-dimensional space, 281
1-DNF consistent with a positive sample, 3856
1-edge fault tolerant, 3467
1-EFT graph, 3467
1-EFT(G), 3467
  graph, 3467
1-enabled, 67
1-factor, 234
1-fault tolerant design, 3997
  for token rings, 3997
1-Hamiltonian, 3997
  graph, 3675, 3997
1-inkdot Turing machine, 2473, 2752
1-MFA, 2063
1-neighborhood chordal, 3703
1-persistent protocol, 2487
1-resilient symmetric function, 2677
1-restricted ETOL system, 778
1-SDR, 510
  problem, 510
1-sided error logspace polynomial expected time, 2616
1-spiral polygon, 2939
1-vertex ranking, 3217
1-way checking stack automaton language, 144
1-width, 3658

0020-0190/2001 Published by Elsevier Science B.V.
PII: S0020-0190(01)00175-2

1-writer multireader Boolean atomic variable, 2138
1-writer multireader multivalued atomic
  register, 1721
  variable, 2138
1-writer
  multireader multivalued regular variable, 2138
  register, 1721
2×2 algorithm, 351
2^n class of moduli sets, 4107
2^n-ary tree, 1126
2ACMP(k, i), 1139
2AFA(1) = 1P2NFA(1) = Reg, 2145
2AFA(l), 2145
2CNF, 4055
  formula, 3829
2D, *see also* 2-D
  curved object, 2690
  C-string, 3614
  linear, 271
  linearity problem, 271
  string, 3614
  wormhole-routed mesh multicomputers, 4038
2DFA, 663
2DFA(k), 1371
2DPDA, 182, 547, 836, 909, 2930
  with output, 182
  without output, 182
2DPDA(1), 1022
2DPDA(k), 909
2D-dimensional ECDF searching problem, 1583
2D-matching
  algorithm, 2633
  problem, 2633
2LG, 1059
  specification, 1059
$2N - k$-closure problem, 3268
2NFA, 663
2NPDA, 740, 894
  language, 894
2NPDA(k), 814
2PFA, 2488
2PP, 2058
2SAT, 3683
2-3 tree, 206, 268, 365, 427, 475, 921, 2762, 3817
2-acyclic family of subtrees, 3703
2-APMPOTA, 571
2-cache problem, 3558
2-CGP, 2597
2-chain edge packing, 1842
2-CNF, 419, 1540, 2467, 3237
  formula, 1540, 2467, 4003
  satisfiability, 2597
2-CNFSAT, 2597
2-colorable, 2299
  subgraph problem, 3456
2-colors graph partition, 2597
  problem, 2597
2-competitive
  2-server algorithm, 2216
  algorithm, 3038
2-connected planar graph, 2010
2-D, *see also* 2D
  array grammar, 1244
  binary image, 2873, 3089
  convolution, 2592
  grammar, 1244
  image transposition encryption, 3428
  language, 1244
  mesh of processors, 2673
  orthogonal wavelet transform, 2592
2-D string, 2242
  matching problem, 2242
  representation of a picture, 2242
2-D
  torus, 2354
  wavelet transform, 2592
2-DA, 395
2-dimensional, 1699
  checkboard, 857
  convex hull problem, 363
  mesh connected computer, 1810
  space, 1014
2-edge connected
  graph, 3584
  spanning subgraph, 3737
2-evader problem, 3261
2-independent set, 2474
  problem, 3456
2-modular tree transformation, 2078
2-node connected, 3737
2-permutation, 175
2-process consensus, 1808
2-processor
  simulation strategies, 3044
  tasks scheduling, 1027
2-QBF, 3237
  truth, 2597, 3237
2-recipient
  1-buffer problem, 2192
  problem, 2192
2-REF, 3242
2-register machine, 4062
2-restricted ETOL system, 778
2-SAT formula, 2716
2-satisfiability, 419, 630, 3079
2-SDR problem, 510
2-sep chordal graph, 2499
2-server algorithm, 4066

2-server problem, 2216, 3558
2-state RCA, 2430
2-tabled ETOL system, 778
2-terminal problem, 1975
2-treshold graph, 3073, 3173
2-tree, 3620
2-way
  deterministic pushdown automaton, 2930
  infinite automaton with a pebble, 2262
2.5-factor approximation algorithm, 3667
2.5-times optimal algorithm, 530
3 symbol alphabet, 3
3/2-approximation algorithm, 4117
3D, *see also* 3-D
  drawing, 3561
  straight line grid drawing, 3561
3n probe algorithm, 1236
3NF, 798, 2449, 2751, 3533
3SAT, 561, 2067
3-approximation algorithm, 4016, 4023
3-colorable, 1395
  graph, 2534, 3446
3-coloring, 2340, 2808
  a graph, 1001
  of a planar graph, 353
3-colourable, 3651
3-colouring, 3651
3-competitive, 4100
3-connected, 2058
  graph, 441, 2058
3-connectivity, 1926
3-D, *see also* 3D
  depth information, 3554
  torus of processors, 2390
3-dimensional
  dominance searching problem, 3746
  information, 3554
  matching, 2088
3-element subset, 478
3-free D0L language, 948
3-layer network, 1762
3-matroid intersection problem, 130
3-move identification scheme, 2997
3-net wiring, 2508
3-partition, 1044, 1393
3-recipient 1-buffer problem, 2192
3-regular planar
  1-Hamiltonian, 3997
  graph, 2652
  Hamiltonian graph, 3675
3-restricted ETOL system, 778
3-SAT, 1802, 2731, 3087
3-SAT = SAT, 3087
3-SATISFIABILITY, 561
3-space, 746, 1057, 3599
3-spanner problem, 3347
3-square free morphism, 915
3-Steiner distance, 3129
3-valued
  shared variable, 3119
  wakeup protocol, 3119
3-way tree, 2718
4NF, 3533
  relation scheme, 3533
4-canonical decomposition, 3542
4-colorable graph, 3561
4-coloring, 353
4-connected
  array, 1244
  planar graph, 1127, 1926, 3542
  plane triangulation, 1926
  set, 3696
4-connectivity, 1926
  test, 1926
4-star graph, 2583
5-coloring, 353, 1395
5-connectivity, 1926
5-pebble automaton, 857
(6, 2)-chordal bipartite graph, 2643
6-competitive, 3315
6-head deterministic two-way finite automation, 1371
6-queens solution, 1767
6-restricted ETOL system, 778
7-colored, 353
7-coloring of planar graphs, 2340
7-multiplication method, 377
8-connectivity, 3127
8-puzzle problem, 1690
8-restricted ETOL system, 778
9DLT matrices, 3614
15-puzzle, 2314, 3167
80-20 rule, 449
360° visibility, 3710
802.4, 3501
  network, 3501
1108 Lisp, 496
3990 control unit, 1591

A
a posteriori methods, 229
a priori
  statistic, 49
  weight, 179
(a, b)-tree, 1261
A/D converter, 3898
A60D, 501
A_n, 13, 330, 1279
A^*, 1690, 1973, 2090, 2382, 2502, 2511
$A^* \times b^*$, 2502

A*-algorithm, 3592
Aanderaa-Rosenberg conjecture, 344
Aaron, Eric, 3616
Aarts, 3527
Abadi, 2282
Abadi, Lamport, and Plotkin, 2817
Abadi, M. et al., 2282
Abbasi, Sarmad, 3513
abduction, 3386
Abdulla and Jonsson, 4021
Abd-Alla, 609
Abelian
  group, 30, 259, 1129, 2938, 3019
  monoid, 3760
Ablow, Yoeli, and Turner, 162
abnegation incident, 1811
abort, 1422
absence of
  dead values, 1456
  deadlock, 962
  forwards conflicts, 129
  live lock, 962
  useless values, 1456
absolute
  1-center, 3000
  entropy, 2112
  error, 3422, 3993
  liveness, 1173
  privacy, 957
  value, 138, 564, 2377, 3098, 3483, 4088
abstract
  architecture, 3163
  basis, 1662
  behavioral characteristics of windows, 1755
  computation model, 120
abstract data
  structure, 105
  type, 261, 412, 620, 674, 1399, 1506, 1520, 2263, 3633
abstract
  datatype, 316, 2068
  design, 3649
  domain, 2348
  filter, 2679
  formalism, 172
  formulation, 307
  for-loop, 443
  graph, 1652
abstract interpretation, 2348, 2679, 2707, 3920, 4111
  framework, 3303
abstract
  machine, 1767, 2431, 3163, 3198
  model, 63, 370, 1066, 1130
  operation, 1520
  production system, 3630
abstract program, 412
  fragment, 1941
abstract
  programming language, 151
  relational algebra, 1881
abstract semantics, 1035, 3920
  of programs, 2707
abstract specification, 2282
  of data structures, 620
abstract
  structure, 284
  syntax, 544
  tape, 261
  type, 412, 945
  Voronoi diagram, 3599
abstracting numeric constraints, 4111
abstraction, 1934, 3418, 3920, 3921
  algorithm, 1343
  in linear space, 1343
  process, 1343
AC, 2252, 3644
  compatible, 3760
AC^0, 2225, 2847, 3518
  reduction, 2349
$AC^0 \neq NC^1$, 2847
AC^0-reducible, 2349
$ACAC^0$ function, 3939
ACC^0, 2600
accelerated integer GCD algorithm, 3443
acceptable
  identity, 4042
  in the strong sense, 1550
acceptance, 59
  in the strong sense, 1550
  of an array, 71
  test, 1713
  testing, 3022
acceptation
  by multitape automata, 752
  in the weak sense, 1550
  of nonregular languages, 1550
accepted
  by a finite automaton, 497
  in deterministic polynomial time, 2112
  string, 2549
  word, 1550
accepting and generating rewriting systems, 3074
accepting computation, 814
  tree, 1550
accepting
  configuration, 666
  DPDA computations, 539
  only regular languages, 2145
  state, 112, 201
acceptor, 395, 571, 722, 749, 1981, 3139

acceptor for
a language, 1576
an sometric parallel context free array language, 749
access control, 237, 1062, 1532, 1688, 1831, 2298
mechanism, 237, 654
method, 654
access
cost, 224
distribution, 1527
efficiency, 895
frequency, 2114, 2373
function, 105
mechanism movement, 756
methods for image databases, 3614
modality, 333
of data, 1855, 2996
operation, 2950
path, 1037, 1048, 1063, 1663, 2041
pattern, 2557
probability, 224, 449, 756, 919
request, 3732
access rights, 2298
to global variables, 190
access structure, 3434, 3551, 3821, 3948
access time, 203, 920, 1421, 1663
distribution, 4138
access to
a tree, 360
an array element, 1297
local data base, 553
shared information, 1023
accessibility, 1704, 1935
accessible
region, 654
set, 1837
accessing rules for descriptive information, 152
Acciaro, Vincenzo, 3241
accumulation, 3423
accumulator, 27
accuracy, 2846
property, 4008
Aceto, Luca, 3618
achromatic number, 1758
problem, 1758
Ackermann, 3276
function, 407, 471, 1441, 1882, 3425, 4127
type, 1441
acoustic scattering, 140
ACP process algebra, 3770
acquire lock, 2742
acquisition, 103
of stochastic data, 52
action
conflict, 2883
dependencies, 3360
system, 3397
activation, 868, 1535
of actions, 1535
tree, 579
active
attack, 3659
node, 1512
processes, 1126, 1716
actual
edge, 4071
parameter, 1817
termination problem, 501
ACU compatible, 3760
reduction ordering, 3760
acyclic, 2007, 3703
c-e structure, 1788
database schema, 1026
digraph, 997, 2007
acyclic directed
graph, 128, 865, 1347
hypercube, 1834
network, 1275
acyclic
flow network, 375
fraternal orientation, 2361
f-graph, 187
graph, 15, 335, 374, 636, 1652, 1745, 2041, 2243, 3523
hypergraph, 1672
instruction stream, 470
isomer, 123
join dependency, 3825
molecule, 123
network, 1780
orientation, 3995, 4054
relational database, 3703
subgraph problem, 2892
theorem, 2150
acyclically oriented, 1834, 2034
acyclicity, 1026, 1672, 2842, 3703
in hypergraphs, 1672
AC-6, 3937
AC-7, 3937
AC-8, 3937
ad absurdum reasoning, 1411
Ada, 548, 653, 753, 1012, 1383
capabilities, 548
design, 548
overloading rules, 548
ADABAS, 652
Ádám
conjecture, 3727
property, 3727

adaptative
  architecture, 326
  multiprogramming, 326
adaptive
  algorithm, 1273, 1854
  branching, 2654
  control, 1611
  controller, 1611
  Huffman code, 1009
  learning, 1854
adaptive parallel sorting, 1885
  algorithm, 2234
adaptive procedure, 326
adaptive routing, 2861
  method, 2861
adaptive sorting algorithm, 2236
adaptiveness, 326
adder, 1352, 2770
adding
  a stack, 28
  arcs, 67
  correctly, 2770
  mostly correctly, 2770
  two n-bit numbers, 2770
addition, 199, 215, 436, 694, 1164, 2526, 2620, 2770, 2835, 3517
  and subtraction, 131
addition chain, 1118, 1462, 1959
  method, 1529
addition of real numbers, 257
addition/subtraction, 3517
  chain, 1118
additional
  constraint, 984, 1094, 2082
  information, 1891, 1913, 2584, 2827
  storage, 103, 511
additive, 2988, 3090, 3430
  clock constraint, 4105
additive complexity, 171, 436, 719, 1190, 3218
  of bilinear problems, 719
additive
  metric, 3874
  number theory, 2798
  operation, 38, 171, 479, 3218
  pseudorandom number generator, 38
  weight, 2386
address calculation, 974, 1162
  algorithm, 974
address
  field, 35
  generation, 2045, 2610
  label, 52
  lookup, 1717
  mapping, 817, 933
  order preserving, 114
  ordering, 114
  space, 708, 817, 2610
address translation, 708
  scheme, 708
address valued variable, 100
addressing
  language, 370
  scheme, 21
Adelson-Velskii and Landis, 1216
ADJ group, 620, 775
adjacency
  condition, 2176
  graph, 2092
  list, 309, 1132, 1994, 2108, 3275, 3457
adjacency matrix, 136, 252, 781, 2540, 3275
  based algorithm, 759
  of a graph, 20
adjacency preserving embedding, 2176
adjacent, 170
  centroid, 164
  edges, 459, 2534, 2663, 3068
  elements, 1465
  nodes, 69, 244
  vertices, 136, 299, 371, 2385, 2534, 2815, 3543, 4048
adjoint, 1006
Adleman, 1948
Adleman, DeMarrais, and Huang, 3962
administration of privileges, 1249
admissibility, 1690, 1995
admissible
  closure, 4076
  lie pattern, 2105
  operator, 859
  order, 4063
  predicate, 1995
  searching algorithm, 1450
admission control, 3841
ADT, 2489, 2863
  function, 2489
  GRAPH, 2489
  queries, 2489
adult string, 279
advance reservation, 3849
adversarial noise model, 4035
adversary, 503, 715, 2171, 2471, 3315, 4035, 4042
  argument, 715
  based lower bound, 715
  CRCW PRAM, 3573
advice, 3144
  language, 1, 364
aerial image, 509
AESA, 3210
  metric space, 3210
aesthetic graph drawing, 2208

Afek, Y., 3563
affine
  approximation, 3606
  nonconditional recurrent system, 3905
  transformation, 336, 467, 1888, 2691
affinity, 4055
AFL, 94, 680, 712, 1681
  like operation, 982
  operation, 2665
after
  image, 652
  images storage cost, 652
AG, 2938
  semi-unifier, 2938
AG_n, 3738
Agarwal, Pankaj K., 3507
age information, 2607
agent
  calculus, 2294
  search, 3327
  valuation, 4103
Aggarwal and Hawrylycz, 2454
Aggarwal et al., 1739
Aggarwal, A., 2274
Aggarwal, A., M.M. Klawe, S. Moran, P. Shor, and R. Wilber, 1739
Aggarwal, Chandra, and Snir, 2562
aggregate, 443, 3984
  function, 2342, 2803
  query, 4019
Agrawal, 4110
Agrawal, Divyakant, 3602
Agrawal, Klein, and Ravi, 2843
agreement, 3274, 3669, 4035
  of many trees, 3153
  subtree, 2719
Agui and Jimenez, 3702
Ahmadian, Ahmad, 3416
Aho, 747
Aho and Corasick, 1179
Aho and Ullman, 82, 289, 1526, 1837
Aho et al., 2160
Aho, A.V. and J.D. Ullman, 2318
Aho, Hirschberg, and Ullman, 295
Aho, Hopcroft, and Ullman, 766, 1216, 2930
Aho, Sagiv, and Ullman, 771
Aho, Steiglitz, and Ullman, 283
Aho-Corasick algorithm, 3970
Ahuja, Mohan, 3329
AI, 2314, 2510
  application, 2737
  problem, 1690
Aichholzer, Oswin, 3892
air traffic control, 908
airline seat reservation, 1326
Ait-Bouziad, Ahmed, 3657
Ajtai, 2847
Ajtai and Ben-Or, 1467, 2225
Ajtai and Fagin, 1935
Ajtai et al., 1903, 2856, 3311
Ajtai, Komlós, and Szemerédi, 1095, 1814
ak clustering, 3458
Akers, S.B., D. Harel, and B. Krishnamurthy, 2222
Akinar, Nakagawa, 2928
Akl, 515, 2979, 3077, 3365, 3414, 3420
Akl and Toussaint, 467
Akl, S.G., 3037, 3091, 3209, 3346, 3361, 3383, 3393, 3399, 3400, 3415, 3427, 3445, 3457, 3459, 3463, 3464, 3472, 3473, 3487, 3490, 3491, 3514, 3522, 3524, 3529, 3530, 3544, 3549, 3573, 3574, 3587, 3604, 3606, 3607, 3615, 3634, 3671, 3672, 3679, 3680, 3688, 3702, 3719, 3751, 3752, 3785, 3799, 3817, 3822, 3832, 3835, 3836, 3850, 3859, 3871, 3877, 3878, 3879, 3881, 3883, 3900, 3905, 3906, 3966
Akman, 1673
AKS
  network, 1095
  sorting network, 1095, 1903
Al Jabri, A.Kh., 3393
AL operation, 251
AL1
  assertional language, 364
  program system, 364
  system, 364
Alam, Shamsul, 3528
Albers, Susanne, 3622
Albert and Lawrence, 1644
Albert and E.C. Allan, 45
Alberts, 1550
Aleliunas et al., 1613
Alexopoulos, Bourbakis, and Ioannou, 3428
algebra, 78, 155, 412, 945, 1205, 1481, 1642, 1849, 2072, 2116, 2334, 2563, 3008, 3316, 3384, 3424
  of two-level cause effect structures, 3384
  system, 78
algebraic, 620, 952, 1006, 1159, 1450, 2563, 3196
  algorithm, 2690, 3846
  approach, 256, 399, 412, 719, 1010
  calculus, 448, 1188, 3002
algebraic characterization of
  semantic independence, 2250
  sets of processes, 275
  the behaviour of nonsequential systems, 322
algebraic
  circuit, 3520
  coefficient, 2240

algebraic complexity, 155, 171, 399, 591, 657, 674, 692, 936, 1164, 1188
measure, 674
theory, 1271, 3767
algebraic computation, 2043
algebraic computation tree, 1159
model, 1791, 2221, 2952, 3693, 4092
algebraic
computational complexity, 719
curve, 2690
data type, 775
algebraic decision tree, 1355, 1505, 1599, 1791, 2274, 3525, 3535
lower bound, 1863
algebraic decision tree model, 1355, 2274, 2384
of computation, 1501, 3642
algebraic decoding, 3846
algorithm, 3846
algebraic definition, 454
algebraic degree, 4093
of a Boolean function, 4093
algebraic
differentiation, 334
equation, 561, 976, 2563
expression, 1259, 2653
algebraic formal power series, 1931
in noncommuting variables, 1931
algebraic
formula, 1870
function, 3448
geometric code, 3641
geometry, 2927
grammar, 720
group, 357
identity, 145
interpretation, 3196
language, 94, 795, 3078
law, 2563, 2590
machinery, 2040
manipulation, 780, 1286
method, 399, 463, 2043, 2549
algebraic number, 1667, 2163, 3962
field, 2163
algebraic
operation, 399, 608, 2072, 3572
operator, 795, 1870
polynomial, 2240
process, 3293
algebraic program, 294
level style, 2867
testing, 355
algebraic
properties, 814, 2867, 3097
quantities, 719
reasoning, 2563
algebraic rewrite
rule, 2366
system, 2366
algebraic
semantics, 1642, 2046, 2563
specification, 412, 775, 1101
structure, 316, 399, 454, 775, 2068, 2753, 3990
structures with equal expressiveness, 775
surface, 2043
system, 1259, 1481, 1603, 2018
test, 355
algebraic theory, 794, 2259
of concurrency, 1639
algebraic type, 620
algebraically, 275, 4006
equivalent expression, 145
specified abstract type, 448
Algol, 2, 4, 17, 34, 58, 60, 68, 82, 152, 156, 230, 237, 238, 262, 343, 465, 501, 544, 548
implementation problem, 17, 68
language, 58, 68
Algol like
array, 443
FOR-loop, 443
language, 5, 500, 763, 1408
Algol
machine, 199
mode, 55, 68
multiple values, 230
program, 501
scope rules, 975
style identifier, 244
WHILE-loop, 443
algorithm, 9, 14, 15, 17, 18, 27, 32, 35, 37, 40, 42, 47, 49, 54, 64, 69, 70, 76, 82, 87, 96, 99, 101, 102, 108, 110, 112, 115, 122, 128, 136, 138, 152, 155, 156, 165, 166, 167, 168, 170, 176, 178, 181, 184, 192, 194, 205, 206, 215, 216, 217, 219, 220, 222, 223, 226, 231, 240, 247, 249, 251, 252, 255, 263, 265, 266, 281, 282, 283, 285, 288, 290, 295, 299, 301, 306, 308, 309, 312, 315, 319, 320, 324, 326, 328, 329, 331, 335, 336, 338, 341, 342, 346, 350, 353, 354, 358, 363, 365, 366, 367, 368, 371, 372, 374, 375, 378, 380, 381, 385, 391, 392, 393, 398, 399, 405, 406, 407, 414, 415, 416, 417, 422, 423, 427, 428, 429, 431, 432, 433, 437, 439, 441, 444, 448, 449, 450, 451, 453, 454, 458, 467, 468, 471, 490, 492, 494, 498, 499, 505, 509, 510, 511, 512, 515, 517, 518, 522, 523, 526, 530, 534, 536, 538, 540, 541, 545, 547, 548, 552, 558, 559, 560, 565, 567, 568, 569, 570, 573, 577, 580, 582, 583, 588, 589, 593, 594, 598, 600, 602, 615, 616, 618, 626,

algorithm (*cont.*), 630, 631, 634, 636, 638, 641, 645, 656, 673, 674, 677, 678, 684, 689, 699, 701, 702, 705, 707, 714, 726, 728, 729, 731, 736, 737, 741, 743, 746, 748, 750, 759, 761, 766, 767, 781, 784, 788, 789, 793, 794, 797, 805, 807, 808, 813, 814, 818, 819, 823, 824, 825, 833, 836, 840, 841, 842, 850, 856, 858, 859, 865, 868, 873, 881, 887, 892, 893, 894, 901, 903, 905, 908, 909, 912, 913, 916, 918, 923, 925, 929, 935, 937, 942, 947, 950, 952, 955, 956, 960, 961, 963, 965, 968, 969, 970, 971, 976, 981, 991, 992, 994, 998, 1001, 1002, 1003, 1005, 1009, 1010, 1014, 1016, 1020, 1024, 1030, 1033, 1042, 1043, 1044, 1046, 1050, 1052, 1058, 1065, 1079, 1082, 1084, 1087, 1090, 1100, 1112, 1115, 1116, 1119, 1123, 1125, 1126, 1128, 1129, 1135, 1136, 1137, 1140, 1141, 1142, 1144, 1149, 1154, 1159, 1162, 1163, 1172, 1174, 1177, 1179, 1182, 1184, 1186, 1187, 1188, 1190, 1192, 1193, 1197, 1199, 1201, 1203, 1204, 1206, 1218, 1220, 1221, 1223, 1224, 1225, 1228, 1230, 1231, 1243, 1245, 1247, 1248, 1250, 1251, 1253, 1257, 1260, 1261, 1262, 1264, 1265, 1266, 1267, 1268, 1271, 1272, 1273, 1275, 1276, 1281, 1287, 1290, 1293, 1296, 1300, 1303, 1307, 1308, 1314, 1315, 1318, 1322, 1328, 1330, 1331, 1338, 1339, 1343, 1344, 1345, 1346, 1347, 1349, 1350, 1353, 1356, 1357, 1360, 1361, 1362, 1365, 1368, 1369, 1373, 1376, 1380, 1385, 1386, 1389, 1392, 1395, 1396, 1398, 1399, 1400, 1401, 1403, 1404, 1405, 1411, 1413, 1414, 1421, 1428, 1430, 1431, 1436, 1443, 1444, 1446, 1447, 1450, 1453, 1455, 1485, 1488, 1493, 1501, 1502, 1509, 1514, 1518, 1519, 1525, 1530, 1533, 1536, 1537, 1538, 1539, 1543, 1544, 1546, 1551, 1552, 1558, 1562, 1565, 1566, 1569, 1573, 1575, 1576, 1578, 1580, 1582, 1583, 1590, 1592, 1594, 1599, 1601, 1603, 1605, 1609, 1610, 1619, 1623, 1624, 1631, 1634, 1637, 1638, 1640, 1641, 1646, 1648, 1653, 1664, 1666, 1668, 1669, 1670, 1671, 1673, 1680, 1683, 1684, 1685, 1690, 1699, 1700, 1701, 1703, 1706, 1712, 1713, 1715, 1718, 1720, 1725, 1726, 1729, 1733, 1735, 1736, 1738, 1739, 1740, 1741, 1742, 1743, 1752, 1754, 1756, 1757, 1763, 1765, 1766, 1767, 1768, 1770, 1772, 1773, 1775, 1777, 1780, 1795, 1797, 1801, 1804, 1805, 1806, 1810, 1813, 1816, 1818, 1819, 1821, 1826, 1829, 1835, 1837, 1840, 1850, 1854, 1857, 1859, 1862, 1865, 1869, 1872, 1873, 1876, 1879, 1883, 1884, 1885, 1888, 1890, 1895, 1896, 1898, 1899, 1900, 1903, 1907, 1908, 1911, 1913, 1915, 1916, 1922, 1924, 1925, 1926, 1928, 1930, 1932, 1933, 1937, 1939, 1943, 1946, 1947, 1949, 1954, 1955, 1956, 1958, 1961, 1965, 1969, 1970, 1972, 1978, 1980, 1981, 1982, 1983, 1984, 1989, 1990, 1992, 1994, 1997, 2003, 2005, 2006, 2009, 2011, 2013, 2020, 2022, 2023, 2028, 2030, 2032, 2035, 2036, 2049, 2050, 2051, 2061, 2062, 2067, 2069, 2071, 2074, 2075, 2090, 2093, 2098, 2102, 2103, 2104, 2106, 2108, 2111, 2112, 2115, 2117, 2119, 2122, 2123, 2142, 2148, 2150, 2151, 2152, 2155, 2157, 2160, 2162, 2164, 2165, 2166, 2169, 2170, 2171, 2172, 2173, 2185, 2187, 2193, 2194, 2197, 2201, 2211, 2215, 2216, 2217, 2221, 2226, 2227, 2228, 2229, 2232, 2233, 2235, 2236, 2239, 2241, 2246, 2247, 2256, 2257, 2260, 2263, 2264, 2275, 2276, 2278, 2280, 2283, 2287, 2289, 2291, 2292, 2293, 2300, 2301, 2302, 2305, 2308, 2311, 2314, 2315, 2318, 2319, 2322, 2323, 2331, 2332, 2337, 2338, 2340, 2345, 2347, 2351, 2352, 2356, 2357, 2359, 2360, 2361, 2371, 2374, 2375, 2377, 2379, 2382, 2385, 2388, 2390, 2392, 2394, 2399, 2404, 2407, 2410, 2411, 2412, 2413, 2415, 2416, 2417, 2423, 2426, 2427, 2438, 2440, 2446, 2449, 2450, 2455, 2457, 2460, 2464, 2465, 2467, 2468, 2469, 2471, 2474, 2475, 2476, 2477, 2478, 2480, 2483, 2484, 2486, 2494, 2498, 2512, 2515, 2517, 2518, 2524, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2537, 2538, 2540, 2546, 2547, 2550, 2552, 2553, 2554, 2556, 2559, 2561, 2568, 2569, 2570, 2572, 2573, 2575, 2581, 2588, 2591, 2592, 2594, 2595, 2596, 2599, 2604, 2610, 2627, 2628, 2631, 2636, 2637, 2640, 2642, 2643, 2646, 2648, 2649, 2652, 2654, 2655, 2659, 2660, 2661, 2662, 2663, 2664, 2670, 2671, 2673, 2674, 2678, 2680, 2681, 2682, 2683, 2686, 2687, 2688, 2689, 2691, 2695, 2697, 2698, 2699, 2705, 2708, 2711, 2715, 2716, 2719, 2721, 2725, 2726, 2728, 2735, 2740, 2741, 2742, 2745, 2746, 2747, 2748, 2753, 2755, 2756, 2757, 2758, 2759, 2761, 2762, 2763, 2764, 2765, 2766, 2770, 2771, 2772, 2774, 2775, 2777, 2782, 2783, 2784, 2786, 2790, 2791, 2792, 2798, 2799, 2804, 2805, 2807, 2808, 2810, 2813, 2814, 2818, 2819, 2820, 2822, 2823, 2824, 2825, 2826, 2827, 2829, 2831, 2834, 2836, 2838, 2840, 2843, 2844, 2850, 2851, 2855, 2857, 2863, 2864, 2865, 2866, 2871, 2872, 2873, 2874, 2878, 2889, 2891, 2892, 2893, 2894, 2895, 2904, 2908, 2909, 2911, 2914, 2915, 2916, 2918, 2919,

algorithm (*cont.*), 2920, 2930, 2931, 2932, 2933, 2934, 2938, 2939, 2940, 2945, 2947, 2952, 2959, 2961, 2965, 2966, 2967, 2968, 2971, 2975, 2976, 2977, 2987, 2989, 2990, 2997, 3000, 3001, 3011, 3013, 3016, 3022, 3024, 3034, 3038, 3039, 3044, 3045, 3048, 3054, 3055, 3056, 3057, 3059, 3060, 3062, 3063, 3064, 3070, 3073, 3078, 3079, 3080, 3083, 3085, 3089, 3090, 3098, 3104, 3105, 3109, 3112, 3115, 3120, 3121, 3122, 3123, 3124, 3129, 3133, 3139, 3143, 3147, 3148, 3152, 3153, 3154, 3156, 3157, 3159, 3162, 3167, 3168, 3169, 3170, 3171, 3174, 3176, 3177, 3179, 3181, 3185, 3187, 3191, 3192, 3193, 3200, 3205, 3212, 3217, 3218, 3219, 3227, 3228, 3233, 3235, 3253, 3254, 3256, 3262, 3264, 3266, 3267, 3269, 3272, 3273, 3275, 3277, 3278, 3284, 3286, 3287, 3289, 3293, 3294, 3295, 3297, 3298, 3299, 3301, 3305, 3306, 3311, 3313, 3314, 3315, 3320, 3322, 3327, 3330, 3331, 3334, 3337, 3338, 3339, 3340, 3342, 3344, 3345, 3348, 3350, 3351, 3354, 3363, 3368, 3369, 3370, 3371, 3375, 3376, 3378, 3379, 3380, 3382, 3383, 3386, 3388, 3389, 3391, 3398, 3401, 3405, 3410, 3411, 3412, 3413, 3415, 3416, 3419, 3421, 3423, 3425, 3426, 3429, 3431, 3433, 3436, 3440, 3443, 3445, 3452, 3455, 3456, 3457, 3460, 3461, 3462, 3471, 3474, 3476, 3477, 3482, 3485, 3486, 3487, 3489, 3491, 3494, 3503, 3507, 3508, 3510, 3511, 3513, 3516, 3524, 3527, 3528, 3531, 3536, 3537, 3539, 3542, 3544, 3545, 3546, 3547, 3548, 3550, 3552, 3553, 3554, 3560, 3562, 3572, 3575, 3576, 3577, 3578, 3579, 3584, 3585, 3590, 3595, 3596, 3597, 3607, 3612, 3615, 3617, 3619, 3621, 3622, 3623, 3624, 3625, 3628, 3629, 3632, 3637, 3642, 3645, 3646, 3648, 3650, 3656, 3657, 3661, 3662, 3663, 3666, 3667, 3669, 3673, 3676, 3685, 3688, 3691, 3693, 3694, 3698, 3700, 3702, 3703, 3707, 3708, 3712, 3713, 3715, 3716, 3719, 3720, 3721, 3722, 3724, 3725, 3726, 3728, 3729, 3733, 3734, 3737, 3748, 3749, 3756, 3758, 3763, 3766, 3769, 3772, 3776, 3777, 3781, 3783, 3784, 3786, 3790, 3791, 3792, 3794, 3795, 3796, 3799, 3802, 3803, 3805, 3807, 3808, 3809, 3816, 3817, 3822, 3826, 3828, 3834, 3836, 3844, 3846, 3849, 3854, 3856, 3857, 3860, 3864, 3866, 3870, 3877, 3878, 3881, 3888, 3892, 3896, 3899, 3902, 3903, 3904, 3913, 3917, 3918, 3919, 3924, 3926, 3927, 3928, 3930, 3931, 3932, 3937, 3941, 3942, 3943, 3947, 3949, 3950, 3954, 3955, 3960, 3961, 3965, 3967, 3970, 3972, 3982, 3985, 3986, 3992, 3994, 3995, 3996, 4003, 4006, 4007, 4009, 4011, 4013, 4015, 4016, 4017, 4020, 4024, 4030, 4037, 4039, 4040, 4041, 4043, 4045, 4054, 4055, 4056, 4057, 4058, 4064, 4065, 4066, 4072, 4074, 4077, 4079, 4080, 4081, 4082, 4083, 4084, 4087, 4092, 4094, 4098, 4 102, 4103, 4117, 4120, 4122, 4125, 4128, 4129, 4130, 4133, 4136, 4139, 4140, 4141
  analysis, 215, 285, 998, 1406, 2122, 2606
algorithm animation, 3371
  system, 3371
algorithm
  BE, 1243
  complexity, 1092, 2901
algorithm design, 306, 813, 861, 1387, 2503, 2579
  and analysis, 1765, 2182
algorithm E, 54, 437
algorithm for, 15, 255
  2-satisfiability, 630
  a dictionary instruction, 206
  adaptive Huffman codes, 1009
  BFS, 1582
  binary search, 1004
  calculating addresses, 974
  cliques, 69
  colouring perfect planar graphs, 1752
algorithm for computing a
  basis, 1129
  complete basis, 1129
algorithm for computing
  all derivatives, 283
  products of quaternions, 155
algorithm for convex hull
  computation, 3211
  determination, 569
algorithm for
  convex hulls, 64, 363
  copying binary trees, 176
  deciding the containment of polygons, 3375
  decryption, 437
algorithm for determining
  isomorphism of planar graphs, 9
  the bridges of a graph, 14
algorithm for
  diagnosing faulty processors, 1668
  difference equations, 4147
  discrete simulation, 269
  distributing nonsequential application programs, 883
  division, 1680
  drawing general undirected graphs, 1738
  ECP, 3808
algorithm for edge
  detection, 963
  disjoint branching, 121

algorithm for
evaluating joins, 1907
exponentiation, 1429
finding a 5-coloring, 353
algorithm for finding a maximal matching, 444
in a graph, 1199
algorithm for finding a
maximum matching, 299
minimum coloring, 136
algorithm for finding
an odd factor, 599
clique cut sets, 645
cliques, 181
k edge disjoint branchings, 392
maximum flows in networks, 375
algorithm for finding minimum
cost tree mappings, 671
spanning trees, 165
algorithm for finding periodicity of a sequence, 265
algorithm for finding shortest paths, 199
in a graph, 249
algorithm for finding
the closest pair, 391
weak components, 110
algorithm for flow time minimization, 2440
algorithm for generating
2-3 trees, 2762
all permutations, 2360
combinations, 3844
words, 2772
algorithm for
graceful numbering, 138
horizontal decompositions, 941
identifying parallel tasks, 106
inorder successor, 73
interpreting monitors, 235
interval graph recognition, 1947
inverting a permutation, 697
linear search, 1004
load balancing, 2006
lt-equivalence, 534
maintaining a directed acyclic graph, 961
algorithm for matrix
closure, 1603
multiplication, 214, 351, 1603
algorithm for
minimum spanning trees, 174, 317
multiple precision integer division, 285
numbering trees gracefully, 138
on line pattern matching, 1250
algorithm for optimal
edge colouring, 1522
preemptive scheduling, 255
algorithm for optimal scheduling, 167
of two-processor systems, 167
algorithm for
placing recovery points, 1601
polygon similarity, 428
postorder successor, 73
preorder successor, 73
producing list schedules, 648
retrieving fuzzy information, 3657
scheduling jobs, 560
searching, 1491
shortest path motion in three dimensions, 1137
solving interface equations, 3784
algorithm for sorting, 842, 901
in situ, 842
algorithm for string matching, 182
with errors, 3334
algorithm for
synchronization, 111, 676
syntactic analysis, 168
algorithm for testing
chordality of graphs, 136
lossless join property, 600
validity of LTL formulas, 4140
algorithm for the
calculation of the coefficient of inbreeding, 147
domination number of a tree, 170
drawing of algebraic curves, 1293
satisfiability problem, 1268
traversal of a binary tree, 35
Ulam game, 3179
algorithm for
three-dimensional dominance searching, 3746
topological sorting, 99
algorithm for traversing
binary trees, 62, 2689
the nodes of a binary tree, 62
trees, 35, 96
algorithm for
unambiguous path systems, 836
uniform random sampling, 1141
verifying equations, 780
vertex insertion update, 1231
VLSI, 1254
algorithm of
<name>, *see also* <name> algorithm
Arlazarov, Dinic, Kronrod, and Faradzev, 701
Bauernoppel et al., 3273
Brent, Gustavson, and Yun, 2334
Cooper and Marzullo, 3595
Cunningham and Marsh, 1338
Dijkstra, 905
Eddy, 515, 594
Even and Kariv, 299
Floyd and Warshall, 905
Ginsburg, 960
Hoffman et al., 1984

algorithm of (*cont.*)
Hopcroft and Karp, 567, 810, 2125
Horner, 283
Jarvis, 328, 415, 594
Knuth, 807
Knuth, Morris, and Pratt, 2671
Lawler, 1772
Luby, 3154
Myers, 2023
Orlin, 1338
Preparata and Hong, 515
Rivest, 2406
Shamos, 512
Sollin, 165
Strassen, 1188
Viyajan and Wigderson, 1641
Warshall, 70, 701
Wegbreit, Haddon, and Waite, 152
Winter, 1217
Zemlyachenko, 3932
algorithm
PC, 327
recognizing Hamming graphs, 3560
REGION-SEARCH, 447
algorithmic, 444, 533, 565, 575, 986, 1044, 1065, 1119, 1308, 1360, 1726, 2043, 2534, 2669, 2821, 2984, 3503, 3749, 3755
algebra, 370
aspect, 481
complexity, 415, 1216, 1394, 2444, 3458
debugging, 3541
implication, 1731
invariant theory, 4063
language, 2
learning theory, 3856
logic, 891, 1785
paradigm, 1471, 1745
problem, 204, 2189
algorithmically solvable, 501
algorithms in computer algebra, 2240
algorithms on
Abelian groups, 1129
graphs, 630
polynomials, 674
words, 2205
Alia, Barsi, and Martinelli, 1161
aliasing, 480
of names, 480
Alidaee, Bahram, 3416
alignment, 2916, 3931
algorithm, 2916
of data, 1855
problem, 2395
Alimonti, Paola, 3247
all elements problem, 662
all farthest neighbors, 1739
all nearest neighbor problem, 354, 439
for convex polygons, 490
all nearest
neighbors, 968, 1501
smaller values problem, 2871, 3671
taller value problem, 2871
all pairs, 505, 662
all pairs of
adjacent nodes, 1490
atching positions, 1261
records, 1140
all pairs problem, 662
all pairs quickest
path problem, 2593
paths, 2627
all pairs shortest length, 3870
problem, 3870
all pairs shortest path problem, 616, 702, 1013, 2468
all pairs shortest paths, 2468, 3301
problem, 2311, 2618, 3147, 3301
all pairs suffix prefix problem, 2345
all
succinct circuits problem, 3588
to all, 2390
Allen, 1480, 1824
Allison, 992, 1143
allocated
memory, 310
repeater, 2260
allocating shared storage to parallel processes, 589
allocation, 152, 189, 416, 1819, 2197, 2835, 4103, 4133
function, 1131, 1645
model, 1819
allocation of
a binary tree structure, 114
coroutine environments, 189
goods, 4103
jobs, 530
storage, 157
allocation
problem, 612, 851, 1049, 2835, 3679
strategy, 103, 612, 1740
allocator, 612
almost all, 581
graphs, 745
almost constant, 2388
almost everywhere, 1707, 3274
condition, 1576
randomly decidable, 1253
almost
linear time reduction, 2341
matching lower bound, 1903
optimal parallel algorithm, 1990

almost perfect, 1940
heuristic, 1940, 2613
almost
single input buffering, 1385
surely, 2440
ALOHA, 1902
ALOHA network, 1902
model, 1902
Alon and Azar, 1878
Alon and Boppana, 3335
Alon et al., 2568, 3351
Alon, Goldreich, Håstad, and Peralta, 2568
Alon, Noga, 3351
Alonso, L., 3645
Alpern and Schneider, 2086, 2281
characterization, 2281
Alpern et al. algorithm, 2895
Alpern, B. and F.B. Schneider, 2700
Alpern-Schneider
characterization of safety and liveness, 2700
theorem, 2700
$\alpha(n)$-partitionable, 1057
α-competitive, 2829
α-conversion, 2615
α-disjunction, 370
α-edge separator, 2401
α-entropy, 36
α-fairness, 3714
of Pnueli, 3714
α-iteration, 370
α-neighbor p-center problem, 3174
α-vertex separator, 2401
alphabet independent algorithm, 2559
alphabetic, 3708
binary search tree, 184
code tree model, 3776
order, 184
tree, 3776
alphabetical metric, 416
alphanumeric code, 325
alpha- and beta-conversion, 1665
alpha-beta, 892, 2688
algorithm, 1320
procedure, 892
alpha-beta pruning, 1320
algorithm, 1320
Alspach, B., 3481
Alstrup, Stephen, 3331, 3623
Alsuwaiyel, Muhammad H., 3117, 3365
Alt et al., 2438
alterability of actions, 1535
alternate stacking, 725
alternating, 245, 806, 1052, 1866
automata over infinite trees, 2017
automaton, 2017
alternating bit, 1521
protocol, 1246
alternating
computations, 2038
finite, 752
fixpoints, 2839
alternating group, 4063
graph, 3738
alternating
hierarchy, 1866
machine, 849
multicounter machine, 1139
offline Turing machine, 849
online Turing machine, 849
alternating path, 245, 567, 660, 1315
in a graph, 444
relative to M, 1315
alternating permutation, 272
alternating real time
computation, 1625
pushdown automaton, 1625
alternating
semantic evaluator, 273
time, 664
TM, 1550
Turing machine, 664, 1388, 1523, 1625, 1647, 1866
alternation, 752, 849, 1139, 1625, 1981, 2145, 2675, 3043, 3202
depth, 3381
hierarchy, 1390
alternative
representation, 2356
route, 3780
sum, 1574
Althaus, Ernst, 3720
ALU, 251
Alur, Rajeev, 3880
always true, 2015, 2297
AM $\cap$ coAM $\neq$ BPP, 2203
amalgamation, 1543
of external functional procedures in a logic program, 1543
Amato et al. algorithm, 2020
Amato, Blum, Irani, and Rubinfeld, 2020
ambiguity, 34, 116, 779, 786, 1114, 1144, 1229, 1367, 1423, 1988, 2112, 2549
ambiguity in
CFG, 1988
context free grammars, 1988
ambiguity of context free grammars, 116
ambiguous, 779, 1988
context free language, 1423
grammar, 779, 1988, 2883
graph, 3477
structure, 779

Amdahl, 1591, 6380
America and Rutten, 1674, 1856
Amin and Hakimi, 163
amino acid, 9
Amir, Amihood, 3508, 3824
Amir, Yair, 3686
amortization argument, 3130
amortized, 1803, 2530, 3552
amortized analysis, 1436, 2195, 2216, 2558, 2816, 2971, 3149, 3340, 3732
  of algorithms, 2971
amortized
  bound, 1737
  complexity, 1633, 2129, 2558, 3149, 3484
  cost, 2129, 2816
amortized cost of
  path reversal, 1737
  splaying, 2558
amortized
  efficiency, 1737
  number of comparisons, 3484
  polylogarithmic time, 3552
  sense, 3191, 3844
amortized time, 1748, 2680, 2975, 3340, 3457, 3822
  algorithm, 3822
amount of context, 160
Amoura, A.K., 3565
AMPL, 928
amplification, 1830
AMPPL-II, 45
AM[Q], 1407
analog circuit, 3394
analog computation, 3373
  architecture, 2601
analog to residue conversion, 3898
analysis, 7, 61, 442
  and design of algorithms, 3133
analysis of
  algorithms, 25, 37, 49, 76, 96, 164, 214, 215, 223, 226, 240, 245, 246, 268, 269, 282, 292, 303, 347, 353, 354, 373, 377, 405, 409, 447, 449, 450, 475, 490, 498, 512, 517, 518, 526, 540, 557, 638, 674, 675, 677, 706, 717, 733, 821, 824, 853, 858, 895, 918, 947, 965, 968, 973, 978, 1000, 1008, 1013, 1037, 1045, 1061, 1115, 1129, 1141, 1142, 1178, 1179, 1184, 1206, 1222, 1225, 1233, 1261, 1274, 1276, 1280, 1287, 1354, 1369, 1389, 1396, 1428, 1442, 1451, 1485, 1493, 1513, 1525, 1533, 1539, 1570, 1573, 1596, 1603, 1619, 1623, 1624, 1648, 1662, 1720, 1737, 1755, 1766, 1772, 1780, 1791, 1795, 1818, 1821, 1880, 1899, 1900, 1903, 1913, 1915, 1924, 1953, 1960, 1970, 1972, 1976, 1982, 1984, 2003, 2013, 2032, 2039, 2050, 2051, 2054, 2071, 2094, 2097, 2104, 2105, 2108, 2114, 2116, 2117, 2125, 2129, 2131, 2136, 2140, 2148, 2154, 2157, 2159, 2160, 2161, 2163, 2164, 2170, 2171, 2172, 2195, 2201, 2205, 2215, 2216, 2223, 2226, 2228, 2230, 2235, 2236, 2237, 2240, 2241, 2247, 2254, 2263, 2275, 2283, 2289, 2291, 2300, 2305, 2312, 2319, 2336, 2338, 2341, 2346, 2352, 2360, 2371, 2372, 2375, 2377, 2380, 2386, 2393, 2394, 2398, 2399, 2406, 2419, 2422, 2436, 2440, 2442, 2445, 2451, 2455, 2468, 2471, 2472, 2474, 2478, 2482, 2493, 2508, 2509, 2531, 2533, 2535, 2543, 2551, 2555, 2558, 2564, 2585, 2588, 2591, 2593, 2610, 2617, 2623, 2627, 2629, 2633, 2656, 2658, 2662, 2667, 2668, 2671, 2681, 2686, 2694, 2698, 2705, 2709, 2719, 2721, 2726, 2730, 2732, 2735, 2741, 2748, 2755, 2772, 2774, 2775, 2779, 2782, 2786, 2793, 2794, 2805, 2814, 2815, 2820, 2823, 2829, 2836, 2843, 2851, 2874, 2878, 2886, 2892, 2895, 2915, 2919, 2920, 2922, 2927, 2929, 2933, 2934, 2935, 2940, 2941, 2946, 2950, 2951, 2953, 2955, 2967, 3028, 3038, 3044, 3048, 3049, 3053, 3062, 3068, 3077, 3078, 3082, 3094, 3098, 3100, 3114, 3116, 3149, 3158, 3165, 3167, 3175, 3180, 3187, 3210, 3223, 3231, 3253, 3254, 3261, 3265, 3272, 3278, 3280, 3287, 3315, 3344, 3346, 3351, 3363, 3393, 3398, 3422, 3446, 3447, 3455, 3457, 3461, 3476, 3484, 3488, 3513, 3526, 3528, 3544, 3555, 3557, 3560, 3562, 3573, 3575, 3577, 3579, 3592, 3628, 3631, 3643, 3664, 3689, 3700, 3765, 3774, 3776, 3801, 3824, 3830, 3863, 3900, 3938, 3960, 3978, 3993, 4007, 4024, 4058, 4064, 4100, 4106, 4116, 4124, 4126
  complexity, 433
  manipulation, 2570
  performance, 142
  programs, 14
  range searches, 153
analysis path, 7
analysis/design of algorithms, 3709
Analyti and Pramanik, 2811
analytic
  continuation, 347
  function, 347
  hierarchy process model of decision making, 3833
  method, 142
  model, 142, 1037, 1730, 3492, 3744
  result, 3447
  tableau, 2420
analytic tableaux, 2420
  method, 899

analytic technique, 142
analytical, 2576, 2613
  method, 142
anaphoric pronoun, 1229
ancestor, 101, 166, 1745
  context, 139
  relation, 671
AND
  and OR gates, 3335
  gate, 1152, 2600, 3335, 3768
  gates at the bottom, 2600, 3768
  parallelism, 2293, 2957
AND/OR
  graph, 239, 249
  process model, 1659, 2293, 2461, 2957
  trees representation of problems, 364
∧-∨-circuit, 2238
Anderaa, 781
Anderaa-Rosenberg conjecture, 781
Anderson, 27, 515
Anderson and Backhouse, 1308
Anderssen and Bloomfield, 172
Anderssen and Seneta, 46
Andersson, Gunnar, 3698
Andréka et al., 3893
Andrew, 569
Andrew, A.M., 558
Andrews, G.R., 2901, 3334, 3362, 3371, 3410, 3423, 3497, 3533, 3546, 3609, 3619, 3825, 3849, 3895
AND-gate, 2024
Aneja, Y.P., 3625
Anf, 922
angelic nondeterminism, 2100, 3009
angle, 1741
  comparison, 64
  restricted neighbors problem, 1923
  sequence, 1741
Angluin, 2061, 2231, 2497
  algorithm, 2061
Angluin and Laird, 2131
angular
  constraint, 1339
  order, 328
animating
  information systems dynamics, 2047
  string algorithms, 3371
animation, 2047
ANN, 4142
annealing schedule, 2601
annotated
  logic, 2514
  program, 1019
anomalies in parallel branch and bound algorithms, 1272
anomalous
  behavior, 523, 2080
  behaviour, 453
anomaly, 634, 1272, 1650, 1683, 2281, 2282, 2449, 3690
anonymity of the sender, 1145
anonymous, 3059, 3549, 3644
  result, 1097
  ring, 3059, 3266, 3563
  torus, 3266
ANSV, 3671
ANSV problem, 3671
  on BSR, 3671
answering queries, 600
ant
  multiplication, 259
  transfer, 259
anthentication, 562
antichain, 2498, 2849, 3523
antifactorial language, 3772
antikey, 2637
antipodal graph, 2913
antisymmetrical, 197
antitoken, 2320
antivoter
  algorithm, 1890
  model, 1890
anti-AFL, 297
anti-Horn expression, 4055
Antoy, 3753
Anzai, Koushi, 3734
Aohan, Mei, 3526
Aonuma, Imai, Imai, and Tokuyama, 2472
AOWF, 3634
APA algorithm, 450
aperiodic, 1763
  arrivals, 3022
  deadline, 3022
  monoid, 1763
  tasks, 3022
apex, 3164
API, 4131
APL, 256, 786
  compilation, 1056
  compiler, 1056
  operator, 786, 1056
Apostolico and Hambrusch, 1757
Apostolico et al., 1990
Apostolico-Giancarlo
  algorithm, 3579
  string matching algorithm, 3579
appearance checking, 3074

Appel algorithm, 2338
Appel, Andrew, 2338
application
  domain policy, 2047
  environment, 6
  file, 1
  programmer, 6, 256
  programming interface, 4131
  structure, 2150
applicative, 928
  algorithm, 972
  approach, 972
  communicating processes, 1934
  features of Prolog, 1297
  implementation, 620, 972
  language, 928, 1092, 1402
  logic programming, 2293, 2692, 2957
  order evaluation, 1506
applicative programming, 397, 972, 1101, 1477, 2679, 3161
  language, 928
applicative
  random access stack, 972
  semantics of Prolog, 1297
  solution, 1092
  subset, 397
apply
  actor, 1035
  node, 1375
appointment slot, 401
approximability, 1178, 2124, 2935, 3052, 3294, 3422, 3491, 3830, 3842
  of the TSP problem, 4030
approximable, 2258, 3887
  maximization problem, 2258
  set, 3887
approximate algorithm, 789, 1860, 2075, 2241, 3368, 3426, 3615, 3795
  for edge coloring, 3068
approximate analysis, 63, 515, 2709
approximate average
  storage utilisation, 1073
  utilization of B-trees, 1234
approximate
  binary search, 3795
  center point, 3483
  closest point query, 2566
  coloring, 353
  compaction, 2225, 2490
  computational geometry, 3615
  congruence, 2227, 2438
  convex hull, 893, 1198
approximate counting, 2813
  algorithm, 1700
approximate
  decision algorithm for approximate congruence, 2438
  distance measurement, 3155
  edge coloring problem, 3159
  graph coloring, 2555
  hull, 1198
  linear programming, 2383
  map labeling, 2952
  matching, 1201, 2844, 3996
  matrix multiplication, 641
  max k-cut, 3673
  median, 1924
  membership checking, 2844
  minimum link visibility path, 3117
  min-wise independent permutation families, 4033
  model, 3609
  parametric searching, 2657
  pattern matching, 3054, 3824, 3938
  quantizer, 1765
  rational arithmetic, 1010
  satisfaction, 3418
  shortest path queries, 3272
  solution, 409, 689, 810, 1165, 1576, 2090, 2330, 2383, 2952, 3369, 3552, 3615, 3624, 3683, 3878
  Steiner tree, 2618
  stereo matching tree, 3615
  storage utilisation, 1073
  string matching, 1872, 2844, 3055, 3143, 3334, 3996
  translation square arrangement, 3615
  triclique coloring, 3426
  value, 39, 1010
approximately
  matching, 3054
  minimum cost network, 2975
approximately optimal, 550
  triangulation, 469, 550, 1431
approximating
  and eliminating search algorithm, 3210
  closest lattice vectors, 3961
  functions, 1274
  graph genus, 3491
  linear programming, 2124, 2383
  maximum induced subgraph problems, 3476
  minimum graph clusterings, 3458
  optimal triangulations, 550
  shortest lattice vectors, 3961
approximation, 479, 507, 2088, 2179, 2533, 2809, 2846, 3294, 3569, 3609, 3673, 3674, 3730, 3793, 3809, 3843, 3878, 3913, 3917, 3961, 3978, 4030, 4117, 4122

approximation algorithm, 689, 704, 756, 810, 893, 959, 1031, 1131, 1198, 1243, 1537, 1576, 1655, 1675, 1749, 1773, 1823, 1829, 2016, 2049, 2090, 2172, 2260, 2372, 2377, 2382, 2401, 2404, 2416, 2425, 2493, 2524, 2529, 2533, 2543, 2555, 2618, 2625, 2635, 2657, 2659, 2668, 2702, 2715, 2820, 2843, 2892, 2919, 2952, 2975, 3062, 3068, 3094, 3109, 3117, 3171, 3174, 3280, 3446, 3455, 3458, 3470, 3476, 3491, 3555, 3585, 3624, 3636, 3643, 3667, 3670, 3687, 3698, 3715, 3774, 3796, 3808, 3842, 3864, 3913, 3960, 4016, 4023, 4030, 4064, 4065, 4095, 4117, 4122
by Garg, 3667
for clustering, 3458
approximation algorithms for
edge coloring, 3068
finding a minimum weight perfect matching, 689
approximation
bound, 2054, 2524, 3062, 3978
classes, 2258
criteria, 1178
error analysis, 2516
factor, 3272, 3667, 3801, 3913, 4122
hardness, 3926
language, 1576, 1887
measure, 2650
method, 893, 2919
approximation of
neededness, 3793
polynomials, 657
the permanent, 1700
approximation preserving
reducibility, 2258
reduction, 2935, 3280
approximation
problem, 2702
properties, 1178, 2659
ratio, 2493, 2566, 3077, 3094, 3426, 3491, 3960, 3978, 4095, 4117
result, 2815, 3094, 3698, 3913
scheme, 893, 1198, 2382, 2772, 3504, 3624, 3643, 3926
solution, 1576
strategy, 1131, 1323
theorem, 1274
threshold, 3842
approximative evaluation of polynomials, 479
APSL problem, 3870
Apt and Kozen, 1607
APX complete, 4117
Apx complete problem, 3294
Aqeel, Ahmed, 3445
Aranha, R.F.M., 3354
Arbib, 75
Arbib and Alagić rules, 1019
arbiter, 1709
arbitrary CRCW PRAM, 3777
ARBITRARY CRCW PRAM model, 3482
arbitrary
directed tree, 2863
precision, 450
arbitrated unconditionally secure authentication scheme, 3681
arbitration, 3681
arborescence, 2518
arborescence subhypergraph, 2518
problem, 2518
arboricity, 2908, 3286
arc, 13, 88, 249, 309, 374, 375, 441, 493, 538, 677, 723, 905, 1000, 1539, 1652, 1757, 1821, 1879, 2174, 2320, 2449, 2593, 2629, 2679, 2708, 2746, 2826, 2892, 2902, 3034, 3457
capacity function, 3724
coloured graph, 4121
arc consistency, 3937
algorithm, 3937
problem, 3937
arc
cost, 4082
delay function, 3724
insertion, 3457
network, 309, 1780
of a circle, 1394
set, 205, 3724
weight, 905
ARCADE, 326
architectural characteristic, 1735
architecture, 326, 609, 896, 963, 1254, 1352, 1730, 1847, 2407, 2459, 2479, 2548, 2650, 2673, 2699, 2737, 2783, 2850, 3024, 3742, 3743, 4011, 4036
architecture for
parallel computation, 1730
symbolic processing, 1494
architecture of a
computer, 609
microprogrammable computer, 609
processor, 817
area
and volume, 1476
$*$ time complexity analysis, 1352
complexity, 592, 2107
area of
binary tree layouts, 592
finite state machines, 1684
area
preserving, 571
requirement, 1596, 3258, 3506
time, 1095

area time complexity, 601, 605, 1005, 1051, 1161, 1226, 1269, 1270, 1316, 1454, 1917, 2673
of binary addition, 605
area time
lower bound, 1917
optimal VLSI network, 601
product, 605
tradeoff, 1051, 1269
area universal
circuit, 2885
graph, 2885
argument evaluation order, 1383
arithmetic, 18, 251, 283, 393, 450, 1010, 2009, 2183
chip, 3248
circuit, 2796, 3886
code, 3076
coding, 3342
arithmetic complexity, 215, 253, 283, 393, 436, 692, 952, 1164
of matrix Kronecker powers, 952
arithmetic
computation, 692
computational problem, 719
arithmetic expression, 145, 208, 548, 694
evaluation, 585
arithmetic
expressions without division, 145
function, 2619
inequality over predicates, 3356
manipulation, 381
arithmetic of
finite fields, 758
GF(p^n), 758
natural numbers, 1478
arithmetic
operation, 37, 97, 199, 254, 283, 342, 351, 359, 381, 385, 391, 409, 436, 674, 1192, 2116, 2334, 3344, 3471, 4074
operations on integers, 759
problem, 2156
product of two $n \times n$ matrices, 2183
progression, 1963, 2763
properties, 2677
right shift, 2214
threshold circuit, 3373
arithmetical
axiomatization, 1478
completeness, 1478
hierarchy, 1066, 1962
interpretation, 1478
operation, 3334
proof system, 1478
arities of predicates, 727
arity of queries, 2175
Arjomandi, E., 335
Arlazarov, 15
arm movement, 1556
Armstrong
database, 871
relation, 871, 996, 2637
Arnold and Brlek, 2501
Arnold and Sleep, 684
Arnold syntactic monoid, 2396
Arnold, A., 3608
Aronov and Sharir, 3317
Arora and Rana, 1819
Arora, Anish, 3605
Arora, Lund, Motwani, Sudan, and Szegedy, 2659
arrangeable graph, 88
arrangement, 88, 187, 416, 633, 962, 1274, 2055, 2290, 2674, 2848, 2877, 2912, 2945, 2956, 3582, 3797, 3810, 3989
graph, 2414, 2956, 3738
arrangement of
curves, 1826
items, 187
Jordan curves, 2956
n lines in the plane, 1562
pseudolines, 2290, 2877
segments, 3317
straight lines, 3797
arrangement order, 88
array, 1, 71, 230, 244, 254, 256, 259, 290, 314, 443, 480, 571, 989, 1244, 1297, 1314, 1445, 1491, 1654, 1956, 2218, 2247, 2305, 2450, 2783, 2825, 2834, 3128, 3233, 3700
acceptor, 749
architecture, 1895
bound check, 3013
computer, 291
array data
structure, 3454, 3876
type, 1297
array
element, 658
facility, 1297
grammar, 210, 551, 989, 1244
handling, 1
index, 658, 2305
language, 210, 228, 551, 571, 722
matching problem, 290
array of
automata, 71
processors, 2701
transputers, 1617
array
representation, 593, 2356
rewriting rule, 989
segment, 658, 1194
size, 71

array (*cont.*)
synchronized processor, 1496
synthesis technique, 2606
transformation concept, 786
variable, 658
arrival
process, 878
time, 288, 2487
art gallery problem, 2939, 4127
Artem'ev, 587
Artem'ev and Demidov, 587
Arthur-Merlin, 2388
Arthur-Merlin black box
IZKP, 2388
simulation IZKP, 2388
Arthur-Merlin
class, 2988
IZKP, 2388
proof, 2388
articulation
k-sets, 1926
pair, 1172
set, 1926
artificial component, 1355
artificial intelligence, 45, 79, 123, 139, 340, 423, 496, 647, 773, 892, 1272, 1480, 1690, 1824, 2382, 2731, 3156, 4103
community, 1477
programming language, 139
research, 108
artificial
language, 1427
neural network, 4142
Artin constant, 3515
Arvind, A., 3889
Arvind, V., 3887
Arya, Sunil, 3667
Asai, 979
Asai and Cheng, 979
Asano, T., 3375, 3406, 3428, 3429, 3450, 3465, 3467, 3541, 3542, 3543, 3547, 3562, 3580, 3590, 3591, 3592, 3599, 3614, 3620, 3659, 3661, 3667, 3668, 3669, 3675, 3681, 3683, 3690, 3691, 3706, 3709, 3710, 3718, 3730, 3734, 3735, 3736, 3737, 3779, 3780
Ascend
algorithm, 2610
and Descend algorithm, 2610
ascending
chain, 1184, 1791
order, 570, 855, 974, 1162, 1163, 1529
subsequence, 1151
ASCII, 1418
ASE, 273
Ashir, Yaagoub, 3445
Asp, 2518
aspect ratio, 2936, 3566, 3725
Aspvall, Bengt, 800, 3237
assembler, 1558
assembly, 2744, 3131
language, 237, 1169
line sequencing, 185
partitioning problem, 2744
assertion, 178
language, 658, 1194
method, 178, 954
of a formal system, 1372
assertional
correctness proof, 2794
language, 364
proof, 2794
reasoning, 2297
assignment, 2, 192, 629, 1111
instruction, 82
assignment of
colors, 3543
Floyd assertions, 192
rankings, 401
assignment
operation, 1482
problem, 130
statement, 215, 258, 314, 462, 2060
associated linear abstraction algorithm, 1343
association, 1053
in a flowgraph, 1598
list, 397
associative, 859
associative addressing, 60, 157, 522
capability, 60
associative
and commutative operator, 1461, 2835
binary operation, 2506
Boolean function, 1152
associative commutative
addition operator, 1603
function symbol, 341, 2879
reduction ordering, 2437
associative function, 2244
symbol, 2879
associative
lexical table, 1558
memory, 45, 60, 2021
network, 45
one-way function, 3634
processor, 477
retrieval, 194
searching, 301, 422, 791
store, 708
associativity, 30, 1028, 1636, 2079, 2437, 2506
condition, 3881
in algebras, 2116

associativity law, 30
assumption commitment, 2817
  specification, 2817
assuring interactive consistency problem, 797
asterisk operator nested, 1449
asterisk-cover, 3929
asterisk-depth hierarchy, 1577
asterisk-hierarchy, 2027
asterisk-property, 1098
asteroid avoidance problem, 2142
asteroidal triple, 3083, 3836
asteroidal triple free, 3836
  graph, 3083, 3836
asymmetric
  Bernoulli model, 3271
  similarity measure, 929
asymmetric travelling salesman, 2543
  problem, 2543
asymmetry, 2351
asymptotic, 2705, 2811, 3492, 3643, 3662, 3689
  algorithm, 253
asymptotic analysis, 282, 347, 573, 855, 1276, 1574, 1750, 2823, 3271
  of Karmarkar algorithm, 1287
asymptotic
  approximation, 1276
  average, 952
  behavior, 603, 1222
  behaviour, 282, 347, 447, 1633, 1864
  bound, 831, 3790
  class, 2051
  complexity, 714
  constant, 97
  estimate, 796, 1222
  evaluation, 1755, 2811
  expansion, 347, 1222, 1274
asymptotic expected
  cost, 1633
  storage, 895
asymptotic
  expression, 400, 4116
  formula, 3662
  lower bound, 1254
  makespan, 2440
  optimal bound, 3790
  parallel complexity, 2516
  performance, 2182, 2705
  polynomial time approximation scheme, 3643
  probabilities in logic, 3276
  PTAS, 3643
  result, 283
  running time, 1508
  tightness, 2422
  time complexity, 2051
  value, 859, 3231
  worst case ratio, 2481, 3575
asymptotical behavior, 2053
asymptotically, 429, 449, 550, 873, 895, 905, 942, 1135, 1228, 1356, 1448, 1839, 2422, 2440, 2648, 2727, 2783, 2891, 3271, 3576, 3654
  best possible, 2167
  constant, 3210
  damped solution, 287
  equal, 2493, 3094
  fast method, 540
  faster, 2061
  good algebraic geometric codes, 3641
  improved performance, 2053
asymptotically optimal, 385, 436, 840, 1210, 1245, 1525, 1740, 1983, 2332
  algorithm, 936, 1230, 2450
  area, 3506
  number of buffers, 4054
  routing schedule, 3979
  time, 1501, 1583
asymptotically
  optimum, 1353
  tight, 3506, 3589
asynchronicity of
  an algorithm, 1190
  bilinear algorithms, 1190
  linear algorithms, 1190
asynchronism, 2257
asynchronous, 1190, 1260, 1403, 1510, 1566, 1609, 1712, 1759, 1911, 2204, 2257, 3042, 3124, 3285, 3733
  bidirectional rings of processors, 1564
  circuit, 1709
asynchronous communication, 930, 1721
  network, 1116, 1403
asynchronous
  complete network, 1483
  component, 735
  consensus, 2567
asynchronous distributed
  algorithm, 1260, 3024
  simulation, 1759
  star network, 1706
  system, 1911, 2710, 4008, 4059
asynchronous
  general network, 1566
  interprocess persistent communication, 1721
  iterative scheme, 1089
asynchronous message passing, 1319
  system, 2132, 4059
asynchronous MIMD
  network, 1047
  parallel computer, 1632

asynchronous
network of processes, 1165
operation, 3042
asynchronous parallel
computation, 1936
computer, 728
asynchronous parallel computing, 1936
environment, 3747
asynchronous parallel system, 1936
asynchronous PRAM, 2244
algorithm, 2244
model, 2244
asynchronous
processes, 2158
processor, 1224, 2042, 2186
ranking problem, 1609
recovery algorithm, 3124
resilient consensus protocol, 2132
ring, 3328
shared memory model, 1858
simulation, 1759
system, 735, 928, 1483, 1545, 2132, 2165, 2204, 2376
timing model, 3613
unidirectional ring, 3328
wait free low atomicity system, 2376
asynchronously, 1712, 2538
AT free, 3083
graph, 3083
ATA, 2390
Atallah, 1115
Atallah et al., 1883
Atallah, M.J., 3028, 3049, 3055, 3065, 3081, 3086, 3102, 3117, 3342, 3379
Athithan, G., 3368
Atkinson et al., 1464
ATM, 3679, 4131
delay analysis, 4073
network model, 3679
switch, 4073
atom, 9
atomic, 1721, 1742, 1858, 2138
action, 1305
Boolean n-reader 1-writer register, 1621
commitment, 2917
model of concurrency, 1589
multi-valued n-reader 1-writer register, 1621
register, 1621, 1721, 1858, 2376
semantics, 1589
set constraints, 3827, 4062
atomic snapshot, 3285
memory, 3653
atomic value, 2342
atomicity, 686, 1589, 2285, 2376, 2451, 3349
refinement, 3397
attack, 4042
against a protocol, 3659, 3906
attack on a
recursive authentication protocol, 3649
threshold signature scheme, 3956
Attalah, M.J., 3278
attention, 10
attractor, 2749, 3628
of an IFS, 3628
attribute, 231, 372
classes, 273
evaluation, 273, 2942
evaluator, 1844
grammar, 273, 376, 779, 787, 830, 1311, 1318, 1844, 1867, 1987, 2326, 2733, 3541, 4060
reevaluation, 1867
set, 2449
stack organization, 1318
state, 2733
synthesis, 1987
value, 1844, 2313, 2491, 2576
attributed grammar, 1311
attributed tree, 671
transducer, 4060
auction, 4103
theory, 4103
Audsley, N.C., 3764
augmentation, 485, 3049
process, 375
augmenting path, 245, 567, 1315
techniques, 646
Augustson and Minker, 917
Aurenhammer, Franz, 3892
Ausiello, D'Atri, and Sacca, 2449
Ausiello, Giorgio, 3052
Autebert et al., 1106
authenticated encryption, 3308, 3587
scheme, 3308, 3587
authenticated secure session key distribution system, 3230
authentication, 562, 682, 1145, 1416, 2496, 2712, 2997, 2998, 2999, 3145, 3186, 3190, 3230, 3505, 3514, 3532, 3649, 3906
method, 654
protocol, 2999, 3186, 3532
scheme, 654, 3145, 3505, 3681
server, 643
system, 2998, 3532
authorization, 430
condition, 555
authorization mechanism, 621
grant, 621
authorization system, 1249
authorized, 3948
maximum drift, 1346
personnel, 654

authorized (*cont.*)
subset, 3948
user, 437
autocorrelation, 3271
function, 3706
autoepistemic
logic, 2839
theories, 2839
automata
hierarchy, 261
network, 2432
product, 2268
theory, 71, 90, 119, 261, 389, 520, 539, 675, 752, 898, 1155, 1191, 1303, 1581, 1763, 2017, 2063, 2078, 2320, 2962, 3848, 3990
automated
decisionmaking, 2229
deduction, 1670, 1792, 2648
design, 1560
logic, 891
modular synthesis, 1515
reasoning, 2545
solution of logic puzzles, 1370
synthesis, 2458
theorem proving, 1330, 1670
automatic
clustering, 917
compiler generation, 544
content analysis, 33
derivation, 2137
detection of parallel tasks, 106
discrimination dictionary, 61
drawing, 1738
free form content analysis of documents, 33
generation, 202
automatic graph
drawing, 2082, 2316, 3155
layout, 2082
automatic
information retrieval, 61
language processing, 61
left context uncovery, 2198
automatic problem
solver, 754
solving, 108
automatic program optimization, 293
automatic programming, 773
system, 773
automatic
proof system, 1411
retrieval system, 10
solution, 274
synthesis of iterative programs, 773
term weighting process, 61
text analysis, 61
theorem proving, 506, 2031, 2202, 2420, 2437, 2514, 2521, 2545, 2648, 2666, 2672, 2731, 2879, 2924, 3087, 3695, 3760, 3788, 3815, 3873, 3893, 3966, 4068, 4076
automatic verification, 1246, 3880
of correctness, 1246
automatic verifier, 1607
automatically generated
compiler, 671
program, 6
automating the semantic component, 1367
automation, 893, 2017, 3233
automatized solution, 674
automaton, 71, 113, 119, 144, 210, 261, 276, 279, 378, 452, 555, 578, 663, 696, 740, 751, 752, 766, 848, 849, 857, 982, 999, 1065, 1191, 1303, 1411, 1481, 1625, 1657, 1678, 1711, 1719, 1753, 1763, 2017, 2063, 2145, 2210, 2262, 2320, 2466, 2549, 2655, 2776, 2930, 2986, 3195, 3284, 3608, 3617, 3656, 3772, 3789, 4032, 4085, 4140
automorphism, 87, 421, 2875
group, 421
of broadcasting schemes, 2875
partition, 421
auto-asociative memory, 2021
auxiliary
data structure, 1140
memory, 721, 1182, 2530
stack, 72, 96, 3163
auxiliary storage, 63, 176, 511, 1634
analysis, 63
auxiliary
variable, 1677, 1875
worktape, 1657
availability, 2869
analysis, 1817
constraint, 3972
avalanche criterion, 4150
average
access time, 224
analysis, 1268, 1774
behavior, 303, 573, 1287
average case, 447, 574, 606, 615, 921, 1024, 1123, 1193, 1356, 1376, 1594, 2053, 2247, 2323, 2784, 2948, 3105, 3355
algorithm, 328
average case analysis, 328, 447, 594, 796, 1024, 1773, 1774, 1916, 1958, 2323, 2386, 2726, 2920, 3134, 3526
of algorithms, 2386
average case behavior, 194
of 2-3 trees, 475
average case behaviour, 102, 1225

average case (*cont.*)
complexity, 1878, 2399, 2412, 3134
parallel complexity of sorting, 1878
average case performance, 194, 1773, 2784
rate, 1773
average case
running time, 1898
scalable online algorithm, 2948
average case time, 1878
complexity, 328, 2784, 3970
average clause length, 1552
average complexity, 594, 1001, 1682, 1774, 1852, 2033, 2399, 2850
result, 2850
average
computational complexity, 1682
constant time, 969
cost, 631, 2920, 3447
data inflow, 52
delay, 2762
demand, 27
depth, 603
distance, 2756, 3291, 3738
duration, 2094
edge length, 3946
efficiency, 1474
height, 687, 717
average height of a
digital search tree, 717
node, 3447
average length, 1276, 2701
of codeword, 53
average
matching cost, 2920
measure, 1451
memory occupancy, 1474
message complexity, 1712
NP completeness, 2399
number, 2509, 2806, 3185, 3497
average number of
blocks, 16
compares, 691
comparisons, 3185, 3970
computational steps, 2806
entries, 603
key comparisons, 449
maxima, 1864
messages, 1564, 1712
probes, 303, 1112
records, 603
text characters, 615
average number of tokens, 2806
in a cycle, 2806
average performance, 947, 2920
analysis, 2920
average
polynomial time, 3134
queue length, 142
response time, 3912
average retrieval
performance, 194
time, 194
average running time, 573, 3287
average search, 53, 3405
length, 1142
time, 721, 2591
average
seek distance, 2089
sensitivity, 3589, 3819, 4099
size, 1755
average storage, 27, 1073
performance, 1451
utilisation, 1073
average time, 211, 784, 829, 1001, 1551, 1552, 1720, 2371, 2701
analysis, 1552, 4148
complexity, 570, 833, 2308, 2760
hierarchy, 2760
per balanced parenthesis string, 684
average
value of functions, 2987
wasted space, 2726
working storage, 27
aviation medicine, 2634
Avis, 552
Avis et al., 1676
AVL, 3817
tree, 206, 365, 521, 926, 1216, 1504, 2254, 3596, 3817
avoidance, 1044
avoiding
a word, 3772
cycling in a network, 1357
go to statements, 41
rabbits, 3005
Avresky, Dimiter R., 3872
Awerbuch, 1403
axial symmetry, 428
axiom, 47, 77, 118, 196, 241, 316, 331, 340, 361, 370, 412, 460, 528, 604, 940, 1091, 1158, 1618, 1639, 1643, 1722, 2060, 2132, 2202, 2363, 2734, 2981, 3825
axiom of a
Boolean algebra, 1237
group, 30
axiom of
choice, 294
group theory, 2563
axiom
P, 361
system, 2046, 2057

axiomatic approach, 412
axiomatic approach to
  program proving, 196
  the consensus problem, 2132
axiomatic
  definition, 191, 480
  method, 460, 480
  presentation, 2001
  proof, 460
  semantics, 196, 480, 891, 2207, 3201
  specification, 412, 846, 1642
  system, 2060, 2876
  transformation rules, 604
axiomatically, 2876
axiomatisation, *see also* axiomatization
axiomatisation of the
  intermittent assertions technique, 460
  while loop, 460
axiomatizable sound formal system, 1134
axiomatization, 946, 2876, 2981, *see also* axiomatisation
axiomatized theory of finite rational languages, 1067
axiomatizing fixpoint logics, 2344
axioms of multivalued dependencies, 3825
axis, 3663
axis parallel, 748, 2638, 3663, 4120
  boxes, 4120
  hypercube, 3406
  rectangle, 3663
  segment, 2960
Axt classes, 11
Ayani, Rassul, 3053
Azar, 3540
Azar, Broder, and Karlin, 3540
Azar, Broder, Karlin, and Upfal, 3158
Azar, Naor, and Rom, 3158
A-bounded subset sum problem, 1253
A-free graph, 4071
a-immune, 3929
a-isolated, 3929
A-order, 1551
A-stable, 287
a-transducer, 348, 1585, 1681

B

B+ tree
  index, 2313
  root node, 1460
B*-tree, 1073
B^+-tree, 1966, 2080
(b, d) uniform tree, 2688
BA protocol, 2033
Baader, Franz, 3788
Baba, N., 2237
Babai, 1407
Bach and Sorenson, 3287
Bach, Eric, 3515
Bachmair and Ganzinger, 2202
Bachmair method, 2924
Back, 2452
back
  pointer, 339, 1290
  propagation learning algorithm, 2062
  referencing, 3677
  to back d-ary tree, 3345
Backhouse et al., 2452
Backhouse, R., 4053
Backhouse, Roland, 3782
backpropagation training algorithm, 2650
backtrack, 1001
  algorithm, 434, 1001, 1258, 1646
  literal, 1659
  method, 776
  points, 1767
backtrack search, 1347
  tree, 1001
  type algorithm, 1347
backtrack tree, 2386
backtracking, 8, 99, 135, 276, 340, 434, 565, 647, 776, 958, 1001, 1041, 1767, 1809, 1940
  algorithm, 276, 1767
  program, 565
  scheme, 1767
  search, 3327
backup
  copy, 652
  cycle, 652
  frequency, 652
Backus, 976
backward, 2314
  analysis, 3802
  conflict, 129
  dependency, 1439
  dependent set, 1439
  deterministic CA, 2430
  diagonal, 524, 1855, 2045
  distance, 1699
  edge, 1745
  error recovery, 1439
backward execution, 1659, 2957
  algorithm, 1659, 2293, 2461
backward
  flush, 1911
  induction, 3974
  reasoning predicate transformer, 298
bad
  anomaly, 1272
  data, 652
  hash function, 531
Badal, 837

Baek, Nakhoon, 3722
Baeten, J.C.M. et al., 2403
Baeza-Yates, Ricardo A., 3334, 3371
bag, 590, 1489, 3199
  language, 3199
Bagchi, Anindo, 3629
Bagherzadeh, Nader, 3427
Bahl and Kobayashi, 383
Baier, Christel, 3353, 3714
Bajaj and Li, 1401
Baker and Schwarz, 3575
Baker, Coffman, and Rivest, 589
Baker, Gill, and Solovay, 1390, 2560
balance, 3859
  algorithm, 2216
  factor, 365, 1799
  information, 365, 427
balanced, 206
  2^d-tree, 1057
  allocation, 3158
  binary search tree, 521, 2221, 2230
balanced binary tree, 2101
  technique, 2101
balanced
  Boolean function, 3672, 3859, 3939
  CI function, 3969
  class of trees, 206
  data structure, 1953
  division, 1074
  divisions of lists, 3007
  formula, 3063
  graph, 3697
balanced *k-d*
  binary search tree, 718
  tree, 447, 718
balanced
  k-decomposition, 3785
  matrices, 2448, 3063
  matrix, 3697
  parenthesis string, 684
  quad tree, 1057
balanced search
  strategy, 1953
  tree, 920, 1969, 2254
balanced separator
  method, 2820
  procedure, 2820
balanced tree, 206, 250, 365, 427, 521, 921, 926, 1233, 1344, 1606, 1953, 2230, 4058
  structure, 365, 475
balancedness, 3672
balancing, 1074, 2530
  algorithm, 2934
  binary search trees, 2965
  principle, 1206
Balasubramanian, R., 3676
Balcázar and Schöning, 3144
ball, 998
  problem, 998
Banach, R., 3404
Banach-Mazur game, 4050
Banatre and Lapalme fair agreement algorithm, 1125
Bancilhon and Ramakrishnan, 1837
band
  linear system, 1170
  Mat Inv(n), 3031
band matrix, 1089, 1170
  multiplication, 2407
banded matrix, 2311
  inversion, 3031
bandwidth, 2, 1376, 1617, 1657, 1886, 2623, 3026, 3031, 3116, 3193, 3539, 3655, 3679, 3854
  allocation problem, 3679
  constrained problem, 1570
bandwidth k
  formula, 1570
  graph, 3116
  interaction graph, 1570
bandwidth minimization, 2548
bandwidth of
  a chain graph, 3854
  an interleaved memory system, 141
  communication channels, 1617
bandwidth problem, 1886
band-width, 2311
BANG
  abstract directory tree, 3447
  file directory, 3447
Banicescu, Ioana, 3739
banker algorithm, 418, 1033, 1317, 2728
banyan network, 2724
bar visibility, 3506
Bárányi and Füredi, 2813
Barbe, 1169
Barcan formula, 632
Bardzin, 3401
Barklund, Jonas, 3436
Barlow and Evans, 783
barrier, 1827
  synchronisation, 3201
  synchronization, 3742
Barriga, Luis, 3053
Barrington, 2847
Barrington, Immerman, and Straubing, 1836
Barrington, Straubing, and Thérien, 3281
Barsi, F., 3184
Barsi, Ferrucio, 3106
Bartal, Fiat, Karloff, and Vohra, 2910
Barth, 3345

Barth, Dominique, 3345
Baruah, Sanjoy K., 3607
Bar-Yehuda and Even, 1243
base
  4 representation, 158
  language, 24
  set, 370
baseline, 1817
  network, 1466, 2724
basi of a matroid, 308
basic, 46
  algorithm, 3388
  CCS, 2981
  function, 6
  operation, 1297, 1502
  operations of r-merge, 617
  parameter, 22
  progress algebra, 2403
  security theorem, 1098
basis, 2161, 2813, 3048, 3226, 4044
  for a finite Abelian p-group, 1119
  of solutions, 341
Baskett et al., 310
batch
  checking, 2387
  job, 806
batch scheduling, 401
  with deadlines, 3610
batched
  disk queries, 2050
  planar point location, 1883
  search, 1238
Batcher, 580, 728, 956, 2793
  bitonic sort, 1177, 2793
batching, 1238, 3610
  method, 353, 628
Baudet and Stevenson, 728
Bauer, 598
Baum nonmalicious distribution model, 2915
Baum, E., 2439
Bax, Eric, 3413, 3550
Bayer, 300, 920
  class, 920
Bayesian formalism, 3504
bayonet code, 3135
BC chain, 1358
BCD, 1418, 3517
BCH code, 2888
BCL, 340
BCNF, 634, 798, 2449, 2751, 3533
  decomposition, 2449
  relation scheme, 3533
BCR, 622
BCSTSC problem, 3554
BDD, 2918, 3735, 4113
  construction, 4112
  minimization, 4113
BE algorithm, 1243
Beals, Robert, 3377
Beame and Hastad, 2408
Beeri, 144
Beeri and Bernstein, 2449
behavior, *see also* behaviour
  analysis, 2701
  machine, 3692
behavior of
  overlapping operations, 1709
  shared objects, 1709
behavioral
  equivalence, 3911
  isomorphism, 279
  science, 147, 1930
behaviour, 16, *see also* behavior
behaviour of
  a system, 3418
  an organism, 45
  non-sequential systems, 322
behaviour on a subdomain, 1995
behavioural
  equivalence, 2001, 2459
  subtyping, 3113
Beigel and Chang, 3705
Beimel and Kushilevitz, 4056
Beineke and Fiorni, 492
Beineke and Plummer, 234
Belady, 366
Belady and Palermo, 366
Belady MIN algorithm, 338
Bell, 2254
Bell and LaPadula, 1098
Bellman, 905
Bellmann-Ford algorithm, 2251
Bellman-Ford algorithm, 905
Belogay, E., 3603
BenCherifa and Lescanne, 2771
benchmark, 546, 1817
bend, 2208
Bendix G-20, 158
benevolent adversary, 2171
benign side effect, 1679
Bennett and Gill, 2424, 2560
bent function, 2327
Bentley, 219, 301, 447, 533, 650, 661, 662, 679, 774, 807, 850, 1045
  algorithm, 718
Bentley and Maurer, 422, 774
Bentley and McGeoch, 1633
Bentley and Shamos, 301, 593, 893
Bentley and Wood, 774

Bentley
multilevel range structure, 3820
solution, 807
structure, 3820
Bentley, Faust, and Preparata, 893, 1198
Bentley, Kung, Schkolnick, Thompson, and Devroye, 1864
Bentley, Stanat, and Williams, 2013
Bentley, Weide, and Yao, 1916
Ben-Ari, 1349
algorithm, 1349
Ben-Or
lower bound, 1505
theorem, 2274
Bérard, Béatrice, 3126, 4105
Berge, 14, 163
graph, 3045
Berger and Shor, 2705
Berger-Shor algorithm, 2705
Berghammer, Rudolf, 3495
Bergstra, Jan A., 3770
Berlekamp algorithm, 2888
Berman and Hartmanis, 3071
Berman, Franco, and Schlipf, 2716
Bermond and Peyrat, 2778
Bernasconi, 3819
Bernasconi, A., 3355
Bernays-Schönfinkel, 3276
Bernoulli
model, 3271
numbers, 796, 3515, 3662
random number generator, 752
trial, 1905
Bernstein, 735
Bernstein and Beeri, 388
Bernstein et al., 1456
Bernstein synthesis algorithm, 523
Berri, 741
Berstel, 685, 915
Berstel, J., 456, 3988
Berthelot et al., 927
Bertino, E., 3601
Bertoni, A., 2982
Bertossi, 1518, 1795, 2003, 2608
Bertossi and Bonuccelli, 1822, 1947
Bessière et al., 3937
best
access path, 1063
α algorithm, 3960
bound, 2534
best bound first, 1272
parallel branch and bound, 1272
best case, 1707
complexity, 1707
best circuit, 1749
best container, 3228
best first search, 2090, 2688, 2974
algorithm A*, 2688
best fit strategy, 16
best known, 4033
algorithm, 2248
best
sequential algorithm, 2152
worst case bounds, 90
Best, Eike, 1064
beta
function, 1460
reduction, 3047
β-reduction, 2366, 3047, 3302, 3916
β-sharpened triangle inequality, 4117
β-skeleton, 3892
betrayal incident, 1811
Beutelspacher, 3324
Bezier polygon, 2691
BFS, 2108, 2291
BFS numbering, 1582
of a directed graph, 1582
Bhatt and Cosmadakis, 1764
Bhatt, S., 745
Bhattacharya, Subir, 2974
biased
coin, 2059, 3205
number generation, 3508
text, 3996
bibliographic
data, 324
search, 1179
bicategory, 2975
bichromatic graph, 3495
bichromaticity, 3495
Bickart, 287
procedure, 287
biconnected
component, 101, 518, 2413, 3169, 3411, 4081
graph, 518, 1835, 1892, 2343, 2623, 2889, 3354
spanning subgraph, 2857
biconnectivity, 3113, 3330
bidirectional, 2314, 2602, 2757, 2758, 2799, 2868, 2880
asynchronous rings of processors, 1564
communication channel, 2055, 2746
coroutine, 1138
bidirectional heuristic search, 2314
algorithm, 2314
bidirectional
link, 1224
loop, 2168
bidirectional ring, 1712
of processors, 1712
bidirectional routing, 1600, 2602

bidirectional search, 2314
  strategies, 1017
bidirectional systolic algorithm, 2407
Biedl, Therese C., 3666
bifaithful, 1572
  starry transduction, 1572
bifurcation ratio of the lung, 3863
biggest stick problem, 1970
Biham and Shamir, 2327
  attack, 2327
  differential cryptanalysis, 2327
bijection, 421, 637, 1551, 1656, 1932, 1961, 2408, 2412, 2578
bijective, 2578
  embedding, 2354
Bijlsma, A., 3004
bilinear
  algorithm, 398, 719, 1190, 3218
  APA algorithm, 450
  chain, 215
  computation, 1164
  EC algorithm, 450
bilinear form, 198, 215, 450, 692, 713, 793, 1011, 1164, 1188, 1190, 1269
  computational problem, 1269
bilinear program, 1164
bilinearity, 215
billiard
  ball path, 3602
  quorum, 3602
bin packing, 530, 589, 1031, 1448, 1760, 1773, 1784, 2037, 2436, 2481, 2726, 3369, 3552, 3643, 3687
  algorithm, 537
  problem, 537, 622, 1031, 1760, 2436, 2481, 3643
  with extendable bins, 3687
binary
  addition, 605, 2620
  alphabet, 717, 2511, 3640, 3708
  ALU, 3517
  attribute, 187, 221
  backtrack tree, 2386
  buddy, 1655
  Byzantine agreement, 994
  clause, 2521
  code, 1943
  coded decimal, 3517
  codeword, 1943
binary comparison, 367, 2471
  model, 1974
binary consensus, 4059
binary decision
  diagram, 2729, 3735, 4113
  tree, 207
binary
  expansion, 606
  field, 3218
  form, 1558
  function, 877, 976, 1015, 1774
  heap, 1534, 2263
  Horn clause, 2589
  Huffman code, 2586
  hypercube, 2123, 2126, 3026
binary image, 963, 1208, 2186, 2465, 2873
  processing, 1474, 2092
binary
  jumping, 2875
  linear programming problem, 3815
  machine, 2285
  matrix, 1093
  merge, 2305
binary merging, 405
  by partitioning, 405
binary
  monotone function, 435, 831
  notation, 2812
  number, 1943, 2620
  n-cube, 1047, 3367
  operation, 30, 208, 370, 2506
  operator, 2079
  pattern, 738
  period, 3678
  queries, 1030
  record, 1030
  reflected Gray code, 998, 2783
  relation, 128, 181, 216, 666, 772, 1029, 1776, 1909, 2585, 4145
  representation, 393, 655, 827, 1429, 1513, 2611, 2694, 2833, 2891, 4106
  representations of integers, 1491
binary search, 137, 194, 281, 282, 303, 385, 409, 449, 559, 566, 656, 703, 1004, 1123, 1321, 2115, 2305, 3771, 3776, 3795, 3845, 3947
  algorithm, 3795
  network, 1321
binary search tree, 272, 521, 706, 788, 850, 1142, 1290, 1321, 1344, 1504, 1658, 1746, 1913, 2157, 2254, 2591, 3044, 3635, 3682, 3776, 3863
  model, 3863
binary search
  trie, 194
  with errors, 3845
binary
  searching method, 281
  segmentation, 1353
  selfstabilization, 2285
  semaphore, 404, 995, 1266
  sequence, 274, 2609, 3072, 3465

binary sort tree, 72
  traversal, 72
binary
  space partition, 2535
  string, 2560, 3757, 3899, 4109
  system, 1005, 1009, 2309
  systolic tree automaton, 2986
binary tree, 35, 53, 60, 62, 73, 175, 176, 206, 272, 312, 424, 447, 511, 535, 592, 678, 684, 768, 920, 935, 969, 1009, 1126, 1273, 1290, 1297, 1450, 1476, 1623, 1741, 1764, 1913, 1930, 1997, 2092, 2176, 2233, 2246, 2319, 2393, 2394, 2397, 2503, 2548, 2598, 2603, 2718, 2719, 2747, 2783, 2866, 2890, 2965, 3014, 3051, 3180, 3382, 3436, 3596, 3688, 3725, 3822, 3915, 3980, 4041
  algorithm, 2580
  enumeration, 2890
  generation, 969
  labeling, 424
  machine, 733
  of processors, 1273
  reconstruction problem, 2871
  representation, 2891
  search, 312
  searching, 691
  sequence, 2233, 2965, 3822
binary
  trie, 2654
  vector, 221, 1030
binder, 1919
binding, 958, 1767, 1817, 1919
  environment, 1299
  mechanism, 1919
  propagation, 2418
  relation, 1968
  time analysis, 2137
Bini algorithm, 641, 789
Bini and Gemignani, 2334
Bini and others, 641
Bini, D. and A. Schönhage, 2516
Binkley, Aaron B., 3321
binomial
  coefficient, 304, 2656, 2677
  coefficients with nonintegral lower index, 304
  distribution, 703, 1460, 1750
  queue, 3240
  recurrence, 2656
  theorem, 304
biological, 47, 197
  model, 197
  observation, 197
  organism, 77
  origin, 93
  phenomenon, 279
  point of view, 75, 77, 232
  sequence, 2106
biology, 942, 1210
biomedical field, 455
bipartite, 1338, 1828, 1890, 2118, 2608, 2643, 3147, 3560, 3650, 3723
  adjacency matrix, 3104
  completeness of graphs, 3049
  digraph, 2082
  graph, 245, 390, 444, 492, 567, 646, 705, 743, 810, 816, 852, 942, 1040, 1127, 1199, 1221, 1315, 1442, 1689, 1927, 2019, 2067, 2082, 2125, 2286, 2307, 2444, 2597, 2608, 2766, 2961, 3068, 3200, 3379, 3422, 3561, 3748, 3826, 3924, 3969, 4128
  matching, 510, 705, 1757
  multigraph, 2724
  of degree, 4, 816
  perfect matching, 1689
  permutation graph, 3147, 3192
  subgraph listing algorithms, 2908
bipartiteness, 3495
bipartition, 2579
bipartition of
  biconnected graphs, 1892
  graphs, 1892
biprefix, 637
  code, 2860, 3538
biquaternions, 2460
Bird, 547, 2255
  method, 547
Bird, R.S., 3043, 3051, 3122, 3190, 3223, 3279, 3314, 3367, 3409
Bird, Richard S., 3545
Birget, Jean-Camille, 3307
Birman and Joseph, 2257
bisecting a polygon, 2337
bisection, 417, 507, 659, 2146, 2337
  algorithm, 417, 529
  point, 783
  procedure, 529
  process, 417
  solution, 783
  strategy, 529
  tree, 788
bisector of three points, 3599
bisimilar term, 2981
bisimilarity, 3911
bisimplicial edge, 852
bisimulation, 1687, 2219, 2295, 2403, 2563, 2614, 2972, 3360, 3773
  equivalence, 1687, 2981
  preorder, 3618
Biskup, Dayal, and Bernstein, 1025
bispecial, 2785
  factor, 2785

bistability, 1796
BIT algorithm, 3187
bit complexity, 2183, 2772, 3563
  model, 3098
bit
  dimension, 127, 1090
  operation, 724, 1818, 2183, 3175, 3515, 4139
  optimal election, 2035
bit reversal, 3410
  algorithm, 1186
  permutation, 1186
bit sliced signature file, 3435
bit string, 1307
  compression, 2617
  longest common subsequence algorithm, 1307
  operation, 1307
bit vector compression, 382, 383
Bitner, 691, 1633
bitonic, 2793
  sort, 1177, 2123, 2793
  sorting, 2793
bitwise mutation, 3212
bivalency, 3974
  argument, 3974
biweighted
  binary tree, 935
  path length, 935
black and white
  image, 1699, 4135
  pebble, 563
black & white pebble game, 563
black box, 1817, 2279, 3448, 3471
black box polynomial, 3471
  resultant, 3471
black box
  resultant, 3471
  simulation, 2388
black boxes, 3448, 3471
black pebble, 563
  game, 563
Bland and Jensen, 4082
blank tape, 1607
Blass and Gurevich, 2595
Blass, Andreas, 3757
Blattner and Latteux, 951
  result, 951
Blattner, Meera, 47
Błażewicz, J., 2801
Błażewicz, Jacek, 3319
blind, 4134
Blind signature, 4134
block, 16, 69, 2413
  accesses, 1048, 1616
  behaviour of procedures, 501
  cipher, 3751
  diagram, 146
  graph, 2977, 4048
  hit ratio, 839
block interchange, 3412
  diameter, 3412
  distance, 3412
block of
  a fixed size, 1655
  cells, 83
  code, 43
  store of integral size, 612
block PRAM, 2562
  complexity, 2562
  model, 2562
block
  selectivity, 2313
  sensitivity, 3355, 3819, 4099
  size, 1031, 2160, 2576
  split tree structured file, 1460
  structure, 2334
  transfer, 919
block tridiagonal
  matrix, 1348
  solver, 1348
  system, 3702
  systems of linear equations, 1348
blocked
  input, 2160
  process, 508, 2005
blocking, 837, 1527, 2160
  communication, 2055
  factor, 1048, 1616
blocking flow, 1762, 1780
  problem, 1762
blocking
  interprocess communication, 2055
  network, 2724
  set, 3496
Blondel, Vincent D., 3593
Bloniarz, 1015
Bloniarz and Meyer, 949
Bloom filter, 2844
Blum, 670, 1015, 3446
Blum and Goldwasser, 1932
Blum and Hewitt, 578
Blum and Impagliazzo, 2560
Blum et al., 2919, 3635
Blum
  integer, 3925
  measure, 670
Blum, Avrim, 3446
Blum, Floyd et al., 346
Blum, Jiang, Li, Tromp, and Yannakakis, 2919

Blum-Shub-Smale model of computation, 3525, 4005
Blundo, Carlo, 3598, 3652
BMP, 2548
BNF type grammar, 24
board
  configuration, 1347
  covering problem, 1437
Boari, M., 360
Boasson, 720, 874
Boasson and Frougny, 720
Boasson and Nivat, 1213
Boasson and Sénizergues, 2522
Boasson, L., 2946, 2949, 2962, 2982, 3041, 3106, 3126, 3135, 3139, 3204, 3292, 3307, 3350, 3352, 3387, 3391, 3395, 3430, 3431, 3432, 3449, 3494, 3502, 3503, 3510, 3519, 3528, 3537, 3538, 3565, 3579, 3608, 3611, 3617, 3656, 3657, 3696, 3699, 3772, 3789, 3797, 3814, 3821, 3829, 3830, 3846, 3848, 3856, 3884, 3892, 4080, 4105
Bobrow, 312
Bodlaender, 1961, 3253
Bodlaender et al., 3674
Bodlaender, Hans L., 3455, 3476
Bodlaender, Thilikos, and Yamazaki, 3674
Boehm, 1071
Boesch, 217
Böhm, 535
Böhm and Jacopini, 535
Bokhari method, 2069, 2748
Boland, Ralph P., 3102
Boldi, Paolo, 3644
Bollig, Beate, 3711
Bollobás and Simon, 1534
Bollobás, Fenner, and Frieze, 1404
Bonabeau, Eric, 3783
bond, 1845
  structure, 1845
Bondy and Chvátal, 1362
Bonuccelli and Bovet, 2003
Book, 1887
Book and Otto, 4085
book embedding, 2492
Book trick, 3908
Book, Ronald, 3908
Books, 46
Boolean, 151, 477, 661, 824, 1305, 1353, 1691, 2218, 2544, 2647, 2753, 3335, 3403, 3600
  algebra, 2, 4, 949, 3788
Boolean circuit, 1154, 1341, 1499, 1647, 1680, 2124, 2153, 2163, 2167, 2865, 3226, 3242, 3464, 3589
  complexity, 1353
  family, 2163, 2419
Boolean
  closure, 2261
  combinations of ω-languages, 3197
  component, 489
  computation, 692
  concept learning, 2224
  conjunctive normal form, 561
  connective, 2787
  cost of computing det A, 1692
  dependency, 1541
  equation, 630
  expression, 2, 376, 630, 1372, 1636, 2590, 2753, 4055
  expressions by short circuiting, 1636
  flag, 1290
  formula, 419, 2781, 2865, 3063, 3588, 3626, 4112
  formulae, 2781
  function, 180, 323, 344, 410, 538, 555, 751, 877, 1007, 1015, 1152, 1295, 1340, 1351, 2024, 2040, 2224, 2255, 2365, 2495, 2729, 2753, 2818, 2847, 2865, 2979, 3037, 3044, 3226, 3263, 3355, 3370, 3373, 3377, 3394, 3420, 3464, 3473, 3496, 3606, 3672, 3711, 3781, 3819, 3859, 3939, 3941, 3957, 3969, 4083, 4093, 4099, 4111, 4113
  graph, 538
  hierarchy, 3705
  literal, 1268
  logarithmic time, 1353
  manipulation, 2865
  matrices, 455, 540, 814, 1634
  matrix characterization, 162
Boolean matrix multiplication, 540, 1082, 1603, 1634
  algorithm, 1082
Boolean matrix product, 162, 2183
  of two $n \times n$ matrices, 2183
Boolean
  monomial, 3333
  n×n matrices, 2181
  negation, 949
Boolean network, 877, 2024
  complexity, 877
  theory, 1015
Boolean
  n-cube, 1730
  operation, 70, 389, 2017
  predicate, 2388
  primitive, 1636
  relation, 2
  semaphore, 227
  semiring, 3213
  semi-unbounded circuit, 3886
  set operator, 3827

Boolean (*cont.*)
subexpression, 1636
sum, 538, 3711
term, 1541
value, 526
valued predicate, 3356
variable, 2, 133, 216, 2224, 4099
vector, 3394
Booth, 701
Booth and Lueker, 1947
bootstrapping, 2530
Boppana, Ravi B., 3589
Borchert, Bernd, 3366, 3571
Bordat, 3982
border
of the circuit, 1454
rank, 1011
Bordihn, H., 3865
Borodin, 97, 283
Borodin and Munro, 97, 205
Borodin conjecture, 171
Borodin et al., 1613, 3685
Borodin-Munro, 171
Boroujerdi, Ali, 3805
Bose, Prosenjit, 3694
bottleneck, 120, 883, 1047, 2245, 3109
biconnected spanning subgraph problem, 2857, 3330
in a network, 14
matching, 4123
objective function, 2857
optimization, 2857
problem, 1047
traveling salesman problem, 3771
bottom, 3032, 3281, 3411
hull edge, 1328
terminal, 2054
to top flow, 953
bottom up, 3410
abstract interpretation, 2679
algorithm, 168
data flow, 2679
bottom up evaluation, 2679
of logic programs, 2679
bottom up
execution, 2679
mergesort, 2747
mode, 452
nondeterministic tree transducer, 348
parse order, 3095
bottom up parsing, 1661, 1838, 3095
strategy, 1661
bottom up
pyramid acceptor, 395
reconstruction, 3817
search structure, 1017
tree transformation language, 200
Bottoni, Paolo, 3630, 3755
Bottreau, Anne, 3814
bound, 112, 342, 349
estimation, 1235
for, 53
function, 1635
variable, 3161
boundary, 31, 128, 592, 627, 677, 1454, 1474, 1738, 1921, 2075, 2221, 2757, 2856, 2893, 2993, 3317, 3359, 3731, 3857
complex, 2725
conditions, 89, 195, 878
edge, 350, 1020
function, 140
line, 2054
model, 1454
boundary of a
chip, 592
convex hull, 328
polygon, 350
boundary
of the Minkowski sum, 3731
problem, 98
tag algorithm, 189
value problem, 1170, 1348
bounded
acceptor, 1553
balance tree, 859
buffer, 1111
communication, 971, 3787
complexity, 3534
bounded context, 34
algorithm, 34
form, 34
method, 26
bounded
cyclicity graph, 4102
degree, 2475, 2806, 3274, 3491, 3745
bounded degree network, 1596, 2599, 3745
of processors, 2199
bounded depth
Boolean circuit, 1467
circuit, 1424, 3589
bounded edge, 2221
bounded edge length, 3864
Steiner tree, 4122
bounded error, 3957
probability, 967, 4099
bounded fan in, 1499
Boolean circuit, 3242
circuit, 1986
bounded fan out, 3562, 3936
m-center problem, 3562

bounded
FIFO channel, 1150
height, 2866
key space, 226
language, 113, 712, 951, 960, 2063
lookahead, 378
memory, 1181
number, 470, 722, 3378, 3732, 3986, 4064
bounded number of
edges, 774
leaves, 2397
negations, 3766
bounded occurrence constraint satisfaction, 4064
bounded one sided error probabilistic
computation, 4004
multihead finite automaton, 4004
bounded
ordered dictionary, 2000
Petri net, 2253
priority queue, 2000
probability operator, 2722
propagation of privileges, 1249
quantifiers, 430
rank, 2224
response, 2456
bounded reversal multihead
finite automata, 113
pushdown automaton, 113
bounded
reversal multipushdown machine, 1068
subset sum problem, 1253
timestamp, 3285
variable, 2376
bounded width polynomial size
Boolean formula, 2847
branching program, 2847
bounded workspace, 114, 1016
boundedness, 960, 1392, 1507, 1626, 1843
axiom, 1158
for conflict free VRS, 1392
is undecidable, 1843
boundedness problem, 1392, 1507
for VAS, 1392
boundedness testing, 960
bounding
area, 3628
function, 1272
operation, 76
Bouquet, Fabrice, 3510
Bouvry, Pascal, 3319
Bovet et al., 3366
Bovet, Crescenzi, and Silvestri, 3571
Boxer, Laurence, 1977
Boxes, 4056
Boyce-Codd normal form, 388, 634, 798, 1800, 2449, 2751, 3533
Boyer and Moore, 1003, 1250
Boyer-Moore, 2855
pattern matching algorithm, 2660
Bozanis, Panayiotis, 3444
BP, 2722
operator, 2722
$\hat{\text{BP}}$ operator, 2722
$\text{BP}\cdot\text{C}_=\text{P} = \text{RP}\cdot\text{C}_=\text{P}$, 2722
BPA, 395, 2981
BPP, 967, 2388, 2827, 2954, 3259, 3451, 3885
BQP, 3962
bracket
language, 245, 246, 1264
matching, 2101
sequence, 2319
bracketed
CFL, 1647, 1836
code, 1807
Bradford, 3351
Bradford, Phillip G., 3351
branch and bound, 130, 1272, 2090
algorithm, 216, 1272, 1806, 2556
method, 76
strategy, 76
branch and cut, 2731
branch coverage
criteria, 1598
criterion, 1598
branch
free segment, 1090
instruction, 29, 931
merge rule, 2420
predicate, 314
branching, 121, 392, 937, 2518
and bounding operations, 76
bisimilarity, 3300
bisimulation, 2295
factor, 1608
of nodes, 76
probability, 104
process model, 3212
program, 2918, 3496, 3685
rule, 76
branching time, 1417, 2363
logic, 2363
semantics, 3360
temporal logic, 2458
Brand and Zafiropulo, 1150
Brandenburg, 1277
Brandstädt, 2947
Brandstät and Kratsch, 2947
Brandt, Jonathan, 2374
Brauer, Wilfried, 3568
Braunmühl and Verbeek, 1264

breadth first, 2333
  execution method, 1306
  fashion, 2322
  machine, 1306
breadth first search, 736, 1354, 1444, 1582, 1939, 2108, 2308, 2322, 2546, 2765, 3121, 3181, 3295, 3411, 3490
  algorithm, 1444, 3692
  numbering, 1582
  problem, 2308
  tree, 1799, 2765, 3490, 3737
breadth first traversal, 2322
  of trees, 2322
  problem, 2322
breadth first tree, 2333
  traversal, 2322
break point, 1964
  table, 2717
breakdown, 2606
breaking
  generalized Diffie-Hellman, 3925
  symmetry, 3790
Bredt, T.H., 270
Brehaut, 518
  algorithm for outerplanarity, 518
Brent and Kung, 1051, 1917, 2620
Brent, Kuck, and Maruyama, 145
Brent/Spira restructuring, 2781
Breslauer, Dany, 3509
BRGC
  embedding, 2783
  hypercube, 2783
  order, 2783
bridge, 14, 101, 978, 986, 1133, 2413, 3878
bridge connected, 101
  component, 101
bridge in a network, 14
bridge of
  a graph, 14, 101
  an undirected graph, 14, 978
bridgeless, 986
Brinch Hansen, 404
  operating system, 44
Brinch Hansen, P., 42
brittle graph, 2052, 3391
broadband network, 2724
broadcast, 643, 681, 760, 1276, 1473, 2390, 2642, 2652, 2710, 2745, 2835, 2875, 3136, 3549, 3591, 3752, 3883, 4047
  algorithm, 2192
  bus, 2835
broadcast communication, 1574, 2308, 2656, 3399, 3662
  model, 2308
broadcast conflict, 2308
broadcast encryption, 3879
  scheme, 3879
broadcast
  message, 3136
  network, 3852, 4035
  packet switching network, 1276
  primitive, 2710
  problem, 3549
  scheduling, 3591
  time, 2209, 2652, 3345
broadcasted, 2405, 2710, 3136, 4035
broadcasting, 2209, 2220, 2287, 2642, 2696, 2710, 2745, 2830, 2875, 3211, 3345, 3671, 3717, 3733, 3752, 3852, 3971, 4047, 4108
  algorithm, 2745, 3733
  architecture, 3922
broadcasting in
  hypercubes, 3752
  unlabeled hypercubes, 3733
broadcasting
  problem, 3971
  scheme, 2875
  with selective reduction, 3671, 3964
Brock, 914
Broder, 1700, 2813, 3540
Broder, Charikar, Frieze, and Mitzenmacher, 4033
Bron-Kerbosch algorithm, 69
brother tree, 521, 3817
Brown, 325
  University, 21
Brown, D.J.S., 844
Broy and Lamport, 3372
Brucker et al., 3610
Brun twin prime constant, 3515
brush stroke design, 2690
brute force algorithm, 350, 3554
Bryant, 3510
BS strategy, 3845
Bshouty, Nader H., 3337, 3489, 3581, 3685, 3900
BSP, 3741, 3742
  computer, 3326
  cost model, 4078
BSP model, 3741, 4078
  of computation, 3742
BSP tree, 3646
BSR, 3671, 3963, 3964
  PRAM model, 3963
  with multiple criteria, 3671
BSR_k, 3964
BSR^+, 3671, 3964
BST, 2157, 2254
BSTA, 2986
bubble memory, 264, 573
  organization, 573
  system, 602

bubble
  propagation, 573
  sort, 570, 580, 1222, 1296
  stream, 602
bubblesort, 1465, 2064
  algorithm, 2064
Büchi, 1067, 2655
Büchi and Landweber, 188
Büchi
  automata, 982, 3043
  tree automata, 3043
bucket, 244, 570, 678, 1020, 1300, 2080, 2096, 3447
  capacities, 2709
  of a file, 1597
  scan, 244
  size, 244, 678
  sort, 1525
  sorted array, 2096
bucketing, 1020
budget, 2556, 3748, 3913
budget constrained, 3748
  flow improvement, 3748
budgeted maximum coverage problem, 3913
Budnik and Kuck, 524
buffer, 52, 111, 264, 420, 676, 708, 779, 1140, 1385, 1730, 1761, 1804, 2041, 2108, 2192, 2291, 3115, 3461, 4054
  management, 1724
  pool, 676
  register, 146, 264
  replacement strategy, 2291
  sharing, 42, 676
  size, 52, 146, 2041, 2188, 2291, 2450
buffer storage
  control, 2168
  scheme, 264
buffered
  computation, 1122
  FIFO storage, 264
buffering, 1385
  of information, 264
  problem, 57
  system, 57
  technique, 1385
  theory, 57
Buhăceanu, D.S., 3419
Buhrman et al., 3986
Buhrman, Longpré, and Spaan, 2954
Buhrman, van Helden, and Torenvliet, 3118
Bui, 587
Bui and Hunter, 529
Bui, T.D., 446, 587
building, 926
  block, 745
  lattices, 3982
  road networks, 564
built in, 3517
  predicate, 1299
bulk synchronous parallel, 3742
Bull implementation, 3649
Bull, John, 3649
Bultena, Bette, 3844
Bulterman, R.W., 3004
bunch
  of sets, 644
  theory, 644
Bundy et al., 2255
Bunke, H., 3055
Burkard, Rainer E., 3791
Burkhard, 194
Burnett and Coffman, 141
Burns and Pachl, 2799
Burns, A., 3764
Burns, Alan, 3314
Burstall, 460
Burstall and Darlington, 2255
Burstall program, 134
Burstall-Darlington transformation technique, 626
Burton, 757, 866, 958
  proposal, 1099
Burton, Warren, 359
bus
  automation, 2697
  based multicomputer architecture, 2479
  interconnection network, 2848
  structured system, 883
  system, 2030
Busch, Costas, 3559
bushiness, 3710
Buss and Turán, 1925
Buss, Jonathan F., 3694
busy waiting, 667
Buszkowski and Orlowska, 1567
Butcher, 287
butterfly, 2475, 2599, 2699, 3442, 3529, 3712
  graph, 2209, 2903, 3442, 4010
  network, 2123, 2209, 2561, 2599, 3137, 3529, 4104
Bykat, 499, 512, 515, 569
  algorithm, 569
  convex hull algorithm, 569
Bykat, A., 433
Bykat-Eddy algorithm, 569
Byzantine agreement, 994, 1415, 1857, 2033, 2788, 3669
  algorithm, 994
Byzantine failure, 3953
Byzantine generals, 994
  problem, 3669
Byzantine quorum system, 3953
B_tree, 1663

B_tree (*cont.*)
like index, 1663
structure, 1663
type index, 1663
b-matching, 854, 1338, 4103
problem, 1338
B-order, 1551
B-PRAM, 2409
B-tree, 233, 427, 687, 921, 925, 1073, 1234, 1460, 1517, 2762, 3231
like structures, 3231
representation, 2762
search, 855

C

C expression, 1383
C language, 1418, 1558
C++, 1655, 2180, 3935
(c, α)-concentrator, 390
c.f.
grammar, 680, *see also* context free grammar
language, *see also* context free language
languages, 680
C0L language, 1950
(C_1, C_2)-effective entropy of a language, 2112
$C_{3,1}$ problem, 3456
c_4, 713
C_5, 2284
C_5-colouring, 2284
$C_{=}P$, 2434, 2722, 3962
C_I-systems, 1101
C_{II}-systems, 1101
C_{max} criterion, 3070
c_r, 1959
C^{∞}-words, 2973
CA, *see also* cellular automaton
circuit design, 2865
circuits, 1152
CAB, 3862
Cabrelli, C., 3603
Cabrelli, Carlos, 2374
Cabrelli, Carlos A., 3729
cache, 1735, 1874, 1953, 3803
activities, 1874
coherence protocol, 1874
size, 1953
cached
client data, 3684
data, 3684
fast uniformly balanced search strategies, 1953
query, 3684
caching, 3235
rules, 3684
cactus, 4057
graphs, 3985
CAD, 1149, 3796, 4083, 4113
systems, 1149
tools, 2729
CAD/CAM, 2489
Cahit, 352
algorithm, 352
Cai, 1467
Cai and Hemachandra, 2453
CAI system, 132
Cai, Hemachandra, and Vyskoč, 3885
Cai, Jin-Yi, 3885
Cai, Leizhen, 3878
Calamoneri, Tiziana, 3479, 3561
calculation, 15
of moments, 173
calculational, 3005
derivation, 2079, 2255
calculational method, 3008
for inverting programs, 2100
calculational
program construction, 2641
proof, 1820, 3005
properties, 3003
techniques, 2255
calculus, 1402, 1849, 1934, 2294, 2304, 2452, 2803, 2867, 3002, 3003, 3916
for the discrete design of systems of programs, 1402
calculus of
binary relations, 1567
communicating systems, 3920
data structures, 454
durations, 2304
extreme fixed points, 3003
functions, 2867
relations, 1567, 2972, 3545
Calera-Rubio, Jorge, 3848
Călinescu-Karloff-Rabani relaxation, 4095
call by
name, 1985
need, 1985, 2707
call control
problems, 3193
scheduling problems, 3193
call overhead, 1817
call/return overhead, 1817
Cambridge
CAP, 708
multi-access system, 957
Camp, T., 3882
Campbell, Duncan K.G., 3740
Can, Fazli, 3435
cancel messages, 2293
cancellation, 7, 3520
property, 794
rules, 1086, 1303

cancellative, 3520
cand, 2590
candidate
  axes, 267
  keys, 231, 372, 2751
canonical, 1166, 1526, 2886
  4-ordering, 3542
  computation, 657
  decomposition, 3542
canonical form, 12, 331, 576, 1259
  algorithm, 331
canonical Hamiltonian
  circuit, 2003
  path, 2003
canonical
  LR tables, 2318
  LR(k) parser, 1105, 1526
  model, 19
  morphism, 1085
  order, 72
  parser, 1526
  simplifier, 1667
canonical state space
  form, 19
  model, 19
canonical
  string rewriting system, 1166
  sum of products, 3528
  systems, 357
  term rewriting systems, 1639
Cantor, 1988
  space, 2828
  topology, 3418
capability, 980, 1010, 1654, 2672
  based addressing, 708
capacity, 1780, 2606, 3720, 3724, 3748
  constraint, 1762, 2835
capacity of
  an arc, 375, 2593
  the real memory, 498
capacity restrictions, 4016
Capetanakis-Tsybakov-Mikhailov, 1276
Caprara, Alberto, 3808
capturing a quorum, 2791
Cardenas, 919
cardinal, 2198
cardinality, 125, 2576, 3219
  constraint, 608
  constraints in relational databases, 608
  dependency, 608
cardinality of a
  largest clique, 69
  minimum dominating set, 371, 2028
  projection, 839
Carlson, 1810
Carlsson, Svante, 1790
Carrasco, Rafael C., 3848
carrier
  of information, 278
  set, 945
carry skip adder, 2620
Carter and Wegman, 531
Cartesian, 2967
  coordinates, 336, 1777
Cartesian product, 369, 608, 748, 785, 786, 996, 2466, 2538, 2557, 3467, 3560
  graph, 3467
Cartesian product of
  complete graphs, 3560
  cycles, 2482
Cartesian
  sum, 1087, 1685
  tree, 2967, 3061
cartographic algorithm, 2952
cartography, 2952
Carton, 135
Carvalho and Roucairol, 1346
cascade algorithm, 216
cascaded waking up, 404
case
  grammar, 3958
  graph, 554
  statement, 931
CASOP, 1946
  algorithm, 2079
Castillo and Siewiorek, 914
CASTOR group, 448
Castro, Jorge, 3766
Catalan number, 175, 1365
catalog management, 296
  part, 296
catamorphism, 2452, 2867
Catania, B., 3601
catastrophic fault, 4045
  pattern, 4045
categorical, 2452
  expressions, 7
categories of user, 957
categorization, 33
  of documents, 33
category, 267, 707, 818, 957, 1030, 1419, 1656, 1856, 3763, 3977, 4050
  Fun of functions, 2867
category of
  complete metric spaces, 1674, 1856
  predicate transformers, 2867
category theory, 399, 780
catenation, 160, 1124
  closure, 160
catenativity, 869

Caucal, D., 2403
Cauchy
  formula, 3731
  matrix, 3641
causal, 2458, 2547
  memory, 3260
  message ordering, 2864
  order, 2547
causal ordering, 2204, 2257, 2441, 2864, 4053
  abstraction, 2257
causal
  precedence, 3085
  relation, 632
  relationships, 3818
  testing, 3360
causality, 269, 2204, 3360, 3934
  based partial order semantics, 3108
  knowledge, 2046
  relation, 2204, 3934
cause
  and effect regions of an action, 1535
  effect structure, 1512, 1535, 1788, 2578, 3384, 3839
  region, 1512, 1535
Cayley, 3998
  colour graph, 3644
  enumeration formula for labelled trees, 2718
  graph, 2903, 3097, 3251, 3414, 3479, 3481, 3493, 3644, 3832, 4010, 4104
  interconnection networks, 3479
  network graphs, 3251
Cayssials, R., 3501
CBCAST primitive, 2710
CC free relational structures, 1094
CCC, 1883, 3463
  architecture, 1883
CCD, 264
CCITT X.509, 3906
CCS, 928, 1934, 2219, 2402, 2563, 3293, 3920
  observational bisimulations, 2402
  processes, 3784, 3920
  specification, 2001
CCTL, 2458
CCW, 1861
  indexing technique, 1861
  surrogate files, 1861
CD_d problem, 2289
CDC SRAR-100, 214
cdr
  cell elimination, 312
  of lists, 312
CE, 2676
Cell, 753
cell, 27, 753, 1440, 1915, 2473, 2528, 2536, 2607, 2752, 3018, 3250, 3989
  complexes, 2725
  decomposition, 2725
  joining, 2682
  of nonuniform size, 1380
  probe model, 4109
  space, 1257
  stretching, 2682
cellular
  algorithm, 1293
  array automaton, 593
  automata theory, 792
  automaton, 75, 395, 792, 1553, 1710, 2081, 2430, 2631, 2988, *see also* CA
  development of organisms, 313
  logic, 963
  space, 75, 1293
  telephone network, 3673
census
  data, 762
  techniques, 2882
center, 1070, 1835, 2784, 3174, 3354, 3562, 3670, 3985, *see also* centre
  of a graph, 1835
  point, 3483
  problem, 3562, 3985
centering a spanning tree, 1835, 2889, 3354
central
  arbiter, 2042
  authority, 760
  controller, 1712
  system concepts, 120
centralized, 805, 1816, 2197
  allocator, 1033
  continuous deadlock detection, 961
  control algorithm, 805
  database, 1870
  decision, 1033
  environment, 2204
  function, 2421
  protocol, 1545, 2165
centrally symmetric object, 3359
centre, 550, 3250, *see also* center
centre of a
  chordal set, 550
  polyomino, 3250
centroid, 164, 916, 1888
  method, 916
  of a free tree, 164
  vertex, 1835
Cerioli, Márcia R., 3758
certificate, 3224
certification, 837
certified list, 2298
certifier, 837
  techniques, 837
Cesati, Marco, 3624

CF grammar, 1134
cf grammar, *see also* context free grammar
CFG, 154, 1988
  formalism, 1988
CFGG, 1722
  algorithmic techniques, 1722
CFL, 739, 900, 1106, 1647, 1988, *see also* context free language
CH problem, 673
Cha, Guang-Ho, 3867
chain, 166, 677, 799, 813, 1184, 1462, 1791, 2362, 2498, 2501, 2748, 2877, 3488, 3977
chain code, 1474, 3290
  picture language, 3290
chain
  decomposition, 1184
  graph, 813, 3854
  length of a word, 1959
chain like
  network computers, 2069
  task, 2069
chain
  metrics, 416
  network, 1084
chain of
  associations, 1598
  deterministic pushdown transducers, 1130
  dominoes, 75
  DPDT, 1130
  memory locations, 177
  pointers, 152, 845
chain
  problem, 1791
  task, 2515
chained processors, 2515
chaining, 244, 1112, 1714
  effect, 916
  mode, 3838
  operations, 152
  techniques, 187
chairman assignment problem, 3607
Chaitin, G.J., 2611
Chakrabarti, P.P., 1841, 3327
Chakrabarty, Krishnendu, 3639, 3872
Chakraborty, Uday Kumar, 3176
Chalamaiah, Nimmagadda, 3780
chamfer distance, 3089
Chan, 57
Chan, Timothy M., 3802
chance, 2150, 3246, 3393
  correlations, 179
Chandra, 342, 1152
Chandra and Wong, 3171
Chandra et al., 700
Chandrasekaran and Venkatesan, 2757, 2758
Chandra-Toueg failure detector classes, 4008
Chandy, 1725, 1816
Chandy and Lamport distributed snapshot algorithm, 1125
Chandy and Misra, 1857, 2132
Chang and Lee, 321
Chang and Wang, 3694
Chang et al., 1866, 2242, 4123
Chang, Cheng Yi, 3838
Chang, Chin-Chen, 3548, 3587
Chang, Hung-Yi, 3604
Chang, Jae-Young, 4019
Chang, Jik H., 1523
Chang, Jou-Ming, 3661, 3870
Chang, Maw-Shang, 3713
Chang, Ruay-Shiung, 3591, 3592
Chang, Yaw-Wen, 3702
Chang, Ye-In, 3614
change
  of state, 2
  over time, 3227, 3607
  point, 139
changing recursion into iteration, 99
channel, 1295, 1413, 1591, 1911, 1914, 1975, 2048, 2054, 2055, 2257, 2409, 2469, 2757, 2758, 2861, 3141, 3179, 3514, 3690, 3801, 3849, 4059
channel allocation, 2444, 3801
  problem, 2444
channel
  capacity, 2048
  density, 3320
  graph, 3883
  of communication, 2409
  primitive, 1911
channel routing, 1975, 2469, 2539, 3141
  model, 1975
  problem, 3141
channel
  state, 1911
  width, 1803
Chao, H.S., 3490
Chao, K.M., 3668
Chao, Kun-Mao, 3866
character, 615, 738, 1009, 1106, 2503, 2554, 2671, 2855
character pair, 738
  representation, 738
character searching methods, 2855
character set, 3899
  design facility, 59
character
  stream, 1558
  string, 1036, 1558
  to integer conversion, 1036
  transitions, 1776

characterisation, 2079, 2363, *see also* characterization
characterisation of
benign, 1679
correctness, 1306
total correctness, 1306
characterise maximal extension functions, 1489
characteristic, 1418, 1725, 2268, 2449, 2456, 3127, 3152, 3479, 3684, 3859, 4097
characteristic functions, 3356
of linear codes, 3901
characteristic
inequalities, 3014
matrix, 1164, 1215
characteristic of
a decomposition, 634
the Davis-Putnam procedure, 1268
characteristic polynomial, 266, 342, 623, 1006, 1584, 1692
of a matrix, 1584
characteristic
sequences, 3894
vectors, 2815
characterizable, 3571, 3927
characterization, 441, 454, 463, 554, 575, 583, 1023, 1025, 1026, 1088, 1241, 1279, 1468, 1495, 1500, 1647, 1650, 1763, 2029, 2072, 2151, 2269, 2278, 2334, 2495, 2626, 2676, 2721, 2779, 3075, 3255, 3262, 3457, 3570, 3571, 3618, 3640, 3786, 3911, 4071, *see also* characterisation
by Alpern and Schneider, 2029
characterization by forbidden
configurations, 1927
subgraphs, 2492
characterization for a
family of infinitely many irreducible equally spaced polynomials, 2130
vertex being in the center of a tree, 1835
characterization for
ET0L languages, 161
n-cube, 583
characterization of a
centroid, 164
class of amalgamated programs, 1543
characterization of
AC^0 and NC^1, 2847
articulation pairs, 1172
BPP, 2722
circuit depth, 2024
classes of recursive functions, 3075
computable functions, 159
context sensitive languages, 68
correlation immune Boolean functions, 4093
database dependency implication, 1241
deadlock freedom, 1023
deterministic space complexity classes, 2038
directed path graphs, 1822
distance automata, 2549
elastic graphs, 3155
ET0L languages, 232
extended LR (k) grammars, 3611
FD implication, 1650
finitely specifiable implicational dependency families, 1279
Hamiltonicity problem, 441
idempotent transformation monoids, 1763
interval graphs, 1947
line digraphs, 819
liveness, 1173
locally catenative L systems, 279
maximum weight independent sets in bipartite graphs, 1757
monoid classes, 1763
morphisms generating the Morse sequence, 655
multivalued dependencies, 1026
NP, 2659
optimum algorithms, 3398
oracles that separate NP from P, 1622
outregular graphs, 3644
partially commutative free monoids, 1211
perfect graphs, 1904
primitive morphisms, 3640
programmed grammars, 3074
proper interval graphs, 942
Q_n^k-like graphs, 3967
recursively enumerable languages, 68
characterization of regular
languages, 2880
prefix codes, 463
characterization of
rescaling functions, 1593
resistive spaces, 2117
right power bounded languages, 463
safety, 1173
selfstabilizing algorithms, 4034
semicommutation systems, 1468
semilinear sets, 726
solutions to language equations, 361
strings in D_2, 1647
synchronization slices, 307
termination, 2771
the behaviour of nonsequential systems, 275, 322
characterization of the class of
deterministic context sensitive languages, 2038
expressive interpretations, 1478
oracles for a relativation, 1622

characterization of the
classes RP·C$_=$P and ZP·C$_=$P, 2722
Dershowitz-Manna ordering, 826
homomorphic images of a transition graph, 162
information content, 3255
intersection of two convex polygons, 3857
n-cube, 583
set of leaf language classes, 3571
shortest path, 1779
strictness properties of the untyped lambda-calculus, 1592
characterization of
undercovers, 1088
unit interval graphs, 3858
weakest preconditions, 3778
characterization theorem, 279, 2851
characterizing, 463, 1935, 2252, 2841, 3262
even linear languages, 3198
safety, 2700
Charatonik, 4062
Charatonik, Witold, 3827
chart parser, 2585
chase, 742
procedure, 742
rules, 742
Chaudhuri, Shiva, 3670
Chauhan, S.R., 3868
Chazelle and Edelsbrunner, 2359
cheating, 3110, 3598
problem, 3110
Chebyshev
approximation, 1192
polynomials, 2292
check
digit, 325
of constancy, 710
checkable debate systems, 2993
checker, 3635
checking
algorithm, 209
disjointness of sets, 1043
equivalence of circular lists, 494
index terms, 10
parity, 2408
stutter invariance, 4140
checkpoint, 2849
state, 1125
checkpoint/restart, 1125
checkpointing, 914, 934, 1439, 3861
policies, 934
protocols, 2849
Chedid, F. and R. Chedid, 3112
Chekuri et al., 3960
chemical
bound, 9
composition, 123
compounds, 9, 2489
DBMS, 2489
graph, 123
isomers, 123
molecule, 1711
problems, 123
structure generator, 384
structures, 1711
Chemiyan and Hagerup, 2002
Chen, 2984
Chen and Chin, 2593
Chen and Liu algorithm, 4009
Chen and Yu, 3246
Chen, Chui-Cheng, 3051
Chen, Danny Z., 3402, 3693
Chen, Deng-Jyi, 3620
Chen, Hong-Chung, 3876
Chen, Hon-Chan, 3547
Chen, Jianer, 3491
Chen, Jiun-Liang, 3750
Chen, Loon-Been, 3779
Chen, Rong-Jaye, 3051, 3209, 3604, 3738
Chen, Tzung-Shi, 4038
Chen, Weimin, 4087
Chen, Wen-huei, 3692
Chen, Zhi-Zhong, 2969
Chen/Udding, 1941
Cheney, 312
Cheng, 142
Cheng, Siu-Wing, 3322
Cheng, T.C.E., 3660
Cheng, T.C. Edwin, 3903
Cheng, Yi-Chang, 2983
Cheriton, 2192
Cheriyan, Hagerup, and Mehlhorn, 2125
Cheriyan, Joseph, 3896
Chernoff bounds, 1905
chess, 79, 364, 1347, 2358
board, 170, 1437
end game, 364
chessboard, 2358
distance, 3089
Cheston, 1835
Cheung, 1116, 1444
Chew and Machtey, 1209
$\chi(G)$ colouring, 1890
Chiang, 3209
Chiang, Wei-Kuo, 3738
Chiba and Nishizeki, 1926
chicken or egg objection, 2530
Chien search, 3846
children of a node, 764
Chin, F.Y.L., 3716, 3792, 3826, 3866, 3870, 3897, 3903, 4026, 4073
Chin, Francis, 3683

Chin, Lung Lu, 3456
Chin, Y.H., 3897
China, 1418
Chinese postman
  algorithm, 3692
  problem, 2026
Chinese remainder, 2645
  theorem, 2405, 2812, 2833
Chinese rings puzzle, 577
Ching and Lee, 2221
Ching, Yu Hung, 2901
chip, 592, 605, 1095, 2245, 2620
chip area, 592, 601, 1051, 1095, 1183, 1479, 3898
  lower bounds, 1183, 1479
chip
  designs, 2119
  layouts, 592
Chiu, Ge-Ming, 3717
chi-square distribution test, 1248
Chlamtac and Farago, 3152
Chlebíková, Janka, 3422
Chlebus, 1766
Chmeiss, Assef, 3503
Cho and Sahni, 519
Choe, Kwang-Moo, 2191, 2461, 4018
Choi, Kyunghee, 3804
Choi design, 2407
Choi, Y., 3474
choice, 27, 931, 2294
  coordination problem, 2042
  of procedure, 7
Chomsky, 1988
Chomsky and Schuetzenberger, 399
Chomsky
  families, 241
  grammars, 126, 232
  hierarchy, 144, 572, 749
  language, 3
  normal form, 438
Chomsky type
  0 languages, 1069
  formal language theory, 161
  grammars, 1301
choosing initial points in local search, 1696
Chor and Goldreich, 3400
Chor et al., 2677
Chor, Goldwasser, Micali, and Awerbuch, 1473
chord, 856, 1354, 1794, 2187, 2331, 2448, 2708, 4127
  length, 3727
  of a circle, 2448
chordal, 550, 1354, 2361, 2766, 3503, 3703
  biconnected graph, 3155
chordal bipartite, 2588
  graph, 2067, 2588, 3104, 3870
chordal completion, 3183
chordal graph, 136, 518, 1040, 1288, 1334, 1354, 1514, 1624, 1672, 1747, 1787, 1961, 2019, 2361, 2499, 2740, 2766, 3082, 3183, 3295, 3304, 3456, 3503, 3928, 4057
  recognition, 1354
chordal point set, 550
chordal ring, 2187, 3160, 3727, 3883
  network, 1089
chordal set, 550
chordality, 1672
  in graphs, 1672
chordless
  cycle, 2239, 3503
  path, 2034
chosen message attacks, 3933
Chou, Ching-Tsun, 3407
Chou, Chun-yen, 3991
Chow and Liu, 3504
Christie, David A., 3412
Christmas tree, 3997
Christofides, 2372, 4117
Chrobak et al., 3038
Chrobak, Marek, 3558, 3904
chromatic index, 492, 2534, 3721, 3928
  of graphs, 3721
  problem, 3721
chromatic number, 69, 220, 645, 1184, 1723, 1890, 1904, 2028, 2284, 2448, 3426, 4136
chromatic number of
  a graph, 1395, 1890, 2534
  graphs, 353
chromatic number problem, 220
Chu, Francis, 3800
Chu, Jiang-Hsing, 3700
Chu, Min Li, 3966
Chu, P.C., 3958
Chu, Shik Jhon, 3742
Chuan, Yi Tang, 3456
Chuang, Yen-Chu, 3736
Chung, 424
Chung et al., 3702
Chung, Chin-Wan, 3867
Chung, F., J. Salehi, and V. Wei, 2271
Chung, Ilyong, 3726
Chung, Keung Poon, 3516, 3683
Chung, Kuo-Liang, 3454, 3554, 3850
Chung-Feller theorem, 2319
Church
  coding, 1968
  random, 1341
Church-randomness, 1341
Church-Rosser, 720, 1086, 1166, 2366
  property, 1086, 1101, 3047, 3404
  systems, 720

Chvátal, 1267, 1904
Chvátal and Lovász, 809
Chvátal and Sbihi, 1927
Chvátal and Szemerédi, 1925
Chvátal star cutset lemma, 1904
Chwa, Kyung-Yong, 3725, 3810, 3862
CI
  Boolean functions, 3969
  functions, 3969
Ciampolini, Anna, 3303
Ciesinger, 582
cigarette
  addicts, 555
  smoker problem, 254
  smokers' problem, 86, 254
CINCOM TOTAL, 818
Cintioli, Patrizio, 3469
CIP, 620
  L, 620
  project, 448
ciphertext, 2405, 3393
circle, 422, 439, 494, 841, 1293, 2784, 3191
circle cover, 1539, 1795, 1805, 1821
  minimization problem, 1000
circle
  graph, 1184, 1794, 2331, 2448, 4057
  in the plane, 2260
  intersection graph, 1620
circuit, 167, 255, 323, 526, 601, 605, 751, 820, 988, 1006, 1014, 1051, 1095, 1152, 1161, 1180, 1254, 1316, 1340, 1452, 1454, 1499, 1691, 2024, 2040, 2161, 2163, 2167, 2238, 2245, 2252, 2419, 2770, 2865, 2894, 2914, 3010, 3032, 3248, 3281, 3370, 3377, 3394, 3464, 3589, 3594, 3847, 4088, 4140
  boards, 526
circuit complexity, 751, 767, 1152, 1691, 1814, 1931, 1948, 1986, 2349, 2353, 2847, 3032, 3226, 3335, 3464, 3594, 3768, 3886, 3924
  of symmetric functions, 3377
  result, 2109
circuit
  depth, 751, 2024, 2424
  design, 2865
  family, 1499
  free graph, 1220
  layout, 672, 704
circuit of
  AND, OR, and NOT gates, 2770
  length, 3, 1926
  small depth, 1424
circuit
  representations, 3366
  size, 949, 3520, 4140
  switched network, 2914
  theory, 2865
  value problem, 526
circulant, 3702, 3726
  block tridiagonal systems, 3702
  graph, 3481, 3726, 3727
  matrix, 1269
  network, 3726
circulant tridiagonal
  linear systems, 3702
  system, 3702
circular, 451
circular arc, 1000, 1539, 1795, 1805, 1821, 2003, 3200, 3722
  graph, 429, 942, 1493, 1757, 1879, 1900, 1951, 2003, 2278, 2581, 4057
  model, 942, 1951
circular
  arcs of a circle, 1951, 4057
  attribute grammar, 1867
  cellular automaton, 792
  consecutive 2 system, 4133
circular convex, 3200
  bipartite graph, 3200
circular
  doubly linked lists, 1443
  environments, 397
  IND, 3973
circular list, 451, 494, 1163, 1257
  structures, 269
circular
  patterns of relations, 1174
  ray, 3722
  robot, 2853
  route, 731
  sequence, 522
circular shift, 602
  problem, 576
circular
  structure, 397
  substrings, 576
  visibility, 3722
  wait, 2196
  waiting, 236
circularly
  hidden surface removal, 3722
  projected images, 3722
  visible, 3722
circumference, 1530, 2178
circumscribing a
  polygon, 2075
  predicate, 2510
circumscription, 1555, 1962, 2510, 2839
  of autoepistemic theories, 2839
circumscriptive formulae, 2510
Citrini, Crespi-Reghizzi and Mandrioli, 1130

cityblock distance, 3089
civil engineers, 564
Clafic, 267
Clark and Jacob, 3532
Clark completion, 2269
Clark, John, 3190
Clarke, 1286
Clarke and Emerson, 1246
Clarke fixed point functional, 1286
Clarkson, 1243
Clark-Jacob algorithm, 3532
class, 36, 43, 150, 190, 194
  C_I systems, 1101
  C_{II} systems, 1101
  checking, 763
  D0L, 712
class hierarchy, 3750
  analysis, 3750
class
  Max NP, 2258
  membership, 267, 1575
  MULTI-RESET, 712
  NC, 1847, 2101, 2492
  NC^1, 2847
class of
  all languages recognized by 2pfa, 2488
  expressions, 12
  languages, 232, 712, 879, 951, 1251, 1449, 1499, 1625, 2070, 2231, 2752, 2993, 3705
class of languages accepted by
  a deterministic Turing machine, 832
  L(n) space bounded nondeterministic Turing machines, 1866
  nondeterministic Turing machine, 832
class of languages
  accepted in real time, 1710
  generated by context free programmed grammars, 232
  recognized by 1-MFA, 2063
class of
  linear context free languages, 1277
  one-counter languages, 1277
  program schemas, 95
  single reset languages, 1277
class
  S_0 of propositional sentences, 1322
  subspace construction, 267
  subspaces, 267
classical
  first order logic, 2572
  linear programming, 2945
  logic, 1204, 1782
  propositional logic, 1782, 3087
  resolution, 769
  theorems, 2204
classification, 20, 179, 1854, 2650, 2750, 2777, 3252, 3255, 3885, 4071
  analysis, 20
  by query type, 1302
classification noise, 3252
  process, 2131
classification of
  algorithm complexity, 1983
  binding mechanisms, 1919
  computational complexities, 3610
  errors, 237
  extensible programming languages, 23
  if then else, 1592
  nonlinear filters, 3894
  NP problems, 2606
classification
  problem, 2650, 3885
  purity, 179
  scheme, 23
classifier, 2021, 3504
classifying, 2563
classifying problems, 1485
  in NP, 1209
classifying solvable problems, 1209
Claus, 695
clausal
  analytic tableaux, 2420
  form, 1330
  subset, 2514
clause, 419, 799, 1187, 1204, 1268, 1289, 1299, 1322, 1330, 1552, 1659, 1664, 1670, 1733, 1767, 2293, 2371, 2420, 2431, 2442, 2514, 2563, 3280, 3648, 4003
  form, 1330
  ordering, 1767
Clausen, Jens, 3331
claw free graph, 4077
cleartext
  attack, 1055, 3430
  data, 3430
client, 3906
  applications, 3064
  server mappings, 1831
  slot selections, 401
client/server, 3684
climbing
  automata on infinite trees, 848
  automaton, 848
Clint, 196
Clint and Hoare, 1019
Clint generalized proof rule, 196
Clint-Hoare system, 1019
clipping a simple polygon, 1984

clique, 14, 69, 181, 349, 645, 736, 743, 1493, 1613, 1757, 2028, 2258, 2408, 2448, 2616, 3283, 3426, 3637, 4057, 4116
approximation, 3283
clique cover, 2028
number, 2028
problem, 3267
clique
cut set, 645
finding algorithms, 181
graph, 69, 3928
clique independence, 3306
number, 3306
clique independent set, 2483
clique number, 163, 349, 2408, 4136
of a graph, 163, 349
clique
partition, 3194
polynomials, 4116
clique problem, 736, 2258, 2408
for planar graphs, 736
clique
separable graphs, 645
separators, 3082
clique transversal, 3306
number, 3306
problem, 3697
clique
tree, 1624, 1747
type functions, 3464
clock, 953, 1346, 1609, 1712, 1816, 1998, 2204, 2441, 2875, 2944, 3084
cycle, 127, 3459
synchronization, 1247, 3084, 3701
clockwise
and counterclockwise circuit, 3612
sequence of vertices, 2075
cloning operation, 3944
closed
condition, 370, 1011
cover, 1218
downward, 3571
FD, 1218
closed form, 3780
approximation, 2629
expression, 1276
solution, 1276
closed
formula, 347, 1670, 3680, 3850
implementation, 1176
nonredundant cover, 1218
paths, 736
closed semiring, 1603
path finding problem, 1508
closed subroutine, 29
closed under addition, 2526
and multiplication, 3118
closed under
a-NGSM maps, 201
Boolean operations, 2017
column catenation, 318
complement, 1866, 2722, 3851
complementation, 1873
composition, 11
concatenation, 1710
cyclic closure, 389
imited recursion, 11
intersection, 712, 3357
parity reductions, 2099
polynomial time parity reductions, 2099
product, 94, 874
rational transduction, 900
row catenation, 318
substitution, 1681
syntactic substitution, 1681
the star operation, 94
union, 94
closed
walk, 2698, 2778
world assumption, 3199
closeness, 3071
closest
boundary point, 1789
extreme vertex, 2454
closest pair, 219, 593, 2384
of points, 204
problem, 593, 1501
closest point
problems, 350
queries, 2566
Voronoi diagram, 2104
closest vector, 2395
oracle, 3961
closest vector problem, 2395, 3961
in a lattice, 2462
closest vectors in a lattice, 3961
closure, 159, 216, 397, 500, 836, 879, 995, 1081, 1085, 1218, 1308, 1778, 1927, 2085, 2311, 2526, 2870, 3216, 3234, 3268, 4076, 4145
algorithms, 2311
conditions, 2363, 2366
graph, 1308
closure of
a graph, 1778
function classes, 2526
language classes, 2526
#P, 2526, 2870
synchronized shuffle, 995
triangle free graphs, 1927

closure
operation, 1909
property, 161, 318, 389, 640, 1106, 1681, 2072, 2526, 2665, 3357, 3656, 4118
reduction, 3163
symbols, 1981
closure under
complement, 1866
partial coding, 201
substitution, 1927
+-closure, 1124
Clote and Kranakis, 2365
Clu, 1012
CLUMPS model of parallel computation, 3740
cluster, 20, 522, 916, 2737, 2789, 2837, 3168
analysis, 20, 301, 422, 764, 929, 1560, 3483
centre, 916
representative, 916
structure, 2479
clustered, 383
bit vectors, 383
indexes, 2041
clustering, 14, 20, 517, 522, 718, 916, 917, 1063, 1195, 1930, 2313, 2533, 2661, 2789, 2837, 3016, 3458
algorithm, 916, 2968
criterion, 917
factor, 2313
methods, 20, 916, 2837
problem, 3663
sectors, 229
techniques, 14
clutter, 1787
CLW, 602
Cm propositional logic, 2046
CNF, 411, 438, 561, 829, 1322, 2521, 2792, 2865, 4055
formula, 2371, 3280, 3829
co
$C_{=}P$, 3962
CFL, 1189, 1325
coalesced
hash table, 721
hashing, 721
coalescing operations, 2628
coalition, 760, 2584, 3598
coAM, 2988
coarse granularity of priority levels, 2713
coarser image representations, 1421
coarsest, 2389
fully abstract congruence, 2295
set partition problems, 2389
coC=P, 2954
Cockayne, 505
Cockayne, Goodman, and Hedetniemi, 371
Cocke-Younger-Kasami algorithm, 3054
cocomparability graph, 3267, 4057
cocontext free, 1585
CODASYL proposals, 300
Codd, 286, 372, 634, 700, 744, 795, 2072
division operator, 795
method, 286
normalization, 523
third normal form, 484
Codd, E.F., 231
code, 325, 495, 637, 794, 801, 1008, 1776, 3125, 3135, 3179, 3325, 3342, 3387, 3538, 3706, 4034
block, 2066
compaction, 1090
extension techniques, 1418
for a character set, 1009
generating, 1169
generation, 624, 975, 1097, 1144, 1383, 1636, 3405
code generator, 495, 1144
generator system, 495
code
having no finite completions, 3135
hoisting, 3013
improvement, 624
language, 1950
length, 1418, 2586
of uniform length, 1418
optimization, 1660, 1817, 3013, 3405
optimizer, 541
ordering optimizations, 882
set, 1251
skeletons, 495
straightening, 882
word, 1497, 1861
codebreaking, 1416
coded rewriting, 3424
codefinition, 1265
Codenotti and Lotti, 1454
codeterministic automaton, 1104
codeword, 383, 1251, 1943, 2215, 3708
codiagonal elements, 529
coding, 1968
methods of multiple alphabets, 1418
scheme, 1009
theory, 53, 382, 583, 794, 3048, 3872
coefficient of
inbreeding, 147
viscosity, 22
coemptiness problem, 476
coequalizer, 3396
coercion, 262
interpretations, 3302
Coffman et al., 1760
Coffman, E.G., 3609

Coffman-Graham
schedule, 648
scheduling, 648
cograph, 1758, 2052, 2670, 3537, 4071
cogroup, 1849
of a relation, 1849
relation, 1849
Cohen, M., 3563
coherence, 1874
coin, 2059, 2388, 2436, 2560, 2909, 3986
toss, 2388, 3986
tossing, 1554, 1905
cointerval
graph, 4057
mixed graph, 4057
Colbourn, 607
Cole, 1685, 1903
Cole and Vishkin, 1683
Cole and Yap, 1236, 2013
Cole et al., 2674, 2945
Cole, Salowe, Steiger, and Szemerédi, 2232
colearnable, 3075
Cole-Vishkin technique, 1554
collapse, 2206
collapse of
PP, 3451
the polynomial hierarchy, 2827
collapsing, 2963
collecting, 628
collection fusion, 4098
problem, 4098
collection of
functions, 531
German documents, 61
rectangles on the plane, 1131
strings, 2345
collective behavioral characteristics, 1755
collinear, 856, 1389, 1777, 2166
scalings, 1731
subsets, 3888
WVD, 1210
Collins, Michael J., 3855
collision, 177, 746, 1044, 1276, 2142, 2487, 3132
avoidance, 1149
collision free, 746, 2853
algorithm, 2810
path finding, 1394
trajectory, 2853
collision
probability, 2487
recovery, 2487
resistant, 3132
collision resolution, 177, 222, 1112
methods, 1142
collisionful keyed hash functions, 3132
color, 353, 1001, 1395, 1430, 1723, 2087, 2336, 2534, 2597, 2694, 2815, 2902, 2941, 3068, 3159, 3446, 3450, 3543, 3638, 3673, 3715, 3721, 3765, 3808, 3978, 4102, *see also* colour
assignment, 3673
assignments, 3673
class, 3450
set, 69
color the edges, 2534, 3068, 3808
of a graph, 4102
colorable, *see also* colourable
colored, 2320, 2336, 3385, 3673, 3839, 3919
cause effect structures, 3839
geometric objects, 3638
Petri nets, 590, 3839
tokens, 590, 3839
coloring, 492, 1395, 1430, 2028, 2087, 2534, 2808, 3446, 3450, 3470, 3978, *see also* colouring
coloring a
graph, 69, 353
planar graph by four colors, 1395
coloring
algorithm, 1184, 1395, 1945, 3446, 3543
bounded degree graphs, 2808, 3091
circle graphs, 1184
interval graphs, 2087
i-triangulated graphs, 3919
coloring of
a graph, 3543
constant degree graphs, 1430
graphs, 353
trees, 3450
coloring
planar graphs, 353, 1077
problem, 69, 3426, 3450, 3543
proper circular arc graphs, 942
random graphs, 3765
coloring the edges of a
graph, 2486
tree, 2486
colour, 628, 1752, 2284, 2636, 2694, 3557, 4121, *see also* color
colour switching, 2444
problem, 2444
colourable, 3697, *see also* colorable
subgraph problem, 3697
coloured graph, 181, 3644
colouring, 628, 1743, 1752, 1890, *see also* coloring
algorithm, 1522
interval graphs, 942
planar maps, 628
problem, 429
column, 318, 2045
cover, 2310

column (*cont.*)
restricted packing problems, 4065
sparse integer programs, 4065
columnwise transform, 498
Colussi, Livio, 3313
combination, 102, 565, 974, 1058, 1635, 1876, 2315, 2915, 3844
operators, 159
set operations, 3735
combinational, 2
circuit, 2, 526, 3936
complexity, 1152
logic circuits, 751
network, 2931
combinator, 976, 1343
code, 1343
expression, 1343
in CTL, 3099
combinatorial, 76
algorithm, 810, 1024, 1058, 2891, 2914, 2965, 2992, 3688, 3792
algorithms on words, 3824, 3938
analysis, 3400, 3491
arguments, 3551
Boolean network, 208
combinatorial complexity, 364, 949, 1671
measure, 1424
theory, 949
combinatorial computing, 926
combinatorial design, 2848, 3879, 3953
theory, 491
combinatorial
enumeration, 2887, 2891
explosion, 276, 1527, 3735
generation, 1551
geometry, 442, 1394, 1469, 1815, 3317
identification of equivalent structures, 355
mathematics, 399, 684
object, 1541, 3822
combinatorial optimization, 130, 1272, 1548, 1696, 2039, 2173, 2330, 2380, 2444, 2652, 2837, 3094, 3249, 3380, 3636, 3815, 4082, 4142
problems, 130
combinatorial
problem, 40, 85, 92, 99, 130, 141, 144, 187, 204, 221, 271, 274, 336, 341, 364, 399, 409, 416, 441, 522, 525, 565, 567, 647, 672, 674, 711, 731, 815, 873, 978, 1045, 1083, 1128, 1131, 1178, 1180, 1192, 1248, 1323, 1426, 1442, 1485, 1495, 1539, 1570, 1619, 1655, 1668, 1771, 1795, 1821, 1832, 1890, 1900, 1924, 1940, 1963, 1976, 1979, 2010, 2034, 2048, 2088, 2095, 2098, 2118, 2128, 2133, 2152, 2161, 2171, 2174, 2178, 2185, 2192, 2200, 2205, 2209, 2211, 2224, 2226, 2233, 2237, 2243, 2251, 2258, 2265, 2271, 2278, 2284, 2286, 2300, 2306, 2307, 2331, 2350, 2358, 2367, 2372, 2382, 2400, 2401, 2425, 2427, 2429, 2432, 2433, 2440, 2448, 2474, 2481, 2493, 2494, 2495, 2498, 2500, 2501, 2504, 2518, 2519, 2527, 2533, 2539, 2540, 2546, 2571, 2579, 2588, 2598, 2605, 2613, 2618, 2627, 2630, 2634, 2635, 2659, 2687, 2698, 2701, 2705, 2718, 2719, 2731, 2743, 2755, 2765, 2778, 2798, 2805, 2809, 2815, 2820, 2821, 2826, 2851, 2856, 2857, 2860, 2890, 2892, 2902, 2903, 2910, 2912, 2931, 2935, 2941, 2945, 2960, 2964, 2965, 2973, 2975, 2979, 2994, 3000, 3010, 3011, 3035, 3037, 3045, 3048, 3049, 3056, 3057, 3066, 3069, 3072, 3082, 3092, 3094, 3125, 3133, 3140, 3155, 3158, 3181, 3214, 3229, 3250, 3253, 3263, 3276, 3278, 3289, 3294, 3330, 3333, 3341, 3361, 3380, 3385, 3395, 3400, 3412, 3413, 3420, 3422, 3442, 3450, 3451, 3455, 3460, 3463, 3472, 3476, 3481, 3487, 3488, 3491, 3494, 3503, 3513, 3527, 3528, 3538, 3539, 3550, 3553, 3556, 3575, 3597, 3612, 3625, 3627, 3643, 3658, 3678, 3680, 3688, 3696, 3700, 3709, 3712, 3730, 3763, 3786, 3792, 3801, 3814, 3819, 3822, 3843, 3850, 3877, 3888, 3904, 3915, 3926, 3969, 3970, 3980, 3987, 4033, 4048, 4051, 4052, 4058, 4093, 4103, 4117, 4136
programming, 364
properties of increasing and decreasing subsequences, 175
property, 685, 3228, 3250, 3262, 3901, 4106
search problems, 647, 1809
structure, 1700, 2278, 3400, 3863, 3969
theory of free monoids, 685
combinatorics, 53, 274, 337, 442, 674, 1533, 1609, 1908, 2166, 2335, 2347, 3170, 3206, 3992
of trees, 3376
on words, 2511, 2785, 3135
combinators, 802, 1099, 1343, 1358, 1375, 4101
combinatory PDL, 1091
combined evaluation, 36
measures, 36
met, 36
combined occurrence, 423
combining
multiple decisions, 3504
network, 1808, 3137
COMFAIR, 1420
command, 1333, 1487
invocations, 1167
languages, 314, 1919
commensurable execution times, 255

commit, 1742
problem, 2084
protocol, 3349
commitment ordering, 2917
common ancestor, 147
problem, 669
common clock, 735
common CRCW
B-PRAM, 2409
PRAM, 2408, 3089, 3159, 3169
common due date, 3416
common intersection, 1631, 2956
problem, 1896
common key, 2991
block encryption, 2818
common knowledge, 1417
operators, 1417
common
Lisp, 2480
main memory, 1354
common memory, 838, 986, 1133, 1315
area, 2509
common modulus attack, 3933
common multiplicand
method, 3719
multiplication, 3719
common
perpendicular, 1149
PRAM, 3169
properties, 1709
common release, 3764
of all tasks, 3764
common sense reasoning, 1555
problems, 2510
common
subexpression elimination, 1736
subgraphs, 181
termination, 1191
transversals, 1401
Commoner, 129
Commoner and Hack, 129
communicate, 508, 562, 734, 797, 1165, 1376, 1418, 1609, 1816, 2042, 2158, 2220, 2409, 2699, 2783, 3299, 3477, 3591, 3620
communicating, 1402, 3024
concurrent processes, 1639
finite state machines, 971
machines, 971
processes, 735, 928, 1150, 1180, 1298, 1694, 1857
programs, 1402
communicating sequential
processes, 753, 838, 928, 1971, 2317
programs, 1298
communicating system, 1402, 2219
communication, 31, 838, 1191, 1276, 1447, 1740, 1769, 1831, 1934, 1980, 2009, 2208, 2409, 2447, 3239, 3755, 4013
algorithm, 1047, 3445
communication among
parallel processes, 2038
processes, 838
communication
between computers, 118
channel, 1145, 1276, 1734, 2048, 2257, 2471, 3669
communication complexity, 1116, 1152, 1224, 1444, 1695, 1999, 2024, 2213, 2388, 2730, 2827, 3196, 3383, 3549, 3563, 3759, 3768
of polling, 3383
communication cost, 546, 703, 1538, 1806, 2548, 2835, 2837, 3308, 3348, 3472, 3587
algorithm, 3383
communication
deadlock, 1725
delay, 707, 1406, 1816, 2746, 3319
efficient solution, 2199
environments, 1145
errors, 3983
events, 3085
facilities, 693, 3419
failure, 1547
fairness, 1420
game, 2353
graph, 1116, 1403, 1825, 1978, 2757, 2758, 2807, 3388
in a network, 681, 682
induced checkpointing protocols, 3861
kernel, 2168
latency, 2562
lines, 883, 1566, 2602
link, 371, 508, 1084, 3549, 3756
lower bound, 3965
medium, 1721, 2699
model, 1191, 1725, 2431
communication network, 138, 264, 371, 505, 704, 816, 1357, 1600, 1632, 2209, 2279, 2287, 2479, 2593, 2602, 3152, 3383, 3388, 3529, 3724, 3849
design, 1666
communication
operations, 3326
overhead, 1697, 3840
paradigm, 1382
path, 735
phase, 1999
port, 753
possibilities, 735
power of an edge, 1252
primitive, 1111, 1160, 1295, 1694, 2060, 3326

communication (*cont.*)
privacy, 2584
problem, 1047, 1944, 2353
processes, 946
processors, 1730
protocol, 971, 1150, 1420, 1964, 2550
requirements, 728
ring, 3609
round, 1473
rules, 2991
scheme, 3179
security, 1145
steps, 3965
system, 1712, 1816
theory, 2609
time, 1810, 2148, 3319, 3383
communicative semiring, 1256
commutation, 1085
graphs, 1468
monoid, 1468
relation, 307, 1085
relations of slices, 307
rule, 1649
commutative, 859, 1152, 1176, 1603, 1763, 3617
algebra, 2927
commutative closure, 3234
of a star free language, 3234
commutative
conditions, 161
function symbols, 2879
group, 1368
mapping, 3
monoid, 341
positive semiring, 2018
regular languages, 3951
ring, 398, 1006, 1797, 2031, 2631
semigroup, 1368, 1603
variable binding, 2879
commutatively equivalent, 637, 812
commutativity, 215, 540, 1636, 2437
of multiplication, 351
compact, 779, 830, 925, 1558, 2265, 3005, 3051, 3379
B-tree, 925
code, 624, 1497
convex, 3731
data structure, 3647
dispatching, 3647
encodings of list structure, 384
form, 3379
list representation, 1494
parsing tables, 1360
representation, 643, 1658, 2242, 3781
set, 2201, 2540, 3275
support, 1136, 1784
view, 1259
compacted cells, 2682, 3320
compactifying garbage
collection, 312
collector, 312
compacting
algorithm, 114
garbage collector, 152, 468, 845, 912
compaction, 468, 845, 1090, 1405, 1440, 1655
algorithm, 468
of horizontal microprograms, 1090
problem, 1405, 3963
procedure, 1090
theorem, 2490
compactness, 95, 2265
of form, 6
theorem, 3276
comparability, 2723
graph, 3306, 3584
comparative, 602
problems, 241
sorts, 2096
comparator, 3907
compare and swap, 1808
comparing
difficulty of computing functions, 1891
security risks, 1302
comparison, 109, 315, 466, 1174, 1790, 2053, 2694
comparison based, 715, 1228
algorithm, 656
lower bound, 1376
comparison
between L languages, 160
efficient algorithms, 2664
model, 1113, 2664, 2774, 3509
comparison of
adjacent elements, 1174
retrieval runs, 61
simulation results, 142
subrecursive hierarchies, 11
comparison
oriented sorting methods, 306
queries, 2471
searching, 226
sorting, 581
times, 91
tree, 1878
compass, 1244
on arrays, 1244
compatibility, 2282
matrices, 300
competing
objectives, 2865
processes, 1050
competitions method, 3031

competitive
2-server algorithm, 2216
algorithm, 2909
analysis, 2171, 2195, 2436, 2735, 3114, 3187, 3315, 3398, 3558, 3575, 3577, 3707, 3754, 4024, 4066
constant, 2909
factor, 3187
group testing, 3775
ratio, 2195, 2735, 2831, 2895, 2934, 3193, 3261, 3369, 3526, 3540, 3558, 3577, 3622, 4024
competitiveness, 2658, 2735, 2948, 3622, 3775, 4066
of randomized list update algorithms, 2658
competitivity factor, 2971
compilation, 88, 151, 258, 262, 376, 779, 1097, 1724, 3201
in APL, 1056
process, 135, 1169
technique, 2418
time, 1817
compile time, 5, 17, 135, 273, 710, 763, 2066, 2137, 2679, 2957
analysis, 3142, 3161
optimization techniques, 230
type checking, 763
compiled, 384, 548, 1850
language, 1200
patterns, 2137
programs, 1494
compiler, 5, 34, 82, 154, 202, 237, 244, 277, 376, 443, 457, 471, 480, 544, 582, 691, 710, 763, 773, 779, 975, 1169, 1308, 1318, 1500, 1526, 1558, 1817, 1850, 1915, 1919, 1968, 2137, 2198, 2326, 2528, 2607, 2685, 2733, 2768, 2789, 2938, 2942, 3025, 3095, 3161, 3201, 3305, 3405, 3541, 3611, 4018, 4111
analysis, 1436
assignment of data items to registers, 1049
compiler, 24, 202, 273, 340, 2198
compiler construction, 237, 1342
system, 2198
compiler
constructors, 501
correctness proofs, 1968
design, 3426
development, 2733
generation, 544, 2137
generator, 495, 1318
implementation, 120, 544
of a programming language, 202
optimization, 1844
writer, 2198
writing system, 779, 2326
compiling, 539, 548
compiling a
pattern, 2137
program, 710
compiling technique, 1850
Complak, Wojciech, 3678
complement, 163, 538, 597, 755, 1106, 1189, 1325, 1585, 1787, 1866, 1927, 2056, 2214, 2359, 2776, 2947, 3131, 3426, 3976, 4057
graph, 69, 3737
complement of a
deterministic pda language, 112
graph, 163
program, 1091
complement
of $C_{=}P$, 3962
problem, 516
reducible graphs, 2052
representation, 3976
rule, 2590
spanning tree matrix theorem, 3680
complementary leaf languages, 3571
complementation, 160
problems, 3976
complemented, 538, 2776
dynamic algebra, 1091
complete, 3588, 3714
3D torus, 3832
complete and
edge weighted graph, 1749
sound inference system, 799
complete
axiomatisations, 2459
axiomatization, 528, 3825, 3893
bases, 877
basis, 1129
binary tree, 459, 592, 733, 1254, 1282, 1476, 1734, 2176, 2548, 2603, 2651, 2678, 3111, 3112
complete bipartite, 87
digraphs, 3023
graph, 87, 4052
networks, 2869
subgraphs, 2908, 3104
complete
Boolean algebras, 2700
but infinitary proof system, 1478
characterization, 3262, 3948
classification, 3885
complete decoding, 2888
algorithm, 2888, 2983
complete
deductive system, 1306
equational axioms, 2981
complete for
DP, 3674
exponential time, 1987

complete for (*cont.*)
⊕L, 2070
nondeterministic logarithmic space, 1993
NP, 1894
NSYMLOG, 2303
$P_{\|}^{NP}$, 3674
polynomial space, 1987
polynomial time, 526, 1987
uniform NC^1, 1836
complete graph, 87, 234, 308, 367, 883, 1220, 2629, 2922, 3503, 3592, 3680, 3721, 3790, 3812, 3850, 3946
K4, 3155
complete hardware graphs, 883
complete in
NL, 1251
polynomial space, 419
complete
information, 1021
intrees, 3319
k-decomposable graph, 205
language, 1418
lattice, 125, 3381
logic for partial correctness, 846
matching, 1955
metric spaces, 1674, 1856
multipartite networks, 2869
network, 1224, 2287
operator precedence, 169, 263
poset, 3782
practical proof system, 1798
problem, 144, 898, 1294, 2303, 2453, 3843
complete proof, 1019
system, 1798, 2210
complete reconstruction, 533
complete rewriting
strategy, 2001
system, 875, 1468
complete
r-partite graphs, 2350
r-uniform hypergraphs, 2350
semicommutation system, 1468
semiring morphisms, 3213
set, 1294, 1531, 1668, 3571
complete set of
axioms, 1618
E-unifiers, 1531
transformations, 289
complete sets, 3386
complete sets of
axioms, 2459
E-unifiers, 1531
complete
solution, 1670, 1855
specification, 846, 1021
structure generator, 123
subgraph, 20, 2258
complete system, 875
history, 554
of inference rules, 528
complete
temporal system, 632
ternary trees, 1490
complete tree, 3258
layout, 592
complete
triangulations of polygons, 1901
uniform hypergraphs, 2350
completely balanced k-d trees, 447
completely connected, 136, 1128
cut set, 645
completely connected network, 1084
of communicating processors, 1128
completely connected subgraph, 736
completely reconstructible, 1815
completeness, 256, 289, 297, 632, 946, 1028, 1478, 1567, 1587, 1639, 1693, 2321, 2420, 2443, 2563, 2611, 2629, 2645, 3006, 3893, 4008
and soundness of LUST resolution, 799
issues, 1618
of, 289
completeness of a
language, 795
set of transformations, 289
completeness of
CVP, 526
gp resolution, 2514
Hoare logic, 846
modular proof systems, 2060
resolution, 1792
strategies, 2420
temporal logic, 2321
completeness
proof, 1204
property, 4008
proving techniques, 1478
completeness result, 2321, 2986, 3770, 3893
for leads to, 2520
completeness via logical reductions, 3570
completion, 217, 2001, 2006
algorithm, 1850
based methods, 2068
of observational congruence, 2001
theorem, 846
completion time, 1038, 1819, 2133, 2831, 3470
scheduling, 1038
completion times, 185
complex
conjugate, 253
finite functions, 2542
matrix, 1692

complex (*cont.*)
numbers, 657, 3962
objects, 3940
of computers, 370
sentence, 951
systems, 735, 1735
complexitepological sorting, 2007
complexity, 6, 70, 97, 199, 215, 220, 229, 231, 306, 308, 323, 326, 346, 399, 407, 426, 429, 431, 432, 454, 470, 474, 478, 484, 487, 490, 513, 516, 522, 538, 548, 564, 574, 583, 588, 597, 605, 612, 613, 616, 641, 661, 663, 671, 674, 696, 702, 703, 711, 724, 727, 735, 740, 784, 787, 843, 848, 880, 884, 901, 905, 954, 964, 967, 1005, 1007, 1021, 1024, 1044, 1072, 1092, 1099, 1102, 1134, 1164, 1172, 1185, 1201, 1220, 1248, 1269, 1283, 1296, 1300, 1303, 1339, 1340, 1343, 1344, 1351, 1362, 1368, 1371, 1373, 1375, 1392, 1393, 1395, 1414, 1454, 1492, 1501, 1527, 1542, 1631, 1645, 1657, 1691, 1706, 1707, 1722, 1740, 1754, 1774, 1779, 1928, 1931, 1935, 1944, 1956, 1990, 1999, 2007, 2008, 2024, 2035, 2063, 2096, 2108, 2119, 2121, 2172, 2181, 2183, 2247, 2253, 2256, 2274, 2279, 2284, 2292, 2389, 2395, 2462, 2466, 2468, 2510, 2528, 2536, 2542, 2548, 2562, 2572, 2577, 2612, 2620, 2648, 2655, 2699, 2716, 2743, 2744, 2748, 2757, 2814, 2826, 2827, 2836, 2857, 2865, 2871, 2888, 2894, 2906, 2912, 2986, 2988, 2992, 2994, 3024, 3030, 3182, 3199, 3204, 3222, 3295, 3299, 3306, 3335, 3389, 3409, 3418, 3465, 3489, 3515, 3525, 3534, 3539, 3549, 3567, 3568, 3579, 3650, 3704, 3728, 3748, 3750, 3767, 3784, 3787, 3804, 3805, 3816, 3829, 3874, 3893, 3917, 3939, 3976, 3981, 4071, 4080, 4102, 4103
analysis, 347, 1296, 1359, 2197, 2838, 3133, 4015
bound, 574, 1303, 1316, 1430, 3847
complexity class, 454, 670, 767, 911, 1022, 1283, 1294, 1407, 1613, 1622, 1657, 1823, 2070, 2099, 2112, 2560, 2626, 2847, 3118, 3259, 3571, 4050
coNP, 1407
NC, 1395, 3433
NP, 1407
of languages, 1657
UP ∩ coUP, 3823
complexity
conjectures, 1615
core, 1341, 2261
hierarchy between L and NL, 1657
measure, 513, 670, 692, 751, 877, 1392, 2157, 2612, 3465, 3568
complexity of a
criterion, 1053
data structure, 859
partition algorithm, 947
VLSI adder, 605
complexity of
algebraic differentiation, 334
algorithms, 367, 534, 687, 1753, 2035
an algorithm, 342
approximative evaluation of polynomials, 479
assembly partitioning, 2744
balanced Boolean functions, 3939
behaviour, 190
complexity of Boolean
functions, 3226
unification, 3788
complexity of
combinatorial algorithms, 271
communication, 1999
computation, 144, 1271
complexity of computing, 713, 1316, 1350, 2564, 2992, 3515
Gröbner bases, 2927
complexity of
concurrent programs, 2612
context free grammars, 218
data flow criteria, 1053
deciding, 766, 1052, 2412, 2786, 3976
decision problems in NP, 1894
derivative evaluation, 97
determining containment, 3924
encoding, 3394
enumerative approximation, 2179
evaluating, 526
complexity of finding, 809
arborescences, 2518
fixed radius near neighbors, 301
uniform emulations, 1651
complexity of finite
functions, 3768
random functions, 2542
complexity of
images, 2181
incremental convex hull algorithms, 1072
inexact computations, 180
interpolation search, 303
learning, 4115
linear algebras, 472
logarithmic decompositions, 1513
matching with bonds, 1845
complexity of matrix
multiplication, 450, 616
products, 2183
symmetrizability, 607
complexity of minimizing wire lengths, 1434

complexity of (*cont.*)
model checking, 2510
n×n approximate matrix multiplication, 450
negation limited circuits, 3377
noise tolerant learning, 3252
nonpreemptive scheduling, 1336
order statistics, 1706
parallel computations, 2673
parsing, 209
path planning, 1599
placing recovery points, 1601
polling, 3383
preemptive scheduling, 1406
quaternion multiplication, 155
queries, 2737
recognition, 209
recognizing 3NF relation schemes, 798
complexity of scheduling, 3660
independent two-processor tasks, 1336
jobs, 560
tasks, 2757
complexity of
searching, 1928
simplifying quadratic forms, 692
complexity of solving, 880
algebraic equations, 561
complexity of sorting algorithms, 306
by distributive partitioning, 487
complexity of
strict serializability, 1456
string matching, 1371
symmetric functions, 1424
symmetrizing matrices, 491
test case generation, 2049
testing, 583, 745
complexity of the
2-dimensional convex hull problem, 363
chromatic number problem, 220
closest vector problem, 2395
complexity of the convex hull
algorithm, 594
problem, 1414
complexity of the
LCS problem, 315
maximum satisfiability problem, 1459
reliable connectivity problem, 2243
repeaters allocating problem, 2260
robber route problem, 1921
set union problem, 597
string prefix matching problem, 2664
testing graphs for n-cube, 583
unary 0-1 knapsack problem, 1657
complexity of
theorem proving, 1492
transitive closure, 1220
tree embedding problems, 2548
ultrametric partitions on graphs, 1560
univariate polynomials with 0-1 coefficients, 436
unstructured programs, 513
complexity of vector
computations, 733
products, 198
complexity of VLSI circuits, 1316
complexity
questions, 516
result, 674, 1903, 2008, 2572, 2858
theory, 483, 533, 542, 751, 808, 1152, 1316, 1576, 1702, 1707, 1887, 1986, 1987, 2526, 3366, 3634
component, 187, 190
failure, 806, 1089
composing
adjacent grid selectors, 1056
subsystems, 1919
composite
algorithm, 1242
moduli, 3768
statements, 258
composition, 11, 370
composition of
associative functions, 2244
binary operators, 1946
functional terms, 258
functions, 572
morphisms, 780
relations, 1824
sparse maps, 853
composition
operator, 941, 1639, 2060
rules, 2817
compositional, 2707, 2817, 3407
analysis, 3161
denotation, 2219
operators, 2060
proof system, 2060
semantics, 2219
compositionality, 2219
compositions of
partial sequences, 275
tree transformations, 1853
compound, 629
algebras, 1642
data structure, 1297
functions, 2121
logical terms, 1297
multiprocessor scheduling algorithm, 1453
comprehension, 511, 3600
compress and fold method, 3566
compressed, 383, 1663, 2112
representation, 1065
compressibility, 3534

compressing, 2313
  a table, 1065
compression, 383, 2617
  gain, 382, 383, 790
  method, 383, 3566
  ratio, 3566
  scheme, 1228
  technique, 790
compromisability, 473
compromisable, 984
compromise, 984, 1302, 1727, 1956, 2620
compromised, 1302
compromising a database, 426
computability, 821, 1555, 3905
  of circumscription, 1555
  theory, 11
computable, 491
computable by
  logarithmic depth circuits, 2847
  polynomial size formulas, 2847
computable
  function, 159, 2984, 3216, 3266
  in polynomial time, 3282
  mapping, 12
  unary functions, 3216
computation, 167, 258, 1657
  complexity, 4140
  cycles, 1126
  history, 368, 575
  homomorphism, 927
  intensive, 2076, 3968
computation model, 295, 2158, 3743
  of parallel architectures, 3743
computation of
  a set of bilinear forms, 1164
  determinants over $\mathbb{Z}$, 2070
  distance between line segments, 1149
  linear recurrences, 1429
  the cost of paths, 1640
computation
  over structured memory, 396
  paths, 1550, 2363, 3284
  relative to an oracle, 2424
  rule, 1557
  structures, 620
  system like model, 1191
  theory, 450
  time, 30, 140, 195, 458, 601, 947, 1051, 1095, 1810, 2044, 2673, 2704, 3022, 3937
computation tree, 145, 2156, 3581
  logic, 2655
  model, 1846
computation universal, 2430
  model, 2430
computation universality, 2430
computational, 334, 381
  analysis, 806
  biology, 2554, 3153, 3590
  complexicity, 3787
computational complexity, 11, 90, 130, 145, 171, 180, 207, 208, 209, 231, 247, 261, 265, 292, 308, 334, 335, 354, 357, 381, 390, 399, 411, 435, 436, 439, 441, 445, 450, 454, 459, 471, 472, 479, 490, 492, 517, 526, 533, 560, 561, 567, 607, 608, 636, 664, 670, 674, 675, 689, 727, 733, 743, 759, 770, 792, 816, 821, 824, 831, 833, 841, 860, 873, 877, 898, 947, 952, 965, 1007, 1011, 1083, 1109, 1119, 1132, 1134, 1136, 1139, 1177, 1180, 1192, 1195, 1236, 1289, 1303, 1315, 1332, 1336, 1341, 1354, 1364, 1376, 1390, 1396, 1442, 1467, 1485, 1495, 1507, 1513, 1560, 1570, 1573, 1581, 1622, 1624, 1664, 1682, 1692, 1763, 1782, 1809, 1810, 1812, 1827, 1836, 1845, 1868, 1873, 1894, 1924, 1960, 1961, 1963, 1976, 2000, 2007, 2012, 2030, 2037, 2038, 2039, 2040, 2043, 2049, 2051, 2071, 2076, 2088, 2099, 2107, 2109, 2112, 2118, 2121, 2124, 2144, 2153, 2156, 2167, 2169, 2183, 2189, 2203, 2206, 2223, 2224, 2225, 2232, 2238, 2244, 2252, 2253, 2258, 2262, 2270, 2272, 2279, 2284, 2299, 2303, 2309, 2330, 2338, 2339, 2349, 2353, 2355, 2362, 2370, 2378, 2380, 2383, 2392, 2395, 2397, 2399, 2409, 2411, 2412, 2415, 2419, 2424, 2425, 2427, 2433, 2434, 2451, 2453, 2457, 2460, 2473, 2493, 2495, 2510, 2518, 2521, 2526, 2529, 2539, 2542, 2544, 2556, 2560, 2562, 2565, 2572, 2574, 2595, 2596, 2600, 2608, 2612, 2616, 2619, 2621, 2626, 2645, 2648, 2650, 2659, 2660, 2668, 2671, 2691, 2702, 2704, 2711, 2722, 2739, 2744, 2752, 2755, 2760, 2766, 2769, 2779, 2797, 2809, 2813, 2815, 2833, 2845, 2847, 2859, 2865, 2870, 2879, 2882, 2885, 2887, 2894, 2906, 2927, 2937, 2941, 2952, 2954, 2956, 2962, 2963, 2980, 2986, 2988, 2993, 3016, 3028, 3031, 3032, 3034, 3041, 3046, 3052, 3066, 3069, 3071, 3087, 3107, 3110, 3130, 3131, 3133, 3134, 3144, 3182, 3189, 3196, 3202, 3207, 3218, 3222, 3224, 3226, 3245, 3252, 3259, 3268, 3280, 3281, 3282, 3283, 3284, 3294, 3323, 3333, 3335, 3358, 3364, 3366, 3370, 3373, 3377, 3389, 3394, 3409, 3433, 3438, 3449, 3451, 3460, 3464, 3469, 3470, 3472, 3482, 3488, 3496, 3503, 3511, 3515, 3520, 3525, 3527, 3534, 3535, 3539, 3552, 3556, 3565, 3569, 3570, 3571, 3579, 3584, 3588, 3589, 3593, 3594, 3609, 3610, 3620, 3624, 3634, 3641, 3644, 3645, 3648, 3660, 3668,

computational complexity (*cont.*), 3674, 3678, 3679, 3682, 3689, 3693, 3694, 3709, 3711, 3713, 3729, 3730, 3734, 3737, 3757, 3759, 3768, 3771, 3775, 3777, 3779, 3788, 3790, 3792, 3803, 3805, 3807, 3811, 3823, 3828, 3829, 3830, 3842, 3843, 3851, 3856, 3868, 3869, 3871, 3874, 3885, 3886, 3887, 3890, 3893, 3896, 3901, 3908, 3924, 3927, 3937, 3939, 3947, 3957, 3961, 3962, 3966, 3976, 3977, 4001, 4004, 4014, 4050, 4052, 4055, 4056, 4064, 4074, 4082, 4083, 4088, 4099, 4106, 4107, 4108, 4118, 4119, 4128
  measure, 670
computational complexity of
  0-1 polynomials, 436
  algorithms, 2466
  languages, 3787
  matrix multiplication, 215
  planning, 2142
  rational functions, 1240
  satisfiability, 2572
computational complexity
  over the reals, 4005
  theory, 2560
computational
  cost, 566, 703, 1696, 3840
  experiments, 630
computational geometry, 328, 350, 354, 422, 433, 490, 517, 673, 677, 785, 841, 870, 876, 884, 908, 965, 968, 1000, 1014, 1020, 1052, 1121, 1146, 1163, 1171, 1184, 1210, 1230, 1245, 1262, 1267, 1304, 1364, 1374, 1380, 1387, 1396, 1400, 1401, 1412, 1443, 1469, 1488, 1501, 1505, 1530, 1539, 1546, 1578, 1599, 1620, 1631, 1673, 1676, 1685, 1699, 1755, 1768, 1772, 1777, 1779, 1795, 1821, 1826, 1829, 1846, 1860, 1882, 1883, 1896, 1901, 1908, 1921, 1926, 1970, 1972, 1984, 1992, 2004, 2011, 2013, 2043, 2071, 2075, 2083, 2091, 2095, 2097, 2104, 2119, 2135, 2142, 2144, 2146, 2162, 2166, 2169, 2177, 2178, 2182, 2189, 2208, 2221, 2227, 2232, 2235, 2245, 2260, 2264, 2267, 2273, 2274, 2277, 2280, 2288, 2290, 2316, 2325, 2331, 2337, 2347, 2359, 2380, 2384, 2417, 2426, 2435, 2438, 2445, 2454, 2472, 2533, 2535, 2536, 2566, 2570, 2594, 2622, 2638, 2661, 2674, 2690, 2706, 2725, 2744, 2749, 2784, 2804, 2821, 2841, 2853, 2877, 2904, 2905, 2912, 2922, 2936, 2939, 2945, 2952, 2956, 2960, 3011, 3016, 3028, 3039, 3117, 3131, 3155, 3164, 3170, 3191, 3208, 3211, 3244, 3249, 3258, 3262, 3272, 3317, 3322, 3359, 3365, 3368, 3374, 3375, 3389, 3401, 3406, 3417, 3444, 3452, 3468, 3483, 3506, 3507, 3531, 3561, 3562, 3582, 3585, 3601, 3615, 3638, 3646, 3663, 3666, 3683, 3696, 3710, 3725, 3731, 3734, 3746, 3797, 3807, 3810, 3811, 3820, 3853, 3857, 3860, 3862, 3878, 3888, 3892, 3981, 3989, 4006, 4017, 4026, 4079, 4092, 4097, 4120, 4123
  of numbers, 3468
computational
  indistinguishability, 1960
  information content, 3630
computational learning, 2231, 2497, 2792, 2953, 4056
  theory, 2915, 3067, 3252, 3834, 4115
computational
  linguistics, 1229, 2329
  lower bounds, 3202
  meaning, 2334
  methods, 417
  model, 613, 692, 1632, 2599, 2696, 2813, 3159, 3301, 3767
  molecular biology, 3513
  point of view, 3136
  power, 119, 133, 470, 757, 4113
computational power of
  counters, 3990
  linearly transformed BDD, 4113
  real time, 1625
computational probability, 806
computational problems, 209, 677, 719, 1269, 3412, 3545, 3961
  in integer lattices, 3961
computational properties, 1203
  of PTM, 1066
computational
  results, 672, 2382, 2731
  secure secret set schemes, 4091
  semantics, 1367
  steps, 3452
  structure, 4005
computational time, 777, 1328
  bounds, 1608
computational
  tree model, 1846
  viewpoint, 441
  zero knowledge, 2827
computationally, 64, 271
  equivalent, 792, 1251, 2299
  hard, 3132
  indistinguishable, 1960
  intractable, 560, 997, 1922, 2371
  universal, 3352
computer, 21, 33, 142
computer aided
  circuit design, 2865
  design, 3901

computer aided (*cont.*)
geometric design, 522
logic synthesis, 2865
software engineering, 2653
computer algebra, 334, 1667, 1889, 2240, 3471
over GF(p), 606
computer
architecture, 326, 1494, 2062, 2214, 2309, 2312, 2479, 2561, 2599, 2651, 2673, 2724, 2738, 2780, 2903, 2914, 3042, 3053, 3097, 3112, 3127, 3137, 3211, 3248, 3345, 3414, 3517, 3914, 4036
arithmetic, 1161, 2214, 2812, 2901, 2928, 3429, 3728
computer assisted
instruction, 132
programming, 213
computer
checking, 544
chess, 364
communication networks, 1566
constructor, 75
design automation, 370
engineering, 1996, 2268
generation of vertex graphs, 123, 149
Go, 3511
graphics, 672, 893, 1380, 1387, 1699, 1972, 1992, 2037, 2465, 2690, 2696, 3039, 3115
hardware, 566
language, 45
memory, 244, 721
network, 649, 668, 734, 815, 851, 883, 885, 887, 1497, 1796, 1806, 1816, 1902, 2192, 2298, 2447, 2459, 2712, 2929
operating systems, 151
output device, 59
performance models, 1796
play, 364
computer programs, 440, 773, 1265, 1601
for SMT, 1217
computer
science, 326, 570, 622, 644, 704, 721, 901, 983, 1134, 1197, 1204, 1210, 1258, 1289, 1445, 1574, 1736, 1785, 1942, 1996, 2191, 2444, 2648, 2701, 3207, 3798
scientist, 45, 85
security, 2298, 2388, 2827
simulation, 45
computer storage, 509
allocation problems, 942
computer
store, 151
support tools, 1642
computer system
design, 326
initialization, 2042
computer
systems, 14, 142, 611, 957, 990, 1062, 1128, 1964, 1971, 1996
time, 59, 401
vision, 1895, 1946, 2148, 2227, 2438, 2873, 3298, 3888
computing a
clique tree, 1624
Gröbner basis, 2927
minimum coloring, 1624
computing
an order n determinant, 623
approximate convex hulls, 893
capability, 470
continuous functions, 445
device, 119, 766
distance maps, 3298
computing dominators, 1350
in parallel, 1350
computing
Eulerian trails, 1588
hulls of point sets in higher dimensions, 893
in phases, 2158
kernels, 3495
machinery, 157, 1996
maximal cliques, 1624
models, 182
OR, 3573
computing power, 883
of, 215
computing
suffix trees, 1990
symmetric functions, 3377
system, 693, 1385, 1735
computing the
AND function, 3281
determinant, 1584, 3520
general closure, 1778
longest diagonal, 1970
computing time, 37, 405, 606, 689, 1893
for sorting, 1893
of Rabin algorithm, 606
per word, 117
concatenable queue, 2221
concatenated code words, 1861
concatenation, 284, 389, 1981, 2135, 2355, 2554
ambiguity, 1988
concatenation of
numbers in m-adic notation, 1081
palindromes, 2503
concave, 1075, 1206, 3054
angles, 380
chain, 2290, 2877
functions, 1075, 2657
one-dimensional dynamic programming, 1906
point, 380

concavity, 380, 1075
test, 380
concentration, 4028
of measure, 4028
properties, 808
concentrator, 390, 745
concept based
image retrieval facility, 4096
query evaluation, 4096
concept
learning, 2131, 3067, 3766
structure, 33
conceptual structure, 2733
concrete
complexity, 774, 2175
computational complexity, 454
data type, 1399, 1498
fragment, 1941
operation, 1520
semantics, 2707, 3920
syntax, 710
concurrency, 275, 404, 489, 554, 579, 590, 653, 686, 693, 820, 879, 985, 1023, 1173, 1246, 1260, 1285, 1317, 1366, 1512, 1589, 1639, 1674, 1708, 1709, 1742, 1788, 1856, 1876, 1909, 1911, 1934, 1991, 2001, 2025, 2055, 2086, 2113, 2150, 2153, 2154, 2158, 2204, 2210, 2229, 2246, 2253, 2295, 2351, 2369, 2376, 2402, 2451, 2456, 2458, 2459, 2477, 2485, 2557, 2573, 2578, 2612, 2700, 2742, 2787, 2817, 2842, 2876, 2943, 2972, 2981, 3036, 3060, 3064, 3336, 3360, 3372, 3384, 3407, 3410, 3432, 3462, 3485, 3605, 3618, 3747, 3770, 3773, 3784, 3798, 3839, 3880, 3895, 3911, 3920, 3934, 3952, 3983, 4000, 4053
concurrency control, 805, 837, 851, 1326, 1527, 1565, 1742, 2005, 2150, 2842, 2917, 3349, 3578, 3690
algorithm, 1527, 2150, 3462
in distributed databases, 837
mechanisms, 2917, 3690
scheme, 805, 3349
theory, 1456
concurrency
matrix, 368
of transitions, 2154
problem, 693
table, 379
theory, 3300
concurrent, 754
access, 1709, 3137, 3410
calculi, 3920
components, 2458
concurrent composition, 1934
of processes, 1111
concurrent
computation tree logic, 2458
computations, 995
control, 43
database, 687
environment, 687
error detecting systolic design, 2407
execution of transaction copies, 1326
file access, 300, 556
garbage collection, 1361
histories, 554
language, 1807, 3920
logic programming, 2431
message passing computer system, 2168
micro-operations, 1090
migration, 3024
nonterminating systems, 2086
object oriented language, 1831
operations, 921, 1742, 1964
Pascal, 151, 190, 883, 1807
probabilistic processes, 3714
process, 124, 183, 236, 307, 686, 687, 995, 1060, 1120, 1425, 2113, 3215, 3605, 3920
processing, 300
concurrent program, 190, 489, 1798, 2458, 2612
executions, 2700
semantics, 1909
concurrent programming, 962, 1349, 1369, 1807
languages, 1807
concurrent
programs, 604, 1018, 1246, 1349, 2458, 2612, 3895
Prolog, 1306
concurrent read concurrent write, 1133, 1540, 1582, 1701, 1903, 1942, 3509
PRAM, 3650
random access machine model, 1799
concurrent read exclusive write, 1133, 1729
concurrent read exclusive write PRAM, 2102
model, 1590
concurrent reading, 1590, 1621
and writing, 1721, 2451
while writing, 2138
concurrent
statement, 1200
structural program design, 190
system, 554, 981, 1050, 1246, 1425, 1472, 1788, 1964, 2086, 2219, 2459, 2578, 2655, 3108
transaction processing, 300
transactions, 556, 1023, 1742
use of the garbage collector, 962
concurrent write, 2408, 3159, 3301
model, 1990
PRAM, 3573

concurrent writing, 1621, 3172
concurrently executable, 1090
  micro-operations, 1090
condition, 27, 102
condition event
  net, 981
  Petri net, 1535
condition for parallelism, 106
condition/event Petri net methods, 1788
conditional, 192
  branches, 254
conditional branching, 314, 1598
  statements, 314
conditional connectives, 2590
conditional critical
  region, 404, 604, 1200
  section, 42
conditional demand, 1830
conditional distribution, 36
  of accesses, 691
conditional edge connectivity, 1549
  of a graph, 1549
conditional
  forms, 331
  probability density functions, 143
  relation, 2046
  specifications, 775
  statement, 86, 254, 501, 931
  tree transformation rules, 1844
  uniform recurrence equations, 2606
conditioning, 1024
cone, 3164
  generators, 1681
Conery, 1659
conference key distribution, 1811, 3522
  cryptosystem, 1811
  system, 1811, 3522
conferencing, 1145
confidence
  interval, 1080
  level, 46
  theory, 1391
configuration, 577, 696, 1029, 1401, 1607, 2430, 2799, 4086
  design, 990
  loop, 112
  mappings, 535
  of faulty processors, 2875
  reachability problem, 2988
conflict, 2150
  detection, 2198
conflict free, 129, 996, 1094, 1392, 1472, 2154, 2410
conflict free access, 524
  of arrays, 524
conflict free and
  contention free relational structures, 1094
  persistent TMPN, 1472
conflict free
  cover, 1026
  dependency set, 996
  nets, 129
  Petri nets, 254, 1392, 2369
  processes, 2295
  set, 996
  sets of MVD, 996
  TMPN, 1472
  VAS, 1392
  vector replacement systems, 1392
  VRS, 1392
conflict
  freedom, 1026
  in memory access, 777, 944
conflict of
  multiplicity n, 1276
  smaller multiplicity, 1276
conflict resolution, 1276, 2198, 2308
  algorithm, 1276, 1574
  intervals, 1276
  methods, 1144
  protocols, 2656
  scheme, 2308
conflict serializability, 2842
conflicting, 1276, 2560
  information, 1128
  messages, 2783
  relativizations, 2560
  transactions, 3462
confluence, 1363, 2366, 2773
  modulo partial commutativity, 1649
confluence of
  a graph rewrite system, 1652
  indirection reductions, 1652
confluence
  on a given congruence class, 1363
  property, 1652
confluent, 875, 1363, 1463, 1910, 2228, 2366, 2773, 3453
  modulo a partial commutativity relation, 1649
  one-rule string rewriting systems, 3453
  reductions, 2676
  string rewriting system, 3020
  system, 3453
  term rewriting, 2773
  variable preserving, 3017
conformable, 2026
conformance testing, 3692
confusion, 786
CONGEN, 384
congestion, 2168, 2820, 2885, 3296, 3796
  cost, 2548

congruence, 635, 709, 875, 1085, 1086, 2227, 2295, 2438, 2614, 3036
  arithmetic, 1502
  class, 720
  equations, 2367
  relation, 1991
  relations on transition graphs, 162
congruent, 2438, 3165
  regular polygons, 442
  sequences, 953
  weak bisimulation, 2614
congruential, 680
  generator, 38
conic
  approximating model function, 1731
  approximation, 1731
  curve, 3693
  model, 1731
conjecture, 421, 424, 427, 456, 473, 482, 559, 673, 680, 692, 778, 781, 894, 1029, 1106, 1223, 1266, 1277, 1576, 1594, 1615, 1744, 2038, 2160, 2216, 2330, 2454, 2501, 2677, 2856, 2903, 2954, 3265, 3727, 3892, 3929, 3961, 3989
conjecture of
  Borodin, 171
  Cahit, 424
  Chen, 3929
  Flajolet, Gourdon, and Martinez, 3682
  Furst, Saxe, and Sipser, 1467
  Gilbert, 3183
  Goldstine, 712
  Ibarra and Jiang, 1710
  Kam and Ullman, 473
  Lai and Sahni, 1272
  Lutz, 3875
  Martin, 2545
  O'Rourke and Supowit, 2144
  Păun, 2973
  Perrin and Schützenberger, 801
  Schaudt and Drysdale, 3599
  Strong, Maggiolo-Schettini, and Rosen, 669
  Szymanski, 1979
  Yao, 673
conjecture on ECP, 3808
conjuctive normal form, 411
conjugate, 637
  gradient methods, 1731
  words, 637
conjunct, 2521
conjunction, 519, 1986, 2700, 2835, 3165, 3280, 3595, 3657
conjunction of
  clauses, 419
  modulo functions, 3165
  predicates, 742
conjunctive, 1909
  normal form, 419, 630, 829, 1503, 1552, 2521, 2865, 3242, 3815
  query containment, 3238
conjunctively reducible, 2645
coNlogSPACE, 861
connected, 101, 1651
  bridgeless undirected graph, 1115, 1133
  compact subset, 1044
connected component, 101, 1455, 1466, 1559, 2308, 2809, 3217, 3599
  problem, 2308
connected components, 14, 205, 759, 841, 1085, 1355, 1401, 1455, 1718, 1803, 2186, 2274, 2299, 2415, 2577, 2769, 2822, 3169, 3482, 3511, 4005
connected components of
  a graph, 20
  an intersection graph, 841
  graphs, 1573
connected
  digraphs, 2546
  dominating set, 1561, 2352
  domination, 2352, 2976, 3181
  graph, 101, 410, 583, 645, 689, 1133, 1309, 1651, 1758, 2209, 2226, 2343, 2429, 3129, 3422, 3547, 3584, 4048, 4051, 4094
  induced subgraph, 3129, 3411, 3852, 4047
  partition, 3422
  perfect domination problem, 2740
  sets, 2636
  spanning subgraph, 2248
  subgraph, 1561, 1892, 2341, 2869, 3129, 3178, 3542
  subweb, 13
  undirected graph, 165, 986, 1260, 2055, 2741, 3900
connectedness, 20, 857, 1085, 3131, 3644, 3892, 4084
connection
  constraints, 3696
  graphs, 2420
  machine, 1754, 2218
  problem, 3034
  topology, 1629, 2507
connective, 440, 2572, 2614
  of PL, 440
connectivity, 101, 110, 121, 234, 390, 887, 1172, 1398, 1549, 1568, 1600, 1613, 1718, 1926, 2041, 2126, 2381, 2421, 2528, 2616, 2651, 2708, 2884, 3026, 3112, 3475, 3650, 3737, 4007, 4027

connectivity (*cont.*)
acceleration, 3582
determination, 3737
connectivity of
a graph, 1915
plane triangulations, 1926
connectivity
problem, 1398, 3169
properties of graphs, 101
property, 101, 2822, 3737
Conniver, 340
coNP, 1407, 1615, 1622, 2954, 3674
coNP complete, 1782, 2243, 2510, 2637, 2716, 3455, 3829, 3893
problems, 1615
set, 3887
coNP
completeness, 3829
hardness, 2510
languages, 1615
consecutive
2 linear system, 4133
2 system, 4133
cells, 83, 845
ε-moves, 539
consecutive retrieval, 221, 525, 1030
file organisation, 485
of data, 264
problem, 271
property, 187, 271, 485, 633, 1030, 3858
with redundancy, 187, 633
consecutive
storage locations, 187, 485, 1030
zeros, 274
consensus, 1191, 1415, 1808, 2788, 2823, 3897, 3974, 4059
absorbtion method, 216
algorithm, 1857, 2788
method, 630
operation, 2931
problem, 1483, 2132, 2567, 3119, 4059
protocol, 1191, 1857, 2132, 2567
task, 1483
under unreliable transmission, 3897
consequence relation, 1541
conservation
law, 80
of meaning, 278
conservative
assumptions, 1817
extension, 1091
k-tape machine, 1581
Petri nets, 2253
simulation, 3060
Turing machines, 1581
conservativeness, 3633
conservativity, 2803
consistency, 300, 404, 630, 797, 1459, 1527, 1598, 1697, 1786, 1809, 1989, 2084, 2563, 2970, 3396
condition, 3260
creating, 300
equations, 587
maintenance, 3510
consistency of a
Boolean equation, 630
fuzzy knowledge base, 2229
consistency
of the global state without communication, 1697
tests, 1809
consistent, 630, 1381, 1635, 1788, 1950, 2375, 2563, 2616, 2849, 3124, 3285, 3730, 3856
assignment of truth values, 1268
choices, 1809
cut, 3124
decisions, 1862
description, 120
execution, 300
consistent global
checkpoints, 2849
state, 2547, 2807
consistent
labeling, 2616
ring, 1635
snapshot, 2204, 2547
view, 1742
with a positive sample, 3856
conspiracy, 1064
attacks, 3956
safe fairness, 1933
safeness, 1933
Constable and O'Donnell, 1019
constancy, 710
constant, 462
amortized time, 3877
bounds, 3534
deadline, 2652
degree graph, 1430
constant density
input distributions, 1268
models, 1268
constant depth, 1152
Boolean circuit, 2040
circuit, 1452, 2040, 2109, 2225, 2349
directed trees, 3539
parity circuits, 1467
constant
dilation, 3566
distribution, 730
expected time, 391, 2033

constant factor
approximation algorithms, 2698
space overhead simulations, 1702
constant slowdown simulations, 2599
constant space, 1438, 1913
algorithm, 1773
constant structure fields, 462
constant time, 391, 679, 714, 1214, 1464, 1876, 1906, 1916, 1924, 1997, 2153, 2292, 2411, 2490, 2673, 2863, 2965, 3038, 3345, 3415, 3517, 3557, 3573, 3671, 3688, 3691, 3844, 3936, 3950
access, 958
algorithm, 3288, 3936
factor, 1087
parallel algorithms, 3963
sorting, 1942
constant vector elements, 462
constant workspace, 176, 1016
constraint, 176
constrained
assignment, 401
Delaunay triangulation, 2426
multi-object auctions, 4103
optimization problem, 76, 2432
resources, 711
subgraph, 245
constrainedness, 3689
constraint, 53, 3940, 3992
based compaction, 1405
databases, 3601
deletion, 3123
enforcement, 1626
graph, 1405
logic programming, 3510, 4076
matrix, 2448
network, 3937
on storage, 546
preservation, 3128
constraint programming, 4111
tools, 3510
constraint
propagation, 4078
query languages, 3940
relational model, 3940
constraint satisfaction, 3133, 3510, 3709, 3762
problem, 2731, 3510, 3735, 3937, 4064
constraint system, 1405
constructibility, 1293, 2424
condition, 664
constructible function, 1378
constructing, 159
constructing a spanning tree, 1483, 3178
distributively, 1566
constructing
an interval representation, 1947
optimal binary decision trees, 207
trees from distance matrices, 1720
construction, 190
algorithm, 1566, 1913
engineering, 711
construction of
a tree from its traversals, 1913
programs, 448
treaps, 3061
constructive
algorithm, 419
analy, 442
correctness proof, 1402, 1925
logic, 1204
mathematics, 891
negation, 4076
predicate transformers, 134
proof, 891, 1204, 1925, 2319, 2336, 3531, 3721, 3790
uniform algorithm, 2051
constructor, 1101
based TRS, 3753
constructor equivalent, 2949
systems, 2676
constructor systems, 2676, 2949
contact, 3723
graphs, 3723
networks, 2845
containment, 378, 785, 2253, 2854, 3442, 3601, 3684
mappings, 771
of butterflies, 3442
problem, 378, 1034, 2854
contaminated messages, 1439
content
analysis, 33
based retrieval, 4098
significant strings, 33
contention
analysis, 3743
free, 1094, 2065
resolution, 2929
sensitive, 2573
context
dependence, 343
dependent, 482, 754
context free, 34, 94, 343, 438, 535, 699, 804, 828, 874, 894, 1106, 1244, 1585, 1950, 3162, 3290
context free array
grammars, 1244
languages, 1244
context free
D0L language, 241
derivation, 356, 1124

context free grammar, 26, 55, 65, 68, 116, 154, 161, 169, 202, 218, 225, 232, 249, 284, 394, 399, 413, 438, 457, 474, 614, 674, 709, 720, 770, 787, 847, 910, 951, 960, 1078, 1088, 1114, 1197, 1244, 1301, 1311, 1331, 1775, 1988, 2018, 2061, 2181, 2198, 2375, 2512, 2522, 2541, 2585, 2675, 3162, 3292, 4085, *see also* c.f. grammar; cf grammar
forms, 683
context free
grammars with control sets, 394
graph grammar, 770, 1197, 1722
image grammars, 2181
language, 3, 65, 78, 94, 113, 168, 200, 209, 241, 246, 249, 274, 292, 297, 343, 356, 378, 386, 535, 582, 640, 680, 712, 739, 804, 828, 836, 894, 900, 910, 922, 951, 1106, 1114, 1124, 1134, 1189, 1264, 1277, 1325, 1423, 1499, 1585, 1640, 1647, 1988, 2078, 2112, 2261, 2375, 2378, 2488, 2522, 2772, 2942, 3054, 3078, 3162, 3195, 3290, 3769, 4085, *see also* c.f language; CFL
like production system, 501
parsing, 108, 910
processes, 2403
productions, 394
context free programmed
grammars, 232
languages, 144
context free
QDL, 1102
recognition algorithm, 246
rules, 55, 1229
context free syntax, 34
of ALGOL, 34, 68
context
freeness problems, 241
independence, 343
independent L systems, 232
information, 779, 1844
nodes, 139
context sensitive, 68
constraint checking, 975
language, 13, 68, 78, 242, 284, 482, 712, 879, 2038, 2261
rule, 13
syntax of programming languages, 1059
context
tree, 139
unification, 4068
contiguous, 737, 933
address space, 114
area of store, 612
bits, 2411
disk pages, 2080
empty record spaces, 1385
generators, 1020
sections, 128
segmentation, 933
storage locations, 176
subsequences, 1946
continuation, 1985
in Scheme, 1985
semantics, 1793
continued fraction, 385, 409, 507, 1865, 2280, 2334
approximation, 409
expansion, 1010
representation, 409
continuity, 782, 2344, 3432
like property, 2363
continuous, 527, 1372, 1380, 1606, 3432, 3845
fully abstract fixpoint semantics, 3432
function, 125, 445, 2472
media, 3235, 4131
methods of optimization, 711
objects, 442
plane, 1380
record, 693
rectilinear curve, 2054
resources, 527
spaces, 2237
continuum, 1727
of possible compromises, 1727
contour, 1079, 1245, 1373, 2267, 3731
computation, 1373
cycles, 1373
lines, 3731
maps, 517
of a polyomino, 2128
problem, 1079
query, 2267
word, 2128
contractible, 24
contracting, 1856
contraction, 2270, 2708, 3376
property, 1856
contractive affine transformations, 3628
contractiveness, 1674
control, 993
automaton, 370
cards, 6
dependence, 1329, 1654
dependencies, 3201
control flow, 134, 879, 1053, 1598, 2207, 3085
analysis, 1239
based structural test selection criteria, 1598
characteristics, 1053
graph, 1239, 3013, 3215, 3426
paths, 88

control
information, 3753
instruction, 931
intervals, 203
matrix, 1186
mechanism, 896
control memory, 127, 609
clock cycle, 127
word, 127
control
messages, 1413, 2547
of global variables, 237
parameter, 1548, 3501
problems, 1041
set, 394, 1604, 2061
control structure, 8, 192, 340, 882, 931, 954, 1297, 1807, 1985, 2420
of alternation, 664
control
systems, 2009
transition probabilities, 1239
word organization, 127
controllable, 1919
controlled
access, 1786
density sorting, 559
environment, 31, 1598
NOT, 4114
quantification, 1229
controller, 707, 1611
controlling
concurrency by locking, 1326
logical clock pulses, 1346
conventional semantics, 3404
convergence, 1548, 2824, 2943, 3363
division, 979
in $W_2^{(1)}$, 89
convergence of
an iterative method, 48
difference schemes, 89
convergence
rate, 2564
span, 2955
convergent, 1010, 2750
iterative methods, 81
terms, 1592
converging ratio, 979, 3429
converse, 28
conversion processes, 2309
convertibility, 625
in databases, 625
convex, 350, 746, 1075, 1206, 1431, 1671, 1777, 1896, 2075, 2435, 2912, 3374, 3379, 3892, 3917
arrangements, 2912
bipartite graph, 2067, 3200, 3379
body, 746, 2439, 2813
boundaries, 592
curve, 592
decomposition, 1389
distance function, 3599
d-polytopes, 2912
graphs, 3379
convex hull, 32, 64, 319, 320, 328, 363, 380, 415, 433, 499, 512, 515, 517, 552, 558, 569, 594, 613, 673, 893, 1014, 1072, 1193, 1198, 1210, 1219, 1328, 1389, 1396, 1414, 1431, 1443, 1469, 1488, 1505, 1789, 1937, 2032, 2043, 2075, 2166, 2182, 2274, 2277, 2380, 2454, 2893, 3191, 3211, 3249, 3374, 3380
algorithm, 320, 328, 363, 415, 515, 552
convex hull and k-line
travelling salesman problem, 3380
TSP, 3380
convex hull
and line traveling salesman problem, 2893
computation, 893, 3211
determination, 613
heuristic, 1014
in three dimensions, 1414
convex hull of a finite
planar set, 32, 319
set, 433
convex hull of a finite set of points, 380, 499, 893
in the plane, 64, 319, 433, 1443
convex hull of a
planar set of points, 613
point set, 2166
polygon, 380
convex hull of a set of
n points in the plane, 569
points, 204, 328, 363, 415
convex hull of a
simple polyhedron, 1414
sorted planar point set, 1488
convex hull of
circles, 3191
n planar points, 893
convex
hull problem, 363, 673, 1414, 1488, 2251
k-gons, 2166
layers, 3374
convex matrix searching, 2051
problem, 2051
convex
m-gons, 1355
n-gon, 965, 1631, 1739, 3917
n-sided polygon, 1236
convex optimization, 3056
problems, 3056

convex polygon, 439, 490, 673, 1339, 1345, 1612, 1631, 1673, 1739, 2102, 2104, 2264, 2784, 2905, 3389, 3807, 3917, 4026
  inclusion problem, 1355
convex polygonal
  obstacle, 1262, 1546
  regions, 3878
convex polygons, 354, 439, 490, 677, 746, 965, 987, 1236, 1339, 1546, 1777, 2146, 2426, 3170, 3452, 3531, 3878, 3892
  in the plane, 3507, 3857
  triangulations, 4041
convex
  polyhedra, 2146
  polyhedron, 884, 2725
  polyominoes, 3904
  polytopes, 3507
convex programming, 3811
  problems, 1002
convex
  region, 569, 711, 1562
  sets, 442, 673, 746, 3011
convexity, 592, 1075, 1676, 1777, 2166, 2347, 3170, 3359
  constraints, 3696
  property, 673
convolution, 445, 1797, 2073, 2592
Cook, 144, 276, 696, 901, 1209, 1390, 1478, 2007
Cook algorithm, 276, 547
  for simulating 2-way deterministic pushdown automata, 547
Cook and Dwork, 1007
Cook and Luby, 2467, 3242
  algorithm, 2467
Cook and Wang, 749
Cook
  class DET, 2070
  construction, 2930
  proof, 3087
  result, 182, 276
Cook, Dwork, and Reischuk, 2408
Cook-Karp problem, 209
COOP3, 142
cooperating, 754, 3865
  distributed grammar systems, 3865
  processes, 1697
  processors, 1663, 2101
  proofs, 1833, 1920, 2014
  sequential processes, 43, 233, 568
cooperation, 1260
  mechanisms, 1704
  of processes, 44
cooperative game, 2192
  theory problem, 2192
coordinate, 439, 593, 1007, 1163, 1177, 1405, 1435, 2075, 2836, 2967, 3121, 3746, 3756, 3786, 3794
  axis, 748
  system, 317, 672
coordinated motion, 746, 1044
coordinating
  concurrent accesses, 2150
  motion, 1044
coordination, 1276, 1697, 2204, 2405
  in a distributed system, 3686
  problems, 1044
coordinator, 1807
cop and robber, 2476
Coppersmith and Winograd, 1582, 3301
Coppo and Giannini, 2552
coprime, 2881, 4015
  task periods, 3764
coprocessor, 1376, 1735, 1954
copy and create operations, 1830
copying, 958
  a binary tree, 176
  algorithm, 1915, 2528
  assignment, 1482
  list structures, 176
  power, 200
  systems, 2511
  theorem, 200
  trees, 72
cor, 2590
CORAL, 66, 191
core, 1
core of a
  graph, 2911
  tree network, 2911
corecursively enumerable hard, 4062
coreferential noun phrases, 1229
corners, 1599, 1908, 2166, 2347
cornet, 579
coroutine, 189, 196, 881, 1138, 1143, 1793
  approach, 992
  environments, 189
  implementations, 1138
  mechanism, 196
coRP, 3885
corpus word frequency data, 33
correct, 8, 25
  implementations, 316
  inference, 2231
  operation, 4
  prefix property, 955, 1054
  procedure, 66
  program, 134
corrective, 1964

correctness, 192, 355, 364, 412, 565, 632, 838, 954, 1247, 1248, 1257, 1263, 1266, 1346, 1349, 1360, 1391, 1520, 1635, 1653, 1756, 1857, 2247, 2257, 2407, 2415, 2446, 2537, 2636, 2742, 3060, 3064, 3201, 3572, 3659, 3921
algorithm, 1360
by induction, 954
certificate, 3949
conditions, 1941
criteria, 2842
criterion, 2147, 3349
correctness of a
parser, 1360
program, 414
correctness of an
algorithm, 1125
operator precedence parser, 1360
correctness of
compilation, 331
complex control structures, 954
data representations, 412
extended operator precedence parsers, 1360
identification algorithms, 2197
nondeterministic programs, 1306
correctness of parallel
programs, 345
systems, 927
correctness of
programs, 460, 962
push operations, 2509
strategies, 364
correctness of the
chase, 742
on the fly garbage collector, 962
Schorr and Waite algorithm, 618
correctness
on simpler data items, 954
preserving transformations, 1028
proof, 8, 25, 300, 962, 995, 1019, 1266, 1349, 1402, 2015, 2329, 2541, 2742, 2838, 3233, 4039
properties of parallel computation systems, 927
property, 1324
proving, 579
specification, 1798
corrector, 582
correlated accesses, 691
correlation, 333, 513, 691, 2161, 3923
attack, 3606, 3923
coefficient, 3606, 3923
function, 2021
correlation immune, 3473, 3969
Boolean functions, 3473, 3969, 4093
function, 3473
correlation immunity, 3969, 4093
correlation noise, 3606
correspondence, 181
theory, 2363
corridor, 3810
corruption, 957
coset, 3894
cosmic cube computer, 1632
cospectral trees, 266
cost, 401
array, 2300
equation, 104
function, 76, 226, 505, 756, 851, 1569, 1819, 1891, 1952, 2251, 3383, 3931
matrix, 3708
measure, 2772
minimization, 519
model, 3867
cost of a
b-matching, 1338
path, 616, 723
cost of
accesses from secondary storage, 1804
processing, 366
cost of searching, 1238
a tree, 1347
cost optimal, 1074, 2151, 2322, 2825, 3965
algorithm, 1273
division strategy, 1074
parallel algorithm, 2322
cost
optimality, 2357
optimisation, 104
oriented, 104
prediction, 1063
scaling algorithm, 4082
cost/performance, 3744
costs of
paths on a grid graph, 1640
self stabilization, 1369
coterie, 2310, 2791, 2852, 2869, 3602, 3785
cotriangulated graph, 3192
countable
complexity classes, 3571
directed acyclic graph, 4115
distributive lattice, 1209
countably, 3372
countably generated free
groups, 2303
monoid, 1644
counter, 995, 1277, 1454, 1949
COUNTER algorithms, 3622
counter
example, 524, 850, 3050
machine, 999, 3990
one pass features, 376

counter (*cont.*)
reversals, 727
scheme, 2114
counterexample, 415, 512, 781, 1277, 1637, 1979, 2131, 2264, 2273, 2301
to termination, 1410
counterfeit, 2909
counterfeit coin
problem, 2909, 3775
puzzle, 3775
counterfeit coins, 2909
counting, 33
algorithm, 1442, 3224
arguments, 831, 967, 1925
class, 2434, 2453, 2954, 3144, 3908, 4118
clique trees, 1747
combinatorial objects, 1797
convex k-gons, 2347
cycles, 2966
function, 1931, 2024, 2453
isomorphisms, 421
k-subsets, 2166
method, 1925
mismatches, 2715
models, 2371
paths and cycles, 2966
problem, 399, 1442, 1931, 2894, 3694, 3857
strings, 274, 399
subtrees, 969
trees, 399, 2887
versus probing, 1949
couple, 1824
coupled context free grammars, 3162
coupling, 1700, 3409
complexity, 3409
technique, 1700
Coupry, Laurent, 3612
Courtois and Georges, 345
Courtois, P.J., 345
Cousots approach to abstract interpretation, 3920
cover, 43, 170, 474, 813, 873, 1078, 1755, 2205, 2551, 2795, 2851, 3057, 3658
$*$-cover, 3929
cover
a set of points, 1854
free families, 3763
grammar, 2883
cover time, 1976
of a graph, 1976
covering, 388, 672, 4121
a polygon with star shaped polygons, 1267
covering a set
of points, 4120
with arithmetic progressions, 1963
covering
BCNF, 634
Boyce-Codd normal form, 388, 634
by hypersquares, 2289
complete uniform hypergraphs, 2350
context free grammars, 438
grammar, 438
graph, 3982
hypersphere, 1854
covering number, 3090
of a graph, 3090
covering problem, 2369, 2543, 4120
for context free grammars, 438
covering relation, 438
covers for
context free grammars in Greibach normal form, 474
linear grammars, 474
regular grammars, 474
covers of a string, 2851, 3057
covert channel, 3690
CPDL, 1091
CPL construct, 82
cpo, 2259, 3353
CPP, 955
CPU, 142, 280, 2628, 3305
operations, 1735
optimal recognition, 2569
overhead, 1385
queue, 280
time, 1063, 1246, 2108
usage, 2835
utilization, 142
CR, 2031
categories, 1317
property, 485
CR sequence, 1030
of vectors, 1030
Crégut, P., 3873
CR_d problem, 2289
Cramér rule, 1386, 1584
Crane, 1504
crash, 4008, 4059
failure, 1858, 2132, 2567, 3974, 4059
recovery, 837, 897
Crawford, 1144
Cray
T3D machine, 3741
T3E-1200, 4078
CRCW, 1199, 1986, 2030, 2411, 3671, 3964
model, 1582, 2030
CRCW PRAM, 1133, 1202, 1509, 1540, 1747, 1766, 1799, 1842, 1903, 1942, 2004, 2152, 2340, 2467, 2530, 2597, 2808, 2871, 3169, 3172, 3178, 3267, 3379, 3425, 3963
algorithm, 2212, 2795
model, 1924, 3267

crcw pram model of computation, 1683
CRCW shared memory, 2030
  computer, 1701, 2030
create, 1790
  role, 1062
creating a segment, 933
creation, 6
  of an array, 1297
  rights, 1167
credit distribution, 1716
Creelman, 1781
Creignou, Nadia, 3829
Cremers and Mayer, 394
CREP, 2988
Crespi-Reghizzi and Mandrioli, 1392
Crespi-Reghizzi, S., 150
CREW, 2411, 3425, 3600, 3671, 3964
CREW PRAM, 1133, 1396, 1544, 1729, 1747, 1805, 1896, 2263, 2409, 2427, 2537, 2695, 2808, 3147, 3159, 3301, 3543, 3600, 3963
  computational model, 1488
CREW PRAM model, 1544, 1821, 1883, 1951, 2605, 2725
  of computation, 1795
CREW/CRCW SM SIMD thinning algorithm, 2302
CRFO, 485
CRI, 1276
  of multiplicity n, 1276
Cries and Prins, 1399
critic, 309
critical, 22
  behavior, 1796
  block exit, 1176
  complexity, 1007
critical complexity of
  a Boolean function, 1007
  symmetric functions, 1007
critical edge, 3761
critical path, 309, 1912, 2316
  analysis, 309
  network, 309
critical
  problem, 1382
  region, 345, 686
critical section, 406, 568, 698, 838, 1158, 1266, 1280, 1305, 1446, 1635, 1715, 1816, 2005, 2323, 2351, 2477, 2742, 2791, 2840, 2852
  problem, 698
critical value, 22
Crochemore and Rytter, 2503
Crochemore, M., 3772
Crochemore, Maxime, 3579
cross edges, 736, 1745
cross product, 198, 1811, 2538
  set, 2538
cross serial dependencies, 3162
crossbar, 3042, 3239
crossed cube, 3475
crossing chords, 3129
crossing sequence, 977
  analysis, 1728
crossover, 3212
crossvalidation, 179
CRP, 485, 1030
cryptanalysis, 681, 682, 1055, 1475, 2327, 2999, 3175, 3206, 3871, 3922, 3933, 4137
  of YCN key assignment scheme, 4046
cryptanalytic attack, 682, 1973, 2327
cryptocomplexity, 3634
cryptographic, 734, 885, 1532, 3465, 3532
  algorithm, 3968
  attack, 3906
  behavior, 3672
  computation, 4135
  functions, 2818
  implementation, 1532
  key, 643, 1532
  paradigm, 4135
  protocol, 1145, 1473, 3634
  schemes, 3428
  strength, 3859
  trapdoors, 938
cryptographically
  strong functions, 2818
  stronger, 3021
cryptography, 393, 437, 610, 643, 734, 760, 885, 938, 1055, 1145, 1473, 1475, 1532, 1811, 2328, 2405, 2447, 2496, 2677, 2712, 2818, 2901, 2958, 2979, 2991, 2997, 3136, 3186, 3206, 3230, 3263, 3420, 3428, 3465, 3473, 3505, 3522, 3532, 3548, 3551, 3587, 3598, 3606, 3634, 3652, 3655, 3659, 3672, 3706, 3719, 3728, 3751, 3821, 3835, 3838, 3840, 3859, 3871, 3879, 3881, 3890, 3894, 3922, 3923, 3925, 3933, 3948, 3956, 3968, 3969, 4001, 4009, 4025, 4042, 4046, 4075, 4091, 4093, 4134, 4135, 4137
cryptology, 2505, 3551, 3634
cryptosystem, 562, 643, 681, 682, 885, 1145, 1416, 1475, 1532, 2327, 2712, 3175
  for multiple communication, 681, 682
CS_d, 2289
  problem, 2289
Csanky, 342, 623
  algorithm, 342
CSCAN rule, 63
CSG^0 graph, 3503
CSG^k graphs, 3503
Csirik, J., 3055
Csirik, János, 3575

CSL, 879
CSOP, 3528
  coefficients, 3528
CSP, 254, 753, 883, 928, 985, 1111, 1295, 1420, 1487, 1770, 1971, 2317, 2563, 2653, 2731, 3485, 3510
CSP program, 1420, 1487
  with I-guards, 1420
CSP theory, 3036
CTL, 2363, 3099
CTL*, 2363, 2655
CTM, 1276
CTP, 1472
cube, 748, 1834, 1942, 2034, 2197, 2888, 3112, 4010, 4104
  a cyclic permutation, 2356
cube connected, 1242, 1252, 1730, 1883
  cycle, 867, 1242, 1252, 1883, 3463
  cycles graphs, 1252
  parallel computer, 1730
cube free, 2973
  strings, 1106
cube network, 2022
cubic, 628
  graph, 441, 704, 743
cubic map, 627, 628
  configurations, 627
cubic time, 894, 2552, 2565
Cucker, Felipe, 3525
Culberson and Rawlins, 1741
Čulik and Cohen, 168
Culik and Pachl, 1213
Culik and Wood, 1504
Cullum, 172
  procedure, 172
cumulant, 1222
cumulative distribution functions, 807
Cunningham and Frank, 4082
Curien, 2615
  definition of substitution, 2615
currency trading, 3707
Curried function, 976
Currying, 976, 3047
  operation, 976
curse of dimensionality, 4028
Curtis, Sheppard, Milliman, Borst, and Love, 513
curve, 2076, 2853, 2956, 3603, 3840, 4006, 4057
  tracing, 2043, 2690
  trajectory, 2690
curved
  2D objects, 4006
  objects, 4006
Cusick, Thomas W., 3263, 3420
custom VLSI, 1684
customer, 878
customizable garbage collectors, 1704
cut, 14, 392, 425, 2146, 2535, 3338
  edge, 3814
  in a graph, 3338
  primitive, 1299
cut set, 631, 645, 1815
  probe, 1815
  sizes, 1815
cut
  vertex, 3814
  vertices, 2413
cutedge, 4048
Cutler, 3380
cutpoint, 3073
  of a graph, 4048
cutting center, 1309
  of a tree, 1309
cutting
  channels, 1914
  number, 1309
  planes proof, 3759
  stock, 589
CVP, 526, 2395
CWA, 1962
cybernetical models of morphogenesis, 197
cycle, 217, 309, 374, 403, 420, 441, 576, 588, 823, 1242, 1347, 1357, 1705, 1725, 1845, 1883, 1965, 2196, 2222, 2248, 2500, 2546, 2607, 2616, 2743, 2903, 2966, 3010, 3023, 3048, 3284, 3291, 3413, 3576, 3604, 4011, 4130
  bases, 3048
  basis, 3048
  checking, 2553
  counts, 104
  detection, 309, 823, 961
  elimination, 2553
  finding algorithm, 115, 588
  free graph, 2196
  graphs, 1252
cycle of
  length, 2, 731
  odd length, 3604
cycle
  separators, 2504
  structure, 3604
  symmetricity, 3493
cycle time, 981, 1180
  problem, 981, 1472
cycle tree, 3257, 3436
cyclic, 264
  arrangements, 3989
cyclic closure, 389
  operations, 389
  properties, 389

cyclic
codes, 325
cubes, 4010, 4104
data structures, 1310, 2528
digraphs, 2959
graphs, 1223
list structures, 2689
memory, 264
molecules, 123
motion, 888
nonpreemptable tasks, 3678
order, 428, 736, 998
ordering, 736
parallel moves, 2604
cyclic permutation, 1248, 1314, 1888, 2356
algorithms, 2356
cyclic
queueing network, 280
reference counting, 1915, 2528, 2607
schedule, 639
scheduling, 639, 942
separator, 1648
sequential processes, 1180
cyclic shift, 2783
algorithms, 2783
cyclic
space, 259
string, 1982
cyclic string to string correction, 3554
problem, 1982, 3554
cyclic
structure, 2168
tasks, 3678
towers of Hanoi, 732, 888, 998
word, 740
cyclically
ordered, 1888
reducible, 1586
cyclicity, 1083
cyclomatic, 513
complexity, 513
number, 513
cyclotomic
generator, 3706
polynomial, 1667
cyphertext, 681
Czaja, 1535
Czajka, Adam, 3678
Czumaj, Artur, 3379, 3509
Czyzowicz, Jurek, 3723
C-E structure, 1535, 1788, 2578
c-oriented
geometry, 2119
objects, 876
polygons, 2119
c-orientedness, 2119
C-Prolog interpreter, 1297
c-vertex ranking, 3217

D

D.P. sort, 432
D0D1, 465
D0L, 572, 712
equivalence problem, 456
growth equivalence problem, 456
D0L language, 160, 241, 712, 730, 948
of constant distribution, 730
D0L
sequences, 107
system, 93, 107, 241, 279, 456, 572, 730, 1475, 1950
T0L public key cryptosystem, 1475
D0Lness for context free languages, 241
D0S system, 572, 669
D_2, 1647
D_k, 1647
Dacey, 989
DACTL, 3404
daemon, 410
Daescu, Ovidiu, 3693
DAG, 642, 1347, 1632, 2150, 2895, 2926, 3301, *see also* directed acyclic graph
like, 3759
representation for linear blocks, 82
representations, 82
Dahlhaus, Elias, 3697
Dahlquist, 287
Dally, 2699
damaged hypercube, 2197
Damaschke, Peter, 3775
Damm, Carsten, 3886
dangling reference, 1012, 1440
Dannoura, Eisuke, 3707
Dar, Emanuel, 3508
Das et al., 127
DASD, 203, 1591
dynamic reconnection, 1591
DasGupta and Veni Madhavan, 2075
Dasgupta, Pallab, 3327, 3669
Dassow, 778, 1643
data, 21, 139
abstraction languages, 1817
abstractions, 972
access, 566, 703, 1527, 2455
data access distribution, 1527
of transactions, 1527
data
access technique, 603
algebra, 1259

data allocation, 3001
strategies, 1740, 2009
data authentication, 3132
data based
program testing, 1265
testing tool, 1265
data
bases, 194, 233, 744, 1063, 1919, 2449
collection processes, 762
complexity, 3940
data compression, 264, 738, 1228, 1497, 3310, 3342, 3346, 3944
algorithms, 1497
methods, 1497
data
conflicts, 3462
congestion, 146
consistency, 1786
dependence, 1329, 1654
dependency, 700, 742, 896, 950, 996, 1021, 1329, 1598, 1697, 1767, 2786
data dependency based backtracking, 1767
scheme, 1767
data dependency
graph, 1090, 1659, 2957
theory, 742
data dependent, 1090
data distribution, 553, 1663, 2184
method, 2184
data driven, 896
architecture, 896
language, 896
machine, 896
programming, 496
data
encoding, 772
encryption standard, 2327
flow, 950, 1035, 1053, 1598, 2679
data flow analysis, 545, 1053, 1329
problems, 545
data flow
determinacy, 1035
graphs, 1738
information, 1053, 1598, 1817
parallelism, 950
schema, 1035
testing, 1265
data
folding schemes, 1177
generation tools, 3371
identity, 1091
independent bindings, 2679
interchanges between nodes, 553
items, 954, 984, 1177, 1259, 1810, 1946, 2164, 2562
leaf, 2080
leaves, 2080
logging, 693
management, 678, 717, 984, 1045, 1063, 1223, 1477, 1724, 1771, 2041, 2223, 2313, 2662, 2709, 2918, 3001, 3312
manipulation language, 2057
manipulations, 405
model, 1259
modelling, 625, 3390
models, 1259
modification, 1742
packets, 3716
data parallel
algorithm, 3756
computation, 3935
languages, 3201
data
partition and mapping, 3935
paths, 1005
permutations, 659
placement, 2373, 3841
data portion, 3692
specification, 3692
data processing, 278, 455, 551, 570, 984, 1108, 1128, 1497, 1593, 1843, 2136, 2271, 2405, 2447, 2496, 2712, 2918, 3235
rate, 146
system, 6, 146, 455
data
record, 52, 718, 1037
redundancy, 3999
redundant distributed database, 1337
data refinement, 1399, 1498, 1520, 1677, 1941
calculation, 1520
calculator, 1520
data
replication, 3820
representation, 99, 278, 412, 847, 1036, 1214
security, 1107, 2447, 4046, 4135
semantics, 1278
skew, 3151, 4089
space, 1257, 3867
stream width, 1005
data structure, 28, 54, 55, 60, 85, 96, 99, 100, 105, 120, 139, 153, 177, 192, 206, 217, 240, 242, 243, 244, 256, 259, 261, 268, 276, 312, 339, 365, 372, 427, 447, 454, 471, 488, 503, 511, 521, 532, 567, 678, 679, 687, 718, 721, 748, 772, 775, 791, 803, 841, 850, 853, 859, 861, 872, 906, 939, 954, 958, 1013, 1037, 1041, 1045, 1052, 1057, 1079, 1112, 1126, 1140, 1142, 1146, 1220, 1223, 1227, 1233, 1261,

data structure (*cont.*), 1297, 1304, 1317, 1327, 1361, 1368, 1389, 1426, 1435, 1443, 1451, 1474, 1482, 1491, 1513, 1573, 1574, 1606, 1623, 1628, 1633, 1665, 1704, 1714, 1724, 1737, 1738, 1748, 1751, 1761, 1772, 1790, 1832, 1883, 1913, 1915, 1916, 1947, 1953, 1974, 1981, 1984, 1992, 1994, 2000, 2013, 2071, 2080, 2092, 2094, 2106, 2127, 2129, 2139, 2140, 2157, 2164, 2182, 2194, 2221, 2230, 2236, 2248, 2254, 2263, 2267, 2277, 2319, 2332, 2375, 2422, 2478, 2480, 2494, 2505, 2508, 2509, 2528, 2536, 2558, 2566, 2591, 2593, 2598, 2609, 2617, 2623, 2639, 2644, 2654, 2670, 2678, 2681, 2689, 2705, 2718, 2725, 2729, 2742, 2772, 2775, 2800, 2816, 2829, 2836, 2841, 2844, 2863, 2865, 2871, 2878, 2886, 2891, 2919, 2921, 2928, 2940, 2950, 2965, 2975, 2996, 3014, 3053, 3219, 3233, 3240, 3257, 3272, 3301, 3310, 3313, 3315, 3340, 3382, 3406, 3410, 3447, 3454, 3474, 3546, 3557, 3601, 3621, 3622, 3635, 3638, 3647, 3654, 3688, 3693, 3730, 3737, 3746, 3781, 3806, 3857, 3876, 3889, 3891, 3899, 3927, 3930, 3932, 3944, 3954, 3980, 3982, 3984, 4017, 4028, 4109, 4112, 4113
  checker, 3635
  construction, 100
  continuations, 1985
data
  structures for Boolean functions, 2729
  structuring mechanism, 763
  sufficiency, 3684
  swaps, 498
  throughput, 1352
data transmission, 422, 583, 908, 1497, 3724
  costs, 1084
data transmitting time, 146
data type, 261, 1297, 1372, 1399, 1498, 1506, 2489, 2867
  specification, 412, 846
data types, 261, 412, 945, 1506, 2452, 2867, 3027, 3396, 4069
  as algebras, 2452
data warehouse, 4019
database, 231, 236, 300, 332, 333, 372, 426, 473, 477, 484, 541, 625, 652, 700, 718, 738, 742, 771, 787, 795, 805, 818, 834, 871, 897, 941, 996, 1021, 1023, 1025, 1037, 1080, 1237, 1259, 1326, 1330, 1337, 1459, 1497, 1527, 1616, 1626, 1663, 1708, 1742, 1843, 1870, 2050, 2057, 2147, 2150, 2184, 2291, 2342, 2368, 2418, 2449, 2489, 2491, 2510, 2523, 2557, 2576, 2582, 2637, 2662, 2672, 2737, 2751, 2763, 2786, 2803, 2842, 2854, 2923, 3029, 3150, 3151, 3199, 3221, 3238, 3297, 3312, 3349, 3390, 3392, 3435, 3447, 3462, 3523, 3533, 3536, 3578, 3583, 3601, 3619, 3657, 3684, 3690, 3825, 3867, 3940, 3973, 4019, 4098, 4119
  access costs, 493
  accesses, 2188
  application system, 2150
  applications, 718, 787, 1037, 1140, 1663, 2108
database backup, 652
  and recovery, 652
database concurrency control, 1565
  theory, 1565
database
  constraints, 700
  decomposition, 1025
  dependencies, 700
database design, 194, 522, 1259
  methodologies, 899
database
  designer, 1259
  dynamics, 787
  for image processing, 672
  integrity, 333, 2057
  joins, 2538
  languages, 237
  machines, 1663
database management, 496, 859, 1724, 2184
  system, 496, 652, 1919, 2737
database
  managers, 652
  mapping, 834
  operations, 762, 1730
  organizations, 1048, 1616
  parameters, 1063
database performance, 919, 1238
  evaluation, 1048
database
  predicates, 742
  processing, 503
  queries, 2745
  query languages, 369, 1636, 3199
  recovery, 652
  relation, 388, 528
database reorganisation, 818
  research, 818
  strategies, 818
database
  schema, 528, 742, 1026
  scheme, 523, 1025, 1626
  semantics, 528, 787, 2368
  system, 496, 621, 652, 818, 919, 961, 1023, 1527, 1636, 1837, 2150, 2672, 2737, 2917
  theory, 996, 1218, 1377, 1672
  transactions, 2057, 3583
  updates, 834, 2057

database/knowledge base, 1861
dataflow, 3128
  testing, 3128
Datalog, 1843, 1989, 2662, 3058
  programs, 1843, 2523
Datalog¬, 3318
datapath, 1515
  synthesis, 1515
datastructure, 268
  for searching, 1491
Date and Fagin, 3533
Datta, Alak K., 3109
Datta, Alak Kumar, 3955
Davenport-Schinzel sequence, 1882
Davis, Robert, 3314, 4053
Davis-Putnam, 1268
  procedure, 829, 1268, 2098, 4148
Dawes, R., 3277
dawg, 1990
Dawson, E., 3606
day, 27, 944
Day and Tripathi, 4027
Day-Tripathi orientation, 4027
DB, 496
  system, 496
DBMS, 2737
  sublanguages, 1919
DBN, 2615
DCFL, 1744
DCSP, 3510
Dcube, 3026
DD, 608
  schedule, 519
DDAG, 3013
DDG, 1090
De Agostino, Sergio, 3358
de Bakker and Zucker, 1674, 1856
de Berg, Mark, 3582
De Bonis, Annalisa, 3763
de Bruijn, 1019, 3023, 3529
de Bruijn and Kautz
  digraphs, 3264
  graphs, 3442, 3529
de Bruijn
  coding, 1968
  digraph, 3023
  graph, 1568, 2475, 2778, 3023, 3442
  network, 3529
  notation, 2615
  number, 1665
  sequence, 1959
de Champeaux, 2314
De Col, Alessia, 3313
de Figueiredo, Celina M.H., 3758
de Leeuw et al., 1066
de Luca and Varricchio, 1563, 1839
De Marco and Vaccaro, 3971
De Marco, Gianluca, 3752
de Moor, 2867
De Prisco, Roberto, 3382
De Remer, 747
  recognizer, 65
De Roure, D., 3749
De Santis, Alfredo, 3598, 3652, 3890
De Sarkar, S.C., 1841, 3327
Deĭneko, Vladimir G., 3380, 3791
dead
  free path length, 2936
  value, 1456
deadline, 185, 288, 402, 611, 639, 868, 902, 1605, 1713, 1812, 1938, 1969, 2628, 2652, 2681, 2757, 2819, 3022, 3066, 3462, 3610, 4138
  constraints, 2628
  scheduling, 402
DEADLOCK, 2113
deadlock, 233, 236, 300, 333, 406, 418, 430, 575, 686, 693, 698, 903, 961, 1023, 1033, 1050, 1150, 1263, 1280, 1286, 1317, 1326, 1413, 1487, 1725, 1807, 1967, 2113, 2168, 2196, 3036, 3148, 3462
  absence proofs, 508
deadlock avoidance, 418, 508, 1033, 1050, 1317, 1366, 2728
  algorithm, 1317, 2728
deadlock
  conditions, 236
  cycle, 2196
deadlock detection, 236, 636, 961, 971, 1413, 1725, 2923, 3148
  procedures, 300
deadlock free, 333, 903, 1326, 2168, 2196, 3026, 4054
  absorption, 3201
  algorithm, 1742, 1967
  communication structure, 2168
  message system, 1967
deadlock free packet routing, 4054
  algorithms, 4054
deadlock free
  routing, 1967
  shortest path routing algorithm, 4054
deadlock
  freedom, 1487
  in parallel schemas, 575
  predicate, 1286
  prevention, 2168
  problem, 333
  properties, 2550
deadlock recovery, 236, 903
  problem, 903

deadlock resolution, 2196, 3148, 3882
algorithms, 3882
deadlock situations, 236, 575
deadlocked, 1725
deadness, 1456
dealer, 4091
deallocation, 1012, 1440, 1655
deap, 1464, 1790, 2644
debate systems, 2993
debit arc, 2320
debugger, 1919
debugging, 321, 950, 1391, 1654, 1679, 2498, 3541, 3818
distributed systems, 2204
information, 2707
method, 3541
DEC system 10 Simula compiler, 120
decentralized algorithm, 1999
decentralized control, 930, 1756
synthesis, 1515
decentralized
database systems, 2923
distributed algorithm, 2165
decentralized evaluation, 1999
of functions, 1999
decentralized protocol, 1545, 2165
Dechter and Dechter, 3510
Dechter and Pearl, 3156
decidability, 55, 378, 386, 456, 463, 619, 683, 709, 727, 884, 1103, 1463, 1649, 2403, 2502, 2589, 2631, 2736, 2876, 3453, 3519, 3593, 3911, 3983, 4076
for D0L languages, 241
decidability of
algebra, 884
bisimilarity, 4000
decidability of bisimulation, 2403
for normed processes, 2403
decidability of
D0Lness for F0L languages, 456
emptiness, 4105
equivalence, 725
equivalence between, 3150
PCP(2), 695
persistence, 584
reachability, 357
decidability of the D0L
equivalence problem, 456
growth range equivalence problem, 456
decidability of the
emptiness problem, 1103
F0L D0L equivalence problem, 456
liveness problem, 129
decidability of the reachability problem for
CFN, 129
vector addition systems, 357
decidability of
the star problem, 2502
v-local catenativity, 313
decidability
problems, 1213, 2665
programs, 960
result, 313, 386, 666, 1088, 3332
theorem, 129, 150
decidable, 241, 386, 440, 456, 501, 572, 658, 666, 669, 683, 695, 709, 741, 1029, 1211, 1256, 2072, 2081, 2396, 2665, 2676, 2876, 3243, 3284, 4068
approximations, 3793
decidable equivalence, 534
problem, 725, 2522
decidable in
linear time, 1463
polynomial time, 1289, 1456, 1485, 4000
decidable
inclusion problem, 619
problem, 55, 313
property of Petri nets, 726
set of axioms, 1639
validity problem, 1194
word problem, 1166
deciding
freeness for program schemes, 727
immutability, 1776
membership of a set, 1505
quadratic residuosity, 1703
the winner, 3823
validity, 3893
whether a graph is embeddable, 1393
decimal adjust after add, 3517
decimal adjustment, 3517
of long numbers, 3517
decimal
arithmetic, 3517
floating point arithmetic, 131
decimation property, 3706
deciphering
delay, 3325
function, 643
decision, 36, 707, 2534, 3504
algorithm, 1485, 2433
diagram, 3730
free Petri nets, 2806
decision graph, 1483
of a task, 1483
decision
graphs, 2865
labeling problem, 3860
lists, 2406
maker, 3833
making, 1342

decision problem, 378, 584, 700, 742, 756, 798, 816, 1194, 1253, 1406, 1890, 2007, 2262, 2284, 2568, 2648, 2753, 3131, 3694, 3757, 3788, 3860
decision problem for
3NF, 798
definite formulas, 700
dependencies, 700
mathematical theories, 2008
unification, 3788
of K-colorability, 1001
decision problems, 318, 378, 575, 578, 1485, 1891, 2008, 2037, 2262, 2648, 2986, 3644
about translations, 386
complete, 2434
for three-way two-dimensional finite automata, 578
decision
procedure, 464, 658, 884, 2648
questions, 3332
decision support, 2229
systems, 2737
decision theory, 1391
decision tree, 76, 249, 344, 715, 757, 1043, 1505, 2224, 2406, 2694, 2764, 2792, 2980, 3535, 3941
algorithms, 757
complexity, 2980
height, 2051
minimization, 3941
decision tree model, 1718
of computation, 2051
decision
tree representation, 3941
variables, 2479
declaration, 230
of scope, 1440
declarative
language, 1278
programming, 3753
statements, 3128
declustering
algorithm, 4089
multidimensional data, 3497
property, 522
signature files, 4089
Deco, Gustavo, 3568
decoder, 2888
decoding, 1497
algorithm, 3454, 3876
methods, 3639
noisy data, 301
problem, 1316
procedures, 3076
residue codes, 3076
decompilation, 1169
decomposable, 454, 533, 650, 661, 679, 996, 2783
problem, 454
searching problem, 454, 533, 596, 650, 661, 662, 679, 859
decomposed
partially ordered sets, 2498
relations, 523
decomposing a geometric
problem, 593
structure, 884
decomposing
a set of points into chains, 1791
polygons, 1530
relation schemes into subschemes, 523
trees, 2537
decomposition, 162, 217, 1025, 1085, 1126, 1151, 1251, 1267, 1481, 2222, 2379, 2449, 2458, 2489, 2498, 2960, 3785, 3826
algorithm, 3724
algorithms of graphs, 3560
decomposition of a
firing sequence, 129
relation scheme, 2449
decomposition of
graphs, 444
machines, 1481
queries, 553
sequences, 1151
tree transformations, 1853
decomposition
problem of sequential machines, 162
procedure, 1014
rule, 1492, 2489
scheme, 2489
strategy, 1787
theorem, 1580
decreasing
index size, 2080
order, 1973
subsequence, 175
decremental connectivity in trees, 3623
decremental neighbourhood, 416
method, 416
decrementing privileges, 1249
decrypting algorithm, 437
decryption, 1475, 1973
DEC-10, 624
Dedekind, 1066
Dedekind-MacNeille completion, 3982
Dederichs and Weber, 2281
dedicated processors, 2801, 3470

dedicated resources, 560
deduction, 769, 799, 1017, 1289, 1480, 2202
deduction method, 1567
  for modal logic, 769
deduction
  rules, 134
  system, 1427, 1587, 2648
deductive, 2672
  analysis, 1767
  capabilities, 2672
  database, 1843, 1870, 1989, 2249, 2418, 2523, 2672, 2679
  methods, 2219
  system, 3893
deepest safe node, 921
default logic, 2513
  theory, 2513
defective, 3775
  fraction, 2777
defered right to file, 300
deferred, 803
  data structure, 1974, 2277
  work, 803
deferring reversals, 958
deficiency, 1816
  of natural deduction, 1427, 1486
definability, 2363, 3523
  by programs, 1181
definable, 2363
defining operators, 786
definite
  DATALOG programs, 2523
  Horn formula, 2056
  iteration, 3891
  programs, 2269
definition, 23, 94
  of functions, 2268
  use chain, 1265
definitional tree, 3753
deflection
  routing, 3979
  worm routing, 3979
degeneracy, 3086
degenerate, 856, 2841
  cases, 786
  Delaunay triangulation, 1374, 1412
degradation, 1297, 3026
degree 0, 2299, 2414
degree constrained, 245
  graphs, 123
  star subgraphs, 245
  subforests, 854
degree constrained subgraph, 245, 660
  problem, 660
degree constrained tree embedding, 2527
degree of a
  flowgraph, 1660
  network, 1089
  polynomial, 2763
  tree, 1660
  vertex, 245
degree of
  accuracy, 507
  approximating polynomials, 4099
  concurrency, 2491
  constancy, 710
  dominator trees, 1660
  freedom, 1044, 2142
  parallelism, 728, 751, 1126, 1632, 2133, 3397
  polynomials, 1722
  redundancy, 3833
  super sparse sets, 1209
  synchronization, 1643
degree sequence, 1646, 2527
  of vertices, 1646
degree sum, 1778
Dehne, 1583, 3176
Dehne, F., 2953, 3238, 3247, 3492, 3493, 3501, 3509, 3581, 3582, 3583, 3600, 3655, 3663, 3664, 3665, 3666, 3676, 3682, 3684, 3685, 3692, 3693, 3694, 3722, 3723, 3724, 3725, 3726, 3727, 3728, 3729, 3731, 3732, 3733, 3738, 3749, 3801, 3802, 3803, 3804, 3805, 3810, 3811, 3812, 3813, 3820, 3852, 3853, 3855, 3860, 3862, 3863, 3899, 4045
Dehne, Frank, 3615
Deineko, Van Dal, and Rote, 3380
Dekel and Sahni, 3379
Dekel, Hu, and Ouyang, 3275
Dekel, Nassimi, and Sahni, 2007
Dekker, 568, 1305
Dekker algorithm, 568, 1305, 2005
  for mutual exclusion, 1305
Dekker
  like solutions, 667
  solution, 1305
Del Cerro et al., 1204
Del Lungo et al., 4079
Del Lungo, A., 3696
Delaunay, 550
Delaunay triangulation, 469, 550, 1374, 1412, 1431, 1768, 1901, 2010, 2841, 3086, 3244, 3531, 3981, 4097
  of a simple polygon, 1768
Delauney triangulation, 1193
delay, 57
  complexity, 435, 3995
  line, 157
delayed, 345, 568, 1158
  forever, 1158

delayed (*cont.*)
process, 1158
selection, 617
delete, 2080
Delete, 2639
delete
min, 3240
operation, 687
DeleteMax, 1790
DeleteMin, 1790
deleting
a node, 1216
edges, 1573
the root of a heap, 2103
deletion, 188, 206, 365, 427, 655, 661, 679, 687, 859, 920, 1216, 1308, 1398, 1569, 1658, 1974, 2023, 2263, 2267, 2528, 2573, 2816, 2836, 2996, 3315, 3410, 3523, 3557, 3817
algorithm, 365, 1321, 2157
cost, 1308
files, 897
mechanism, 64
deletion of a
process, 345
segment, 1052
deletion of
edges, 1573
useless components, 1704
deletion
operation, 157, 2836
rules, 2420
strategy, 1012
Dell'Olmo, P., 2801, 3470
Dell'Olmo, Paolo, 3488, 3687
delmin, 3484
Delobel and Casey, 231, 372
(Δ, D)-graph problem, 815
(Δ, D)-graphs, 815
$(\Delta/2)$-approximation algorithm, 2493
Δ_β-TSP, 4117
Δ_n^p, 1294
Δ_2^{P}-immune sets, 1255
Δ-bisimulation, 2295
demand
based software testing, 3030
operation, 1830
demand paging, 890, 1735
algorithm, 260, 338, 366
environment, 890, 1397
demand prepaging algorithm, 338, 366
Demidenko conditions, 2300
Demidov, 587
demonic
nondeterminacy, 2867
nondeterminism, 3009
Demytko scheme, 2995
Deng, Xiaotie, 3239
Denis Thérien, 4032
Denis, François, 3856
Denning, 1735, 3577
Denning and Kahn, 1075
Denning and Schneider, 760
Dennis, 44
denotation, 1642
denotational
linear time semantics, 3353
model of a software system, 1642
models, 604, 1642
denotational semantics, 520, 544, 629, 928, 1298, 1642, 1793, 2219, 3353, 3432
of communicating processes, 928
dense
0-1 matrices, 1082, 1700, 2588
Boolean matrices, 540
complexity core, 1341
graph, 174, 668, 705, 1115, 1187, 2125, 2588
instances, 3926
matrices, 953
networks, 2002
point sets, 3483
real time, 2614
TSP, 3926
upper semilattices, 1209
usl, 1209
density, 211, 594, 833, 1136, 1576, 1765, 1887, 1975, 2373, 2539, 2609, 2613, 3141, 3206, 3245, 3406, 3483
condition, 3518
function, 1448, 1887, 3867
of edges, 20
density of NP complete
problems, 1894
sets, 1894
density of
primes, 3515
states, 2111
denumerable alphabet, 1032
Deo, Krishnamoorthy, and Pai, 599
Deogun, Jitender S., 3458, 3858
departure, 2533
process, 878
dependence, 691, 1192, 2043, 2774
between accesses, 691
graph, 1329, 1645
relation, 3234
dependency, 481, 528, 608, 700, 742, 771, 899, 996, 1025, 1541, 1697, 3201, 3504
basis, 3619
directed approximation, 3504
implication algorithms, 3619
in a database, 481

dependency preserving
database schemes, 2523
databases, 2523
dependency
relation, 3139, 3360
theory, 742
tracking, 1439, 2849
dependent, 288, 353
set, 1725
tasks, 288
depth 2
AND MOD m circuits, 3768
monotone AC^0, 3496, 3711
depth 3, 2238, 2619, 3936, 4108
circuit, 3768
circuits with MOD m gates, 3768
threshold circuit, 2600, 3189
unbounded fan in threshold circuits, 3189
depth 4, 2238
depth 5, 435, 831, 1006, 1814, 2167, 3907
depth 10, 2238
depth
complexity, 2024
efficient simulation, 3886
depth first, 986, 3547
backward chaining, 1767
copying, 3163
execution method, 1306
layout algorithm, 3734
machine, 1306
numbering, 1590
order, 273
recursive procedure, 2688
depth first search, 101, 128, 309, 374, 505, 518, 567, 599, 701, 810, 961, 1116, 1132, 1187, 1403, 1510, 1590, 1648, 1733, 1745, 1799, 1892, 1978, 2108, 2291, 2339, 2553, 2569, 2765, 2807, 2974, 3267, 3295, 3388, 3457, 3547, 4007, 4081, 4094, *see also* DFS
algorithm, 599, 701, 1825, 1978
forest, 2339
order, 1132
ordering, 1132
paradigm, 618
problem, 3267
spanning tree, 567, 810
tree, 1403, 1648, 1799, 2765, 3388, 3457, 3737
depth first
searches, 2708
spanning tree, 986, 3547
strategy, 1306
traversal, 3549
tree, 986
type search, 2553
$*$-depth hierarchy, 1577
depth k circuit, 1452
depth of
a Boolean circuit, 2353
an n-ary monotone function, 435
Boolean circuits, 2163
collision, 2904
formulae, 435
logic circuits, 751
depth of monotone
formulae, 323
functions, 435, 831
depth of
negation limited circuits, 3377
nesting of loops, 11
noisy Boolean decision trees, 2542
polynomial size threshold circuits, 2619
set nesting, 2803, 3940
depth
reduction theorem, 751
sequences, 3249
depth size optimal, 3936
parallel prefix circuits with fan out 2, 3936
depth two
Boolean circuits, 3032
MOD_6 circuits, 3281
depth upper bound, 2024
deque, 1227, 1389, 2644
implementation, 1227
of vertices, 1389
operations, 1227
with heap order, 1227
derandomization, 2002, 2872, 3311, 3400
derandomize, 2002, 3098
derandomized, 3433
dereferencing, 1482
DeRemer recognizer, 65
derivability, 1197
derivation, 47, 65, 77, 78, 169, 413, 626, 951, 1073, 1078, 1331, 1643, 1988, 2123, 2129, 2356, 2391, 2563, 2606, 2867, 3008, 3176, 3572, 3664
bounded, 680
in a context free language, 356
derivation of
a sentence, 295
asymptotic expressions, 400
codefinitions, 1265
designs, 2563
functional programs, 2255
logic programs, 2255
derivation
preservation, 1078
procedure, 3884
process, 68
relation, 2511
rules, 3825

derivation (*cont.*)
step, 193, 3074
tree, 107, 356, 399, 709, 1844, 2061, 2375, 2512
derivational structure, 2061
derivative, 39, 66, 283, 334, 1598
evaluation, 97
of a polynomial, 283
derived, 27
graph, 1398
operators, 2294
deriving group keys, 760
Derman, Lieberman, and Ross, 4133
Dermouche, A., 3122
Derome method, 3548
Dershowitz, 826, 2771
Dershowitz and Manna, 1489
Dershowitz-Manna ordering, 826
Dervos, D., 3664
DES, 2327, 3751
algorithm, 3751
DES like
ciphers, 2327
systems, 2327
Descend algorithms, 2610
descendant, 101, 166, 447, 567, 669, 1375, 1745, 2215, 2301, 3312
context, 139
to ancestor direction, 986
descending order, 570, 691, 2594
of strength, 1133
description
language, 520
of a scene, 181
descriptive complexity, 2659, 3035, 3570, 3627, 3868
of decision problems, 2258
theory, 3588
descriptive
power, 2675
specification, 448
descriptor, 33
files, 1861
descriptorial dictionary, 61
Desel, Jörg, 3096
design
and analysis of algorithms, 2486, 2866, 2945
automation, 711
choices, 2120
decisions, 326, 448, 842, 2120, 2255
heuristics, 3419
design of
algorithm, 1061, 1066, 1261, 1865, 1872, 1876, 1947, 1975, 1994, 2002, 2010, 2013, 2051, 2064, 2071, 2073, 2090, 2106, 2115, 2140, 2143, 2146, 2149, 2161, 2176, 2194, 2201, 2205, 2211, 2216, 2226, 2236, 2238, 2239, 2247, 2248, 2251, 2256, 2275, 2276, 2278, 2286, 2287, 2300, 2301, 2306, 2312, 2314, 2327, 2328, 2334, 2345, 2346, 2358, 2382, 2387, 2427, 2440, 2444, 2460, 2474, 2494, 2499, 2503, 2508, 2527, 2538, 2540, 2548, 2554, 2568, 2569, 2570, 2593, 2596, 2605, 2606, 2627, 2657, 2674, 2683, 2688, 2705, 2708, 2717, 2731, 2741, 2750, 2755, 2759, 2762, 2808, 2814, 2826, 2844, 2851, 2853, 2855, 2874, 2929, 2959, 2974, 3049, 3054, 3060, 3067, 3104, 3121, 3122, 3141, 3143, 3152, 3153, 3161, 3194, 3211, 3272, 3304, 3341, 3344, 3363, 3450, 3457, 3458, 3516, 3523, 3528, 3560, 3574, 3585, 3670, 3754, 3758, 3770, 3801, 3806, 3822, 3824, 3830, 3938, 3945, 4020, 4066, 4085, 4087
cryptographic algorithms, 2327
data structures, 59, 1504
design of distributed
algorithms, 1862, 4039
systems, 4070
design of
hardware systems, 1964
interconnection networks, 3097
large programs, 370
optimal filters, 49
programs, 1402
systolic arrays, 953
tries, 1952
design
parameters, 57, 2414
pattern, 3935
principle, 326, 3270
principles of the EM-3, 896
procedures, 1996
process, 326
quality, 3321
rules, 1405
scheme, 601
systems, 711
tables, 146
theory, 2449
tradeoffs, 21
variable, 2054
designated point, 731
designer, 1051, 1996
Desmedt and Seberry, 3681
Dessmark, Anders, 3665
destination, 230
variable, 258
destructive, 2585
assignments, 2585
update operations, 1297
desynchronization, 940
desynchronized 0L systems, 940

(DET, P)-effective entropy, 2112
detect tampering, 1107
detectable
and undetectable faults, 3605
errors, 1329
detected
error point, 582
errors, 270
detecting
cycles, 823, 2379
deadlocks, 636
elementary cycles, 309
errors, 325
false terminations, 1281
detecting global
deadlock, 2923
termination, 1949
detecting
looping configurations, 112
loops, 1144
program unstructuredness, 1419
spatial regularity, 3888
termination, 930, 985
detecting the
shape of object boundaries, 1895
termination of distributed computations, 1629
detection, 270, 579, 675, 1144, 1447, 1631, 2198, 2759, 3595, 3775
algorithm, 2794
and correction, 1346
detection of a
common intersection, 1896
Hamiltonian path, 485
detection of
cheaters, 3821
combined occurrences, 423
convergence, 545
distributed termination, 1366
faults, 1964
handles, 26
hidden channels, 1914
parallelism, 1090
permanent faults, 1964
repetitions in a string, 3480
termination, 913, 1411
unstructuredness in flowgraphs, 1419
determinacy, 554, 1035, 3478
determinacy of
data flow schema, 1035
two-way pushdown automaton languages, 2978
determinacy
problem, 2978
property, 1035
determinant, 198, 1006, 1584, 1692, 3520, 4088
of a matrix, 623
determining, 30
class subspaces, 267
the bridges of a graph, 14
determinism, 298, 340, 1550
deterministic 0L languages, 47, 112, 2329
deterministic algorithm, 135, 391, 767, 898, 1066, 1113, 1202, 1766, 1898, 2149, 2195, 2232, 2436, 2594, 2715, 2799, 2961, 3351, 3508
for finding the minimum cuts, 14
deterministic
automaton, 848, 999, 2776, 3486
BA protocol, 2033
climbing automaton, 848
complexity, 1695, 1898
deterministic context free, 112, 1744
language, 378, 539, 640, 1744, 2061
deterministic
context sensitive languages, 2038, 2488
device, 144
DPA, 112
evaluation method, 273
exponential class, 1887
expressions, 3478
feedback controlled models of automata, 1155
finite automaton, 1698, 2466, 2675
deterministic finite state
automaton, 898
machine, 1684, 2279
deterministic
flowchart, 135
GSM, 386
gsm, 348, 2078
k-tape Turing machine, 1379
deterministic L
forms, 683
systems, 279, 1950
deterministic
languages, 200
Lindenmayer system, 1950
deterministic linear
bounded automaton, 1507
CFL, 1836
cfl, 1647
deterministic log space, 2007, 2769
reductions, 1132
deterministic
lower bound, 1043
L-systems, 93
machine, 1625, 1887
maximum flow algorithm, 2002
models, 1155
deterministic multitape
automaton, 619
Turing machine, 182

deterministic
NC^2 algorithm, 1726
networks, 3564
ω-automaton, 982
ω-languages, 982
deterministic one-way
cellular automaton, 792
simulation, 792
weak space complexity classes, 3851
deterministic
parser, 2883
pda, 112
deterministic polynomial time, 144, 209, 1132, 1889, 2813
machine, 3705
deterministic precedence, 26
grammar, 26
language, 26
deterministic
predictive topdown syntax analysis, 154
programming languages, 629
programs, 629
protocol, 3084
deterministic pushdown
automata computations, 539
automaton, 112, 378, 539, 666, 696, 716, 725, 1029, 1034
deterministic pushdown store, 378
acceptor, 378
automaton, 378
deterministic
pushdown transducers, 725, 1130
RAM, 182
recognition procedure, 740
reducibility, 1390
restriction, 77
reversal, 2574
sampling, 2633
deterministic scheduling, 560, 1027, 1180, 1359, 3227
theory, 1027, 1336
deterministic
sequence generators, 313
sequential comparison model, 2664
deterministic server, 3564
network, 3564
deterministic
simulation, 209
space, 664, 1132
deterministic synchronized alternating, 2038
machine, 2038
deterministic T0L
languages, 47, 77
systems, 47, 730, 4143
deterministic t^r-fst, 1853
deterministic time, 2574
simulation, 3130
deterministic TM, 1066
deterministic top down
lookahead, 1853
tree transducer, 348, 2736
deterministic Turing
acceptor, 257
machine, 675, 1083, 1576, 1607, 2574, 2925
deterministic two-dimensional finite automaton, 318, 395
deterministic two-way
cellular automaton, 792
finite automaton, 675
k-pushdown machines, 1068
one head pushdown automaton, 1022
pushdown automation, 276, 675
real time cellular automaton, 792
deterministically, 1376, 1517, 3508
Detig et al., 656
detour critical edge, 3761
detranslation, 1169
deunion, 2140
deunion(i), 2140
Deutsch et al., 1257
Deutsch-Schorr-Waite algorithm, 1223
Dévai, 569
Dévai and Szendrényi, 569
developing evaluators, 2707
development of
algorithms by transformations, 626
concurrent programs, 604
efficient parallel algorithms, 2299
filamentous organisms, 47, 93, 940
programs, 412
developmental
languages, 47, 144
stages, 279
systems, 77, 126, 160, 279
deviation, 49, 442, 3492
of jobs completion times, 3416
device
service rates, 1075
utilization, 1075
Deville, 2255
Devillers, Olivier, 3582
Devroye, Luc, 3682
Dewdney, 2020
model, 2020
Dewdney, A.K., 2020
DEXPTIME complete, 2937
DFA, 1526, 2466, 2880, 3730
DFS, 810, 1116, 2108, 2291, 2807, 3457, *see also* depth first search
algorithm, 3267
forest, 3457

DFS (*cont.*)
spanning tree, 810, 2807
traversal of graphs, 2291
traversals, 2291
traversing graphs, 2291
tree, 1116, 1745, 2291, 3457
DFT, 719, 808, 1170
DGR algorithm, 1725
Dhall and Liu, 868
Di Crescenzo, Giovanni, 3890
Di Paola, 700
Di Zenzo, Silvano, 3630
diagnosing processor faults, 3872
diagnosis, 1027, 2197
diagnostic, 31
algorithm, 2197
tests, 1336
diagonal, 214, 350, 524, 1777, 1827, 4036, 4127
elements, 529
flip distance, 4041
function, 4036
of a polygon, 350
diagonalization, 2760
diagram, 966, 1020, 1210, 1738, 1937, 2268, 2653, 2718, 3181, 3734
dialogue, 1191
diameter, 577, 815, 1600, 1676, 1834, 1942, 2126, 2343, 2414, 2415, 2630, 2856, 3026, 3112, 3209, 3251, 3291, 3524, 3646, 3675, 3780, 3799, 3832, 3959, 3985, 3997, 3998
computation, 1829
diameter of a
convex polygon, 204, 354, 439
directed graph, 1834
graph, 815
permutation group, 1083
set of points, 1829
spanning tree, 2477
tree, 2517
diameter of
acyclic directed hypercubes, 2034
CCC, 3463
the graph, 2913
diameter problem, 3000
diametrical vertices, 583
diamond, 2644
free, 4077
Diaz and O'Rourke, 2337
Dickerson and Drysdale, 2235
Dickson polynomials, 3902
dictionary, 206, 521, 721, 1261, 2000, 2164, 2531, 2660, 2844, 3346, 3398, 3817, 4109
indexes, 3346
instructions, 206
lookup, 4109
dictionary matching, 2531
algorithms, 2531
problem, 2531
dictionary
operations, 206
order, 576
patterns, 2531
problem, 1974, 2531, 3474
search, 1521
type data compression, 3346
difference
cover, 4110
equations, 48, 598, 4147
methods, 89, 1170
net, 48
operator, 1837
problem, 39
schemes, 89
set, 4110
differencing, 1228
logarithmic algorithm for transitive closure, 1837
differential
addition, 897
attack, 3751
cryptanalysis, 2327, 3206
equation in dimensionless form, 22
differential equations, 287, 334, 1207, 1802
with delay, 442
differential
files, 897
quotient, 66
differentiation, 334
differentiation of
complex functions, 334
exact data, 172
nonexact (experimental) data, 172
Diffie and Hellman, 1932, 1973
public key distribution scheme, 643
Diffie-Hellman assumption, 3925
Diffie-Hellman key
distribution scheme, 2405
exchange protocol, 3925
Diffie-Hellman type key exchange protocols, 2997
diffusing computation, 579, 2757, 2758
diffusion, 878, 2684, 3751
approximation, 878, 1902
method, 2684
diffusion model, 878
of a general queueing network, 878
diffusion
of customers, 878
phenomena, 140
problems, 195

digital
circuit layout systems, 2054
computer, 19, 3628, 3782
fields, 19
filtering, 1005
filters, 2460
geometry, 1380
image processing, 498
images, 3511
k-d trees, 1521
logic, 1996
multisignature protocols, 3922
picture processing, 989
plane, 1293
digital search, 717, 1658
tree, 717, 1574, 2654
digital signal processing, 2044, 2073, 2460
digital signature, 1055, 3532, 3587, 3634, 3659, 3840, 3871
scheme, 1932, 3587
digital to analog converters, 3898
digitalized signatures, 610
digitization process, 1380
digitized
geometry, 2696
picture, 864
plane, 1380
digitizing the plane, 1380
digraph, 15, 205, 308, 309, 335, 441, 588, 616, 809, 986, 997, 1133, 1495, 1586, 1588, 1646, 2007, 2251, 2260, 2543, 2575, 2705, 2708, 3023, 3264, 3442, 3584, 3736
reachability, 2964
Dijkstra, 5, 43, 44, 111, 134, 249, 298, 367, 448, 568, 598, 676, 761, 901, 905, 962, 1060, 1266, 1305, 1333, 1369, 1375, 1399, 1609, 1635, 1971, 2113, 2285, 2351, 2758, 2799
Dijkstra algorithm, 249, 367, 731, 901, 1257, 3805
for unconstrained least cost paths, 3805
Dijkstra and Scholten, 300, 2757, 2758, 3316
Dijkstra
array sorting algorithm, 2247
calculus of weakest preconditions, 1333
Dijkstra et al., 962, 1257, 1349, 2757
Dijkstra
guarded command language, 629
language of guarded commands, 604
Law of the excluded miracle, 1498
like algorithm, 3034
Dijkstra labeling
method, 1185
procedure, 1185
Dijkstra
P and V operations, 1176
primitives, 43
programming language, 1567
proof, 962
Dijkstra PV
operations, 307
primitives, 183
Dijkstra
P-operation, 43
semaphore primitives, 43
shortest path algorithm, 367
shortestpaths algorithm, 731
translation, 1375
V-operation, 43
Dijkstra, E.W., 249, 345, 410
Dijkstra, E.W. and C.S. Scholten, 3316
Dijkstra, Feijen, and van Gasteren, 1411, 1770, 2015
Dijkstra, Rutger M., 3316
Diks, Krzysztof, 3379, 3733
dilatation, 336
dilation
1 embedding, 2548, 2738, 2885, 3111, 3296, 3529, 3566
cost, 2354, 2548, 3566
of a spanner, 3530
Dillencourt, 2841, 3531
Dilworth theorem, 656
dimension, 46, 204, 3525
exchange, 3100
ordered routing, 4038
orderings, 3361
types, 2938
dimensionality curse, 4028
dimensionless variable parameter, 22
Dimitrov, V.S., 3728
Ding, Cunsheng, 3706
Ding, Q., 3660
Dinic, 375
algorithm, 375
dining philosophers, 555
problem, 345, 2113, 2351, 3839
dioid, 1582
Diophantian
polynomial, 414
set, 414
Diophantine
constraints, 2731
equations, 341, 984, 2031, 3175
inference, 984
polynomial, 414
set, 414
Dirac, 136
direct
access storage devices, 203
acyclic graphs, 333
control, 106
dependency tracking, 2849

direct (*cont.*)
neighbours, 1712
operand, 624
product, 871
direct product of
cyclic, 259
free monoids, 2502
direct
retrieval, 203
routing algorithm, 1186
semantics, 1793
simulability, 2993
simulation, 664
direct sum, 1410, 1470, 1910
of term rewriting systems, 1410, 1470
directed acyclic
graph, 82, 504, 538, 563, 585, 642, 745, 808, 961, 1347, 1350, 1573, 1632, 1640, 1708, 2150, 2243, 2895, 2926, 3013, 3301, 3312, 3340, 3457, *see also* DAG
word graphs, 1990, 3970
directed
arcs, 375
bipartite graph, 772, 2012
connected graph, 167
connectivity, 3242
convergence, 1991
cycle separator, 2504
edge, 772, 978, 1979, 2260, 2343
Euler trail problem, 2663
forest, 2385
directed graph, 14, 15, 70, 79, 88, 101, 105, 110, 121, 128, 205, 324, 374, 375, 392, 403, 425, 485, 616, 618, 636, 701, 702, 723, 731, 765, 772, 781, 865, 889, 905, 986, 1115, 1132, 1223, 1347, 1350, 1466, 1512, 1573, 1582, 1601, 1651, 1660, 1745, 1799, 1935, 2058, 2150, 2196, 2339, 2343, 2361, 2504, 2571, 2575, 2593, 2602, 2616, 2705, 2708, 2723, 2759, 2806, 2856, 2892, 2894, 3114, 3242, 3386, 3413, 3495, 3576, 3748, 3959, 4007, 4027
reachability problem, 2964
directed graphs of bounded
degree, 1935
in- and outdegree, 1935
directed
hierarchical broadcast network, 4047
hypergraphs, 2716
maximal cut problems, 865
monotone contact networks, 2845
multigraph, 392, 937
network, 425, 1275, 1783, 2525, 3034
out trees, 2518
directed path, 121, 128, 425, 518, 772, 978, 986, 1115, 1133, 1180, 1745, 2135, 2243, 2723, 3584
graph, 1822
of vertices, 564
directed
planar networks, 1153
rooted tree, 101
sets, 1991
directed spanning
forest, 1590
tree, 978
directed tree, 865, 2863, 3158, 3539, 4058
direction independent
grammars, 1244
two-dimensional array grammar, 1244
directional, 3026
hypercube, 3026
directions of extension, 24
director
string translation, 1375
strings, 1375
directory, 1658, 2080, 2491
Dirichlet tessellation, 1020
disabling, 2294
disc packing, 1044
disclosure protected, 3430
discovery, 179
discrepancy, 4033
discrete, 209, 1765, 2146, 2373, 3171, 3609, 3696
density, 1765
distribution, 990
domains, 4056
dynamic system, 1535
discrete event, 1233, 3060
simulation, 3060, 3362, 3934
discrete finite state transductions, 766
discrete Fourier
transform, 283, 445, 1183
transformation, 605, 1183
discrete
k-ary finite state transductions, 766
linear time temporal logics, 3893
discrete logarithm, 3021, 4137
problem, 1811, 2405, 3021, 3308, 3522, 3587
discrete
mathematics, 197, 344, 409, 416, 564, 772, 934, 1057, 1108, 1426, 1603, 1672, 1881, 1900, 3214
methods of optimization, 711
minimization problem, 3171
normed commutative ring, 2457
objects, 442
optimal quantization, 1765
optimization, 3878

discrete (*cont.*)
periodic bimodal function, 1666, 1851
point set, 1328, 4079
probability distribution, 3504
process, 878
random variable, 211
resources, 527
set, 3696
simulation, 269
spaces, 4036
systems, 269
discrete time
and space, 632
dynamical systems, 2546
Markov chain, 3042
optimal filter, 49
discrete tomography, 3904
discretization of boundary value problems, 1170
discriminated records, 465
discriminating key, 718
discrimination dictionary, 61
discriminator, 447, 678, 718
of a node, 447
value, 678
disjoint
concave chains, 2290
convex polygons, 1262, 1546, 2146
cycles, 2222
disjoint DNF, 2792
expressions, 2792
disjoint
edges, 3433
graphs, 1927
Hamiltonian cycles, 3481
link algorithm, 2783
nonempty subsets, 2425
path covering, 429
disjoint paths, 2058, 2316, 2630, 3109, 3524, 3799
problem, 3524
disjoint polygons, 1079
disjoint set union, 1079, 1737, 2596, 2716
algorithm, 1737
operations, 2596
problem, 2546, 2716, 2878
disjoint
subsets, 1845, 2546, 4057
terminal sets, 683
disjoint union, 2773
of cliques, 3090
disjointness, 2580
disjunct, 2590
disjunction, 1268, 1843, 1986, 2787, 2835
of literals, 419
disjunctive, 1909, 1962
database rule, 1962
logic program, 1962, 2513, 3498
normal form, 630, 2495, 2753, 2865
selfreducibility, 1894
disjunctively reducible, 3887
disk
access, 63, 2188
arrangement, 1771
bandwidth, 3101
blocks, 919, 3435
cache, 1735
drive, 1556
disk I/O, 2108
overhead, 2996
disk
page arrangement, 1556
performance, 63
scanning policies, 63
disk scheduling, 3101
policy, 3492
disk
seek time, 3101
storage, 1135
subsystem, 1591
surface, 63, 3149
systems, 63, 2089, 3492
with two independent heads, 2089
disparity, 453, 3554
dispatch, 1126, 3647
dispersed, 2784
displacement of layout features, 1405
displaying a graph, 2489
dissimilar strings, 3513
dissimilarity
between cluster centres, 916
coefficients, 317
distance, 209, 301, 367, 422, 459, 1930
automaton, 2549
between trees, 1930
bound, 1893
function, 1777, 1982
geometry, 3155
hereditary graphs, 2643
matrices, 1646, 1720
matrix, 199, 583, 1646, 1720, 3791
measure, 678, 822, 1450, 1779, 1982, 2904
measures of least moves type, 1450, 1930
metric, 1014, 1930, 2288, 2594, 3431
three codes, 3125
distance transitive, 2913
graph, 2913
strongly antipodal graph, 2913
distinct
objects, 346
representatives, 510
distinct/nondistinct records, 1238

distinguished vertex, 166
distinguishing, 397, 851, 2846
distortion, 188, 1108, 1776
distributed, 1759
  access control, 3686
  algorithm, 1125, 1165, 1224, 1260, 1346, 1366, 1403, 1411, 1447, 1510, 1545, 1566, 1668, 1712, 1715, 1716, 1756, 1770, 1816, 1825, 1862, 1911, 1936, 1978, 2015, 2055, 2165, 2187, 2197, 2204, 2257, 2315, 2323, 2441, 2636, 2642, 2663, 2799, 2806, 2807, 2840, 3148, 3328, 3354, 3388, 3397, 3419, 3549, 3968, 4035
  and parallel sorting algorithms, 2929
  applications, 851
  architectures, 2850
  auction system Enchere, 1125
  breadth first search algorithm, 1444
  computation, 913, 985, 1111, 1165, 1247, 1281, 1411, 1483, 1629, 1637, 1653, 1756, 1813, 1936, 1949, 2204, 2884, 3085, 3595, 3818
distributed computing, 493, 546, 631, 1420, 1473, 1564, 1600, 1716, 1770, 1819, 1980, 2033, 2055, 2086, 2120, 2138, 2158, 2165, 2187, 2192, 2204, 2257, 2285, 2321, 2343, 2351, 2432, 2451, 2477, 2498, 2571, 2584, 2602, 2710, 2757, 2758, 2767, 2788, 2794, 2799, 2806, 2807, 2838, 2852, 2943, 2944, 3024, 3060, 3065, 3084, 3100, 3119, 3260, 3266, 3270, 3274, 3285, 3291, 3362, 3378, 3383, 3404, 3485, 3493, 3500, 3559, 3563, 3613, 3644, 3686, 3732, 3785, 3800, 3801, 3831, 3900, 3942, 3950, 3968, 3971, 3974, 4086
  environment, 493, 1668
  system, 546, 631, 1819, 2055, 2069, 2441, 2746, 2806, 3620
  systems design, 546
distributed consensus, 2788
  protocols, 1415
distributed control, 345, 410, 579, 1697, 1716, 1862
  algorithms, 805, 1862
  mechanisms, 1420
distributed data structure, 1966, 2580, 3935
distributed database, 493, 553, 649, 805, 837, 1326, 1337, 1709, 1786, 1870, 1897
  environment, 837
  system, 553, 805, 851, 1084, 1725, 1897, 2835
distributed deadlock detection
  algorithm, 1725
  problem, 1725
distributed
  debugging, 2498
  $\Delta + 1$-coloring of graphs, 3942
  depth first search algorithm, 1116, 1510, 1825, 1978
  disassembly of mosaics, 2636
  enumeration, 3477
  environment, 1033, 2814, 3684
  Euler trail algorithm, 2663
  evaluation, 2315
  fault tolerant systems, 2848
  file, 649
  grammar systems, 3865
  graph algorithms, 3354
distributed graph reconstruction, 1725
  algorithm, 1725
distributed
  heterogeneous multimedia databases, 4098
  identification, 2298
  implementation, 2431, 3597
  incremental and dynamic object environment, 1831
  index, 203
  information systems, 851
distributed join, 649
  algorithm, 1907
distributed
  k-mutual exclusion problem, 3336
  leader finding, 1564, 1712
  loop network, 3780
  loops, 3780
distributed memory
  message passing multiprocessors, 2684
  multiprocessors, 3024
distributed memory parallel
  computers, 2390, 2783
  machines, 3024
distributed model, 2431
  of parallel computation, 1430
distributed mutual exclusion, 1715, 1897, 2477, 2840
  algorithm, 2477
  problem, 2477, 3785
distributed
  network, 753, 1260, 1336, 1949, 2446
  observations, 1862
  operating system, 631, 1033, 1816, 2168, 3997
  operators, 1461
  phase synchronization, 3419
  pointers, 203
  problem solving, 1473
  process, 753, 1111, 1295
distributed processing, 553, 579, 1635, 1806, 2479
  system, 566, 1806
distributed program, 546, 631, 753, 1165, 1247, 1653, 1756, 1833, 1920, 2014, 3779
  reliability, 3620
distributed programming, 753, 930, 985, 1715
  language, 753
  toolkit, 2710

distributed
programs control problems, 1609
protocol, 3653
query processing, 839
reduction data elements, 2835
relational databases, 1907
distributed routing, 2571, 3580
scheme, 3580
distributed
scheduling, 2684
search, 1165
shared memories, 3260
shortest paths, 2730
similarity search algorithm, 4098
snapshots, 1413, 1813, 2547, 2864
star network, 1706
storage, 753
subcube identification algorithms, 2197
synchronization, 1933
synchronous systems, 1998
distributed system, 698, 838, 851, 1033, 1116, 1165, 1191, 1239, 1369, 1403, 1413, 1417, 1444, 1510, 1545, 1547, 1609, 1709, 1712, 1713, 1725, 1756, 1786, 1816, 1825, 1911, 1936, 1971, 1978, 2029, 2055, 2084, 2110, 2196, 2204, 2210, 2257, 2281, 2282, 2285, 2298, 2310, 2317, 2323, 2351, 2354, 2421, 2441, 2446, 2477, 2507, 2547, 2636, 2642, 2653, 2701, 2730, 2791, 2802, 2835, 2838, 2840, 2848, 2849, 2864, 2868, 2869, 2875, 2876, 2889, 2917, 2991, 3001, 3096, 3103, 3124, 3132, 3142, 3148, 3166, 3186, 3190, 3279, 3336, 3388, 3393, 3397, 3472, 3477, 3499, 3500, 3529, 3532, 3540, 3595, 3602, 3613, 3620, 3644, 3669, 3691, 3701, 3779, 3780, 3785, 3818, 3861, 3865, 3872, 3882, 3897, 3934, 3952, 3953, 3997, 4008, 4053, 4059, 4090, 4110, 4121, 4138
design, 851
recovery, 1439
distributed systems
design, 4070
theory, 1609
with local memories, 838
distributed termination, 1366, 1447, 1547, 1629, 1653, 1716, 1756, 1813
distributed termination detection, 1629, 1949, 2757, 2758, 2944
algorithm, 1247, 1281, 1447, 1637, 1756, 1770
distributed termination
problem, 930, 1247, 2944
test, 1770
distributed
uniformly, 2096
voting algorithms, 4138
distributing, 1966
nonsequential programs, 883
distribution, 36, 449, 569, 886, 890, 919, 2872, 3134, 3834
free, 2792
functions, 807
distribution of
access times, 224
accesses, 691
acyclic graphs, 636
generators, 1020
join attribute values, 1804
key values, 678
keys, 1037
points, 569
values, 1140
wait relations, 636
distribution
pass, 2096
problem, 401
properties of sequences, 4075
protocol, 2991
distributive, 431
lattice, 78, 2753
methods, 306
partition sort, 1300, 2096
partitioned sort, 1397
partitioning, 306, 570, 581
distributive partitioning algorithm, 431, 570
for sorting, 431
distributive partitioning
sort, 358, 431
sorting, 359, 581
distributive
sorting, 306, 432, 487, 557, 895, 1300, 2096
sorts, 1300, 2096
distributively, 2584
electing a leader, 2187
disturbance, 1749
divergence, 2001
measure, 143
divide and conquer, 328, 910, 929, 1074, 1087, 1136, 1206, 1488, 1501, 1511, 1847, 1983, 2221, 2426, 3167, 3339, 3702, 3866, 3931, 3937
algorithm, 301, 517, 569, 910, 1016, 1020, 1136, 1206, 1682, 1852, 1923, 3339
approach, 910, 2783, 3408
paradigm, 3191
recurrences, 3339
search strategies, 2288
technique, 593, 1087
divide instruction, 755
dividend, 755
dividing strategies, 3408

division, 283, 436, 795, 979, 1074, 1154, 1240, 1353, 1680, 1950, 2068, 2398, 2526, 2619, 2901, 3092
  algorithm, 979
  free arithmetic expression, 145, 208
  of floating point numbers, 2398
  operator, 795
  ordering, 2068, 2545
  orderings on strings, 2068, 2545
  pattern, 1950
  problem, 1680
  property, 3092
  with remainder, 1353
divisor, 285, 755, 1117, 2901
Diwan, 1959
DLBA, 1507
DLOG, 2419
  reducibility, 2419
Dlogtime uniform AC^0, 2272
DLOGTIME uniform TC^0, 1836
DMC, 3944
  data compression algorithm, 3944
DMIN, 1735
DMLSS algorithm, 1361
DNA, 2919
  computing, 3352
  molecule, 2524
  sequencing, 2524
  strings, 2916
DNF, 2495, 2753, 2792, 2865, 3337, 3486, 3766
  formula, 2371
  formulae, 2953, 3685
  formulas, 2753
Doberkat, 1222
  results, 1222
Dobkin and Lipton, 219, 281, 673
Dobkin, Jones, and Lipton, 426
Dobkin, Lipton, and Reiss, 426
Dobosiewicz, 358, 431, 557, 570, 581, 757, 1300, 1465
  variant, 1465
Dobrev, Stefan, 3733
Dobrindt, Katrin, 3582
document, 10, 61
  clustering, 917
  collections, 61
  content analysis, 10
  discriminator, 61
  filtering, 4033
  generation, 59
document retrieval, 477, 2218, 3958
  system, 61, 477, 3255
document word frequency data, 33
Dodgson, 860
dogleg free routing, 2539
DOL
  language, 869
  systems, 313, 572, 869
Dolev and Yao, 1086
Dolev et al., 1857
Dolev, D., 2918, 3488, 3500, 3553, 3563, 3602, 3630, 3686, 3872
domain, 231, 371, 372
  algebra, 256
  construction, 1881
  dependency, 608
  independent, 700
domain of
  attributes, 1080
  partial monadic 2-modular tree transformations, 2078
  patt, 4060
  strings, 1991
  traces, 1991
domain
  problem for nondeterministic functions, 928
  specific knowledge, 364
  theory, 1881, 2259
domatic number, 1619, 1859, 2766
  of a graph, 1859
  problem, 1859, 2766
domatic partition, 1859, 2484, 2494, 2766
  problem, 2484, 2494
dominance, 3444
  reporting, 4017
  rule, 1178
  searching, 785, 3746
dominant, 2620
  matches, 1261
  sequence clustering, 2789
dominate, 1561, 1660, 1859, 1864, 1964, 2545, 3265, 3642, 3968
dominating, 3458, 3746
  diametral path, 3458
  independence number, 2635
  path, 3083
  point, 3642
dominating set, 170, 371, 809, 1040, 1221, 1561, 1619, 2028, 2196, 2241, 2484, 3440, 3574
  of a graph, 1518, 1619
  problem, 371, 3440
dominating vertex set, 809
domination, 170, 371, 1859, 2067, 2423, 2740, 2976, 3083, 3574, 3968
  network, 371
  number, 170, 371
  problem, 1561, 2019, 2067, 2122, 2740
dominator, 1350, 3013
  in flowgraphs, 1660
  of a directed graph, 101

dominator (*cont.*)
set, 3013
tree, 1660
Domingo, Carlos, 3626
Domingo i Ferrer, Josep, 3430
domino effect, 1439, 3861
domino free
communication induced checkpointing protocols, 3861
protocol, 3861
domino free rollback, 1439
recovery, 1439
don't care
characters, 3143
symbols, 2106
Dong, Guozhu, 3058, 3238, 3523
Donnely and Welsh, 1890
Doran and Thomas, 667
Döring, Andreas, 3517
dot depth one languages, 1763
double
area strategy, 1724
based number system, 3728
buffering, 1385
coset, 123
coverage strategy, 3038
double ended
heap, 1464
priority queue, 1464, 1790, 2836, 3889
queue, 1227
double
error correcting primitive binary BCH codes, 2888, 2983
Greibach normal form, 2541
hash, 1142
hashing, 1750
input buffering, 1385
interval graph, 1288
loop network, 3691, 3736, 3950, 3991
pipeline systolic array, 2044
double precision, 3720
arithmetic, 1010, 3720
double
rotations, 926
star, 3680
doubly, 2588
chordal graphs, 3928
exponential, 1137, 1192
exponentially, 2927
doubly lexical ordering, 2588, 3104
problem, 2588
doubly
stochastic, 2564
threaded binary search trees, 1290
down loadability, 1200
downward
closed integrity constraints, 2523
funarg, 397
DO-loop, 104
structures, 104
DP, 753, 883
hard, 3455, 3674
procedure, 3966
DPA, 3931
DPDA, 539, 666, 725, 741, 1029, 1034, 1103
acceptor, 539
computations, 539
with necessary stacking derivation, 1034
DPDT, 1130
DPMIN, 338, 366
algorithm, 338, 366
DPP, 1268
DPR, 1591
DPS, 432, 581, 1300, 1397
method, 432
drawable minimum weight triangulations, 4097
drawing, 1738, 2082, 2208, 2435, 3666, 3734, 3783, 3917, 4072
drawing a
planar graph, 3080
straight line, 864
drawing
binary trees, 3725
edges, 689
general graphs, 1738
large graphs, 3783
drawing of
a graph, 3666
algebraic curves, 1293
drawing
outerplanar minimum weight triangulations, 3262
planar graphs, 1738, 4072
polygons, 1741
problem of trees, 3734
straight lines, 864
techniques, 2043
tree type program flowcharts, 3734
undirected graphs, 1738
weighted graphs, 1738
DRDE, 2835
Drezner, 2784
algorithm, 2784
drift in floating point addition, 131, 148
drifting clock, 1346
Driscoll and Furst, 1083
conjecture, 1083
Dromey, R.G., 3388, 3390, 3401, 3523, 3531, 3818
drop, 1056
Dror, Moshe, 3488

Droubay, Xavier, 3140
Drozdowski, M., 2801
drum type storage, 271
Drysdale and Lee, 517
DSA, 1131, 1323
  problem, 1323
DSAM, 2038
DSAPCE, 1613
DSC, 2789
DSP, 2044
DSPACE, 664, 2616
DSPACE($\log n$), 1613, 2419, 2616
DSPACE($\log n$) = NSPACE($\log n$), 1613, 2616
DSPACE($\log n$) $\neq$ NSPACE($\log n$), 1390
  algorithm, 1613
DSR, 1894
DT, 348, 469, 550
DT0L system, 77, 1475
DTD algorithm, 2757
DTIME, 2574, 2755, 3118, 3130, 3913
Dtime(2^{poly}), 1341
DTM, 182, 832
Du and Hwang, 2778
dual, 398, 550, 794, 1163, 2435, 2674, 4016, 4062
  algorithm, 2098
  banyan, 2724
  bin packing problem, 1784
  disjunctive form, 2098
  graph, 2435
  link data structure, 177
  network, 729
  of a Voronoi diagram, 469, 1193
  ported IBM 3380 D/E, 1591
  space, 2221
  transformation, 3601
  trees, 3262
duality, 398, 713, 1163, 3335
  theorems, 646
  transform, 1163
dually, 630
dually chordal, 3928
  graphs, 3574, 3928
Dubhashi, Devdatt P., 3509
Dublish, 2301
Dubost and Trousse, 194
due dates, 519
Dufourd, Catherine, 4105
Dunne, 1948
Dunne, Paul E., 3651
Duo, 3357
duo processor task scheduling problem, 3470
duodirun, 956
DuoDirun merging algorithm, 956
duplicated file, 649
Durand, Irène, 2949
duration, 2304, 2767, 2806, 3540
  calculus, 3704
Dürr, Christoph, 3904
Duszak, Zbigniew, 2970
Duval, 685
Dyck language, 680, 1647
Dyer, 792, 1192
Dyer and Rosenfeld, 395
dynamic
  acquisition, 103
  algorithm, 1398, 2071, 2822, 3552
dynamic allocation, 1632
  of storage, 189
dynamic approximation algorithms, 3369
dynamic array, 1655, 2194
  data structure, 2173
dynamic
  backtracking, 3388
  behavior, 2733
dynamic behaviour, 2157
  of an algorithm, 134
dynamic
  bin packing, 3552
  characteristics of computer programs, 238
  checking, 710
  compiling, 1850
dynamic connectivity, 3511
  problem, 1398
dynamic
  constants, 462, 710
  constraints, 3510
  creation, 1655
  CSP, 3510
  cycle detection, 961
dynamic data
  allocation, 3001
  structure, 1513, 1573, 1654, 2097, 3816, 3820
dynamic
  deferred data structuring, 1974
  environment, 3235
  expression evaluation, 1847
  fault tolerant message routing algorithm, 3950, 3991
  faults, 3752
  file structure, 1742
  filtering, 2679
  filters, 2679
  flow problem, 3724
  generation, 2538
dynamic graph
  connectivity, 1398
  drawing, 4072
dynamic graphs, 961, 3033, 3340
dynamic hashing, 717, 1037, 1658
  method, 1556
  schemes, 1658

dynamic
intersection searching, 1171
languages, 1012
linear lists, 2114
load balancing, 2006, 2684, 3741
loading conditions, 2006
logic, 776, 1102, 1478
logics of programs, 2344
maintenance, 2267, 3369, 3457, 3557
management, 3935
Markov compression, 3944
measure, 4089
memory allocation, 387
message routing, 3950
microprogramming, 609, 1049
modelling, 2047
object oriented languages, 3647
of the Karmarkar algorithm, 1287
optimization algorithm, 273
ordering, 1933
organization of data structures, 691
dynamic parallel
computation, 2822
evaluation, 2538
dynamic path reconnection, 1591
dynamic planar
connectivity, 3511
point location, 2097
dynamic
point location data structure, 2097
priorities, 1816
priority ordering problem, 2895
problem of elasticity, 89
problems, 89
dynamic program
slice, 1654
slicing, 1654
dynamic programming, 166, 935, 1165, 1337, 1442, 1570, 1620, 1636, 1645, 1655, 1906, 2051, 2256, 2300, 2358, 2364, 2470, 2548, 2606, 2628, 2748, 2805, 2932, 2947, 3034, 3170, 3423, 3554, 3708, 3791, 3807, 3931, 4058, 4129
algorithm, 756, 1253, 1620, 1943, 2054, 2300, 2470, 2548, 2805, 3660, 3931, 4129
languages, 1012
problem, 1906, 2256, 2932
recurrences, 2932
technique, 3456
dynamic range, 4107
queries, 859
searching, 3820
dynamic
reconfiguration, 1617
release, 103
removal, 1655
reorganization, 1556
routing, 1357
scheduling algorithm, 3841
scoping, 500
searching, 916
set of tasks, 3607
simulation, 716
single resource scheduling problem, 3607
slice, 1654
dynamic storage allocation, 16, 83, 103, 1323, 1440, 1655
problem, 83, 1131
dynamic storage
management, 1012
schemes, 1658
dynamic
structure, 244, 662, 3820
suffix tree, 3474
system, 1535, 1971
tables, 2816
task allocation, 3935
text compression, 3358
threshold schemes, 2958, 3136
topological sorting problem, 2895
topologies, 1617
tree balancing, 1344
type checking, 710
updates, 1650
voting, 2310
dynamical
behavior of parallel programs, 632
properties, 1287
system, 3568
dynamically
allocated storage system, 16
changing environment, 961
dynamics, 787
dynamization, 661, 679, 2251, 2267, 3820
methods, 650
of decomposable searching problems, 533
problem, 2251
dynamizing decomposable searching problems, 650
d-ary
de Bruijn graph, 1568
trees, 3345
d-cube, 2095, 2642, 2914
d-dimensional, 1245, 1923, 2836
cellular automaton, 2631
ECDF searching problem, 1583
Euclidean space, 2189, 3483
grid, 3855
d-dimensional hypercube, 1668, 2176, 2914
containment counting problem, 1583
intersection counting problem, 1583

d-dimensional
interval heap, 2836
maximal element determination problem, 1583
d-dimensional mesh, 2697
connected, 1893
d-dimensional
poset, 3621
snake like order, 1893
space, 785, 1057, 2536, 2638, 3038, 3663, 4120
unit cube, 2400
vector packing problem, 3643
d-heap, 1534, 2053
d-heapsort, 2053
d-immunity, 472
D-machine, 119
d-partition, 3968
d-query, 4109
d-regular
expander, 1976
graph, 3493, 3967
D-S-W algorithm, 1223
d-visibility, 3039
polygon, 3039

E

E, 1887, 2626, 3071, 3134
E = NE, 1887
(E, M)-varieties of tree algebras, 1656
(E, M)-variety, 1656
E0L systems, 1124
E^3, 2076
Eades, Peter, 3401
Eades-McKay, 3844
algorithm, 3844
eager, 2470
evaluation of function arguments, 1592
ear, 856, 3945
decomposition, 3945
length, 3945
of a polygon, 856
Earley, 108
algorithm, 108, 910, 2329
context free parsing algorithm, 108
parsers, 2329
earlier than operator, 3930
earliest, 299, 1713
deadlines, 868
optimal timing function, 1645
early rejection, 1557
eavesdropper, 3393
EBCDIC, 1037, 1418
Eberl, M., 479
Ebert, Jürgen, 3583
EC algorithms, 450
eccentricity, 1835, 2889, 3250, 3985
ECDF, 807
problem, 807
ECDF searching, 1583
problem, 1245, 1583
ECFSM, 3103
ECLR attributed grammars, 1318
economics, 2039, 3744
of computation, 3744
ECP, 3808
ECT
extension mechanism, 24
system, 24
ED0L systems, 3332
Edalat, Abbas, 3628
Eddy, 328, 515, 569
algorithm, 569
Edelsbrunner, 748, 774, 1401
Edelsbrunner and Maurer, 774
Edelsbrunner et al., 1401
edge, 9, 14, 101, 110, 121, 128, 136, 138, 164, 165, 166, 245, 252, 266, 299, 308, 367, 371, 390, 392, 403, 410, 425, 439, 459, 469, 492, 504, 505, 508, 510, 564, 567, 579, 616, 627, 628, 631, 636, 642, 668, 688, 689, 702, 705, 731, 736, 745, 748, 756, 764, 765, 772, 774, 781, 810, 813, 816, 841, 856, 873, 876, 889, 893, 929, 937, 942, 961, 963, 978, 983, 986, 1007, 1009, 1020, 1062, 1079, 1115, 1133, 1198, 1212, 1231, 1243, 1252, 1260, 1267, 1315, 1338, 1339, 1354, 1364, 1398, 1404, 1493, 1537, 1549, 1559, 1562, 1573, 1598, 1640, 1676, 1722, 1725, 1734, 1741, 1745, 1762, 1768, 1777, 1787, 1799, 1803, 1815, 1828, 1834, 1845, 1921, 1992, 1994, 2002, 2003, 2007, 2019, 2052, 2055, 2082, 2091, 2102, 2108, 2119, 2172, 2176, 2200, 2208, 2241, 2243, 2248, 2251, 2264, 2274, 2275, 2284, 2286, 2299, 2316, 2336, 2361, 2372, 2429, 2435, 2445, 2448, 2454, 2508, 2517, 2518, 2548, 2556, 2571, 2575, 2579, 2580, 2597, 2602, 2616, 2663, 2671, 2718, 2741, 2743, 2746, 2756, 2761, 2782, 2789, 2790, 2806, 2822, 2843, 2857, 2863, 2894, 2895, 2908, 2914, 2922, 2940, 2947, 2956, 2975, 2976, 2992, 3010, 3014, 3018, 3039, 3062, 3068, 3080, 3090, 3148, 3158, 3159, 3174, 3178, 3192, 3193, 3203, 3250, 3257, 3272, 3275, 3277, 3301, 3304, 3331, 3354, 3367, 3380, 3385, 3411, 3425, 3467, 3516, 3523, 3547, 3562, 3584, 3592, 3623, 3637, 3650, 3651, 3666, 3673, 3675, 3676, 3688, 3691, 3715, 3720, 3721, 3748, 3761, 3790, 3805, 3808, 3864, 3866, 3926, 3959, 3981, 3995, 4048, 4071, 4072, 4077, 4092, 4095, 4128
addition, 961
barrier, 1827

edge chromatic sum, 4102
of trees, 4102
edge classification, 4071
edge coloring, 492, 1336, 2486, 2534, 2724, 3068, 3159, 3721, 3808, 3928, 4102
algorithm, 2534
bipartite graphs, 3068
multigraphs, 3808
edge coloring of
a unicyclic graph, 492
graphs, 2486
edge coloring problem, 660, 3068, 3808
edge colouring, 1522
of trees, 1522
problem, 444
edge
congestion, 2580
connectivity, 392, 887, 937, 1549, 2429, 3475, 3971
costs, 371, 765
crossing properties, 4072
crossings, 4072
deletion, 1544, 1573, 3523, 3623
detection, 963
edge disjoint, 392, 2603, 3612
branchings, 392, 937
cycles, 1965, 2486
directed paths, 392
graph, 2196
paths, 2421, 2603, 3612, 3959
paths in a tree, 2779
reducible, 2196
reducible wait for graphs, 2196
shortest paths, 1979
spanning trees, 887, 3914, 4108
(s,t)-paths problem, 3612
s-t paths, 2906
edge dominating set, 2743, 3192
edge domination, 2743, 3192, 3842
problems, 2743
edge fault, 1600, 3691, 3837
tolerance, 3467
edge
graph, 252, 743, 942, 1127, 2608
guards, 2273
Hamiltonian path problem, 743, 2608
in a guest graph, 772
insertion, 1544, 3340
intersect, 2527
intersection, 2359, 3794
label, 564
labeled graphs, 2786
edge length, 164, 428, 550, 1254, 1828, 2380, 3866, 3946, 3864, 4122
1 and 2, 1823
edge multicolorings, 2055
edge of
a graph, 2200
an n-cube, 2034
unit length, 1764, 2756
edge
oriented algorithm, 1588
packing, 1842
partition, 492
partitioning problem, 660
partitions, 2401
pixels, 1895
search, 3203
separators, 2401
edge set, 166, 309, 403, 421, 764, 765, 772, 815, 873, 1745, 2248, 2417, 2556, 3592, 3661, 3691, 4057
deletions, 3523
insertions, 3523
edge
subgraph problem, 743
symmetry, 2414
to edge connections, 2482
vertex incidence matrix, 2815
visibility polygon, 3039
weighted graph, 2579, 2698, 3275, 4095
weights, 3155, 3670, 3761
zeroing, 2789
Edinburgh
Dec-10 Prolog, 1041
LCF ML rules, 3188
Edison, 1012
EDISON-80, 1200
Edison-80 object code, 1200
edit distance, 295, 1307, 1569, 1640, 2023, 2470, 2797, 2916, 3055, 3931
problem, 1569, 2470
edit
operations, 295, 1982
script, 2023
sequence algorithm, 3423
editing, 295
distance, 2397
editor, 1919, 3677
EDM, 2873
algorithm, 2873
Edmonds, 299
Edmonds and Johnson, 660
Edmonds' branchings theorem, 937
EDOL language, 2112
EDT0L, 200
education, 25, 1996
in computer architecture, 326
Edwards, 2317

effect region, 1512, 1535
effective
  entropies, 2112
  proof, 1630
  specification, 846
  transition system, 1687
effectively
  computable, 726, 3940
  decidable, 1070
effectiveness, 1687
efficiency, 130, 243, 1690, 2212
efficiency of
  a tree, 3382
  depth first search, 2553
  interpolation search, 703
  parsing, 1088
  proofs, 1427
efficient algorithm, 32, 101, 207, 217, 319, 423, 481, 560, 583, 684, 690, 806, 864, 865, 969, 997, 1220, 1268, 1276, 1364, 1429, 1527, 1667, 1703, 1778, 1970, 2009, 2061, 2072, 2079, 2170, 2211, 2345, 2474, 2495, 2547, 2598, 2642, 2814, 3157, 3174, 3328, 3410, 3483, 3546, 3595, 3621, 3686, 3799, 3805, 3807, 3836, 3866, 3878, 3925, 3982
efficient algorithm for, 205
  convex hulls, 515
efficient algorithms, 15, 207, 393, 399, 451, 490, 552, 674, 679, 901, 1147, 1308, 1401, 1485, 1580, 1777, 1984, 2119, 2289, 2460, 2483, 2699, 2729, 2741, 2765, 2904, 3104, 3386, 3574, 3661, 3724, 3816, 3857, 4083
  for rectangles, 1755
efficient
  allocation, 2069
  broadcasting, 2745
  compilation, 3201
  computation, 1680, 2691, 2768, 3520
  construction, 3925, 4134
  data structures, 841
  deterministic algorithms, 14, 3763
  edge domination problems, 2743
  evaluation, 1870
  execution, 3007
  generation of test instances, 2049
  heuristics, 207, 546
  implementation, 367, 548, 620, 972, 1790, 1958, 2164, 2326, 2441, 2603, 2639, 2783, 2793, 2891, 3053, 3735, 3805
  implementations on general purpose computers, 1494
  isomorphism algorithm, 9
  learning, 3165
efficient parallel, 4078
  algorithm, 820, 1245, 1624, 1729, 1847, 1961, 1965, 1997, 2102, 2152, 2427, 2467, 2964
  algorithms, 1544
  circuits, 1680
  computation, 1640, 2152
  k selection algorithm, 2022
  prefix algorithms, 3965
  processing, 2184
  sorting algorithm, 2455
  strong orientation, 1133
efficient
  programs, 261, 1320, 3007
  representations of data structures, 2548
  sampling schemes, 1700
  searching, 281, 656
efficient selection, 1273
  algorithm, 2990
efficient
  selfapplication, 2137
  simulations, 2530, 3205
  solution, 642, 753, 1387, 1421, 1446, 1583, 2391, 2450, 2716, 2731
  string matching, 1872
efficiently constructible distributions, 1960
efficiently solvable, 865, 1847, 2101
  on mesh connected computers, 1847
  problems, 1847, 2101
Efrat, Alon, 3646
egd, 2786
Eğecioğlu, Ömer, 3602
Eğecioğlu and El Abbadi, 4110
Egli-Milner order, 3356
EH, 2491
Ehrenfeucht and Haussler, 2406
Ehrenfeucht and Rozenberg, 669, 695
Ehrenfeucht conjecture, 1644
Ehrich and Lipski, 221, 525, 1030
Ehrich-Lipski algorithm, 221
Ehrig and Rosen, 1652
Eiffel^{TM}, 2180
eigenvalue, 529, 783, 841
eigenvalue of
  a real symmetric matrix, 417, 529
  symmetric quindiagonal matrices, 783
eigenvalue problem, 140, 529
eight queens on a chessboard, 1258
Eilenberg, 1656
Eilenberg and Schutzenberger, 356
Eilenberg theorem, 1656
Eisenberg and McGuire, 1305
El Abbadi, A., 3953
El Abbadi, Amr, 3602
El Ayat, 609
El Yaniv-Fiat-Karp-Turpin money making bidirectional trading strategy, 3707

ELALR (k) grammars, 3611
elastic
  buckets, 2709
  embeddability, 3155
elastic equilibrium, 48
  of bodies in transferences, 98
elastic
  graphs, 3155
  store, 157
elastically embeddable, 3155
elasticity, 89, 140
Elcock scheme, 721
Elcock, E.W., 721
election, 1224, 1712, 2187, 2767, 3549
  algorithm, 2035, 2187
  in a complete network, 1627
  of a leader, 3477
  Pr, 1224
election problem, 1609
  in a complete network, 1224
election protocol, 1858
electrical
  communication Laboratory of NTT, 896
  resistance, 2054
Electrologica X8 machine, 34
electromagnetic scattering, 140, 195
electron problem, 2636
electronic
  elections, 4134
  voting schemes, 4134
electronics, 711
electrostatic
  potential, 140
  problems, 195
elegant algorithm, 4079
  for triangulating a set, 350
Elekes, 2813
element, 12, 20, 109
element distinctness, 2925, 2980
  problem, 2925, 2980, 3364
element uniqueness problem, 841
elementary, 43
  components, 3848
  cycles, 309
  derivation tree, 709
  formal system, 3884
  message, 1712
  operation, 1129
  recursive, 2008
  sequences, 129
ElGamal
  encryption, 3587
  type digital signature scheme, 3587
eliminating loops, 1144
elimination
  graph, 136
  method, 1386
  of recursion, 1264
  order, 3183, 3928
  ordering, 3104
elimination tree, 3183
  height, 3183
ellipse, 3359
ellipsoid, 893, 3811
elliptic curve, 2995, 3840
  RSA, 2995
elliptic
  equation, 1170
  geometry, 4052
Ellis, John, 4130
ELR
  grammars, 1331
  parser, 1331
  parsing, 1331
ELR(k) grammar, 1331, 3611
Elspas, 668
embeddability, 279, 969
embeddable, 1641, 3155
embedded
  domain, 3392
  functions, 1598
  graph, 1705, 1815
  Horn structure, 2392
  join dependency, 1025, 2368
  sequencing principles, 29
  systems, 340
embedding, 279, 736, 772, 969, 1476, 1490, 1734, 1912, 2475, 2527, 2548, 2583, 2738, 3051, 3112, 3264, 3296, 3566, 3604, 3786, 4011
embedding a
  family of graphs, 772
  graph, 1393, 2548
  ring, 3367
embedding
  cycles, 3604
  edges in a cycle, 3796
embedding functions in logic, 1041
  based languages, 1041
embedding
  hyperedges in a cycle, 3796
  method, 2580
  NP completeness, 144
embedding of
  an L system, 279
  binary trees on a square grid, 1764
  cycles, 4011
embedding
  rectilinear graphs, 1641
  ternary trees, 1490

embedding (*cont.*)
trees, 2176
vertices in the plane, 518
Embley, David W., 3619
Emerson, 2363
Emlisp, 896
empirical
cumulative distribution function, 807
data, 1071
evidence, 2640, 3212
laws, 1071
measurements, 384
performance, 328
study, 384
testing, 947, 2049
emptiness, 501, 516, 572, 2731, 2937
emptiness of
complement, 516
intersection, 1067
the intersection of two D0S languages problem, 572
emptiness problem, 501, 578, 898, 1103, 1213, 2078, 2986
empty
graph, 3340
L-shaped corridor, 3322
nonempty 2 system, 61
string, 7, 438, 1988
vertex, 585
word, 144, 201, 740, 1085, 1981, 2068
emulation, 1651, 1996, 3026
EM-3, 896
en, 2471
enabling, 2294
and disabling constructions, 2294
encapsulation, 532, 1934
Encarnación, Mark J., 3471
enciphering, 1093
function, 643
keys, 3681
enclosing
cycle, 1705
procedures, 5
walk, 1705
enclosure, 237
encoded pointers, 532
encoding, 427, 1982, 2743, 3130, 3394, 3983, 4062, 4101
formalisms, 3094
method, 383
of a graph, 459
operator, 4101
rules, 3514
scheme, 1421
structured images, 1421
encounter, 1163, 2509
encrypted
data, 3430
information, 562
representation, 4091
word, 1973
encrypting
2-D gray scale images, 3428
and decrypting operations, 1932
information, 437
encryption, 437, 562, 643, 681, 682, 734, 760, 885, 1145, 1473, 1932, 1973, 3308, 3840
function, 3430
key, 1475
methods, 437
schemes, 3308
standard, 2327
encryption/decryption, 2999, 3190, 3532, 3881
keys, 2405
end
around carry, 2214
predicate, 134
endmarker, 1993
endofunctor, 1674, 2452
endomorphism, 361, 1205
endorder, 35, 62, 96
endpoint, 1671, 2408, 3121, 3158, 3794, 3945
endvertex list, 854
energy, 2021
enforcing action sequencing, 555
Engebretsen, Lars, 3698
Engelfriet and Vogler, 2078
engine room, 522
engineering, 2, 4, 140, 195, 416, 711, 1611, 2240, 2444, 2489, 2701, 2810, 3103
design, 2039
English, 61, 1059, 1229, 1418, 3996
alphabet, 1418
document collection, 61
fragments, 1229
Enjalbert and Fariñas Del Cerro, 1587
enlarged probability space, 3645
enriched, 2452
enrichment, 775
entailment, 1567, 2046, 2269, 3893, 4069
entailment logic, 2046
system, 2046
entailment relation, 2046
entire graph, 110
entity relationship diagrams, 1738
entrance variables, 159
entropy, 173, 405, 2112, 2612, 3255, 3652, 3833, 3848, 4089
function, 788
entropy minimax, 179
method, 179

entropy of
a language, 2112
the future, 179
entropy tree, 788
enumerable, 2453
enumerating
k-way trees, 2718
the elementary cycles of a digraph, 309
enumeration, 565, 809, 1172, 1536, 2979, 3263, 3420, 3473, 3477, 3927, 3992
algorithms, 649
function, 2785
enumeration of
articulation pairs of a planar graph, 1172
binary trees, 684, 2598, 2890
combinatorial structures, 1797
constrained spanning trees, 3992
DTM, 832
nodes, 3477
trees, 2718
enumeration problem, 674, 684, 3969, 3992, 4044
of CI functions, 3969
enumeration results, 2271
enumerative
combinatorics, 4048
counting, 2179, 2453
procedures, 884
theory of Young tableaus, 175
enumerator, 2453
envelope, 1671, 1882, 2221
of a set of lines, 2221
environment, 27, 31, 1346, 1375, 1724, 2249, 2409, 3142, 3435, 3583
coding, 1968
for program development, 213
environmental
conditions, 197
planning, 509
EOL, 2986
families of languages, 297
family, 297
form, 297
EOL language, 292, 297, 2986
family, 297
EOL systems, 297
epimorphism, 1656
Eppstein, David, 3511
(ε, δ)-approximation algorithm, 1700
ε-approximate solution, 3625
ε-approximation
algorithm, 1760, 3625
parametric optimization, 3625
scheme, 1760
ε-biased random variables, 2872
ε-CLOSENESS problem, 2952
ε-dependent random variables, 2872
ε-discrepancy sets, 3098
ε-free, 68, 709, 3357
covering grammar, 438
grammar, 438
homomorphism, 313
initial terminal Petri net languages, 476
K-iteration languages, 201
morphisms, 3357
regular languages, 1155
ω-regular language, 1678
ε-halver, 3907
ε-moves, 112, 539, 766
ε-transition, 666
EQP, 3695
equal
keys, 858
radius circles, 1401
subset sum problem, 2425
equality, 2, 430, 541, 771, 1067, 1194, 1567, 2391, 2560, 2854, 2879, 2882, 3469, 3525, 3551, 4005
data base, 541
generating dependency, 2523, 2786
Horn logic, 2202
in Abelian groups, 2938
language, 1585
languages of rational functions, 1585
equality of
modes, 17
terms, 1531
equality operator, 1140
equality problem, 2879
for ε-free initial terminal Petri net languages, 476
equality
queries, 2854
set, 1076
tests, 2137, 3557
theorem of Eilenberg, 1256
equalization, 3151
equates, 3036
equation, 22, 104, 116, 140, 3424
for commutative regular languages, 3951
in words, 1085
on infinite words, 1644
sets, 966
solving performance, 984
equational, 3006, 3695
axiomatization, 2981
axioms, 1639
programming, 2676
proof style, 3006
proofs, 2590
propositional logic, 3006
reasoning, 3004, 3006

equational (*cont.*)
semi-unification, 2938
specification, 775, 1402
equational theory, 1531, 1639, 2031, 3951
of processes, 1639
equationally
defined, 2648
specified reduction systems, 1101
equations of elastic equilibrium of bodies, 98
equiangular lines, 4052
equidistant, 2763
points, 2763
equijoin, 1140
equilibrium, 16
condition, 188
distribution, 990, 1548
perturbation, 410
equivalence, 88, 178, 192, 471, 709, 725, 785, 1420, 1427, 2262, 2655, 2972, 3583, 3660, 3813, 3911
equivalence between, 386, 2353, 3198
dual optimization problems, 2432
Petri nets, 2578
equivalence check, 4083
equivalence checking, 494, 692
algorithm, 451
equivalence class, 240, 1991
of a configuration, 1029
equivalence
classes, 54, 240, 834, 2578, 3890
covering, 3090
EQUIVALENCE declaration, 471
equivalence notions, 3360
equivalence of
algorithms, 122
conditional forms, 331
database models, 1094
finite automata, 240, 471
formulas, 2056, 3829
Latin squares, 574
modes, 17
multistage interconnection networks, 1466
recursion and iteration, 243
equivalence problem, 240, 378, 386, 396, 456, 471, 666, 692, 709, 726, 741, 945, 1029, 1103, 1256, 2253, 2655, 3243, 3284
between context free and D0L languages, 241
for 0L systems, 56
equivalence problem for deterministic
context free languages, 378
pushdown automata, 741
T0L systems, 47
equivalence problem for
ε-free nondeterministic generalized sequential machines, 476
finite turn DPDA, 666, 741
K-Σ-automata, 1256
one-turn DPDA, 741
equivalence problem for realtime
deterministic pushdown store automata, 378
single state deterministic pushdown automata with bounded lookahead, 378
equivalence problem for
sentential forms, 56
sp machines, 396
stateless DPDA, 666
T0L systems, 47
equivalence problem of
E-patterns, 3243
morphisms, 1213
rational formal power series, 1256
equivalence
proof, 1067
queries, 3165, 3337, 3489, 3766, 3941, 4056
relation, 15, 54, 110, 1463, 1652, 2578, 2972, 3300
EQUIVALENCE statements, 240
equivalence
test, 2753
testing, 2753
theories of algorithms, 122
transformations, 1870, 3009
under null completion, 1237
equivalent, 12, 119
DPDA, 666
expression, 43
formula, 3829
processors, 185
program, 1487
programs, 1520
schema, 133
structures, 355
subsystem, 1644
transformations, 1028
Er, 1429
ERAL, 862
erasing, 2473
EREW, 2409, 2411, 2873, 3490, 3756, 3964
B-PRAM, 2409
computational model, 3178
dictionary, 3817
model, 1582, 2822
parallel random access machine, 1582, 2052, 2151
PRAM, 1133, 1430, 1509, 1780, 1879, 1884, 1899, 1986, 2036, 2083, 2115, 2143, 2215, 2322, 2415, 2455, 2467, 2486, 2575, 2706, 2808, 2825, 2873, 2911, 2961, 2971, 3089, 3154, 3178, 3350, 3516, 3671, 3963, 3987
erew pram, 1640
EREW PRAM algorithm, 1884, 2575, 3379, 3516

EREW PRAM model, 1821, 1885, 2322, 2393, 2394, 2413, 2494, 2714, 2782, 3220, 3490, 3516
of computation, 2194, 2234, 2678
EREW processors, 3425
EREW/ERCW SM SIMD computers, 2302
Ergün et al., 3685
ergodic, 2564
Markov chain, 2564
theorem, 4032
ergodicity of linear cellular automata, 3466
ERH, 2149
Eriksson and Rayner, 1297
Erkio and Peltola, 1074
Erlang distribution, 3564
erlangian input distribution, 57
Erlingsson, Úlfar, 3405
Ernvall, 1228
algorithm, 1228
ero suppressed BDD, 3735
erroneous, 582, 1383, 1440, 1952, 2105, 2471, 2877, 3845
information, 2471
input symbol, 457
outputs, 180
points, 582
responses, 2471
symbol, 690
error, 31, 188, 457, 462, 2105, 2398, 3845, 4109
analysis, 641, 789
bound, 767, 1771, 2919, 4004
error correcting, 3076
algorithm, 998
codes, 325, 3179, 3514, 4040
coding scheme, 325
design, 2407
error correction, 154, 325, 457, 543, 582, 690, 998
methods, 690
schemes, 582
error corrector, 582
module, 582
error detecting, 2407, 4034
codes, 4034
error detection, 154, 325, 457, 690, 1107, 1329, 2407, 3779
and recovery, 270
point, 1308
property, 457
error
diagnosis, 277
diagnostics, 277
error evaluation, 253
algorithm, 253
error free, 1712
computation, 1010, 1595
probabilistic algorithm, 391
error handling, 154
in compilers, 154
error
isolation, 31
levels, 3996
modeling, 3342
error probability, 767, 843, 2388, 2722, 2764, 2987, 3400
for BPP, 2722
error propagation, 4090
error recovery, 154, 270, 277, 582, 779, 2226, 4018
scheme, 582
error repair, 2768
model, 2685
scheme, 1308
error
repairing parser, 1308
resynchronisation, 270
sources, 237
sum of squares method, 916
surface, 2062
symbol, 1308
threshold, 3888
tolerance, 479
Ershov, 1736
Ershov, A.P., 1409
Ershov, Andrei P., 1736
Ershov, Andrei Petrovich, 1736
escape
control mechanism, 464
statements, 2207
Esik, 794
ESP, 2130
essential
complexity, 2007
multiplication, 155
estimate, 52, 649, 691, 839, 1235, 1353, 1513, 1690, 2089, 2098
estimating, 2987
access costs, 1063
rule probabilities, 3994
the number of records in a relational database, 839
estimation, 839, 1080, 1323, 1347, 2777, 2800, 3030, 3497, 3994, 4044
errors, 49
of the number of blocks, 1048
rule, 3393
estimator for
linear regression, 250
software, 3030
Eswaran, 485
ETOL, 200, 1643
grammars, 161, 3519

ETOL language, 144, 232, 361, 778, 1148
family, 161
ETOL
languages of finite index, 232
proof techniques, 361
system, 193, 232, 297, 361, 778, 1643, 3074
η-bisimulation, 2295
Ethernet, 2487, 2929
throughput, 2487
ETL data driven machine-3, 896
ETSP, 1014
Euclid, 465
EUCLID, 480
like syntax, 443
Euclidean, 991, 1195, 2334, 3864, 4092, 4122
algorithm, 2334
bottleneck matching, 4123
computation, 2334
Euclidean distance, 439, 689, 965, 1020, 1149, 1738, 1829, 2102, 2384, 2873, 3089, 3155, 3507
function, 1210
map, 2873, 3089
transform, 3298
Euclidean
fixed radius near neighbor searching, 422
geometry, 3562
matching algorithms, 1201
Euclidean metric, 219, 422
in 3-space, 3599
Euclidean
minimum spanning trees, 517
near neighbor searching, 422
plane, 354, 439, 841, 1020, 1210, 1245, 1262, 1304, 1345, 1357, 2454, 3208, 3526, 3794
proximity graphs, 2010
p-center problem, 1620
space, 204, 301, 391, 445, 1829, 1854, 2533, 2735, 2920, 3011, 3102
Steiner minimal tree, 2178
Euclidean traveling salesman, 870, 1374
cycle, 870
problem, 870, 1374, 2090, 2893
Euclidean TSP, 1014, 3380, 3791, 4117
Euclidian
distance, 1676, 1777, 2445, 2465
edge length, 550
metric, 2438
Euler, 347, 2663
criterion, 1703
digraph, 2663
formula, 627, 736, 1077
function, 3160
relation, 1469
Euler tour, 1965, 3264
technique, 1842
Euler trail, 2663
Eulerian, 688, 3264
graph, 252, 688
eulerian graphs, 87
Eulerian
path, 689
proper subgraph, 688
Eulerian trail, 1588
algorithm, 1588
Euler-Maclaurin
constant, 347
formula, 347
summation, 347
evaluating, 209, 479
evaluating a
function, 1999, 2657
hash function, 391
polynomial, 436
evaluating
algorithm, 209
expressions, 1097
functional language programs, 1310
functions, 350
polynomials, 18
evaluation, 10, 18, 27, 36, 37, 226, 442, 1297, 2516, 3861
during LR parsing, 779
function, 1450
in parallel, 145
evaluation of
Boolean formulas, 419
expressions, 398
fixpoint expressions, 3381
functions, 1041
polynomials, 479, 657
predicate terms, 258
quadratic forms, 692
relational date systems, 45
evaluation
order, 1383, 1506, 1579, 3161
over the integers, 18
evaluation problem, 18, 419
for quantified Boolean formulas, 419
with two literals per clause, 419
evaluation
sequence, 1636
status, 3161
evaluator, 397, 2707
for attribute grammars, 273
polynomial, 3846
evasiveness, 1718, 1815
Even, 375
even, 519, 701
Even and Kariv, 299, 567

Even and Shiloach, 1573, 3623
Even and Tarjan, 375
  maximum flow algorithm, 510
even
  factor, 599
  length, 3604
even linear
  grammars, 2061
  language, 1604, 3198
even number of ones, 274
even order
  graphs, 599
  tree, 252, 599
Even, Itai, and Shamir, 419
Even, Pnueli, and Lempel, 1184
event, 981, 1460, 1816, 2204, 2806, 3314, 3390
  deadlines, 3314
  distributions, 269
  fairness, 3714
  graphs, 2806
  ordering scheme, 1816
  set, 1233
  structures, 2295, 3773
Everett and Gupta, 2034
Everett, Hazel, 3758
everywhere operator, 3316, 3616
evolution, 295, 2021
evolution of
  an information system, 2047
  data, 1919
evolutionary
  aspects, 197
  distances, 2916
  programming, 2837
  tree, 2719, 3590
exact
  algorithm, 1201, 2731, 3368, 3592, 3648
  analysis, 63, 3492
  arithmetic, 18, 1010, 1595, 1972
  balancing, 1206
  bounds, 3712
  circle problem, 1293
  coloring algorithm, 2087
  complexity, 2664, 3788
  computational geometry, 3615
  cover by 3-sets, 478
  covering problem, 1963
  data, 172
  division, 2156
  edge coloring, 3928
  filling model, 1274
  inner product computation, 3248
  learnability, 2792
exact learning, 3486, 3941
  algorithm, 3337
exact
  line problem, 864
  primitives, 3811
  real multiplication, 199
  realization, 180
  solutions, 878, 981, 2750
  string matching, 2215
  summation, 3248
exact tabulation, 716
  method, 716
exact total coloring, 3928
exception, 1793, 3008
  handling mechanism, 941
exceptional, 2835
excess entropy, 2612
exchange, 1060, 1142, 1633, 2064, 2247, 2390
  algorithm, 1669
  capacity, 4082
  information, 1545, 1999
  messages, 2388
exchange of
  information, 387
  messages, 2388
exchanging messages, 1369
exciting developments, 1246
excluded, 309, 1404, 2668
exclusion
  based synchronization problems, 470
  requirements, 345
exclusive
  access, 300, 838
  Or, 3044, 4055
exclusive read
  and exclusive write, 2151
  exclusive write, 1582, 1884, 2873
exclusive read exclusive write parallel
  RAM, 2517
  random access machine, 2575, 2825
exclusive write model, 1990
executability, 838
executable, 493, 508, 546, 631
  metalanguage, 544
  parameter values, 3692
  program, 950
  subset, 1654
  test sequence, 3692
executing iterative code, 243
execution
  constraints, 185
  cost, 1806, 2080
  intervals, 185
  model, 2703
  nodes, 649
  of a statement, 159
  order, 2050

execution (*cont.*)
ordering, 882
sequences, 2219, 2703
skew, 4089
execution time, 104, 135, 167, 230, 255, 293, 402, 553, 611, 648, 701, 1090, 1602, 1636, 1810, 1819, 1850, 2133, 2314, 2390, 2398, 2757, 2789, 3066, 3260, 3319, 3472, 3942, 4023
of computation, 167
ExHash, 863, 1037
exhaustion, 565
algorithm, 565
exhaustive
comparison, 336
computer search, 40
exhaustive search, 76, 737, 926, 1291, 2327, 3992
algorithm, 3716
$\exists\forall^2$ fragment, 4062
existence lemma, 12
for canonical forms, 12
existence of circuits, 2225
existential, 419, 3035
first order formulae, 2258, 2659
lower bound, 2539
quantification, 2363
quantifier, 1480, 2672
second order logic, 3449
existentially quantified variables, 1670
exit
control structures, 464
statement, 931
EXP, 3869
expander, 2616, 2674, 2926
graph, 2199, 2616, 2674, 3907
expanding graphs, 2856
expansion, 1126, 1722, 2709, 3156
methods, 1526
of an iteration, 258
expansive, 680
language, 680
expectation, 373, 691, 914, 1448, 2055, 2874, 3637
expectation of the
number of comparisons, 405
time complexity, 557
expected, 157
access cost, 863
behavior, 367, 1222, 2305, 2874
behaviors of algorithms, 367
case analysis, 3210
complexity, 367
expected complexity of
computing convex hulls, 893
fast search, 703
expected
connectivity, 2421
cost, 2658, 3123, 3986, 4016
costs of deadlock detection, 636
error, 303
execution time, 914, 1636
first passage times, 1902
head movement, 756
expected length, 2629
of a shortest path, 2629
expected linear
run time property, 570
time, 391, 2478
expected
logarithmic time, 2287
maximum number of edge disjoint s-t paths, 2906
number, 678, 718, 3044, 3465, 3682
expected number of
accesses, 1048
block accesses, 1048
comparisons, 367, 706, 1024, 1451, 2254
data accesses, 566
edges, 636
gates, 180
input bits, 3589
maximal vectors, 1864
nodes, 2421
records examined, 1916
expected overflow space, 203
expected path length, 3382
of trees, 3382
expected
performance, 622, 1123, 1724, 2049, 2230, 4064
read/write head movement, 756
running time, 328, 391, 991, 1202, 1400, 1404, 2023, 2232, 2683, 2770, 3016, 3177, 3646
runtime of Schnorr algorithm, 636
expected seek
distance, 3265
time, 1771
expected seeks, 3492
expected storage
and search cost, 895
cost, 863
expected time, 306, 328, 391, 503, 594, 678, 703, 757, 843, 916, 1123, 1136, 1202, 1276, 1525, 1636, 1916, 1930, 1976, 2200, 2683, 2711, 2770, 2782, 3011, 3646
algorithm, 1001, 1923, 3585
analysis, 2305
bound, 757
expected time complexity, 569, 581, 825
of Ward method, 916
results, 916
expected time
of short circuit evaluation, 1636
performance, 916

expected
value, 703, 1616, 2230, 2487, 2683, 2906, 4124
vocabulary string, 1308
experimental
data, 66, 172, 431, 432, 1714, 2247, 2629
evidence, 569
results, 63, 260, 609, 678, 825, 1287, 1806, 1817, 2314, 2559, 2634, 2904, 3340, 3410, 3462, 3592, 3606, 3863, 3984, 4078
running time, 1300
expert
database systems, 1781
opinions, 2970
systems, 754, 1330, 1459, 1781
experts' opinions, 3225
explanation, 356
explicit
balance information, 427
constructions, 4033
language, 2760
exponent, 606, 1226, 1270, 2867, 2928, 3659, 3728
in the prime factorization, 1117
of matrix multiplication, 820
exponential
associative memory, 2021
behavior, 829, 2648
blow up, 4113
complement representation, 3976
complexity, 981, 1152
computation times, 947
deterioration, 818
diameter, 1834
encoding scheme, 2021
generating functions, 4048
Golomb encoding, 383
growth, 93
hetero-associative memory, 2021
hierarchy, 1887
lower bound, 1152, 1552, 1925, 2040, 3088, 3281, 3464, 3569
mean life, 2777
polynomial, 2240
exponential server, 3564
network, 3564
exponential size, 2109, 3032, 3594, 3768
read once branching programs, 3496, 3711
exponential source, 806
exponential space, 1392
and time overheads, 1809
upper bounds, 2008
exponential time, 1392, 2449, 2954
algorithm, 388, 798, 2552
classes, 4005
complexity, 960
upper bound, 741
exponential weights, 3768
exponentiality of regular resolution, 542
exponentially
distributed random time, 1415
hard, 257, 3901
large population, 1700
exponentially more
powerful, 949, 3464
succinct, 663
exponentially
powerful, 949, 3520
small, 1898, 2722
exponentiation, 694, 3021, 3719
with the Montgomery algorithm, 3719
expressibility, 332, 1555
expression, 7, 27, 1753, 4080
evaluation, 27, 1097, 1372, 1383, 1847, 3376
grammar, 1360
in programs, 1097
like languages, 1360
tree construction, 2101
expressive interpretations, 1478
expressive power, 332, 440, 1091, 1111, 1324, 1909, 1934, 2258, 3099, 3199, 3318
expressive power of
2DPDA, 2930
CTL combinators, 3099
loop, 1102
repeat, 1102
Unity, 2703
expressiveness, 775, 1102, 1849
EXPSPACE, 3182
expspace, 880
EXPSPACE avoiding, 3182
exptime, 880
exptime $\neq$ nexptime, 880
Exptime complete, 1417
EXP-P/poly, 3869
Exspace, 1341
extendability, 3650
extendability problem, 3650
in bipartite graphs, 3650
extended, 122
algorithm, 1360
binary trees, 3980
Boolean model, 2647
context free grammar, 1331, 2862, 3611
data type, 1372
Euclid algorithm, 1010
Frege system, 1925
Horn formulas, 3063
LALR(k), 2675
language, 24, 604, 2077
LR(0) automaton, 2675, 2862

extended operator precedence, 750
  parsing algorithm, 750, 1360
extended
  parallel computation, 1379
  parsing method, 1360
  Petri net model, 590
  predicates, 3356
extended regular
  array languages, 862
  expression, 516, 995
  language, 862
extended
  Riemann hypothesis, 2149
  splicing system, 3352
  word problems, 1086, 1303
extendible
  hash method, 2080
  hashing, 603, 863, 1037, 1556, 1742, 2491, 2582, 2656, 2709
extending the domain of computation, 692
extensibility, 23
  of a hash table, 1037
extensible, 23, 24, 2489
  contractable translator system, 24
  contractible translator, 24
  programming languages, 23
extension, 24, 43, 3396
  function, 1489
  modularity, 3396
extension of
  logic programming, 2077
  the, 113, 589, 680
extension ordering, 3760
extensional data, 1330
exterior, 1741, 1789, 2454, 2508
  face, 128
  product, 198
external angle, 1741
external memory, 3803
  algorithm, 3803
external
  merge sort, 4125
  nodes, 184, 850, 2866
  observer, 1862
  path length, 2586, 2654
  representation, 549
  sort procedure, 1385
external sorting, 432, 1177, 1182, 1385, 4125
  algorithm, 4125
external
  specifications, 326
  stack, 72
  storage device, 449
  wires, 2265
externally, 568
extracting information from a file, 6
extraction, 6
  of cube roots, 2888
Extract_Min, 2639
extremal
  properties, 1846
  sets, 2711, 3219, 3544
  vertices, 439
extreme, 71
  fixed points, 3003
  point, 32, 552, 2274, 2454
extreme points
  decision problem, 2274
  in three dimensions, 1146
  on the convex hull, 569
E-languages, 68
E-patterns, 3243
E-unification, 1543, 2031
E-unifier, 1531, 1543

F

$f(n)$-predictable language, 1499
F0L
  D0L equivalence problem, 456
  languages, 456
  system, 456
F_p, 472
face, 736, 1671, 1702, 1926, 2435, 3317
faces and zones in arrangements, 1826
facet, 2725
facility location, 371, 3670, 4016
  problem, 4016
fact, 1330
factor
  1.5-approximation algorithm, 646, 3426
  automaton, 1990, 3772
  code, 3772
  critical graph, 2307
  expression, 2342
  monoid, 1732
factored expression, 1981
factorial, 674
  language, 1732, 1839, 3772
factorial representation, 156
  of natural numbers, 156
factoring, 3925
  algorithms, 393
  Blum integers, 3925
  numbers, 393
  of natural numbers, 393
factoring polynomials, 681, 1898, 2149
  over finite fields, 1898, 2149
factoring problem, 393

factorization, 606, 758, 1898, 2149, 3092, 3515, 3538, 3925
factorization of
Hankel matrices, 2334
relations, 2342
words, 2152
factorization problem, 3922
factorize, 2342
strings, 2152
Fadous and Forsyth, 372
Fages and Huet, 1531
Fagin, 528, 621, 1672, 2659
algorithm, 3657
Fagin et al., 603, 1452
Fagin, Nievergelt, Pippenger, and Strong, 717
fail stop
failures, 1858
PRAM, 2530
failure, 652, 754, 858, 914, 1337, 1391, 1566, 1659, 1668, 1816, 1857, 1858, 1897, 1964, 2084, 2137, 2197, 2287, 2421, 2471, 2507, 2560, 2567, 2788, 2852, 3246, 3264, 3270, 3661, 3975, 4008
behaviour of systems, 1662
detection, 4008
failure detector, 3800, 4008
class, 4008
failure equivalence, 2550, 3036
failure equivalent, 2550
transformation, 2550
failure
function, 265, 716, 2664, 3772
in computer systems, 543
of shared objects, 3500
failure probability, 3030, 3686
model, 3030
failure
rate, 2197
tolerant distributed synchronization algorithms, 1816
fair
access, 686
banker algorithm, 2728
computations, 1678
derivations in E0L systems, 1124
executions, 3372, 3714
I/O automaton, 3372
iteration scheme, 2595
lossy, 4059
multiprocess handshakes, 1933
mutual exclusion, 1158
online scheduling, 3607
reconstruction, 3110
roulette, 2059
SCCS, 1678
fair scheduling, 973
algorithm, 3607
policies, 1933
fair solution, 1305
fairly terminating, 1124
fairness, 404, 430, 575, 698, 1018, 1064, 1111, 1124, 1158, 1420, 1678, 2321, 2363, 2443, 2477, 2703, 2728, 3108, 3499, 3607, 3714, 3952
assumption, 2458
constraints, 2655, 3714
decision problems, 575
hierarchies, 1018
fairness in
I/O automata, 3372
parallel schemas, 575
fairness
of derivations, 1124
property, 2477
sets, 3372
faithful
1-edge fault tolerant graphs, 3467
interpretations, 3396
morphisms, 4069
faithfulness, 871
faking, 1416
false match, 3614
false termination, 1281, 1447, 1637, 1756
detection, 1756
family, 144
family of
algebraic languages, 94
arcs on a circle, 942
family of context
free languages, 68, 680
sensitive languages, 68
family of
grammars, 302, 362, 1197
graphs, 645, 1944, 3253, 3391, 3680, 3997, 4057
infinitely many equally spaced polynomials, 2130
interval filaments, 4057
languages, 94, 160, 297, 683, 1155, 1643, 2665
family of languages defined, 302
by simple precedence grammars, 362
family of languages generated by, 68, 302
context free programmed grammars, 1643
type i grammars, 413
weak precedence grammars, 362
family of
languages recognized by deterministic Turing machines, 1139
ω-languages, 922
recursively enumerable languages, 68
sets, 271, 510, 525, 834, 2711, 3982

family of (*cont.*)
slices, 307
subclasses of SAT, 1664
subsets, 510, 2518
subtrees, 3703
term rewriting systems, 1910
fan in two, 2770
analog circuits, 208, 1152, 3394
bounded circuits, 1152
fan out, 2, 877, 883, 3936
bound, 3562
Fan, Hongbing, 4130
Farach et al., 3763
Farach, Martin, 3439
Farber and Keil, 2122
Farey series, 385, 409
Fariñas Del Cerro, 1587
Farinas del Cerro and Penttonen, 2572
Farmer theorem, 4061
Farrell, 854
farthest
neighbor, 1739, 2277
point Voronoi diagram, 2104
FAS
algorithm, 2705
problem, 2705
fast
accessing, 475
adjacency matrix scanning technique, 2125
algorithm, 523, 702, 746, 833, 853, 856, 918, 956, 1003, 1162, 1187, 1267, 1603, 1720, 1803, 1946, 2201, 2311, 2540, 2873, 3122, 3311, 3554, 3982, 4139
fast algorithm for
finding all shortest paths, 702
matrix multiplication, 1603
the constraint satisfaction test problems, 2731
fast algorithms, 182, 281, 283, 312, 328, 391, 715, 793, 916, 963, 1164, 1203, 1603, 2296, 2648, 2697, 2715
for searching a Voronoi diagram, 517
fast
approximation algorithm, 2289, 3795
composition of sparse maps, 853
computation of periodic continued fractions, 1865
convex hull algorithm, 363
correlation attack, 3606, 3923
expected time algorithms, 517
exponentiation, 3719
fast Fourier transform, 97, 1797, 2691
algorithm, 1797
digraphs, 3023
fast
garbage compaction algorithm, 468
gossiping, 2727
fast
Hough transform, 1895
inversion, 2334
Knuth-Bendix completion, 1850
main memory, 906
fast matrix
inversion, 342
multiplication, 18, 694, 705, 1582, 4077
fast
memory, 708, 906, 3754, 3803
method for interpolation, 51
mutual exclusion, 2573
fast parallel
algorithm, 593, 1203, 1350, 1354, 2052, 2810, 3159
quicksort algorithm, 1701
thinning algorithm, 2302
fast pattern matching, 251
algorithms, 1250
fast
randomized Byzantine agreement, 2033
retrieval, 485, 717, 1045
reverse, 1214
RNS division algorithms, 2901
fast search, 703, 3313
algorithm, 3716
fast
set operations, 212
simulations, 182
solvers, 1170
sorting algorithm, 557
fast string searching, 615
algorithm, 1003
fast two-server algorithm, 3038
fast updating, 475
of information, 717
fastback backtracking, 340
fat
objects, 3406
subdivisions, 2536
trees, 3992
triangle, 3638
father to child direction, 986
fault, 338, 543, 1566, 1668, 1964, 2343, 2381, 2746, 2780, 2884, 2931, 3378, 3669
analysis, 1964
contained, 3378
containing selfstabilization, 4034, 4039
containment, 3378, 4034, 4039
fault detection, 1964
and correction, 2407
processes, 1964
fault diagnosis, 1964, 3872
algorithm, 1668
fault diameter, 2381, 2630, 2746, 2780, 3228

fault diameter of
a graph, 2780
star graphs, 2746
fault free, 1668, 1769, 2507
diameter, 2746
Euler tour, 3264
isomorphic copy, 2754
networks, 1566
node, 2287
processors, 1668
star graph, 2630
structure, 1964
subcube, 1668
fault
intolerant, 543
of a hinge vertex, 3348
patterns, 2868
recovery, 1964
replacement, 2948
fault resilient, 1566
algorithm, 1566
spanning forest constructing algorithm, 1566
fault sources, 237
fault tolerance, 31, 543, 1337, 1483, 1547, 1566, 1600, 1668, 1857, 1897, 2132, 2212, 2220, 2226, 2287, 2310, 2333, 2343, 2351, 2381, 2407, 2414, 2446, 2507, 2530, 2567, 2580, 2602, 2630, 2746, 2754, 2780, 2799, 2807, 2837, 2838, 2848, 2849, 2852, 2868, 2869, 2875, 2884, 2931, 2943, 2948, 3026, 3097, 3209, 3252, 3264, 3270, 3274, 3336, 3367, 3378, 3475, 3500, 3580, 3605, 3653, 3675, 3686, 3701, 3717, 3736, 3747, 3752, 3761, 3780, 3800, 3861, 3872, 3883, 3885, 3897, 3950, 3971, 3974, 3975, 3997, 4034, 4086, 4114
by reconfiguration, 1668
in distributed systems, 994
measures, 2343
properties, 2414, 2746
techniques, 543
fault tolerant, 1027, 1089, 1566, 2217, 2624, 2837, 2884, 3097, 3467, 3885, 3950, 3997, 4114
access, 3885
basis, 4114
broadcasting algorithm, 3717
circuits, 4106
communication, 3580
computer systems, 543
design, 543
distributed computing, 1473
embedding, 3264
graphs, 3467
hexagonal systolic array, 2407
interconnection, 1617
measurements, 1600
message routing, 3691
multicomputer systems, 1336
multistage interconnection network, 3580
network management, 2837
networks, 2126
parallel algorithms, 2530
quantum basis, 4114
routing, 1600, 1769, 2343, 2525, 2602, 3168
simulation, 2212
system, 543
token ring, 3736
topologies, 2507
virtual memory, 543
fault tolerantly, 2212
faulty
calls, 2220
communication channels, 1547
edges, 3367, 3837
interfaces, 3669
links, 3367
node, 2197, 2287, 2630, 3367, 3378, 3837
processors, 797, 1128, 1483, 1668, 2033, 2868, 2875, 3274
shared memory, 3500
supercube, 2381
transition, 1964
vertices, 3367
FB, 2676
FC + SR, 1809
FC language, 2342
FCFS discipline, 2840
FD, 481, 484, 608, 899, 996, 1094, 1218, 2786, 3973
graphs, 2449
fd hinge, 2368
FD0L
D0L equivalence problem, 456
Parikh equivalence problem, 456
FDM, 1445
FDMA networks, 3801
FEAL, 2327
feasibility, 2757, 3029, 3764
algorithm, 1969
test, 611, 4049
feasible
flow, 375
minimum cover problem, 3826
region, 3375
schedule, 639, 868, 2628, 2757
solution, 76, 1165, 2994, 3472, 4016
feasibly
constructive, 1925
scheduled, 1713
feature, 24, 36, 244

feature evaluation, 36
  criteria, 36
  measure, 36
feature
  extraction, 36
  extractor, 36
feature selection, 36, 143, 267, 2634
  problem, 36
feature
  space, 143
  strings, 3554
feature vector, 36, 143
  space, 36
Feder, Tomás, 3801
federated systems, 2923
feed forward neural networks, 2650
feedback, 57, 120, 374, 403, 1579, 2268
  arc set, 2705
  automaton, 1155
  controlled models of automata, 1155
feedback edge set, 403
  problem, 403
feedback
  loops, 526
  node set problem, 82
feedback set, 374
  problem, 374
feedback shift register, 1093, 3465
feedback vertex, 374, 3456
  problem, 3456
feedback vertex set, 403, 1586, 2947, 3341, 3456, 3712
  problem, 403, 1586, 2947
feedback vertices, 374
Feige, Fiat, and Shamir, 2388
Feijen, van Gasteren, and Gries, 2356
Feijen, W.H.J., 3004, 3419
Feijs, L.M.G., 3572
Fejes-Toth, 442
Fekete, Sándor P., 3731
Fellows and Langston, 2433
Fellows, Michael R., 3676
Feng, Bao, 3526
Fenner, Fortnow, and Kurtz, 2870
Fernandez de la Vega and Lueker, 3643
Ferro, E., 3501
fetch and
  add, 1808
  conditional swap, 1808
  cons, 1808
Feuerstein, Esteban, 3732
few sphere packing argument, 2400
FewP, 2954, 4067
Feynman path integral, 1796, 1902
Feynman-Kac theorem, 1796
FFS, 3575
FFT, 808, 1954, 3023, 4074
  digraphs, 3023
  methods, 2691
Fiadeiro, J.L., 3838, 3894
Fiat and Naor, 3879
Fibonacci, 685, 3258
  algorithm, 1046
  number, 381, 536, 598, 626, 923, 1046, 1365, 1429, 1818, 1834, 1865, 2034, 2292, 2886, 3376, 4139
fibonacci numbers, 4139
Fibonacci
  numerical sequence, 685
  sequence, 82, 381, 536, 685, 1818
  trees, 3258
  word, 685, 699, 3092, 3140
Fidge and Mattern, 2204
Fidge, C.J., 3818
Fiduccia and Zalcstein conjecture, 472
field, 820, 3617
  equations, 278
field of
  complex numbers, 97
  complex rational functions, 436
  integers modulo a prime, 758
  interest, 33
  real numbers, 18
FIFO, 260, 264, 3024
  access discipline, 264
  channels, 1150, 1911
FIFO communication, 2814
  delays, 2814
FIFO
  delivery of messages, 3024
  message delivery, 2441, 3024
  optimal placement, 260
  queue operations, 958
  queues, 803
  serial storage, 264
  storage, 264
fifth generation computer systems, 1297
fifty percent rule, 16
filamentous organisms, 56, 940
file access, 919
file allocation, 2835
  problem, 2557
file
  consistency, 300
  extraction, 256
  geometry, 3235
file handling
  programs, 1
  subsystem, 1
  system, 1
file layout, 3235

file management, 556, 855
systems, 496, 1037
file
manipulating operations, 256
operations, 6
organisation, 485
file organization, 177, 187, 203, 221, 271, 485, 525, 633, 859, 1030, 2080
scheme, 1030
file
processing, 1, 6, 256, 678, 1497, 1556
protection, 957
records, 919, 2080
replication in distributed databases, 4065
search, 177
structures, 1658, 2617, 2709
system, 31, 1919, 2557, 3235
filing system, 957
fill, 3183
in, 852
filler technique, 2776
Filotti and Mayer, 1961
filter, 945, 2005, 2679, 2692, 3606, 3894
functions, 3606
generators, 3606
filtering, 172, 2679, 2692
methods, 2679
near duplicate web documents, 4033
filtration, 2363
final
algebra, 2924
object code, 495
state, 112, 178, 998, 999, 1298, 1306, 1585
financial games, 3707
Finch, 57
find operation, 2140
Finden and Gordon, 2719
finding, 136
finding a
blocking flow, 1780
leader, 1712
finding
all farthest neighbors, 1739
bridges, 978
cycles, 731
Hamiltonian circuits, 1127, 1794, 1926, 2956
near neighbours, 137
nearest neighbors, 1916
paths, 1573
finding the
bridges of an undirected graph, 978
k-th largest element, 466
finding the maximum, 2175, 2764, 3650
dimensional fault free subcube, 1668
matching, 3273
number of vertices, 815
finding the minimum
cardinality, 1221
communication complexity, 3383
cost, 2761
distance, 746
Hamiltonian curve, 3389, 3807
performance measure, 338
spanning tree, 2248
weight, 3708
finding unifiers, 2031
FindMax, 1790
FindMin, 1790
fine
covers, 3204
grained memory model, 2411
structure, 269, 3608
finest
partition, 110
topology, 1991
finger
search tree, 2950
trees, 1261
finish node, 538
finishing time, 1605, 2312
finitary, 2031, 2402, 2876, 3789
bisimulation, 3618
logics, 2402
finitary rational
expressions, 1067
languages, 1067
finitary relation, 3618
finite Abelian
group isomorphism, 1726
p-group, 1119
finite
acyclic digraph, 3012
algebra, 1205
algebraic systems, 1603
Algol 68 modes, 501
automata theory, 403, 1614
finite automaton, 318, 403, 463, 497, 640, 663, 857, 1039, 1104, 1179, 1324, 1607, 1614, 1678, 1719, 1990, 2086, 2145, 2262, 2268, 2466, 2549, 2671, 2675, 2862, 3195, 3204, 3233, 3307, 3568, 3656
on infinite trees, 1324
finite
basis, 341
behaviors, 2281
buffer, 42, 111
canonical term rewriting system, 2001
codes, 1776
codeterministic automaton, 1104
commutative rings, 2631
complete string rewriting system, 1363

finite (*cont.*)
completions, 3135
control, 1585
finite difference, 74, 195, 3550
equation, 274, 674
method, 39, 74, 172
sieve, 3413
finite directed graph, 579
finite element
discretisation, 1348
method, 1396
finite
elements, 1348
failure, 2443
finite field, 760, 1351, 1703, 2130, 2149, 2370, 3489
arithmetic, 2328
extension, 2328
finite fields, 758, 1703, 1898, 2149, 2328, 2463, 3840, 4001
GF(p^m), 1703
finite
function generation, 3569
graphs, 136, 2336
identification, 3632
finite index, 232
restriction, 232
finite
labelled partially ordered set, 554
language, 1981
finite length
array segments, 1194
buffers, 420
finite
Mazurkiewicz traces, 3798
memory, 133
finite mode, 501
programs, 501
finite model, 2876
property, 2876
theory, 2303, 3035, 3449, 3570, 3627, 3868
finite
monoid, 2396
multitape automaton, 752
number of minimal models, 1555
orderedness, 2631
partial sequence of occurrences of actions, 1788
planar set, 32, 320
point set, 499, 1414, 2169
projective plane, 3496, 3602, 4110
representation, 971, 3940
representations of infinite state behaviours, 3911
reversal multicounter machines, 727
SAGBI bases, 4063
segment p-adic arithmetic, 1010, 1595
semi-Thue system, 1166
finite sequences, 2505
of symbols, 995
finite set, 32, 330, 531, 560, 590, 662, 673, 697, 709, 836, 1057, 1210, 1219, 1284, 1469, 1507, 1560, 1643, 2161, 2248, 2267, 2386, 2606, 3304, 3521, 3632, 3792, 3845, 3927, 3970
in the plane, 1414
finite set of
good examples, 3632
line segments, 1345, 2264
matrices, 330
messages, 1009
places, 590
points in the plane, 64, 1431, 3385
polygons, 1236
rewrite rules, 514
rights, 1062
rules, 55
symbols, 578
test cases, 1598
test data, 414
vertices, 392, 2518
words, 801
finite size scaling, 3689
finite state
acceptors, 722
automaton, 188, 202, 555, 3611
a-transducer, 348
concurrent program, 1246
grammar, 274
language, 274
machine, 410, 971, 1607, 1684, 1734, 2283, 2733, 2750, 3639, 3730, 3806
representability, 3911
transducer, 202, 1585
transition systems, 2268
tree transducer, 1853
finite string
languages, 922
rewriting system, 1363
finite
strings of signals, 430
structures, 1197, 3035, 3232
substitutions, 683, 1643
test bounded memory QDL, 1102
Thue system, 669, 720, 1463, 1649
time, 52, 404, 1964, 2799
transducer, 386, 1213, 1776
transductions, 1776
finite tree, 675
automation, 1853
finite
turn DPDA, 1029
union of congruence classes, 720
unions, 463
universe, 1196

finitely, 1890, 1909, 2984
finitely ambiguous, 2549
  cfl, 2537
  distance automaton, 2549
finitely failed Sldnf tree, 2443
finitely generated, 1284
  ω-languages, 1284
  subgroups, 2303
  submonoid, 1085
finitely
  often, 1018
  oriented, 2119
  presented groups, 1363
finitely representable
  nested relations, 3940
  relations, 3940
finitely specifiable, 1279
finiteness
  problem for EOL systems, 2986
  restrictions, 71
finitistic
  and complete axiomatization, 1478
  methods, 3276
  proof rules, 1478
  proofs, 3276
Finkel and Bentley, 153
fireable sequence, 67
firewall, 31
firing, 2806
  condition, 67
  rules, 67
  sequence, 67, 129, 2153
  squad problem, 1710
  time, 1180, 1472
first class, 1985, 2750
  continuations, 1985
  functions, 1214, 3188
first come first served, 1816
  service, 878
first data entry, 264
first fit, 1784, 4136
  algorithm, 537, 4136
  allocation, 1655
  χ-bounded, 4136
  coloring algorithm, 3450, 4136
  increasing heuristics, 1784
  strategy, 1131
first four letters, 33
first in first out, 1413, 1724
  buffered cyclic memory, 264
first normal form, 1487, 2576
first order, 2510, 3523, 4133
  algorithms, 1126
  case, 3199
  definable, 2057, 3199
  dependency, 3504
  differential equations, 287
  dynamic logic, 1102
  formula, 1306, 2510, 3392, 3523
  level, 1102
  linear recurrences, 2810
  logic, 369, 700, 1306, 1367, 1555, 1670, 3221, 3392
  predicate calculus, 1848
  predicate logic, 1041
  queries, 3392
  sentence, 1555, 2510, 3027, 3627
  temporal logic, 1478
  terms, 861
  tests, 1102
first order theory, 3827, 4062
  of atomic set constraints, 3827, 4062
first order
  tree dependencies, 3504
  variables, 4061
first passage time, 1902
Fischer, 15, 119, 200
Fischer et al., 1308, 1483, 3119, 3974
Fischer, Lynch, and Paterson, 2132
Fischer, M., 257
Fischer, Paul, 2905
Fischetti, Vincent A., 2632
Fisher, 176, 295, 1271
Fisher and Meyer, 15
fitness
  function, 2634
  proportionate selection, 3212
fitted diagonals method, 1445
fitting, 2853
five
  color, 1945
  vertices, 3460
five-coloring
  of a planar graph, 1395
  planar graphs, 1077
five-colouring maps, 628
fix notation, 2134
fixed, 27
  alphabets, 1684
  controller, 1611
  cost random access machine, 199
  degree algebraic decision tree, 1505
  finite set of combinators, 1375
  integers, 3304
  length tail, 383
  number of neighbors, 71
  orders, 1791
  oscillation, 63
fixed parameter
  algorithm, 3676
  tractability, 3304, 3676

fixed parameter tractable, 3304
algorithms, 4037
fixed point, 928, 1585, 1837, 2071, 2454, *see also* fixpoint
calculus, 3003
characterization, 2269
division, 755
equation, 1638, 1674, 1856
language, 1585
semantics, 2269
theorem, 782, 3003
fixed point theory, 782
of recursion, 782
fixed points, 1867, 1929
fixed points of
a functional, 1286
endofunctors, 1674
increasing functions, 1929
fixed precision, 2127
fixed priority
dispatching, 3764
preemptive systems, 3022
scheduling, 3764
fixed radius near neighbors, 301, 422, 2013
problem, 301
fixed radius near neighbors search, 2235
algorithms, 2013
fixed radius
neighbor problem, 908
search problem for segments, 2013
fixed real memory space, 498
fixed size, 1058
parameter space, 1895
rectangles, 672
fixed sized allocation, 1655
fixed sized blocks
method, 1655
optimization, 1655
fixed
start, 2875
to variable encoding, 383
vertices, 2379
wireless network design, 4122
fixpoint, 1843, 2344, *see also* fixed point
equations, 2344
logics, 2344
semantics, 192, 3432
FL^{NL}, 2007
flag, 1290
Flajolet et al., 3078
Flammini, Michele, 2953
flat, 2638
relational model, 2072
relations, 2072
Flatto, L., 3609
Fleischer, Rudolf, 3351
flexible
information systems, 2047
interconnection, 1617
transaction model, 3349
flip, 2436
flop, 1709
networks, 1466
floating point, 557, 2398
addition, 148, 158
arithmetic, 131, 158, 1010, 1502, 1972, 3248, 3720
library functions, 1126
machine, 793
numbers, 733, 3248
Flocchini, Paola, 3493, 3549
floor function, 757, 1159, 1376, 2280
evaluations, 757
floor operation, 2156
Flouret, M., 3617
flow, 14, 375, 1762, 3085, 3612
analysis, 741, 1297, 3331
flow chart, 8, 14, 464
form, 127
schemata, 133
flow conservation, 1762
flow control, 2168
algorithms, 2168
flow
diagram, 28
expressions, 879
function, 729
graph, 1745, 2758, 3750
improvement problems, 3748
languages, 879, 1449
network, 375, 2820, 3779
flow of control, 178
schemes, 995
flow
of data, 1047, 1598
potential, 375
problem, 375, 3724
flow shop, 519, 1180
flow shop scheduling, 2382
problem, 2382
flow time minimization, 2440
flowchart, 127, 135, 966, 1019, 2585
flowchart programs with
parameterless recursion, 1181
recursion, 1181
flowgraph, 464, 513, 1419, 1598, 1660
of a program, 1598
flowshop
problem, 3972
scheduling, 3972

Floyd, 134, 135, 169, 343, 906, 1019, 1971, 1988
assertion, 192
assumption, 906
conjecture, 343
lemma, 343
method, 1019
model, 906
techniques, 135
Floyd, R.W., 41, 569
Floyd-Hoare semantics, 480
fluent machine, 3137
flush
primitives, 1911
vector time, 2710, 3329
FO + posSTC, 2303
Fokkink, Wan, 3521
fold operators, 2452
folded cube, 3967
folding, 953, 3566
of the plane, 953
schemes, 1177
unfolding techniques, 1028
folk theorem, 782, 1075
folklore, 3300
nondefinition, 824
theorem, 3941
follow set, 1775
for, 130
almost all pro, 1253
∀-automata of Manna and Pnueli, 2655
forbidden, 3301
cells, 857
context grammars, 232
induced subgraphs, 3304
lie pattern, 2105
link pairs, 3264
pairs, 2700
patterns, 2105, 3927
subgraph characterization, 2492
subgraphs, 2361, 3460
word, 3772
forbidding context languages, 126
force, 2699
force directed
algorithm, 3783, 4072
method, 4072
forcing, 376
Ford, 905
Ford and Fulkerson, 14, 510, 3724
network, 510
Ford and Johnson, 40, 92
foreign language, 61
forest, 268, 813, 1345, 1575, 2164, 2385, 2843, 2866, 4097
of quadtrees, 1208
orders, 642
forgery
attack, 3956
attacks, 4137
Fork, 254
form, 131
form equivalence, 683
problem, 683
form
factor determination, 2076
of abbreviation, 23
formal
analysis, 3649
correctness proof, 776, 1019, 3285
declarative software specification, 1461
deductions, 2060
definition, 193, 284, 296, 830, 1173, 1491, 2866, 3012
formal definition of
inevitability, 1425
operating system facilities, 296
formal derivation, 549, 2079, 3419, 3478
of programs, 3478
formal
development, 3138
foundations, 3940
formal grammar, 78
systems, 78
formal grammars, 78, 2585
with weights, 78
formal language, 13, 55, 58, 71, 77, 107, 126, 193, 200, 232, 242, 245, 246, 279, 313, 314, 330, 337, 357, 389, 394, 456, 482, 483, 572, 578, 644, 675, 712, 730, 752, 835, 869, 874, 899, 900, 950, 1069, 1155, 1204, 1433, 1475, 1587, 1643, 1711, 1836, 1839, 1931, 1988, 1990, 1993, 2018, 2027, 2038, 2046, 2068, 2086, 2093, 2112, 2128, 2131, 2141, 2145, 2228, 2229, 2231, 2261, 2268, 2272, 2318, 2320, 2355, 2375, 2396, 2466, 2488, 2502, 2511, 2512, 2522, 2541, 2565, 2585, 2655, 2665, 2675, 2693, 2720, 2776, 2785, 2828, 2832, 2859, 2860, 2862, 2880, 2883, 2942, 2962, 2973, 2978, 2981, 2986, 3015, 3020, 3025, 3043, 3058, 3074, 3092, 3093, 3095, 3135, 3140, 3162, 3195, 3197, 3198, 3202, 3213, 3234, 3243, 3290, 3307, 3309, 3325, 3332, 3343, 3352, 3387, 3395, 3418, 3449, 3502, 3519, 3538, 3568, 3608, 3611, 3617, 3656, 3677, 3699, 3769, 3770, 3772, 3789, 3798, 3848, 3865, 3880, 3884, 3943, 3951, 3970, 3988, 4002, 4029, 4032, 4060, 4085, 4116
decision problem, 476
specifications, 544
theory, 47, 107, 232, 483, 572, 725, 1475, 2375, 2665

formal
linear combinations, 155
logic, 891, 1313, 1665
logical statement, 192
methods, 23, 284, 787, 1059, 2317, 4070
model, 23, 600, 749, 754, 797, 989
models for picture recognition, 722
nontermination, 501
parameter of the function, 1751
parameters, 1817
formal power series, 1256, 2018, 3213
in noncommuting variables, 1931
formal program
derivation, 3545
design, 1402
formal proof, 192, 588, 692, 962, 1075, 3005, 3363, 3861
of correctness, 1978
system, 1067
formal
properties, 528, 951, 972
reasoning, 1478
rules, 1402
semantic definitions, 544
semantical specifications, 278
semantics, 544, 604, 1204, 1694, 1968, 1971, 2046, 2057, 2077, 2100, 2134, 2219, 2246, 2250, 2259, 2269, 2295, 2317, 2326, 2344, 2402, 2403, 2443, 2485, 2513, 2563, 2590, 2614, 2615, 2641, 2653, 2676, 2787, 2907, 2942, 3008, 3009, 3025, 3036, 3113, 3142, 3161, 3188, 3223, 3300, 3356, 3360, 3432, 3541, 3616, 3773, 3839, 3916, 3920, 3921, 4076
formal series, 1656, 3789
on trees, 1656
formal specification, 278, 412, 3027, 3396, 3478, 3633, 4069
formal specification of, 278
syntaxes, 830
formal syntax methods, 1059
formal system, 284, 632, 899, 1067, 1204
for parallel programs, 632
of natural deduction, 1427
formal termination of ALGOL programs, 501
formal termination problem, 501
for programs, 501
formal theory, 122, 169
of two-dimensional languages, 749
formal
treatment, 192, 927, 2038
tree power series, 1312
formalising cutting channels, 1914
formalism of VAS, 129
formalization, 294, 376, 1285, 1486, 1642, 2046, 2734
formalization of
practical needs, 711
safety properties, 1285
formalized, 399
model, 120
program, 294
theory of programs, 769
format, 523
formation, 34
Formica, Anna, 3536
formula, 1091, 1102, 1351, 1372, 1460, 1567, 1782, 2269, 2344, 2363, 2580, 2655, 2716, 2753, 2835, 3550, 4062, 4140
formula complexity, 2121, 2353, 2781
of Boolean functions, 2121
formula
depth, 2796
in clausal form, 1587
manipulation, 2079, 3005
size, 591, 877, 949, 1351, 2121, 3759
value problem, 1499
formulae, 257
refinement, 1063
formulation, 1028
Fortnow and Rogers, 3962
Fortnow et al., 2560
Fortnow, Lance, 3908
Fortran, 2, 132, 199, 214, 256, 431, 471, 513, 548, 773
compiler, 773
Fortran IV, 238
programs, 132
Fortran
like language, 104
program, 104, 513
subroutine, 211
Fortune and Hopcroft, 757
Fortune, Hopcroft, and Schmidt, 538
Fortune, Hopcroft, and Wyllie, 2058
forward
2-inter-cube, 3604
branching systems, 2676
checking, 1809
diagonals, 2045
distance, 1699
flush, 1911
induction, 3974
predicate transformer, 298
FOR-DO programs, 3216
FOR-loop, 443
fossil
collection, 3362
reclamation, 3362

foundation, 453, 653, 3940
foundations of
  program sampling, 1391
  semantics, 1793
Fouquet, J.L., 3537
four
  color problem, 1395
  coloring, 1945
four Russians
  algorithm, 894
  bound, 540
  method, 540
Fourier, 507, 2136
  analysis, 4099
  coefficients, 3098
  representations, 2792
Fourier sampling, 4126
  theorem, 4126
Fourier
  spectrum, 2136, 2792
  transform, 498, 1108, 2792
Fournier, 515, 569
fourth normal form, 3533
four-connected planar graph, 3542
four-partitioning, 3542
four-ported drives, 1591
FP, 976, 3887
  algebra, 976
  system, 976
FP^{NP}, 3887
FPN reductions, 2229
FPT algorithm, 4037
FQT, 1208
  structure, 1208
fractal, 3428, 3628
  geometry, 2749, 3325
  images, 3628
fraction, 385
fractional
  optima, 4065
  part, 616, 3442
  solution, 2533
Fraczak, Wojciech, 3813
fragment, 649, 2572, 2787, 3221, 3346, 3827, 4062, 4068
  of second order logic, 3276
Fraigniaud, 4047
Fraigniaud and Lazard, 3345
Fraigniaud and Peyrat, 3971
Fraigniaud, Pierre, 3852
frame, 399, 756, 2363, 2487, 2631, 3339
  arrival, 2487
  for transmission, 2487
  problem, 139
framework, 3155
Francez, 2757, 2758
Francez, Nissim, 1920, 2014
Franciosa, Paolo G., 3457
Frandsen, Gudmund S., 3557
Frank, Jeremy, 3689
Franklin, Joel, 3413, 3550
fraternal orientation, 2361
fraternally
  orientable graphs, 2361
  oriented, 2361
Frazer and Wong, 1182
Frederickson, 1573, 2681
Frederickson and Rodger, 2267
Fredman, 2468
Fredman and Knuth, 1206
free
  Boolean graphs, 538
  branching programs, 2753
  choice nets, 129
  commutative ring, 2031
  edges, 4071
  exchanges, 1633
free form
  content analysis, 33
  indexing, 33
free frame, 2259
  over a cpo, 2259
free from
  deadlock, 300
  interference, 556
free
  F-algebra, 875
  grammars, 311
  graphs, 538, 4071
  groups, 2303
free list, 1915, 2528
  of nodes, 176
free
  logics, 1372
  memory blocks, 16
free monoid, 637, 640, 801, 1029, 1085, 1973, 3072
  generation, 94
free
  partially commutative monoid, 1085, 1463
  relative to a matching, 299
  scheme, 378
free storage, 176
  list, 117
free
  store, 103
  submonoid, 637, 801, 3387
free tree, 164
  isomorphism, 3932

free
variables, 419, 802, 1751
vertices, 1315
freedom from deadlock, 406
freely erasable, 2091
opaque line, 2091
freeness, 727, 2152
is decidable, 727
freezing, 1440
mechanism, 1440
Frege, 1968
system, 1925
Freimer, Mitchell, and Piatko, 3646
Freivalds, 1066, 2568, 3031
algorithm, 2568, 2721
and Chen, 2984
probabilistic matrix product verification algorithm, 2721
French, 61
English vocabulary, 61
flag problem, 279
frequency
allocation problems, 3673
broadening, 1108
classifier, 2021
distribution, 52
information, 1771
frequency of
access, 691
character occurrences, 1497
restructuring, 1663
frequency order pagination, 260
Friedman, 757, 1169
Friedman and Wise, 2707
Friedman lower bound, 757
Friedman, D.P., 488
Frieze and Steele, 3946
fringe, 2254, 3382, 3410
balanced binary trees, 3654
balancing, 3654
of a tree, 2254, 3382
Friš, Ivan, 3463
frNRC, 3940
queries, 3940
Frobenius
argument, 1957
function, 1957
problem, 1957
front to front algorithm, 2314
frontier, 1988
subtrees, 3423
to root, 2832
Frougny, 720
FSCAN rules, 63
FSM, 2279, 2750
Fu and Chau, 4010, 4104
Fu, Qingxiang, 3339
fugitive, 2275, 3277
Fujishige and Zhang, 4082
Fujita, Satoshi, 3077, 3785
Fujito, Toshihiro, 3341
Fukunaga-Koontz method, 267
Fulkerson, 136
full
abstraction, 2295
abstractness, 2219
access rights, 190
acyclic join dependencies, 3825
full AFL, 94, 680, 874, 900
rational cones, 94
full
alternation, 849
APL, 297
binary trees, 2586
branching time logic, 2363
context, 1265
dynamization, 533
generator of Alg, 680
inclusion dependencies, 871
information, 3600
mixed radix case, 1228
quotient, 3656
reducer program, 1870
refinement calculus, 2867
spanning trees, 704
table search, 222
visibility graph, 2417
fully abstract, 2295, 3432
congruence, 2295
fixpoint semantics, 3432
semantics, 3432
fully adaptive, 2861
fully distributed, 1936, 2684, 3362
and symmetric algorithm, 1247
scheme, 1629
fully
general recursion, 1837
lazy implementation, 1375
fully polynomial, 1473, 3274
approximation scheme, 3748
fully quantified formula, 1670
fully reducible, 1999
functions, 1999
graphs, 88
fully space constructible, 1378, 1866
functions, 1378
fully
symmetric solution, 1366, 2944
utilized, 2048

FunArg, 500
structure, 397
function, 6, 66, 159, 178, 222, 223, 225, 489, 598, 802, 831, 928, 949, 976, 978, 1041, 1056, 1075, 1092, 1177, 1298, 1351, 1372, 1402, 1596, 1679, 1948, 1971, 1987, 1989, 1999, 2007, 2024, 2040, 2047, 2127, 2329, 2348, 2373, 2437, 2452, 2453, 2489, 2526, 2707, 2753, 2760, 2771, 2803, 2805, 2847, 2865, 2867, 2870, 2979, 2984, 3008, 3041, 3059, 3165, 3263, 3282, 3377, 3392, 3420, 3432, 3473, 3478
application, 1934
approximation, 2650
bindings, 397
calls, 1421
classes, 2526, 2792, 4014
closure, 397
composition, 2268
computable on an anonymous torus, 3266
domains, 1881
equations, 1041
free databases, 2672
generation, 3569
function hard
almost everywhere, 1707
for infinitely many inputs, 1707
function
interpolation, 2650
of states, 452
procedures, 192
space, 520
symbol, 133, 514, 1101, 1372, 1410, 1667, 1670, 1910
value oracle, 3792
values, 2650
functional, 195, 416, 2344
and sequential programming, 2079
behavior, 1709
composition, 1929
consistency, 1989
functional dependencies, 481, 608, 634, 1094, 2449, 2786, 3973
in relational databases, 1650
with null values, 1021
functional
dependency, 231, 372, 388, 481, 484, 523, 528, 600, 608, 625, 634, 700, 742, 871, 899, 941, 996, 1021, 1218, 1241, 1377, 1541, 1626, 1650, 1800, 2368, 2449, 3619, 3973
equation, 347, 1593, 1797
equivalence, 122
equivalent, 1964
finite transducer, 386, 1213
forms, 976
goals, 355
grammars, 284
functional implementation, 958
of a stack, 803
functional
language, 803, 1041, 1375, 1996, 2470, 2528
methods, 2255
model, 1996
notation, 3007
paradigm, 1579
functional program, 802, 1506, 1579, 2558
implementation, 1506
functional programming, 448, 802, 803, 958, 972, 976, 1099, 1214, 1310, 1343, 1375, 1402, 1543, 1579, 1751, 1915, 1985, 1996, 2255, 2329, 2348, 2366, 2391, 2452, 2464, 2470, 2528, 2552, 2558, 2607, 2707, 2907, 3007, 3115, 3142, 3161, 3223, 3302, 3441, 3916
language, 1358, 1751, 2452, 3007
functional
programs, 802, 1402, 1506, 2129, 2255
segments, 1598
semantics, 544
single assignment language, 896
specifications, 326
symbols, 412
term, 258
testing, 1598
translation, 386, 1114
t-fst, 1853
values, 416
functionally dependent, 899
functionally equivalent, 12, 122, 2753, 3871
programs, 122
functionless logic programs, 1987
functor, 847, 1674, 1856
fundamental
cycle set, 115
cycles of a graph, 115
operations, 2466
properties, 3047
theorem, 2842
Furedi, Griggs, and Kleitman, 2284
Furst et al., 2847
Furthest neighbor, 3985
furthest neighbor, 2517
furthest neighbors, 2517
fusion, 2363
closed, 2363
closure, 2363
theorem, 3003
Fúster-Sabater, A., 3894
future behavior, 3362
fuzzy clustering, 2968
algorithm, 2968

fuzzy
data, 3999
grammars, 78
logic, 4096
membership, 2968
operators, 2647
Petri net, 2229
relational databases, 3999
fuzzy set, 2647
model, 2647
FX distribution method, 2184
f-canonical form for, 12
F-channel, 1911
F-factor, 444, 646
of a graph, 444
F-factors of graphs, 444
F-free, 3229
F-heaps, 1778
F-magma, 794
f-matching, 3236, 3665
f-normal form, 12
f-star subgraph, 245
f-subgraph, 245

G

G2I, 478
Gabarró, Joaquim, 3817
Gabow, 492
Gabow and Tarjan, 902, 1052
Gabow, Harold N., 4081
GAC, 3672, 3859
Gaifman et al., 1843
Gaines, J.G., 3556
Gál, Anna, 3496
Galbiati, Maffioli, and Morzenti, 3422
Gale, 1955
Gale and Shapely algorithm, 1143
Gale Shapley
algorithm, 1955
stable marriage algorithm, 1727
Galil, 542, 2503
Galil and Melhorn, 542
Galil and Seiferas, 1232, 1371
Gallager-Tsybakov-Mikhailov, 1276
Gallai, 1787
Gallai-Edmonds structure theorem, 2307
gallery watchman problem, 1267
in grids, 1267
gallery watchmen in grids, 1267
Gallier and Raatz, 1628
Gallo and Scutellà, 2521
Gallo, Grigoriadis, and Tarjan, 1727
Galois
adjoint, 3004
concept lattice, 3982
connected, 3782
connection, 3003, 3782
Galois field, 19
module, 252
Galperin and Wigderson, 3366
Galton-Watson process, 4003
gambling, 2059
Gambosi, Giorgio, 3457
game, 79, 364, 563, 612, 808, 1615, 2471, 3009, 3179, 3511
game of
cards, 3096
perfect information, 612
game on graphs, 3823
game playing, 295
task, 364
game
specific knowledge, 364
theory, 2039, 3224
game tree, 79, 892, 2688, 2974, 3179
search, 2688
gamma function, 347
γth residuosity, 3871
Ganapathi, 779
Ganter and Kuznetsov, 3982
Ganzinger, H., 2905, 2924, 3025, 3140, 3331, 3332, 3351, 3353, 3359, 3360, 3381, 3396, 3453, 3512, 3517, 3521, 3618, 3622, 3632, 3633, 3648, 3689, 3695, 3697, 3715, 3748, 3753, 3760, 3770, 3788, 3793, 3827, 3828, 3901, 3902, 4022, 4087, 4112
GAP, 1251, 1935, *see also* graph accessibility problem
gap
costs, 3054
theorem, 1423, 3266
gap, complexity, 2426, 3196, 3674
GapP, 2434, 2870
GapP^{NP}, 2870
GapSpanP, 2870
garbage, 103, 962
cells, 1257, 2607
collecting a heap, 244
garbage collection, 72, 103, 114, 117, 152, 244, 264, 312, 384, 468, 671, 845, 962, 1257, 1349, 1361, 1436, 1519, 1704, 1915, 2528, 2607, 3142, 3163, 4146
algorithm, 114, 1436, 1915, 2528
cost, 103
model, 117
garbage
collector, 117, 152, 312, 384, 803, 962, 1257, 1704, 3163
compaction algorithm, 468, 912
García, Alfredo, 3389, 3807

García-Villalba, L.J., 3894
Garey, 184, 856
Garey and Johnson, 429, 492, 612, 2039
Garey, Graham, and Johnson, 1014
Garey, Johnson, and Stockmeyer, 441
Garey, Johnson, and Tarjan, 441
Garg algorithm, 3667
Garg, Naveen, 3670
Garg, Vazirani, and Yannakakis, 2668
Garg, Vijay K., 3595
Garrido, Oscar, 3236, 3665
Gärtner, Bernd, 3811
gate, 31, 526, 605, 1152, 2225, 2238, 2620, 3032, 3189, 3226, 3394, 3768, 3847, 4114
  matrix layout, 2433
gauge theory, 1342
Gauss, 1258, 1740
  algorithm, 1740
  elimination method, 1740
Gaussian
  elimination, 136, 852, 1240, 1386, 3781
  transformations, 81
Gavril, 518, 630, 728, 3703
Gavril, Fănică, 3703
Gazit and Miller, 2575
GCD, 1917, 2163, 3443, 3780, 4015
gcd, 606, 2546
GCD
  algorithm, 3443
  of two polynomials, 2163
GCWA, 1962
GDE, 3100
GDH assumption, 3925
GDSAM, 2038
GE, 1386
  algorithm, 1386
Geffert, 2752
Gehrk, Johannes E., 3607
Geist, Robert, 3564
Gelenbe, 878
Gelenbe and Pujolle, 878
Gelfond and Lifschitz, 2269
Gelfond Lifschitz transformation, 2839
general
  closure of a graph, 1778
  linear group, 2365, 3902
  position, 2274, 2417, 2956, 3385
general program, 6
  concept, 6
  scheme, 978
general purpose, 2305
  deductions, 1480
  processors, 2009
  programming language, 544
  systems, 543
general
  recursion, 2867
  semaphores, 227
  solution, 3308, 3387
general sweep, 2690
  boundary, 2690
generalised
  Fukunaga-Koontz method, 267
  Mod classes, 3107
generalization of
  β-reduction, 3047
  Freivalds' algorithm, 2721
generalized
  binary queries, 1030
  closed world assumption, 1962
  complexity core, 2261
  correctness, 3583
  de Bruijn graphs, 2778
  deadlock predicate, 1286
  Delaunay triangulation, 1768
  Diffie-Hellman assumption, 3925
  dimension exchange, 3100
  division operator, 795
  dominators, 3013
  harmonic numbers, 223
  Hex, 3570
  hypercube, 3228
  inverse, 2357
  Kolmogorov complexity theory, 1341
  lattices, 197
  matching problem, 444, 646
  matrix inversion, 1502
  operations, 43
  pattern matching, 3824, 3938
  primitives of Patil, 254
  p-cycles, 3529
  ranking, 3217
  Riemann hypothesis, 408
  satisfiability problems, 3247
  searching problems, 3638
  sequential machine, 396
  solution, 81
  star graph, 2414, 3209
  Steiner problem, 3114
  syntax directed translation, 348
  twisted cube, 2651, 3111, 3112
  vertex rankings of trees, 3217
  Voronoi diagram, 1827
  word problem, 2303
generate and test, 1557
generated, 68, 126
generating
  2-3 trees, 2762
  ability, 160

generating an
exponentially distributed variate, 1574
infinite object by rules, 55
generating
balanced parenthesis strings, 684
binary tree sequences, 2233
capacity, 160, 161
combinations, 1876
combinatorial objects, 2762
generating function, 116, 173, 223, 674, 1797, 2598, 2891, 3078, 3271, 3550, 4116
for entropy, 173
generating
languages, 3884
large random expressions, 2519
normal random variables, 211
permutations, 1997, 2360
polynomial orderings, 2771
generating random
binary trees, 2319
numbers, 2856
generating
set, 307, 1083, 1119
sorts, 4144
system, 1950
test sequences, 2279
trees, 2866
t-ary trees, 1551
generation, 565, 684, 1049, 1339, 2045, 2049, 2435, 2538, 2553, 2640, 2646, 2675, 2749, 2772, 2861, 2881, 2883, 2965, 3512, 3569, 3645, 3669
algorithm, 768, 1551, 2233
in lexicographic order, 3822
method, 2883
generation of
chemical structures, 451
compilers, 544
k-ary trees, 768
memory addresses, 2045
permutations, 156, 970, 3877
generation of random graphs, 2478
permutations, 1606
generative capacity, 330, 1301, 3162
of pure grammars, 1301
generative device, 1788
generative power, 78, 778
of direction independent grammars, 1244
generator, 259, 680, 1020, 1557, 2093, 2130, 2303, 3923, 4063
algorithm, 1981
polynomial, 2888
generators of
Alg, 680
an automorphism group, 421
CFL, 900
generic, 2803, 3523, 3880, 3896, 4057
functions, 2803, 3647
operator, 1461
oracle hypothesis, 2560
problem, 1808
query, 3392
sets, 2560
state space problem, 2314
tools, 2390
genetic algorithm, 2634, 2640, 3176, 3212, 3297, 3679
genetic order, 312
preserving, 312
genetic programming, 3749
genome analysis, 3412
Gens, George, 3795
Gent, Ian P., 3689
Gentzen system, 1427, 1486
genus, 3491
embeddings, 3491
geodetically connected, 3661
geographic
nearest neighbor, 1923
neighborhood graph, 2011
geographically distributed systems, 2168
geography, 1210
geology, 1906
geometric, 522, 613, 774, 1163, 1414, 1594, 1864, 1957, 3385, 3479, 4033
algorithms, 672, 1146, 1380, 1789
applications, 2359
avoidance, 1044
configurations, 533
decision problems, 1355
distance, 1738
duality, 1163, 3810
embedding, 4095
graph, 2922, 3385
hashing functions, 522
inequalities, 442, 3731
interpretation, 801, 1210, 2674
intersection problems, 2071
intersections, 774
geometric location
models, 1002
problem, 1620, 2260, 2784
geometric
median problems, 2533
minimum weight matching, 4092
model of parallel programs, 632
modeling, 2043
object, 748, 774, 4056
optimization, 2248, 3731
packing problems, 3683
probe, 1612

geometric problem, 856, 1195, 2043, 2083
of zigzags, 3494
geometric
properties, 2043, 2570, 3561
search problem, 1146
searching, 2119, 2332
spanning trees, 3385
transformation, 953
transformations of the plane, 953
transforms, 774, 1146
two-server algorithms, 3038
geometrical, 893, 1562, 1741, 2570, 3494, 4036
geometrical complexity, 204, 327, 336, 552, 737
theory, 552
geometrical
data, 1149
interpretation, 1131
object, 748
representation, 3794
geometrically, 1163, 3602, 4110
geometry, 328, 442, 1339, 1373, 2043, 2696, 3191
of similarity search, 4028
Georges, J., 345
Gergatsoulis, Manolis, 3498
Gergov, Jordan, 2918
Germain, Christian, 3431
German, 61
Gershgorin theorem, 841
Geschke method of global program optimization, 293
Geschke, Ch.M., 293
GF(2), 252, 2130, 2568, 3768
GF(2^m), 2888
GF(p), 606, 1703
GF(p^n), 758
GF(q), 3152
GFBCAST, 2710
Ghose, S., 1841
Ghosh, 187, 271, 633, 1030, 2075
Ghosh and Abraham, 1045
Ghosh, Sukumar, 3378
ghost variable, 3831
Giakoumakis, Vassilis, 3391
Giancarlo, 3474
Gibbs sampling, 2916
Gihyun, Jung, 3804
Gilbert, E.N., 3609
Gilbert, Henri, 3835
Gill, 767, 1066
Ginsburg and Greibach, 1130
Giordani, S., 3470
Girard, 3916
J operator, 3916
Girard-Reynolds polymorphic λ-calculus, 3916
girth, 1559
Gissi, Paolo, 3241
Glück, Robert, 3512
Glaister, Ian, 3343
Glaser, H., 3749
global
avalanche characteristic, 3672, 3859
checkpoints, 2849
clocks, 1191
combinatorial optimization, 1696
communication, 953
consistency constraints, 3493
constraint satisfaction, 3709
constraints, 2147, 3583
control, 1346
convergence, 2285
deadline, 185
deadlock states, 1150
dependencies, 1989
dependency relation, 3360
global flush broadcast, 3329
primitives, 2710
global
invariant, 3895
invariants, 3583
knowledge, 1566
global memory, 1007, 2409
optimization, 1736
global
minimum, 416, 2021, 2062
nondeterminism, 1933
optimization, 46
optimizing transformations, 88
optimum, 46, 1548
predicates, 3595
progress, 2814
property, 4069
quiescence detection, 1716
representation, 754
global restrictions, 730, 869
on a D0L language, 730
global serializability, 2917
global snapshot, 1911, 2158, 2547, 3779
problems, 3779
global state, 1862, 2113, 2351, 2807, 2864
analysis, 1150
global
synchronization, 2567
termination, 1191, 3201
time, 1125
transactions, 2147, 3349
variables, 190, 237
global virtual time, 2814, 3060
algorithms, 3060

globally, 1343, 2038, 2550
deterministic synchronized alternating machine, 2038
finite term rewriting systems, 1096
optimal partition, 2837
reachable, 3921
Glover, 3200
gluing, 983
of graphs, 983
Glushkov, V.M., 370, 898
Glushkov, Victor M., 811
Glushkov, Victor Mikhaylovich, 811
GNF, 438
Go, 3511
goal
clauses, 2202
node, 3156
Göbel, Manfred, 3902
Gödel numbering, 122, 549, 670
Gödelization, 4101
in the lambda calculus, 4101
Goemans-Williamson clustering method, 3667
Gold, 2231
Goldberg, 1552, 2194
Goldberg and Spencer, 2427
Goldberg and Tarjan, 2002, 3896
Goldberg, Plotkin, and Vaidya, 1799
maximal node disjoint paths algorithm, 1799
golden ratio, 2671, 3193, 3484
Goldmann, Mikael, 3594, 4032
Goldreich and Krawczyk, 2388
Goldreich, Micali, and Wigderson, 1615
Goldreich, Oded, 3567, 3787, 3890
Goldwasser and Micali, 1932
Goldwasser and Sipser, 1407
Goldwasser, Micali, and Rackoff, 1407, 2388
Golić, J.Dj., 3606, 3881
Golomb, 138, 383
code, 383
Goltz, Ursula, 3360
Golumbic, 852
Golumbic and Goss, 852
Gonnet, 1356
Gonnet and Munro, 1274, 2103
Gonnet, G.H., 400
Gonzalez and Ja'Ja, 692
Gonzalez and Soh, 868
Gonzalez, Teofilo F., 3796
González, A., 3150
good
approximate solutions, 756, 2723
approximation, 391, 2813
coloring, 2902
colourings, 2902
k-coloring, 2902
strategy, 83
worst case bounds, 194
Goodman and Hedetniemi, 217
Goodrich, 2359
Goodrich, M.T., 3317, 3374, 3377, 3433, 3439, 3443, 3506, 3507, 3508, 3511, 3515, 3516, 3558, 3561, 3636, 3638, 3654
Gopalakrishnan, K., 3400, 3858
Gordon, Valery, 3828
Goss, 852
gossip, 4047
networks, 4047
gossiping, 1944, 2727, 3852, 4047
algorithm, 2727
by mail, 1944
problem, 2727
time, 2727
Gotlieb and Kumar, 917
GoTo
instruction, 931
problem, 1019
statement, 8, 29, 41, 931, 1019
Gouda, 2351
Gouda, Mohamed G., 2943
Govindan, Rajeev, 3809
Gower, 916
method, 916
GP, 753
gp, 2514
resolution, 2514
GQ_n, 3111
Grable, David A., 3433
Grabner, Peter J., 3662
Grabowsky, 726
graceful
degradation, 1668, 3975
numbering, 138, 291
permutation, 291, 352
gracefully
degrading t-tolerant implementation, 3975
numbered, 138
graded, 1450
gradient, 731
descent partition methods, 2837
Graeffe, 4074
root squaring, 4074
Graf, T., 3642
Graham, 319, 380, 515, 673, 1443, 2025, 3171
algorithm, 64, 319
Graham and Wang, 2786
Graham and Yao, 1389
Graham
bound, 2025

Graham (*cont.*)
convex hull algorithm, 1443
method, 64
grammar, 24, 26, 68, 78, 116, 161, 169, 218, 225, 232, 263, 284, 295, 302, 311, 330, 362, 394, 413, 438, 482, 582, 614, 644, 680, 683, 709, 720, 750, 779, 830, 847, 951, 955, 975, 989, 1078, 1105, 1229, 1311, 1312, 1331, 1360, 1500, 1526, 1711, 1722, 1775, 1987, 1988, 2061, 2141, 2228, 2318, 2375, 2512, 2522, 2585, 2675, 2717, 2772, 2862, 2880, 2883, 3054, 3162, 3519, 3848, 3865, 4029
coverings, 2883
family of a grammar form, 683
form, 297, 683
generating directed graphs, 1722
grammar in
Greibach normal form, 2541
operator form, 362
grammar
inference, 311
symbol, 1331, 1988, 2685
transformation, 1331, 2675
types, 161
with bounded width, 1987
grammar, two-level, 847
grammatical, 847
covering, 1078, 1088
covers, 438, 614
family, 297, 683
grammatical inference, 1604, 2061, 2512, 3502, 3943, 4029
methods, 3848
problem, 1604, 2061, 2375, 2512
grammatical
models, 197
protection systems, 1167
relations, 1078
similarity relations, 1088
systems with creates, 1167
unification, 847
Grant, 744
grant, 1062
levels, 621
Grant, P.W., 305
granting privileges, 1249
granularity, 3520
graph, 9, 14, 15, 20, 70, 79, 87, 88, 101, 115, 128, 136, 138, 163, 167, 170, 174, 181, 217, 220, 234, 239, 240, 245, 249, 252, 255, 299, 324, 349, 353, 367, 371, 374, 390, 421, 429, 441, 444, 459, 471, 478, 492, 505, 518, 534, 538, 542, 545, 554, 564, 567, 576, 579, 583, 599, 616, 627, 628, 636, 645, 660, 668, 672, 688, 689, 701, 704, 711, 736, 743, 745, 756, 759, 764, 765, 770, 772, 781, 808, 810, 813, 815, 816, 873, 883, 932, 942, 961, 966, 978, 983, 986, 988, 1001, 1007, 1127, 1133, 1185, 1197, 1201, 1221, 1223, 1231, 1260, 1309, 1315, 1332, 1338, 1354, 1395, 1398, 1400, 1430, 1434, 1444, 1495, 1514, 1516, 1518, 1519, 1522, 1528, 1536, 1537, 1549, 1559, 1561, 1568, 1573, 1580, 1590, 1600, 1619, 1624, 1640, 1651, 1652, 1660, 1672, 1700, 1722, 1723, 1725, 1738, 1743, 1745, 1747, 1757, 1778, 1783, 1787, 1803, 1815, 1825, 1835, 1837, 1845, 1859, 1860, 1879, 1886, 1890, 1891, 1904, 1912, 1915, 1926, 1927, 1935, 1939, 1944, 1947, 1961, 1976, 1994, 2003, 2010, 2019, 2026, 2034, 2041, 2052, 2055, 2058, 2092, 2108, 2118, 2126, 2160, 2161, 2172, 2196, 2208, 2209, 2241, 2243, 2248, 2251, 2258, 2275, 2284, 2291, 2295, 2306, 2307, 2308, 2336, 2339, 2343, 2349, 2352, 2361, 2379, 2385, 2395, 2401, 2417, 2418, 2421, 2423, 2427, 2433, 2445, 2448, 2449, 2484, 2489, 2492, 2493, 2500, 2518, 2528, 2534, 2540, 2546, 2548, 2553, 2569, 2571, 2579, 2581, 2597, 2608, 2618, 2623, 2630, 2635, 2652, 2653, 2667, 2668, 2679, 2687, 2692, 2698, 2705, 2723, 2743, 2746, 2759, 2761, 2779, 2780, 2789, 2806, 2808, 2809, 2813, 2815, 2821, 2822, 2841, 2857, 2863, 2870, 2879, 2885, 2887, 2889, 2895, 2902, 2908, 2922, 2940, 2956, 2975, 2984, 2992, 3018, 3048, 3062, 3073, 3083, 3090, 3094, 3097, 3109, 3116, 3121, 3129, 3156, 3178, 3183, 3192, 3200, 3203, 3217, 3228, 3257, 3262, 3268, 3275, 3283, 3296, 3304, 3311, 3330, 3331, 3338, 3340, 3341, 3345, 3347, 3348, 3379, 3385, 3386, 3391, 3411, 3422, 3426, 3427, 3436, 3442, 3450, 3455, 3457, 3458, 3460, 3463, 3467, 3477, 3490, 3491, 3503, 3516, 3530, 3537, 3542, 3543, 3546, 3549, 3560, 3562, 3584, 3604, 3621, 3637, 3644, 3650, 3661, 3666, 3667, 3674, 3675, 3676, 3680, 3688, 3697, 3703, 3721, 3731, 3737, 3758, 3761, 3765, 3783, 3794, 3801, 3809, 3836, 3854, 3870, 3883, 3890, 3900, 3928, 3945, 3946, 3955, 3959, 3967, 3978, 3985, 3992, 3995, 3997, 4007, 4020, 4030, 4048, 4051, 4052, 4054, 4057, 4071, 4077, 4081, 4086, 4108, 4116, 4128, 4129, 4136, 4142
2-isomorphism, 478
accessibility problem, 1251, 1935, *see also* GAP

graph (*cont.*)
algorithm, 174, 564, 645, 731, 764, 765, 777, 781, 809, 810, 816, 905, 929, 986, 1133, 1165, 1231, 1243, 1398, 1430, 1455, 1485, 1537, 1749, 1775, 1780, 2058, 2200, 2201, 2336, 2379, 2468, 2579, 2593, 2652, 2708, 2756, 2761, 2782, 2908, 2976, 3090, 3121, 3192, 3220, 3304, 3401, 3549, 3854, 3928, 3945, 4020, 4057, 4077, 4090, 4095, 4127
automorphism group, 3291
graph bisection, 2111, 2968
problem, 2968
graph
characterization, 1466
chordality, 1672
classes, 1961, 3458, 3476, 3574
closure problem, 3268
closures, 1778, 3268
clustering problem, 3458, 3890
graph coloring, 69, 1001, 1077, 1184, 1430, 1496, 1723, 2037, 2336, 2340, 2534, 2555, 2808, 2902, 3446, 3765, 3978
problem, 1001, 2815
graph colouring, 1890, 2284, 2444
graph connectivity, 2243
test, 1398
graph
covering, 2350, 4121
cycles, 961
decomposition, 764, 1580
diameter, 3463
distribution, 636
graph drawing, 1738, 2316, 2705, 3155, 3258, 3262, 3401, 3506, 3542, 3596, 3725, 3783, 3917, 4072, 4097
algorithms, 1738
graph
embedding, 772, 1393, 1641, 1764, 2176, 2354, 2475, 2603, 3155, 3367, 3491, 4013
entropy, 2350
generation, 123
graph grammar, 770, 983, 1244, 1886, 2228
production, 983
graph isomorphism, 181, 421, 478, 491, 1407, 1646, 1961, 2879, 3727, 3738, 3890, 4010
algorithms, 576
counting problem, 421
problem, 9, 478, 491, 607, 1407, 2499
graph
k-connectivity, 3482
labelings, 3493
labelling, 123
layout, 1252, 1476
matching, 2625, 4123
minor, 1945, 3476, 3814
model, 2041, 2188, 2295
modification problems, 3304
modifications, 1398
node, 534
nonisomorphism, 1615
graph of bounded
degree, 1554
genus, 1961
valence, 1961
graph of
iterated line digraphs, 3530
maximum degree, 2336
multiplication, 2349
graph partition, 2448, 3542, 4071
problem, 2377, 2448, 2597
graph partitioning, 1495, 2377, 2401
algorithms, 2579
problems, 1495
graph
printing algorithm, 324
problems, 421, 986, 1603, 2012, 2161, 2308, 2656, 2663, 3159
processing mechanisms, 983
property, 1007, 1549
reachability, 2012, 2616
recognition, 518, 2623
reduction, 1310
representation, 983, 2612, 3737, 3805
rewrite system, 1652
rewriting, 4022
sandwich problem, 3758
graph search, 3737
problem, 2275
graph
searching problem, 2306
structure, 701, 1738, 3100
terminology, 252, 668
graph theoretic, 485, 518, 668, 772, 1357, 1725, 1819, 2248, 3155, 3842
distance, 1738
models of systems, 15
problem, 668, 704, 772
techniques, 445
graph theoretical, 105, 3470
framework, 3786
problems, 421
graph theory, 20, 53, 163, 252, 353, 444, 564, 583, 628, 646, 759, 870, 887, 1007, 1357, 1362, 1374, 1395, 1412, 1455, 1485, 1575, 1725, 1745, 1815, 1926, 2037, 2108, 2126, 2429, 2492, 2518, 2534, 2581, 2668, 2687, 2743, 2821, 2969, 2977, 3045, 3082, 3116, 3178, 3214, 3228, 3503, 3536, 3592, 3620, 3650, 3858, 4142
graph transformation, 2150
algorithm, 2150
technique, 2150

graph traversal, 1519, 2108, 2291
  strategies, 2569
graph
  traverser, 2569
  vulnerability, 887
graphic images, 132
graphical, 2737
  data, 1497
  expression, 2325
  patchwork, 4048
  representation, 452, 538, 2519, 2653
graphically, 1062
  animated, 2047
graphics, 59, 132, 467, 522, 689, 884, 1755, 1937, 2076
  libraries, 1919
  package, 132
Grasselli and Montanari, 127
gravitational force field, 2338
Gray and Harrison, 474
Gray code, 247, 259, 577 998, 1228, 2065, 3822, 3844, 3915
  generation algorithm, 3915
  mapping, 2148
  order, 1228
  ordering, 1228
  sorting, 1228
gray scale graphics, 59
Gray, James W., 3532
greatest bisimulation, 1687
greatest common divisor, 1917, 2163, 2546, 3443, 4015
  problem, 1917
greatest
  lower bound, 53
  ω-generator, 3387
  square free divisor, 2240
Greco, G., 3786
greedy, 469, 788, 886, 1431, 1879, 3167, 3265, 3361, 3455
  algorithm, 873, 1038, 1193, 2241, 2278, 2404, 2442, 2450, 2518, 2524, 2529, 2534, 2735, 2755, 2920, 2922, 3167, 3636, 3919, 4136
greedy algorithm for
  partial cover, 3636
  vertex cover, 873
greedy
  approach, 2054
  binary search trees, 706
greedy coloring, 3450, 3978
  algorithm, 3919
greedy
  heuristic, 2054, 2087, 2241, 2755
  load balancing, 2955
  method, 1925, 2484
  policy, 3265
  procedure, 2404
  spanning tree heuristic, 3244
  trees, 788
greedy triangulation, 469, 1193, 1431, 1768, 3244, 4097
  algorithm, 1768
Green, 3594
Green, Homer, and Pruim, 3962
Greenberg, A.G., 3609
Greenwood, Garrison W., 3166
Gregory, 1010
Greibach, 1988
Greibach and Hopcroft, 13
Greibach
  class of languages, 951
  conjecture, 900
Greibach normal form, 438, 474, 614, 1744, 2541
  grammars, 474
Greibach, Shi, and Simonson, 4029
grey levels images, 4135
grid, 2476, 3141, 3566, 4110
grid based
  quorum generation scheme, 4110
  quorums, 3602
  wiring, 2508
grid
  cells, 3904
  drawing, 3561
  embedding, 1764, 3427
  file, 2080
  graph, 1127, 1640
  layout, 4012
  like network of corridors, 1267
  line segments, 2508
  of minimum area, 4012
  protocol, 2310
grid selector
  composition, 1056
  functions, 1056
grid
  selectors, 1056
  spacing, 172
Gries, 186, 962
Gries and Levin, 1429
Gries, D., 2520, 2969, 2970, 2974, 3046, 3061, 3096, 3120, 3125, 3225, 3310, 3316, 3321, 3329, 3330, 3337, 3338, 3347, 3356, 3363, 3369, 3382, 3405, 3407, 3411, 3413, 3419, 3424, 3425, 3426, 3440, 3441, 3442, 3447, 3448, 3452, 3471, 3485, 3540, 3545, 3550, 3551, 3552, 3585, 3589, 3596, 3603, 3605, 3629, 3641, 3642, 3645, 3662, 3707, 3713, 3721, 3750, 3754, 3755, 3756, 3758, 3771, 3776, 3777, 3778, 3782, 3783, 3791, 3800, 3831, 3833, 3858, 3861, 3888, 3889, 3898, 3958

Gries, David, 1458, 1523, 3616, 3631
Gröbner basis, 2927
Grolmusz, Vince, 3768
Groselj, Chen, and Wu, 3779
ground, 719, 2813
  field, 2328
  instance, 3976
  literal, 1330
ground local, 2649
  semantics, 2649
ground
  reducibility, 3015
  rules, 31
  set, 4043
  state problem, 3830
ground term, 1101, 2068, 2648, 3760, 3976, 4061
  rewriting, 4061
groundness analysis, 4111
group, 30, 259, 390, 734, 1083, 1129, 1166, 1688, 1763, 2890, 3610, 3655, 3716, 3956, 4042
  free monoids, 1763
  invariance theorem, 2062
  key, 643, 734, 760
group of
  action causes, 1512
  atoms, 9
  users, 654
group oriented
  cryptography, 2405, 3956
  secret sharing, 2405
group sharing, 643, 734, 760
group signature, 3871, 3956, 4042, 4137
  scheme, 3871, 4042, 4137
group
  sublotting, 3903
  technology, 3903
group testing, 3203, 3763, 3775
  problem, 3763, 3775
  with inhibitors, 3763
group theory, 337, 442, 1119
grouping, 1981
  symbol, 453
groupoid, 30
groups of polynomial diameter, 1083
growing, 152
growth, 93, 1950
  argument on the number of additive operations, 171
  function, 93, 1732, 1839, 1950
growth of
  filamentous organisms, 279
  logical clocks, 1346
growth type, 93
GRP, 2372
Grzegorczyk classes, 11
gsm maps, 242
GSMS algorithm, 2662
$GSMS^{neg}$ transformation, 2662
GTM, 1276
Gu, Qian-Ping, 3524, 3799
Guaiana, G., 3798
Guan, D.J., 3450, 3691, 3991
guarantee of correct execution in multiprocessing, 300
guaranteeing
  integrity, 300
  termination, 2033
guard, 31, 1111, 1487, 2273, 4127
  a star polygon, 2273
  chord, 4127
  diagonal, 4127
guarded, 629, 1333
guarded command, 604, 3770
  language, 629
guarded
  iterations, 973
  nondeterministic loops, 629
  procedure, 753
guarding
  a star polygon, 2273
  in a simple polygon, 4127
Guessarian, Schimpf, and Gallier, 2832
guessing, 3132, 3598
  attacks, 3132
guest graph, 772
Guibas and Liang, 1175
Guibas and Odlyzko, 1024
Guibas and Wyatt, 1056
  scheme, 1056
Guijarro, David, 3766
Guimarães, Katia, 3615
Guinand, Frédéric, 3319
Guochuan, Zhang, 3461
Gupta, 525
Gupta and Srinivasan, 3231
Gupta, Arobinda, 3378
Gupta, Dipankar, 3835
Gupta, G., 3816
Gupta, Lee, and Wong, 2762
Gupta, Prosenjit, 3638, 3857
Gurari and Ibarra, 1068
Gurari and Sudborough, 2548
Gurevich and Shelah, 1404
Gurevich, Yuri, 3757
Gurla, Himabindu, 2830
Guruswami, Venkatesan, 3842
Gusfield, Landau, and Schieber, 2919
Güting, 2119

Guyot et al., 2620
GVD method, 2853
GVT, 2814, 3060, 3362
  algorithms, 3060
GWPC(2), 2303
g-adic numbers, 1595
G-bolt free hookup graphs, 1961
g-gate, 1152
g-inverse, 1502
G-mixed graph, 4057
G-order, 312
G-ordered binary tree, 312
g-subgraph, 245
G-transformation, 293

H

H layout, 592
H system, 3352
H(n) stack bounded 2npda(k), 814
Ha, Jae-Cheol, 3719
Ha, Soonhoi, 3742
Haalman, E., 3563
Habermann, 86, 1050
  algorithm, 1050
Hack, 129, 357, 584, 1392
Hadamard, 4114
  transform, 498
Haddon and Waite, 152
Hadwiger, Debrunner, and Klee, 1863
Hagerup, 1766
Hagiwara, Hiroshi, 2928
Hahn, 264
Hainz, Reinhard, 3892
Hajós
  calculus, 3088
  constructions, 3088
Haken, 1925
Haken, Armin and Steve Cook, 3464
Hakimi, S. Louis, 3584
Halava, Vesa, 3494
Haldar and Subramanian, 1756
Hales and Hallgren Fourier sampling theorem, 4126
half balanced binary
  search trees, 920
  tree, 920, 2422
half
  integer solution, 1338
  integral optimal solution, 1338
  plane, 593, 3722
  tone images, 59
halfobject technique, 1171
halfplanar range
  query, 1304
  search, 1304
halfspace learning, 2915
Halin graph, 1522, 3771
Hall, 510
Halstead, 453
halting, 276
  problem, 95, 1687
  state, 752
halver, 3907
  network, 3907
halving method, 1471
ham sandwich, 2337
  cuts, 2146
  problem, 2146
Hambrusch, S.E., 3739, 3740, 3741, 3742, 3743, 3745, 3796, 3809, 3847, 3857, 4081, 4084, 4130
Hamilton
  cycle, 1362, 1404, 3414
  cycles in random graphs, 1404
  path, 704, 1058
Hamiltonian, 217, 252, 1404, 3675
  2-sep chordal graphs, 870, 1374, 1412, 1926, 2499, 2643, 2651, 2956, 3604, 3997, 4013
Hamiltonian circuit, 942, 1127, 1288, 1794, 1822, 2003, 2643, 2956, 3200, 3264, 3689, 3726
  Latin square, 3726
  problem, 770, 942, 1127, 1197, 1794, 1822, 1926
Hamiltonian completion number, 217, 3214
  of a tree, 217
Hamiltonian completion problem, 217
Hamiltonian connected, 3997
  graph, 3997
Hamiltonian curve, 3389
Hamiltonian cycle, 217, 441, 1224, 1412, 1522, 2010, 2507, 2651, 2903, 2966, 3112, 3257, 3436, 3604, 3675, 3731, 3736, 3837, 3926, 4013, 4142
  in a graph, 441
  problem, 441, 3668, 4142
Hamiltonian
  decomposable, 3481
  decomposition, 3481
  graph, 87, 1374, 1412, 2507, 2757, 2758, 4052
Hamiltonian path, 485, 743, 1822, 2003, 2608, 2643, 3214, 3365, 3463, 3688, 3855
  problem, 743, 1822, 1828, 2687
Hamiltonian
  ring structure, 1247
  subclass, 2010
Hammer, 216
Hammer and Nguyen, 216
Hamming
  balls, 3872
  distance, 1943, 4109

Hamming (*cont.*)
graphs, 3100, 3560
weight, 3969
handle, 26
handling
of application files, 1
parallel assignment instructions, 82
handprinted character recognition, 36
handshake, 1933, 3831
communication, 1298
fairness, 1933
register, 3831
Hangul, 1418
Hankel
forms, 2334
matrices, 2334
matrix, 2334
Hansen, 312
Hansen and Jaumard, 2716, 3079
Hanus, Michael, 3753
haploid binary fixed length genetic algorithm, 3212
happened before relation, 2849
Harary, 87, 163, 205, 441, 518, 668, 819, 1549, 3790
Harary and Nash-Williams, 252
Harary, Frank, 3790
Harbane, Rabah, 3529, 3530
hard
combinatorial optimization problems, 2330
core, 3323
number theoretic problems, 1973
problem, 252, 770, 1341, 2753, 4005
problems in language theory, 1973
hard real time, 3501
environment, 3501
hard set, 3438
of formulae, 257
hard to compute, 436, 1930, 3515
for all but finitely many inputs, 1707
infinitely often, 1707
hardcopy computer output, 59
Härder, 790
hardest, 740
context free language, 740
language, 740
optimization problems, 4117
hardness, 740, 1341, 1542, 3458, 3715, 3730
hardness of
approximation, 3842
one-way functions, 1542
hardware, 31
address translation, 708
and software verification, 4083
architectures, 1482
complexity, 4107
controlled links, 1617
equipment, 142
errors, 652
garbage collection, 312
implementation, 1954, 3639
lexical scanner, 1558
library, 1954
model, 1730
realization, 1558
redundancy, 543, 2407
support for recursive control, 1494
Harel, 1306, 1478, 2950
Harel, D., 502
Harel, David, 782
Harikumar, S., 3278
Harju, Tero, 3494
harmonic, 4100
algorithm, 4100
analysis, 3355, 3819, 3939
equation, 1207
numbers, 223
harmony theory, 4142
Harms, Janelle J., 3849
Harper, Robert, 3223
Harrison, 761, 1744
terminology, 640
Hartman algorithm, 2888
Hartmanis, 1887, 2954
Hartmanis and Stearns, 1707, 3782
Hartmanis and Yesha, 2645
Hartmanis et al., 2560
hash
address, 1112, 1142
addresses, 2127
addressing, 1736
area, 177
based, 1804
hash based join, 3151
algorithm, 1730
hash
based method, 2041
buckets, 1037
hash coding, 212, 265, 1142
method, 222
hash function, 194, 222, 244, 373, 531, 1037, 1274, 2080, 2127, 2478, 2921, 3132, 3587, 3614, 4096
hash join, 2737
algorithm, 1730
hash
methods, 1112
search, 1558
table, 244, 251, 503, 603, 717, 721, 1037, 1142, 1196, 1257, 1714, 1750, 2080, 2094, 2576, 3899

hashing, 137, 177, 212, 251, 265, 317, 373, 391, 401, 603, 708, 717, 721, 863, 1037, 1112, 1274, 1658, 1714, 1717, 1750, 2000, 2478, 2491, 2582, 2709, 2921, 4109
  algorithm, 251, 373, 1274
  functions, 522, 1529, 1658
  matrix, 373
  method, 212
  of an interval, 1717
  performance, 2127
  problem, 2811
  process, 251
  scheme, 1750, 2491
  sequence, 373
  technique, 194, 265, 757, 1714, 1717, 1958, 2582
Haskell, 2707
  overloading, 2937
Hasse diagram, 466, 2644
Hassin and Tamir, 2992
Hassin, Refael, 2941, 3555, 3774
Hastad, 1452
  main lemma, 1452
Håstad, 2995
  switching lemma, 3594
Håstad, Johan, 3787
Hasunuma, Toru, 3442
Hatcher and Quinn, 3201
  method, 3201
Hausdorff, 1991
  distance, 965, 1699, 2162, 2177, 3603
  metric, 1699
  set distance, 2177
  topology, 1991
Havas, George, 3388
Havel, Ivan, 3463
hazard, 3176
  free minimization, 2931
Hazari and Zedan, 1447
HB tree, 206, 926
hB tree, 2080
HCB_tree, 1663
HCLS, 3726
head
  crossing, 63
  evaluation, 1592
  motion seek times, 63
  movement, 1556, 2373
  normal form, 1592
  of line, 2840
  strictness, 2348
  to head jumps, 1039
healthiness conditions, 3356
heap, 174, 244, 317, 901, 1012, 1142, 1227, 1435, 1436, 1464, 1534, 1790, 1915, 2053, 2103, 2143, 2528, 2644, 2678, 2680, 2732, 2836, 2891, 3142, 3163, 3410, 3889, 4146
  construction algorithm, 2678, 2732
  creation algorithm, 2836
  operations, 3484
  order, 1227
heap ordered
  deque, 2967
  forest, 2891
  tree, 2891, *see also* HOT
heap shape property, 2678
heap sort, 784, 842, 901, 1356, 2053, 2247
  algorithm, 2053
Heaviside function, 2325
heavy interprocess communication demand, 2055
heavy load, 3609
  assumption, 2055
Hecht and Ullman, 545, 1745
Hedetniemi, 505
Hehner, 1402
Hehner and Horspool, 1010
height, 164
  balance distribution, 2254
height balanced
  binary tree, 365
  tree, 365, 427, 521, 926
height
  compressed B_tree, 1663
  function, 1930
  minimization algorithm, 2508
  of a node, 164
Held and Karp, 2016
Held-Karp
  1-trees, 2016
  TSP bound, 2016
Hell and Nešetřil, 2284
Heller, 1255, 2722
Heller, D.E., 844
Helleseth, Tor, 3706
Helly 2-acyclic family of subtrees, 3703
help bits, 2040
Hemaspaandra et al., 3705
Hemaspaandra, Edith, 3674
Hemaspaandra, L., 3705, 3708
Hemaspaandra, L.A., 3067, 3069, 3224, 3283, 3294, 3343, 3364, 3366, 3438, 3446, 3458, 3461, 3469, 3567, 3569, 3570, 3571, 3594, 3624, 3631, 3670, 3673, 3698, 3757, 3759, 3790, 3816, 3819, 3823, 3824, 3842, 3843, 3851, 3868, 3869, 3885, 3886, 3887, 3908, 4014, 4032, 4118
Hemenway, 990
  alternative mean, 990
hemisphere, 411
  problem, 411

Hénaux, Florian, 3783
Henderson, 307
Henderson and Levy, 750, 1360
Henderson and Zalcstein, 307
Hennie-Stearns construction, 90
Henno, 831
Hensel, 1010
  codes, 1010, 1595
  effective p-adic lifting, 1584
Henzinger, Monika, 3338
Herbrand
  base, 2269
  universe, 847
hereditary, 3129
  family, 4057
  property, 3304
Herlihy, 1808
Herman, Michael W., 3225
Hermite canonical form, 1726
Hermitian matrix, 529
Hermo, Montserrat, 3534
Hernández Barrera, Antonio, 3375
Hernández, H.J., 3150
Herrmann, Philippe, 3699
Hershberger and Suri, 2784
Hertrampf, Ulrich, 4118
Hesselink, Wim H., 3831
Hessian matrix, 1731
heterogeneous, 4098
  character, 1418
  input/output, 264
  multicast, 3597
  multimedia multicast, 3597
  objects, 763
  processors, 546
heterogenous multimedia, 3597
hetero-associative memories, 2021
Heuer, 98
Heuer, H., 98
heuristic
  algorithm, 194, 537, 631, 648, 868, 1090, 1201, 1812, 2197, 2723, 3592, 4083, 4098
  approach, 1204, 1243
  depth first iterative deepening algorithm, 2553
  estimates, 1690
  evaluation functions, 1690
heuristic for
  building search tries, 194
  choosing priorities, 3314
  database application, 718
  multiprocessor scheduling, 2025
heuristic
  guidance, 3005
  makespan, 2440
  method, 560, 1084, 1243, 2519, 2557
  programming, 1406
heuristic search, 239, 364, 1940, 2314, 2553, 3156
  algorithms, 1690
  strategy, 45, 2314
heuristic
  strategy, 3678
  techniques, 631
  value, 399
heuristical logical methods, 442
heuristically guided
  algorithms, 130
  search, 130
heuristics, 45, 194, 504, 527, 560, 631, 649, 687, 691, 959, 961, 991, 1014, 1024, 1090, 1142, 1184, 1197, 1243, 1431, 1453, 1492, 1514, 1690, 1743, 1749, 1784, 1819, 1848, 1890, 1940, 1952, 2041, 2087, 2254, 2372, 2392, 2618, 2705, 2723, 2789, 3005, 3018, 3094, 3171, 3244, 3280, 3341, 3461, 3664, 3912, 3928, 3972, 4040, 4122
Hevner, 1084
Hevner and Yao, 1084
Hex problem, 3570
hexagonal, 3141
  arrays, 1490, 2407
  cells, 3801
  grid, 3141
  systolic array, 2407, 2673
  three-layer channel routing, 3141
hexagonal unit network, 1195
  in the plane, 1195
Heyd, B., 3873
Hichart, 3734
hidden, 1992, 2546
hidden line elimination, 1992, 3417
  problem, 1992, 3417
hidden surface, 3722
  removal, 3722
hiding, 1934, 2294
hierachical level, 196
hierarchic
  clustering algorithms, 916
  structure, 975
hierarchical, 735, 2161, 2376, 2479, 3852
  address space, 556
  algebraic types, 620
  algorithm, 2161
  autorisation, 237
  bit vector compression, 790
hierarchical broadcast, 4047
  networks, 3852, 4047
hierarchical classification tree, 20
hierarchical clustering, 295, 929
  algorithm, 764
hierarchical
  complexities, 2161
  coroutines, 1138

hierarchical data
model, 1259
structure, 1421
hierarchical
decomposition, 929
gossip network, 4047
graph model, 2161
graphs, 2161
grid algorithm, 2310
image structures, 1421
interconnection networks, 2479
linear gossip network, 4047
hierarchical memory, 498, 3744, 3803
structures, 261
hierarchical
MLP method, 3342
model, 2161
nested relations, 2072
operating system, 44
organization, 333
quorum, 2823
hierarchical quorum consensus, 2310, 2823
algorithm, 2823
hierarchical
relations, 3848
structure, 621, 735, 2414
hierarchical systems, 735
of equations, 3381
hierarchical versions, 2161
hierarchically, 33
organized, 333
structured, 118, 643
hierarchy, 11, 228, 261, 333, 348, 551, 593, 621, 767, 862, 916, 967, 1033, 1283, 1390, 1433, 1575, 1672, 1688, 1707, 1735, 1866, 2072, 2206, 2252, 2479, 2521, 2760, 3162, 3259, 3677, 3705, 3743, 3911, 4004, 4046
$*$-hierarchy, 2027
$\circledast$-hierarchy, 2027
hierarchy of
array languages, 210, 551
asynchronous components, 735
complexity classes, 1657
components, 735
fairness postulates, 1018
language families, 1130
languages, 3865
memories, 906
nested relations, 2072
primitives, 1808
program schemes, 3990
programmed context free languages, 161
two-dimensional array languages, 862
vertex partitions, 764
hierarchy
result, 1130
theorems, 2760
high bandwidth architectures, 4078
high degree of
overlap, 654
parallelism, 1126, 1632
high
density graphs, 668
dimensional structures, 4028
high level
decomposition, 1126
description, 773
descriptions of programs, 773
high level language, 321, 1028, 1200, 1418, 1494, 1956, 3776
program, 1169, 1418
high level
microprogramming languages, 106
nets, 2320
nonprocedural query languages, 1063
programming language, 501, 1012, 1440, 2733
system programming language, 189
high
occurrence of long edges, 1252
order distribution, 3504
high performance, 2407, 2745, 3741, 4089
computing, 2710, 3127, 4132
parallel linear algebra, 4132
high
priority token holding time, 3501
probability, 1924, 2286, 2388, 2463, 2566, 2792, 2922, 3270, 3274, 3585, 3777, 3803, 4034
reliability, 2197
resolution images, 3342
security systems, 543
HIGH sets, 3182
high speed large capacity switches, 2724
Higham, Lisa, 3328, 3900
higher
dimensional spaces, 422
dimensions, 281, 517, 569, 748, 2922, 3483, 3888, 4123
language, 28
higher level, 43, 1742, 3921
class, 1575
languages, 135
of abstraction, 4039
specification, 2210
synchronising, 1176
higher moments, 796, 1222
higher order
derivatives, 334
differentiation, 334
functional languages, 3142
functions, 1579, 1751, 2707

higher order (*cont.*)
of parallelism, 1807
relations, 216
higher
programming languages, 29
recursion theory, 1283
types, 2867
highest
inefficiency, 539
level selection rule, 3896
ranking letters, 33
highly
irregular, 3817
parallel, 566
reliable node processors, 2197
unpredictable pseudorandom sequences, 2505
highway, 2710, 3329
Higman, 2068
Hilbert, 1521
curve, 3497
k-d trees, 1521
space, 4099
style, 3006
tenth problem, 1802, 3827
hill climbing, 2432
methods, 2062
strategy, 2432
hinge, 2368
free graph, 3661
vertex, 3348, 3661
vertices, 3348, 3661
Hirata, Kouichi, 3632, 3730
Hirata, Tomio, 3298
Hirose, Shouichi, 3522
Hirschberg, 1766, 2916
algorithm, 2916
histogram, 211, 2313, 3151
equalization, 3151
history, 258
of a computation, 258
sensitive string, 1418
variables, 2210
Hitotumatu and Noshita, 970
hitting time, 3900
HLisp, 251
HNR, 2072
Ho, Chin-Wen, 3661, 3870
Ho, Jan-Ming, 3562
Ho, Kim Myoung, 3462, 3690
Ho, Leung and Wei, 3066
Ho, Ting-Yem, 3348
Hoare, 80, 117, 134, 196, 227, 235, 404, 508, 735, 858, 928, 1399, 1402, 1492, 1971
Hoare and Jifeng He, 1399
Hoare and Wirth, 191
Hoare axiom system, 2057
Hoare communicating sequential
processes, 928, 1971, 2317
programs, 1298
Hoare
CSP, 928
find algorithm, 3185
interpretation algorithm, 235
logic, 846, 1019, 1372, 1492, 2297, 3424, 3778
minimization, 117
model, 508
standard rules, 846
system, 1478
triples, 1019, 1909
Hoare, C.A.R., 42, 80, 191
Hoare-lieemantics, 629
Hochbaum, 873
Hochbaum and Shmoys, 1760
HOF, 2891
Höffgen, Klaus-Uwe, 2905
Hoffman, Mehlhorn, Rosenstiehl, and Tarjan, 1984
Hofmeister, Thomas, 3311
Hofri, 3265
conjecture, 3265
greedy policy, 3265
Hofstadter G-sequence, 3484
hole, 884, 1267, 2239, 3229
Hollander, 1169
Holsztyński, Włodzimierz, 3363
Holt, 67
Holt, R.C., 568
Holzer, M., 3865
hom
contracting, 1856
contractiveness, 1674
home
address, 177
vertex, 731
homeomorphic, 1528, 2058, 2161
embedding, 2771
homeomorphism, 2828
homogeneous, 2482
and heterogeneous processors, 546
difference equations, 598
linear Diophantine equations, 341
planar Poisson point process, 1400
polynomial, 591
processor, 546, 1453
program, 591
recurrence relation, 2292
routing algorithms, 2482
homogeneous set, 3758
sandwich problem, 3758
homogeneous
system of processors, 2133
tree data structure, 1126

homomorphic, 834
  image, 162, 945
  images of transition graphs, 162
homomorphism, 94, 313, 386, 399, 474, 483, 766, 794, 982, 1076, 1078, 1114, 1585, 1642, 1753, 2219, 2284, 2292, 2452, 2854, 2867, 3418, 3430
homomorphism equivalence, 386, 1088
  problem, 1114
homomorphism
  on a free monoid, 572
  property, 2854
  theorem, 834
  tree transducers, 2736
homomorphisms of transition graphs, 162
homophonic DES, 3751
honest, 2595, 3821, 3871
  function, 1891
  iteration schemes, 2595
honesty, 2595
honeycomb, 4013
  tori, 4013
  torus, 4013
Honeyman, 771
Hong and Rosenberg, 2548
Hong, Shen, 3350, 3425
Hood and Melville, 958
Hoogerwoord, 2255
hook in a data structure, 1751
Hooper, 2081
hop
  connections, 3780
  size, 3780
Hopcroft, 3233
  algorithm, 3233
Hopcroft and Karp, 567, 810
  algorithm, 510
Hopcroft and Tarjan, 518
  planar recognition algorithm, 518
Hopcroft and Ullman, 1753
Hopcroft and Wong, 1961
Hopcroft data structure, 3233
Hopcroft, Paul, and Valiant, 182
Hopcroft-Tarjan, 518
Hopfield, 3591
  neural network, 3591
horizontal
  array of automata, 71
  bounds on propagation, 1249
  decomposition, 941
  microprograms, 1090
  segments, 1052, 2508
  tracks, 2054, 3141
  wire segments, 2054
Horn, 1010, 2202, 2572
  clause, 1187, 1330, 1664, 2521
Horn clause logic, 1289, 1543
  programming, 847
Horn
  clauses with equality, 2202
  completion, 2202
  component, 2495
  expressions, 4055
  formula, 411, 1459, 1628, 2056, 2495, 2572, 2716, 3063, 3829
  function, 2495
  logic programs, 1962
  problem, 2392
  programs, 1962
  renaming, 3079
  SAT, 1664
  satisfiability, 2716
  sentence, 1017, 1322, 2753
  set, 1187, 1733, 3079
Horner
  rule, 1429
  scheme, 1429
Horng, Gwoboa, 3659
Hornlog, 1628
Horowitz, 51
Horowitz and Sahni, 947, 1216
Horowitz, E., 51
Horton algorithm, 3048
Horton-Strahler number, 2951, 3180, 3863
host, 328, 749, 772, 1668, 2748, 2885, 3566
  array, 989
  computer, 1445
  graph, 772, 2548
  multiprocessor architecture, 1954
  satellite system, 2748
hostile environment, 45
HOT, 2891, *see also* heap ordered tree
hot
  potato principle, 1047
  spots, 3137
Hough transform, 1895
Howard, Paul G., 3342
Howden, 355
Hower, Walter, 3133, 3709, 3762
HP algorithm, 2003
HPF language, 3741
HQC, 2823
Hromkovič, 2038
Hsieh, Tsu-Miin, 3751
Hsieh, Yung-Cheng, 3751
Hsu, 1757
Hsu and Huang selfstabilizing algorithm, 2802
Hsu et al., 2150, 2741
Hsu, F.R., 3490

Hsu, Jenq-Muh, 3103
Hsu, Lih-Hsing, 3467, 3675, 3736
Hsu, W.-L., 2003
Hsu-Du algorithm, 1428
HU, 545
Hu and Hwang, 2909
Hu bound, 185
Hu, Chi-Ming, 3906
Hu, T.C., 3776
Huang, 1813, 2799
  algorithm, 2799
Huang, Chung-Ming, 3103
Huang, Shing-Tsaan, 3336, 3701
Huang, Shou-Hsuan S., 3566
Huei Lu, Erl, 3838
Huet, 3157
Huet and Lévy, 1101, 2676
Huet and Oppen, 2771
Huet-Lévy theory of neededness, 3753
Huffman, 382, 1009
  algorithm, 1009, 1497, 1574
  code, 1009, 1497, 2586, 3454, 3639, 3876
  coding, 382, 2121, 3342, 3806
  decoders, 3639, 3806
Huffman decoding, 3454, 3806
  algorithm, 3454, 3639, 3876
Huffman
  encoding, 2747
  tree, 2586, 2886, 3454, 3876
Hui and Martel, 3315
Hui, Lucas Chi Kwong, 3315
Huits, 432
hull, 328, 499
  algorithm, 328
Hull characterization of finitely specifiable ID families, 1279
hull
  edge, 1328
  finding, 328
  tree, 1488
human
  behavior, 45
  experts, 3363
  factors, 3004
  knowledge, 2046
  long term memory, 45
  lung, 3863
Hume and Sunday, 2855
Hung, Chun-Nan, 3675
hungry philosopher, 345
Hunt, 516
Hunt and Szymanski, 1261
Hunt method, 516
Hunt, Galen C., 3410
Hunt-Szymanski
  algorithm, 1569
  strategy, 1261
Huq Azad Khan, Mozammel, 3528
Hur and Chon, 2180
Hussein Abdel-Wahab, 3607
Hutchinson
  distance, 2276, 2374
  metric, 2276
Hüttel, H. and C. Stirling, 2403
hv-convex polyominoes, 3904
Hwang, Kyu Choi, 3151
Hwang, Shin-Jia, 3548
Hwang, Tzonelih, 3681, 3871
hybrid
  algorithm, 905, 3115
  data models, 1259
  hash algorithm, 1730
  join, 1804
  of quicksort, 784
  reference counting algorithm, 1257
  sorting algorithm, 570
hybridsort, 570, 1801
  algorithm, 1801
hypercomplex coefficients, 2460
hypercube, 1393, 1533, 1538, 1605, 1668, 1730, 1740, 1834, 1896, 1938, 1944, 1969, 1979, 2034, 2065, 2123, 2126, 2143, 2155, 2168, 2176, 2197, 2218, 2220, 2312, 2315, 2359, 2381, 2390, 2410, 2475, 2580, 2583, 2599, 2603, 2642, 2651, 2699, 2746, 2783, 2810, 2861, 2875, 2884, 2914, 2922, 2989, 3007, 3026, 3051, 3077, 3111, 3112, 3296, 3361, 3367, 3463, 3560, 3604, 3671, 3717, 3752, 3812, 3837, 3872, 3914, 3939, 3967, 3971, 4011, 4023, 4054
  algorithms, 2599
  based multiprocessor systems, 3872
  communications, 2642
  computations, 2599
  computer, 2359
  dimension, 2197
  edges, 2603
  embedding, 1393
  mapping method, 2065
  multiprocessor, 1538, 1668, 2148
  network, 2155, 2580, 2592, 2783, 2810
  parallel task systems, 4023
  permutations, 3361
  routing, 1979
  structure, 3967
  system, 1605, 1668, 1969
  topology, 2126
  with dynamic faults, 3971

hypercube with faulty nodes and links, 3837
hypercubic architectures, 3007
hyperdisc, 2289
hyperedge, 2579, 3796
  of rank, 2565
hyperedge replacement, 2565
  grammars, 2565
hypergeometric series, 304
hypergraph, 1672, 2368, 2427, 2518, 2565, 2579, 3286, 3433
  acyclicity, 1672
  transformation technique, 2716
hypermesh, 2123
hyperplane, 1002, 1057, 2912, 3011, 3989
  arrangements, 3989
hyperrectangle, 2289
hyperring, 3296
hypersphere, 1141, 1854, 3368
hyperspherical neighbourhoods, 3368
hypertext, 3423
hypothesis, 70, 3887, 3941
  P, 70
hypothetical
  databases, 897
  reasoning, 2077
hysterical B-trees, 687
h-ary tree, 2211
H-COL, 2284
h-colourable, 3697
  subgraph problem, 3697
H-colouring, 2284
  of a graph, 2284
  problem, 2284
H-heaps, 2680
H-matching, 2809
H-space, 2853
H-tree, 206, 1254
  layout, 1254
h-trees, 2211

I

i.i.d. random numbers, 3609
I/O, *see also* input output; IO
  and CPU optimal algorithm, 2569
I/O automation, 3372
  model, 3372
I/O
  automaton, 3372
  bandwidth, 1445
  behavior of functional programs with feedback, 1579
  commands, 1487
  complexity, 2108, 2291, 2569
  cost, 2489
  devices, 2628
  guard problem, 1420
  guards, 1487
  optimal recognition, 2569
  path, 1591
  ports, 592, 1454
  processing time, 1663
  repetitive command, 1487
  subsystems, 1591
  transfer time, 1663
Ianov scheme, 538
Ibaraki and Katoh, 1573
Ibaraki, Toshihide, 3792
Ibarra, 476
Ibarra, Jiang, and Ravikumar, 1836
Ibarra, Louis, 3487
Ibarra, Oscar H., 1523
IBM
  360/370 systems, 211
  370/168 computer, 431
  3380 J or K DASD, 1591
  RP3, 3137
  SP2, 3749
  SWARD, 708
  System/38, 708
IC, 2245
  card, 2712
  edges, 3604
  layout, 2245
Icking and Klein, 3862
ICL
  1907 computer system, 142
  2900 series, 1176
iconic indexing, 2242
ID based
  cryptosystems, 2496
  key distribution, 2496
  multisignature protocols, 3922
  system, 3922
ID family, 1279
IDA*, 2382, 2553
  search, 2553
IDA*_CR, 2382
IDA*_CRAM, 2382
IDA*_CRM, 2382
IDB, 2672
ideal, 2699
  fluid, 22
  information retrieval system, 2218
idempotent monoids, 1763
identical parallel machines, 2910, 3903
identifiable, 797, 3929
identification, 5, 64, 484
  in the limit, 2231, 3502, 3943, 4029
  numbers, 138

identification of
automata, 19
equivalent structures, 355
grammars, 2669
linear automata, 19
parallel micro-operations, 106
polygons, 467
recursive functions, 2497
reductions in parsing, 302, 362
sets of domains, 231
the CR property, 485
identification problem, 19, 669
identifier, 244, 343, 462, 480, 548, 1224, 1831, 2042, 2313, 3328, 3644
associations, 244
identifying, 2576, 2632, 2825, 2857, 3845
documents, 10
objects, 1612
queries, 10
identity, 265, 304, 1987, 2799, 3695, 3819, 4042
assignment, 133, 2799
function, 1585
orientation, 3790
permutation, 697
problem, 386
IDL, 1264, 1499, *see also* input driven language
Ido, Nobuhiko, 3953
IEH, 2491, 3604
graphs, 3604
IFS, 3628
IF-statement, 104
IF-THEN-ELSE-FI alternations, 258
Igarashi et al., 134
Igarashi, Yoshihide, 3526, 3883
Ikeda, K., 2191, 2461, 2928, 3103, 3109, 3133, 3146, 3151, 3297, 3298, 3309, 3320, 3323, 3324, 3327, 3348, 3349, 3357, 3408, 3434, 3435, 3456, 3462, 3466, 3504, 3637
Ikeda, Katsuo, 3522
Ilie, Lucian, 3494
ill conditioned problems, 3248
ILLIAC IV, 593
illumination of polygons, 3164
image, 2181, 3888
algorithm, 1699
analysis, 963, 3427
image data, 498
structures, 1208
image database, 2242, 3614
management, 1954
systems, 2242
image
encoding, 1421
encryption method, 3428
generation, 2749
pattern analysis, 1895
processing, 593, 672, 841, 1149, 1421, 1474, 2148, 2177, 2186, 2407, 2465, 2696, 2873, 3089, 3298, 3511, 3603
sequence, 2136
space, 1895
template matching, 2148
imaginary part, 2136
Imai, Hideki, 3840
Imase and Itoh, 2778
IMB HDAM, 818
immediate
error detection property, 457, 690
operand, 624
predecessors, 585
Immerman, 1866
logical characterization, 2303
Immerman-Szelepcsenyi theorem, 2206
immortality problem, 2081
immune, 1341, 2327, 3929
sets, 1255
immunity, 1255, 1341, 2327, 3206
properties, 1255
immutability, 1776
immutability of a
code, 1776
language, 1776
immutability of regular codes, 1776
impact region, 1535
imperative, 2907, 3115
co, 1092
languages, 1297, 3405
programming language, 1297, 2266
programs, 1306, 3478
set union problem, 1092
specifications, 3478
implementation, 17, 46, 105, 316, 368, 470, 1755, 3303, 3633
details, 986, 1299, 1383, 1956, 4006
language, 975
implementation of a
linked list, 157
programming language, 256
implementation of
ASE, 273
communication primitives, 1295
constants, 462
coroutines, 189
deques with heap order, 1227
dictionaries, 206
functional languages, 1494, 1652, 2707
implementation of Lisp, 103
like languages, 962
implementation of
multiple stacks, 157
mutual inclusion, 1263

implementation of (*cont.*)
P and V, 686
parallel assignments, 82
programming languages, 2707
Prolog in Lisp, 1299
string operations, 157
systems of processes, 470
implementation of the
DO statement, 1736
Knuth-Morris-Pratt algorithm, 737
implementation techniques, 213, 367, 2329
of HCB_trees, 1663
implemented data structure, 105
implementing
backtrack algorithms, 434
dictionaries, 206
indivisible operations, 698
LR(k) tables, 747
multiplication, 2139
process, 316
Prolog in Lisp, 1299
queues, 803
implication, 384, 795, 921, 934, 1330, 1459, 2046, 2776
implicational
dependency, 1279
paradox problem, 2046
paradoxes, 2046
implicit
conversions, 262
data structure, 1045, 1658
polynomial representation, 3471
predicate, 2249
Runge-Kutta method, 287
impossibility
proof, 2132
result, 1483, 2702, 3559
impossible path, 997
imprecise computation, 3804
impredictivity, 3916
Imrich, Wilfried, 3560
in degree, 2806, 2926, 3386
in place
algorithm, 638, 3918
random list permutations, 3954
in place sorting, 3918
method, 1356
in situ
distributive sort, 1300
evaluability property, 1506
evaluation order, 1506
inversion, 1314
merging, 1016
in the past query, 1327
inaccessible, 799
set, 1302
inaccuracy, 2438
Inagaki, Hiroshi, 3086
inapplicable value, 2249
inbreeding, 147
Incerpi and Sedgewick, 1594, 1957
incidence
matrices, 2395
matrix, 2395, 2815, 3658
relation, 1163
incident edges, 2243
inclusion, 94, 652, 712, 1067, 1263, 1643, 2420, 2424, 2655, 2659, 3999
and exclusion algorithm, 2687
between expressions, 3827, 4062
degree, 3999
dependency, 871, 3973, *see also* IND
diagram, 200
exclusion formula, 2371
inclusion of
D0L in MULTI-RESET, 712
relations, 1567
inclusion problem, 619
for deterministic multitape automata, 619
inclusion relations, 2776
inclusive, 1101
incomparability, 200
incomparable, 395, 571, 1643, 3502
processes, 1342
incomplete, 1157, 2015, 2877, 4011, 4049
case of E-unification, 1543
definition of evaluation order, 1383
hypercube, 4011
incomplete information, 486, 1021, 1237, 3199
in databases, 486
incompletely specified switching functions, 2931
incompleteness, 1157, 1169, 1639
phenomena, 122
incompressible infinite strings, 3767
inconsistency, 1962, 3363
algorithms, 3363
analysis, 3225
checking, 3937
propagation, 3937
inconsistent, 1867, 2132
choices, 1809
values, 744
incorrect
a priori information, 49
programs, 715
sorting program, 715
incorrectness, 2622
increasing
functions, 1929
subsequence, 3694
increment sequence, 1957

incremental, 2717, 3123, 3162
algorithm, 1179, 3123, 3191, 3340, 3457
constraint deletion, 3123
incremental convex
arrangement of plates, 2912
arrangements, 2912
hull algorithm, 1072
incremental
diagram, 1179
indexing, 2305
LL(1) parsing algorithm, 2717
maintenance, 3457
multipass evaluation, 1844
parser, 2717
pattern matching algorithm, 1558
query evaluation, 3523
reconstruction method, 2097
restructuring, 1658
incremental simple multipass
attribute evaluation, 1844
evaluator, 1844
incremental
string matching, 1179
view maintenance, 3523
incrementally extensible hypercubes, 3604
IND, 3973, *see also* inclusion dependency
indefinite
blocking, 568
fuzzy triples, 4096
logic program, 1962
object labeling, 4096
indegree, 128, 441, 1660, 3158
independence, 343, 1313, 2872
assumptions, 4103
independence number, 163, 1787
of triangle free graphs, 3311
independence
results, 1134, 1313
system, 1203
independent, 24
independent and
exponentially distributed random variables, 2629
identically distributed, 1784
independent
chords, 1530, 2331
coin tossings, 1905
dominating set, 1561, 2067, 2118
independent domination
number, 3125
problem, 2740
independent jobs, 519, 560, 868, 1605, 1969, 2312
with release times, 1938
independent
keys, 503
procedures, 46
independent random
events, 264
link failures, 2421
variables, 2872
vectors, 1136
independent
read only processes, 35
recovery, 2084
reference model, 260, 2114
independent set, 299, 583, 743, 1536, 1554, 1561, 1757, 2028, 2483, 2493, 3083, 3311, 3379
of vertices, 299
independent set problem, 2605, 3842
on a graph, 2493
independent sets, 1536, 2782, 2815, 3311, 3455
in trees, 1554
independent
sorting of sublists, 728
spanning trees, 2429, 3883
task, 185, 1406, 1453, 2362
vertices, 1395, 3379
independently accessible disks, 1597, 2557
indeterminate, 1164, 1644
indeterministic automaton, 275
index, 1063, 1658, 2080, 3058
component, 2080
construction, 925
file in dynamic hashing, 1574
management, 1460
index of, 786
a procedure, 5
cyclicity, 2546
positive programmed formal languages, 3058
index
register allocation, 1049
searching, 855
index sequential
access method, 203
file, 1238
index
structure, 2996
structures in databases, 687
terms, 10, 917
tree, 717, 1663
indexed, 218, 1718
combinators, 1343
extendible hashing, 2491
languages, 144, 200, 242
operand, 624
indexes, 790, 1063, 1140, 2041
on the joining attributes, 2041
indexing, 33, 708, 1179, 1658, 2497, 3601
conjunctions of linear constraints, 3601
information, 203

indexing (*cont.*)
procedure, 324
processes, 10
scheme, 1893
techniques, 687, 1861
indifference graphs, 3194, 3928
indirect
addressing, 1169
binary cube networks, 1466
lexical analyzer, 2198
indirection
graph, 1652
node, 1652
reduction, 1652
individual
associations, 1598
starvation, 42, 300, 404, 406, 1158, 1280
indivisibility of operations on local memories, 838
indivisible operations, 698, 838
INDPA, 740
induced, 376
P_4, 3537
path, 2239
subgraph, 87, 645, 1787, 1904, 2028, 2299, 2448, 3203, 3673, 4077
induction, 25, 178, 448, 954, 1381, 1411, 1788, 1820, 1995, 2231, 2615
hypothesis, 3974
method, 2015
on data structure, 954
process, 2231
inductive, 178
arguments, 463
assertions, 192
data types, 2452, 2867
hypothesis, 178
inference, 1381, 2231, 2497, 2669, 2984, 3075, 3293, 4115
learning, 3848
logic programming, 3632
proofs, 1995
types, 2867
inductively defined, 3092
inductively sequential, 3753
term rewriting systems, 3753
industrial environments, 560
inear processor algorithm, 1648
inefficient programs, 1
inelasticity of storage, 157
inequality, 442, 540, 848, 1686, 1905, 2560, 2813, 2993, 3551, 3936, 4005, 4030, 4044
queries, 2854
inequation, 2938
inevitability, 1425, 2458
in concurrent systems, 1425
inevitable, 1425
power dissipation, 2430
sets, 1425
inexact computations, 2438
inexpressible in PDL, 1091
inferable from positive samples, 4029
inference, 426, 984, 2731, 3363, 3679
algorithm, 2061, 3943
controls, 993
degree, 2669
inference from positive
and negative data, 2375
data, 2375
inference
problem, 2061, 2731
rule, 460, 528, 1021, 1289, 1962, 2060, 2514, 2672
system, 799
inferencing, 2514
inferring
linear single tree languages, 4029
uniquely terminating regular languages, 3502
infinitary
language, 1067, 1213
logics, 3407
normalizing strategies, 3793
infinitary rational
language, 1213
relation, 1213
infinitary
rules, 1785
tree languages, 982
infinite, 55, 493
background structure, 3392
behavior, 2281
behaviour, 1104
binary sequences, 3534
board, 364
capacity channels, 2055
class, 2677, 2705
complement, 1106
computation, 894, 1102, 3353, 3432
counter, 691
cube connected cycles, 867
cycle, 112
data structures, 1041, 1985
depth, 55
domain, 3521, 4056
duration calls, 3193
family of truth definitions, 1019
fields, 4074
infinite hierarchy, 1577, 2027, 3162, 3908
of language families, 1643
infinite
irreductible sequences, 337
labeled trees, 55

infinite (*cont.*)
length, 55
lists, 1995
Lyndon word, 2828
network, 867
number, 832, 1211, 2675
infinite number of
minimal models, 1555
requests, 1713
users, 1276
infinite
object, 55
orderedness, 2631
overtaking, 406
polynomial time hierarchy, 3908
infinite precision, 1010
integer arithmetic, 1010
multiplications, 199
rational arithmetic, 1010
real arithmetic, 613
infinite product, 267
infinite regular
language, 1686
set, 680
infinite
runs, 2033
sequences, 514, 2676
infinite sequences of
consecutive ε-moves, 539
symbols, 55
infinite
set, 257, 2860, 3521
sets of equations, 3521
Σ-trees, 982
infinite square free
coGFL, 1106
complement, 1106
sequence, 3072
infinite state
nondeterministic ω-automaton, 1798
process, 470, 3911
systems, 3911
infinite
strings, 2086
subset, 55
tapes, 188
trees, 55, 848, 1324, 2017
unions, 361
universally hard set, 257
infinite word, 655, 1104, 1189, 1213, 1325, 1423, 1644, 2093, 2501, 2828, 2860, 3092, 3093, 3197, 3387, 3395, 3538
language, 1325
infinitely, 1070, 3518
many square free words, 1211
infinitely often, 1018, 1576, 1707
bound, 1576
infinitely powerful
prover, 1615
verifier, 2827
infinitesimal scale, 3568
infinitistic methods, 3276
infinity, 128, 3128
∞-cube, 259
∞-enabled, 67
∞-fairness, 1018
∞-variety, 3197
infix
codes, 3538
traversal, 2246
information, 6, 31, 36, 3630, 3833
analysis, 10
based complexity, 1666
compression, 57
information content, 754, 1316, 1626, 2612, 3255, 3833
of redundant judgments, 3833
information
density, 3182
dependence, 1481
destination, 2405
digits, 325
dissemination, 2652, 2875, 3077
field, 278
flow, 31, 534, 792, 1098
hierarchy, 1565
measures, 1952
per unit cost, 1952
processing, 33, 278, 1149, 3019, 3568
rate, 3551, 3821, 3948
information retrieval, 14, 20, 61, 137, 177, 187, 194, 197, 217, 271, 324, 437, 447, 477, 485, 509, 633, 738, 917, 1581, 1861, 2139, 2218, 2242, 2249, 2647, 2811, 2996, 3011, 3029, 3101, 3122, 3255, 3310, 3435, 3639, 3858, 3958, 3996, 4033, 4089, 4096, 4098, 4119
system, 221, 633, 839, 2647
information
sciences, 163
scientist, 85
set, 370
source, 790
space, 1919
storage, 53, 2866
stream, 42, 676
streams sharing a finite buffer, 111, 676
system, 6, 256, 278, 286, 325, 437, 621, 738, 851, 1738, 1830, 2047
systems environments, 256
information theoretic, 180, 2612
arguments, 1252

information theoretic (*cont.*)
balance, 179
heuristic, 1952
lower bound, 315, 3775
measures, 2612
proof, 715
information
theoretical inequalities, 3551
theory, 53, 173, 382, 405, 637, 812, 1952, 2271, 2388, 2612, 2881, 2958, 3136, 3230, 3514, 3568, 4089
transfer, 610
Ingólfsdóttir, Anna, 3618
inherent complexity, 2572
inherently, 3832
inherently context sensitive, 2261
language, 2261
inherently
intractable, 523
linear, 1754
sequential, 1132, 1203, 1678, 2538, 3756
inheritance, 2066, 3750
conflicts, 3536
flow model, 3750
hierarchies, 3536
networks, 2649
process, 3536
relationships, 3750
inherited
attributes, 1311, 1318, 2326
dependencies, 941
planar embedding, 736
inhibitor, 3763
arcs, 590
inhomogeneity of the p-m-degrees, 1209
init, 640, 922
initial, 159
initial algebra
methods, 501
semantics, 775
specification, 775
initial
algebras, 2867
choice, 36
colouring, 1890
conditions, 49, 2321, 2606
configuration, 1029
failures, 1858
letter counts, 33
model, 3944
ordering, 1228
palindromes, 2503
production, 65
scan, 1300
segment, 1209, 1283, 2105
sigma algebras, 945
specification, 2255
star, 1722
state, 49, 178, 410, 579, 940, 1103, 1298, 1306, 1507, 1585, 1609, 1980, 2210, 2567, 2671, 2750, 3084
values, 2158
variables, 134
initialization
failures, 2567
of memory areas, 1683
initialized memory, 2530
initializing local search procedures, 2237
initiation times, 185
initiator, 1725, 3148
injective, 794
cellular automaton, 2430
injectivity, 794, 2631, 2736
inkdot, 2473, 2752
inlet, 2724
outlet permutations, 2724
inlining, 1817
inner cylinder boundaries, 63
inner product, 253, 786, 1502, 3248, 3594, 3768
step processor, 953
inner triangulation, 2010
of a simple polygon, 2841
innermost, 2676
inorder, 73, 96, 969, 1290, 2151
predecessor, 1290
preorder sequences, 969
spanning tree, 2580
successor, 1290
traversal, 424, 1290, 1623, 1913, 2151, 2393, 2394
Inoue et al., 2752
Inoue, K., 4002
INPDA, *see also* iterative nondeterministic pushdown automaton
input, 19, 67, 390
arcs, 67, 1964
arrays, 571
buffers, 1385
clause, 1299, 1809
data, 324, 557, 617, 1005, 1239, 1329, 2438, 2605
deduction, 1017, 1289
domain, 3246, 3509
driven language, 1264, 1499, *see also* IDL
elements, 346
graph, 1202, 2540, 2608, 2843, 2887, 2959, 2975, 3543, 3661, 3673, 3836, 3890
input head, 675, 814, 894, 909, 999, 1103, 2776
inversions, 2859
input
length of textual data, 1497
nodes, 745

input output, 3485, *see also* I/O; IO
behavior, 1313
measurements, 19
model, 19
modeling, 19
observations, 19
relation, 1329
relationship analysis, 1329
schedule, 977
specifications for programs, 787
input
parameters, 753
refutation, 1017
repetition, 1316
input sequence, 1903, 2234, 2236, 2322
of integers, 3890
input
size, 1316, 2564, 2805, 3730, 3965
specification, 178
string, 348, 1261, 2198, 2551, 3346, 3459
symbol, 973, 1308, 1499
tape, 663, 752, 2473
variables, 314, 719, 1598, 2865, 2985, 3165, 3206
vertices, 808
wire, 3559
word, 539, 740, 894, 909, 1291, 1952
input/output
behavior, 280
requests, 63
specifications, 178
inscribable graph, 1901
inscribed, 2075
insecure, 3659, 3956
environments, 1416
insecurity of set controls, 993
insensitive measure, 917
insert, 1790, 2080, 2639
insert/delete, 3369
operation, 3369
inserting, 925, 926, 1460, 1465, 2836, 2912
arcs, 13
new arcs, 13
insertion, 206, 264, 365, 427, 533, 655, 661, 679, 687, 859, 920, 958, 1290, 1569, 1573, 1658, 1974, 2023, 2094, 2263, 2267, 2573, 2816, 2836, 3301, 3315, 3410, 3447, 3457, 3557, 3817
insertion algorithm, 925, 1321
for B-trees, 925
insertion
algorithms, 365
and deletion time, 1387
cost, 1308
in a database, 523
merge sorting, 329
of edges, 1573
operation, 157, 958
order, 3158
requests, 264
safeness, 921
sort, 329, 431, 557, 559, 796, 842, 1222, 1300, 1465, 1594, 1957, 2096, 2471
insertion/deletion, 3410
inside outside algorithm, 3994
instability, 195, 641, 1902
transients, 1796
instance, 763, 836
independent query, 1849
of SAT, 1268
instantiation, 2613
instruction, 88
execution times, 2455
grammar, 1144
level parallelism, 3803
sequences, 609
set, 931, 3847
integer, 97, 291, 3128
approximation, 2280
arithmetic, 1917
integer division, 285, 393, 755, 936, 1353, 1931, 2280, 2419, 2526
with remainder, 2167
integer
element uniqueness problem, 2384
grid, 2280
input matrix, 1692
linear program, 1253
integer linear programming, 1049, 2448
problems, 2448
integer matrices, 1582, 3593
over a ring, 2575
integer matrix multiplication, 1603
problems, 1603
integer
multiplication, 2918
numbers, 657
operations, 1818
overflow, 1036
part, 1563
partitions, 3968
polynomials, 1353
preconditioning, 436
prefix summation, 3172
integer programming, 76, 1159, 2731, 4065
problem, 1159
integer
remainder, 1353
sequence, 768, 1151, 2233

integer (*cont.*)
solution equations, 984
sorting, 1414, 1525, 1766, 2036, 2322, 2409, 2699
valued coordinates, 2280
weights, 1338
integral, 140, 527, 1338, 2746, 3748, 4065
divisors, 1117
equation, 140, 195
flow property, 1783
flows, 1783
lattice, 3734
part of the real number, 2271
power, 1880
scale, 3938
solution, 1783, 2448, 2533
integrality
constraint, 1783
ratio, 4095
integrated, 2245, 3937
circuit testing, 3639
circuits, 3543
functional language, 1402
hardware/software design, 543
optimal strategies, 1735
integrating, 39
boundary problems, 39
functions, 1989
integration, 39, 586, 1817
formulas, 287
methods, 1207
of distributed databases, 996
integrity, 2147
aspects, 2147
constraints, 634, 787, 834, 996, 1459, 2523, 3973
of data, 325, 693
preserving, 2147
intel 486 processor, 3517
Intel development system, 1200
intelligent
backtrack, 1557
backtracking, 647, 1557, 1767, 1809
behavior, 2231
controller, 59
search, 76
intensional
constraints, 1330
databases, 2672
intensity deviations, 49
inter
file links, 1140
operation parallelism, 2737
process communication, 368, 2431
processor communication, 631, 1668
protocol interleaving attacks, 3906
interacting
modules, 546
processes, 235, 693, 995, 1439
interaction, 99, 279, 1831, 1833
interaction among
concurrent processes, 404
modules, 493
interaction between
FDs and IND, 3973
instructions, 470
parallel instructions, 470
user and allocator, 612
interaction
in developmental systems, 279
of information systems, 2047
pattern among modules, 493
interactionless
cellular development, 940
L systems, 940
interactive, 1950
computing, 3755
consistency, 797
implementation, 309
information retrieval, 10
jobs, 806
programs, 1579
interactive proof, 1407, 2388, 2988, 2993, 3259, 3787
system, 3299, 3787
interactive
protocol, 1615
resource constrained scheduling, 2037
system, 10, 132, 1128, 1579, 1950
zero knowledge proofs, 2388
interarrival time process, 878
interchange, 2360, 3412
interchange lemma, 828
for context free languages, 828
interchange tree transformation, 822
intercommunication, 568
interconnected, 1725, 2055, 2834, 2913
interconnecting, 2245, 3864
processors, 1089, 2222
several processors, 1617
interconnection, 138, 592, 1242, 1883, 2176, 2245, 2459, 2507, 2561, 2746
diagrams, 2653
graph, 493, 668
hardware, 2746
interconnection network, 659, 815, 1186, 1596, 1855, 1967, 2168, 2176, 2197, 2222, 2475, 2479, 2482, 2571, 2602, 2745, 2746, 2780, 2810, 2848, 2913, 2914, 2989, 3023, 3042, 3097, 3100, 3127, 3168, 3228, 3251, 3264, 3291, 3367, 3383, 3414, 3427, 3442, 3445,

interconnection network (*cont.*), 3463, 3479, 3524, 3529, 3530, 3539, 3540, 3580, 3604, 3680, 3726, 3727, 3738, 3745, 3799, 3832, 3837, 3897, 3914, 3967, 3998, 4011, 4012, 4013, 4027, 4047, 4054, 4104, 4121
of processors, 759
interconnection
of processor elements, 1445
pattern, 1242, 2653, 2699
scheme, 2599
structure, 2697
topology, 2414
interdistance, 1685
interface, 59, 495, 1297, 1679, 2628, 2644, 3669, 4132
equation, 3784
interference, 188, 553, 556, 2135, 2150, 3801
detection, 2359
rules, 528
interior
angle, 380
disjoint, 2912
face, 2010
node, 1375
point, 328, 3731, 4127
structures, 1267
interleaved, 1915, 1956, 2528, 2881
interleaved memory
bandwidth problem, 141
systems, 141
interleaving, 1151, 3700, 3885, 3906
model, 430
of operations, 1807
semantics, 1589, 2402
set temporal logic, 2458
versus true concurrency, 2402
Interlisp garbage collector, 384
interlock
graph, 1803
relation, 1803
interlocking
set, 1803
sets, 1803
intermediate, 27
language, 1144
mapping function, 21
storage, 1389
intermediate value, 424
theorem, 424
intermittent, 2471
assertion method, 954
intermittent assertions, 460
method, 460
technique, 460
intermittent faults, 1769
intermodule communication pattern, 1819
internal
actions, 2550
chord, 4127
diagonal, 4127
medicine, 2634
merge sorting, 617
node, 53, 184, 579, 704, 706, 718, 768, 850, 1930, 2375, 2386, 2512, 2866, 3917
internal path
balance, 2254
length, 2422, 2891
internal
sorting, 329, 617
state, 752
internal S-stability, 586
of rosenbrock methods, 586
internalization, 3396
internet, 2998
interpage
pointers, 21
points, 21
interpoint distance, 550
interpolating
arbitrary sets of data, 37
curve, 66
polynomial, 37, 97
values of two-argument functions, 1193, 1431
interpolation, 37, 51, 74, 282, 350, 1123, 1491, 2179, 2193, 2305, 2516, 2952, 3098, 3396, 4069
binary search, 1123
by binary segmentation, 1353
jump, 1491
merge, 2305
interpolation search, 282, 303, 559, 566, 703, 1123, 1491
trees, 1491
interpolation sequential search, 1123
algorithm, 282
interpolation step, 1491
interpolation, Craig-Robinson, 3396
interpret, 2650
interpretation, 12, 185, 258, 741, 1372, 2008, 2707, 2771, 3396
algebra, 2219
grammars, 683
mechanism, 297, 683
interpretation of
algorithms, 135
nondeterministic algorithms, 135
interpreted language, 1200
interpreter, 243, 244, 501, 544, 773, 1069, 1214, 1299, 1557, 1628, 1919, 1922, 2707
interpreting temporal logics, 2458

interpretive implementation, 544
interprocedural analysis, 1817
  algorithms, 1817
interprocedural data flow
  analysis, 1817
  information, 1817
interprocedural
  interactions, 1817
  optimization, 1817
interprocess, 2196
  communication, 693, 1191, 1816, 1833, 2055, 2065
interprocessor communication, 777, 1386, 1819, 2218, 2315, 2701
  costs, 546
  delay, 1406, 2025
  time, 1819
interprocessor messages, 1382, 3024
interruption, 2050
intersecting, 774, 1057, 1171, 1345, 1431, 2264, 2904, 4056
  convex polygons, 3452
  intervals on the real line, 1619
  line segments, 1882, 2332
  no obstacles, 2083
  Sperner systems, 2869
  straight lines, 2280
intersection, 160, 644, 673, 748, 774, 898, 1173, 1277, 1394, 1401, 1545, 1631, 2003, 2075, 2076, 2086, 2091, 2119, 2135, 2280, 2355, 2466, 2518, 2526, 2792, 2835, 2996, 3452, 3599, 3857, 3892
intersection between
  convex polygons, 3857
  line segments, 2359
intersection
  computations, 2076
  counting problems, 785
  digraph, 3023
  equation, 2076
  free polygons, 380
  graph, 672, 841, 942, 1127, 1221, 1288, 1518, 1822, 2779, 3703, 4057
intersection graph of
  convex objects, 672
  squares, 841
  subtrees, 3703
intersection graph problems, 672
intersection graphs, 136, 672, 1288, 1794, 2361, 2779, 3194, 3703, 3794, 4057
  of filaments, 4057
intersection
  model, 1493, 1859, 1879, 2779
  number, 3385
intersection of
  convex objects in the plane, 1631
  orthogonal objects, 748
  polygons, 1896, 1977
  programs, 1091
  pushdowns and queues, 1277
  two Abelian groups, 1129
intersection
  operation, 2996
  points, 1984, 2956
  problem for two D0S systems, 572
  problems, 2071
  property, 742
intersection searching, 774, 1171, 3638
  problem, 2119
intersection
  selection problems, 3601
  types, 2552
  with regular languages, 160
intertasking activity, 2612
intertwining, 3617
  of minimal models, 3617
interval, 88, 229, 1717
  analysis, 229
  based temporal logic, 1480, 1824
  B-tree, 2996
  dag, 642
  filament graph, 4057
interval graph, 136, 672, 942, 1127, 1221, 1275, 1288, 1518, 1561, 1619, 1758, 1859, 1947, 1961, 1994, 2003, 2087, 2275, 2413, 2474, 2494, 2499, 2581, 2714, 2756, 2766, 3121, 3169, 3181, 3194, 3214, 3347, 3411, 3456, 3543, 3661, 3713, 3858, 3928, 4057
  generalizations, 1288
interval graph recognition, 1947
  algorithm, 1947
interval
  heap, 2836
  model, 942, 1127, 2413
  narrowing, 4078
  on the real line, 1803, 1859
  order, 642, 2500
interval representation, 1947, 2474
  of a tree, 3214
interval
  searching algorithms, 1276
  semiwords, 3108
interval sparsity, 1082
  of Boolean matrices, 1082
interval
  temporal logic, 2304
  tree, 748, 1082, 3642
  valuation problem, 1368
intractability, 911, 1925, 2049

intractability of
approximation results, 3299
graph clustering, 3458
resolution, 1925
the embedding problem, 1490
intractable, 898, 1204, 1267, 1392, 1771, 2161, 2275, 2388, 2649, 2753, 3564, 3576
problem, 942, 1209, 1576
intra-object
dependencies, 3934
parallelism, 3934
intra-operation parallelism, 2737
intree, 3319
intricate geometrical shape, 711
intrinsic
characterization, 463
complexity of learning, 4115
introduction of new operations, 3633
intuitionism, 1204
intuitionistic, 1204
formula, 1204, 1278
logic, 1204
propositional calculus, 1278
invalidating dangling references, 1440
invariance, 1411, 1820, 2015, 2157, 2297
argument, 2086
of space, 1702
proofs, 2015
property, 1411
relations, 157
invariance theorem, 1820, 3767
for loops, 1820
invariance thesis, 1702
invariant, 381, 462, 467, 671, 1004, 1286, 1411, 1716, 1726, 1770, 1971, 2015, 2247, 2297, 3013, 3583, 3831, 4133
invariant assertion, 178
method, 954
invariant
optimal assignment, 4133
property, 462, 625
relation, 1004
ring, 4063
transformation, 1188
invariant under
affine transformations, 428, 467
stuttering, 1285
invasive, 3635
invention, 2572
inverse, 669, 1170, 1368, 1484, 1692, 4100
Ackermann function, 1826, 2795, 3860
homomorphism, 160
line graph, 252
matrix, 1502
morphic equivalence, 1076
morphism, 1076
nonerasing morphisms, 1572
inverse of
a matrix, 1692
band matrices, 1170
inverse
permutation, 272
polynomial expansion factor, 1700
problem, 250, 442
range searching problem, 774
relations, 1480
inversion, 807, 901, 1222, 1314, 2236, 2334, 2619, 4074
inversion of a
permutation, 807
recursive tree traversal, 2246
inversion of
monic power series, 4074
Toeplitz and Hankel matrices, 2334
inversion
tables, 807
transform, 517
vectors, 1997
inversional metrics, 416
inverted, 2246
file organization, 187, 221
files, 187, 221, 790
sequential random sampling, 3954
tree, 244, 1231
invertible, 2988
inverting, 573, 697, 1584, 2193, 4074
a permutation, 697
an order n matrix, 623
invisible, 1679, 3690
steps, 2295
invocation, 1981
involution, 1824
IO, *see also* input output; I/O
bound, 1385
IO complexity, 1576, 1887
class, 1576, 1887
theory, 1576
IO
sequence, 2283
time and space bounds, 1576
IP, 2081, 2993
IP = PSPACE, 2560
IPCFAG, 749
IPCFAL, 749
recognizers, 749
IPV^{ω}, 1925
IP[k], 1407
IP[Q], 1407
irreducibility, 88
irreducible, 1999, 2130
ESP, 2130

irreducible (*cont.*)
functions, 1999
matrices, 2546
polynomial, 606, 758, 1898, 2130, 2370
polynomials over GF(p), 606
tree, 252
words, 1468
irreductible sequences, 337
irredundance, 3713
irredundant, 2495, 3037
form, 3037
prime disjunctive normal forms, 2495
set, 3713
irreflexive transitive relation, 2068
irregular problems, 3741
irregularity, 1973, 4086
irregularly shaped region, 672
irrelevant interference, 2985
irreversible k-dimensional CA, 2430
IRS
expansive language, 680
language, 680
Irving, 2635
ISAM, 203
Isarithmic control, 2168
Isbell zigzag theorem, 3494
Ishizaka, Hiroki, 3884
Ising
model, 3935
spin glasses, 3830
ISIS, 2710
islands model, 3749
ISO, 3906, 9798
isogonal affine transformations, 467
isolated
node, 217, 1126
set, 370
vertex, 1398
isomer, 123
isometric, 862, 4119
isometric array
grammar, 749, 989, 1244
languages, 749, 862
isometric context free array
grammars, 749
languages, 749
isometric
grammars, 749
languages, 862
parallel context free array grammars, 749
isometrical embeddings, 3786
isometry, 428, 2438
isomorphic, 125, 181, 421, 478, 554, 1209, 1279, 1687, 1840, 1961, 1991, 2215, 2301, 2412, 2489, 2713, 2841, 2870, 2879, 2880, 3160, 3356, 3738, 4010
chordal rings, 3160, 3241
combinatoric system, 1504
copies, 1242
problem, 226
subtrees, 1347
isomorphism, 9, 181, 226, 421, 478, 574, 1646, 1961, 2412, 2489, 2499, 2729, 3160, 3727, 3932, 4080
algorithm, 9
classes, 1652
closure, 3245
isomorphism complete, 607, 1961
graph classes, 1961
problems, 1961
isomorphism
completeness, 491
conjecture, 2560
equivalence classes, 3932
invariant, 3392
map, 421
isomorphism of
expressions, 4080
latin squares, 574
Steiner triple systems, 2412
isomorphism problem, 1961, 2499, 3245
isomorphism problem for
2-sep chordal graphs, 2499
planar graphs, 9
isomorphism testing, 2412
isomorphism testing of
k-trees, 1961
trees, 1961
isooriented rectangles, 1992
isoperimetric problem, 1846, 3971
in graphs, 3971
isothetic
cutting lines, 2535
hyperrectangles in d-dimensional space, 2071
line segments, 1171, 2535
rectangles, 2535
isotonic array
grammars, 551, 989
languages, 210
isotopy between latin squares, 574
Isozaki, Hideki, 3735
iso-oriented rectangles, 3417
Israeli, Amos, 3653
ist processing system, 117
isthmus, 14
ISTL, 2458
Istrate, Gabriel, 3519
ISWIM, 397
Itai, 2058
Itai and Rodeh, 2799
Itai and Shiloach, 729

item, 10
iterable factors, 3204
iterated, 3363
  bucket sort, 1766
  fixed point semantics, 2692
  function system, 3325, 3628
  Horner algorithm, 97
  instructions, 268
  integer product, 2419
  line digraphs, 3530
  logarithm, 2388
  morphism, 655, 1189
  product, 2419
  shuffle, 2355
  substitutions, 193
  transactions, 1023
iteration, 178, 243, 258, 287, 381, 460, 732, 2060, 2981, 3216
  grammars, 193, 201
  lemma, 1325
  scheme, 2595
iteration theorem, 1744
  for DCFL, 1744
iterative
  algorithm, 536, 545, 827, 998, 1265, 1937, 2221, 2292, 2398, 3363, 3501
  and recursive algorithm, 626
  application, 1532
  characterizations, 3216
  code, 243
  constructions, 8
  control structures, 192
  data flow analysis algorithm, 545
iterative deepening
  A*, 2382
  multiobjective A, 3278
  search, 2382
iterative
  drawing algorithm, 4072
  function, 2315
  method, 48, 81, 2824
  multiply additions, 3429
  nondeterministic pushdown automaton, 740, *see also* INDPA
  pipelined array architecture, 1502
  pipelining, 1502
  probabilistic decoding, 3606, 3923
  procedures, 2043
  process, 243, 979, 1287
  program, 577
  scheme, 81
  solution, 888
  substitution, 193
  tree array, 1734
iteratively coloring, 3978
iterator, 1981
ith policy defini, 934
Ito, A., 4002
Ito, Hiro, 3737
Ito, Masayuki, 3429
Itoga, 1335, 1955
Itoh and Sakurai, 2388
Ivković, Zoran, 3369, 3552
Iwama, K., 3840, 3841, 3955, 4018, 4019, 4038
Iwano, Kazuo, 3637
Iwasaki, Yukihiro, 3883
Iwata, Akira, 3899
Iyengar, S.S., 3679
Iyengar, Vikram, 3639
Izbicki, 67
IZKP, 2388
IZKPs of knowledge, 2388
I-serializability, 3583
i-th smallest element, 346
i-triangulated graphs, 3919

J

Jackson and Martin, 3551
Jacob, 464, 2317
  model, 2317
Jacob, Jeremy, 3190
Jacobi symbol, 408, 1703
Jacobian, 586, 587
Jacobson, 3790
Jagadish, H.V., 3497
JáJá, Joseph, 3065
Jamison and Olariu, 3391
Jan, Jinn-Ke, 3428
Janardan, Ravi, 3638, 3857
Janssen et al., 3510
Janssen, A.J.E.M., 2432
Jantke, 2497
Jantzen, 1363
Japan, 1418, 3086, 3205
Jard et al., 3982
Jarominek, Stefan, 3236
Jarvis, 319, 515
Java, 4132
  based API, 4131
Java based networking, 4131
  application programming interface, 4131
Java
  interface, 4132
  multithreaded programming, 3895
Jazayeri, 273
JCL, 296
JD, 608
jd, 1026
Jeffay, Kevin, 3607
Jégou, Philippe, 3503, 3510

Jenner, Birgit, 3069
Jensen, K., 3839
Jerrum and Sinclair, 1700
Jha, Pranava K., 3125
Jianwen, Su, 3238
Jichiang, Tsai, 3861
Jingmin and Kaicheng, 1932
Jingmin and Kaiching scheme, 1932
Jitter, 4131
job, 530, 560, 806, 868, 1384, 1605, 1812, 2185, 2385, 2440, 2628, 2745, 2831, 3070, 3269, 3461, 3610, 3828
  characteristics, 142
  completions, 1317
  deadlines, 3610
  processing times, 2440, 3070
  scheduling, 2032
  shop problems, 1180
  shops, 519
job with
  deadlines, 2032
  release, 519
Jodrá, Pedro, 3807
jog, 2054
jogger problem, 731
Johannsen, Jan, 3759
John, 1229, 3811
Johnson, 309, 1957
  algorithm, 1812
Johnson and Venkatesan, 1153
join, 256, 553, 600, 832, 839, 1140, 1763, 1804, 1907, 2041, 2576, 2737, 3146, 3571
  algorithm, 1140, 1730, 1804
join attribute, 1140
  values, 1804
join consistent, 523, 771
  database state, 771
join
  dependencies, 608, 700, 3619
  dependency, 742, 996, 1026, 1618, 2368
  during merge, 1140
  in relational databases, 600
  of relations, 600, 1730
  operation, 649, 1140, 1730, 1804, 2041, 2291
  processing, 1730
joining attributes, 2041
joint probability distribution, 806
Jonassen-Knuth methods, 2157
Jones, 1399, 2272
Jones and Madsen, 1318
Jones, Julie, 3344
Jong, In Lim, 3672
Jonsson, P., 3569, 3843
Jordan, 1740
  algorithm, 1740
Jordan curve, 1984, 2956
  arrangement graph, 2956
Jordan
  elimination method, 1740
  sorting problem, 1984
Jørgensen, Kristian, 3331
Josephson chip, 703
Joshi and Yokomori, 951
Joshi dependence measure, 143
Joshi, Levy, and Takahashi, 951
Jouannaud and Kirchner, 2031
Jouannaud and Lescanne, 1489
journal file, 652
Jovanović and Danilović, 1840
JPL STAR, 543
JR, 742, 3609
Jr, 3609
jth smallest element, 2825
judgement inconsistency, 2970
Jukna, Stasys, 3901
Julia, 3387
Julia, S., 3387
Jullien, G.A., 3728
jump, 1039, 1793, 2500, 3465
  back on the input tape, 1103
  complexity, 3465
  instruction, 931
  interpolation search trees, 1491
jump number, 2500
  problem, 2500
jump searching, 855
  algorithm, 1296
jump
  size, 1491
  solutions, 1796
junctivity properties, 1909
Jung, 3031
Jung, Je Son, 3672
Jurdziński, Marcin, 3823
Justin, J., 3538
Jutla, Knapp, and Rao, 2321
Juurlink, Ben H.H., 3326
juxtaposition, 1981

K

k1ET0L
  language, 1643
  systems, 1643, 2720
k1T0L
  languages, 1643
  system, 1643
$K_{1,3}$, 87
$K_{1,3}$ free, 3421
  graph, 932
$K_{3,3}$, 2058

K_4, 1528, 4077
  free graphs, 4077
K_5, 736, 2058
  minor free graph, 1945
K_m, 3680, 3850
K_n, 11, 1749, 3680, 3790, 3850
$K_{r,r}$ free graphs, 2668
Kabadi, S.N., 3625, 3771
Kacker, Raghu, 3065
Kagaris et al., 3724
Kaijung, Chang, 3700
Kaikoura tree theorems, 2719
Kaivola, Roope, 3043
Kajiwara, Yuka, 3883
Kalé, 2613
  heuristic, 2613
  value ordering heuristic, 2613
Kaldewaij and Schoenmakers, 3484
Kalman filter, 49
Kalyanasundaran, B. and G. Schnitger, 2925
Kam, 473
Kamakoti, V., 3642
Kameda, Tsunehiko, 3710
Kanchi, Saroja P., 3491
Kanellakis, P.C. and A.A. Shvartsman, 2212
Kanevsky, Arkady, 3491
Kang and Ault, 1835
Kang, Hee-Joong, 3504
Kann, Viggo, 3294, 3673
Kant, Goos, 3506
Kanta, M., 3608
Kantabutra, 1374, 1412
Kanth, K.V. Ravi, 3820
Kao, 2504
Kao, Ming-Yang, 3049
κ-connected
  graph, 1600
  network, 1600
Kapur and Krishnamoorthy, 1955
Kapur and Narendran, 1166
Karchmer and Wigderson, 2024, 2353, 3242
Karger, 3637
Karger et al., 3446
Karger randomized algorithm, 3637
Karger, David, 3446
Karger, Klein, and Tarjan, 3802
Karger, Motwani, and Sudan, 3446
Karger-Klein-Tarjan algorithm for minimum spanning trees, 3802
Karhunen-Loeve expansion, 267
Karmarkar, 1287
  algorithm, 1192, 1287
Karnaugh map, 2098
Karp, 144, 271, 612, 1014, 1209, 1958, 2160
Karp and Cook, 353
Karp and Held, 1165
Karp and Miller, 584, 1035, 1392
Karp and Raghavan, 2195
Karp and Wigderson algorithm, 1199
Karp definition of NP completeness, 809
Karp et al., 2160
Karp, Motwani, and Raghavan, 2277
Karp, Upfal, and Wigderson, 2286
Karpovsky, Mark G., 3872
Karp-Rabin string matching algorithm, 1958
Karzanov, 375
  algorithm, 375
Kasai, 927
Kasai and Miller, 927
Kassel, Helen, 3657
Katoh, Naoki, 3637
Katsura, Masashi, 3453
Katz and Perry, 2351
Kautz, 3023, 3529
  digraph, 3023
  graphs, 3023, 3442
  network, 3529
kd
  tree, 791
  trie, 791
Kedem, Klara, 3663
Keil, 1518, 3208
  algorithm, 1518
Keller, 554
Kellerer et al., 3461
Kellerer, Hans, 3687
Kelley, 1699
Kelsen, 3220
Kelter, 1456
Kennedy, 545
kernel, 490, 1111, 1267, 1382, 1722, 2009, 2894, 3495, 3862, 4037
  item, 2768
  language, 604
kernel of a
  matrix, 472
  star shaped polygon, 1267
kernel
  process scheduler, 1176
  search problem, 3862
Kerr, 199
Kessler, Michael J., 45
key, 187, 194, 244, 372, 427, 432, 473, 566, 615, 687, 691, 717, 721, 825, 939, 1037, 1123, 1142, 1274, 1529, 1532, 1714, 1952, 2080, 2094, 2096, 2230, 2254, 2637
key agreement
  problem, 3634
  protocol, 2991

key
comparison, 303, 3930
dependencies, 608
key distribution, 405, 734, 885, 895, 1145, 2447, 2496, 2712, 2991, 3532, 3906
protocol, 885, 3906
scheme, 2496, 3230
key exchange, 885, 2997, 3925
protocol, 3925
KEY field, 721
key
field, 427
of a record, 1045
order, 1037
oriented system, 654
search method, 1321
searches, 1045
searching, 1321
space, 503, 718
key value, 447, 557, 706, 850, 855, 2455, 2891
distributions, 358
pair, 139
keychain, 721
keyed one-way hash functions, 3132
keyholder, 957
keyless
cryptography, 885, 1145
cryptosystem, 1145
keystream
generators, 3881
sequence, 3606, 3923
keyword, 957
Khachian algorithm, 1192
Khodak, 812
Khrapchenko theorem, 2121
Khuller algorithm, 3482
Khuller and Mitchell, 2166
Khuller et al., 3482
Khuller, S., 3268
Khuller, Samir, 4084
Kieburtz, 945
Kikuno, Tohru, 3953
Kim, 901
Kim et al., 3871
Kim, Cheeha, 3597
Kim, Do-Hyung, 2461, 3611
Kim, Heung-Taek, 3690
Kim, Jin H., 3504
Kim, Jin-Soo, 3742
Kim, Jong-Hyun, 3292
Kim, Kawon, 3504
Kim, Kwangjo, 3473
Kim, Park, and Won, 4042
Kim, Seongyeol, 3726
Kim, Seung-Hoon, 3597
Kim, Sung Kwon, 3596, 4026
Kim, Sung-Ho, 3725
Kim, Taegeun, 3804
Kimbrel and Sinha, 2721
kinded infinite trees, 3157
kinding, 3157
Kindler, Ekkart, 3096, 3499, 3952
kinematic equation, 1667
kinematics, 1667
King and Collmeyer, 300
King and Rook against King, 364
King linear time sequential algorithm, 3516
King, Gow-Hsing, 3440
King, Valerie, 3516
KIO construction, 3879
Kirkman, 2412
Kirousis and Papadimitriou, 2433
Kirsh, 989
Kitsios, Nectarios, 3417, 3444
Klavžar, Sandi, 3560
Klawe, 2856
conjecture, 2856
Klawe et al., 1961
Klawe, Comeil, and Proskurowski, 1961
Klee, 1267
Kleene, 3770
algebra, 3951
closure, 389, 922
star, 2355
theorem, 1312, 3789
three-valued logic, 3770
Kleijn and Rozenberg, 778
Klein, 1961
Klein, Plotkin, and Rao, 2668
Klein, Sulamita, 3758
Klenk, Kevin S., 3402
Klimov, Andrei, 3512
Kloks, T., 3421
Kloks, Ton, 3836, 3854
Klunder, 237
KMOV scheme, 2995
KMP, 290, 2671
kmp, 1024
KMP
algorithm, 290, 451, 737, 1024
linear time pattern matching algorithm, 576
Knapik, Teodor, 3656
knapsack, 924, 1657, 3527, 4043
capacities, 4043
knapsack problem, 612, 938, 1002, 1180, 1253, 2606, 3069, 3795, 4065
with divisible item sizes, 3527
knapsack
system, 938
trapdoor scheme, 1932
Knill et al., 4114

knock knee, 2135
knot, 1725
  of idle processes, 1725
knowledge, 67
  acquisition, 2970, 3225
  base, 754, 1861
  based inferencing abilities, 1041
  bases, 1459, 1781, 2495
  engineering, 2046
  operators, 1417
knowledge representation, 754, 769, 2229, 3390
  systems, 769
known duration tasks, 3540
Knuth, 16, 35, 54, 62, 85, 96, 99, 102, 152, 158, 175, 177, 184, 211, 226, 247, 285, 321, 373, 466, 547, 576, 609, 638, 685, 691, 728, 737, 747, 860, 901, 926, 1216, 1222, 1300, 1347, 1426, 1465, 1526, 2509, 2656
  algorithm, 62, 1347
Knuth and Moore, 892
Knuth Bendix procedure, 2068
Knuth
  book, 109, 2763
  computations, 926
  estimation technique, 1347
  tree estimator, 1347
  variant, 1465
Knuth, D.E., 41, 148, 844
Knuth, Don, 721
Knuth, Morris, and Pratt, 1024, 1250, 2503
  string matching algorithm, 699, 716, 2664, 3631
Knuth, Morris, & Pratt algorithm, 1698
Knuth-Bendix, 875
  completion algorithm, 875, 1639, 1850
Knuth-Morris-Pratt
  algorithm, 290, 547, 737, 1024
  string matching algorithm, 699, 716, 2664, 3631
Ko, 1894
  theorem, 3469
Ko, Ming-Tat, 3562
Kobayashi, 878, 3534
  complexity, 3534
Kobayashi, Yuji, 3453
Köbler, Schöning, and Torán, 2870
Kocberber, Seyit, 3435
Kochol', 1948
Kochol, Martin, 1948
Koczkodaj, Waldemar W., 2970, 3225, 3363
Kohli, R., R. Krishnamurti, and P. Mirchandani, 3280
Koiran, Pascal, 3525
Kolaitis and Papadimitriou, 2510
  question, 2510
Kolaitis and Thakur, 2258, 2659
Kolaitis and Vardi, 3276
Kolakoski sequence, 2973
Kollias, 919
Kolmogorov complexity, 1156, 1168, 1232, 1341, 1622, 1868, 2335, 2399, 2611, 2621, 2704, 2925, 3232, 3518, 3534, 3627, 3766, 3767, 4031
  law, 3232
Kolmogorov data complexity, 3627
Kolmogorov-Uspenskii machine, 1702
Kolountzakis and Kutulakos, 2873
Komlós et al., 3351
Komolós and Szemerédi, 939
Komolgorov, 3401
Konana, Prabhudev, 3578
König, 444
  property in graphs, 630
Koplowitz and Jouppi, 380, 515
Korea, 1418, 2191
Korean characters, 1418
Korel, 1598
Korel and Laski, 1654
Korf, R.E., 2382
Kornerup, Jacob, 3441
Korsh and Lipschutz, 3915
Korsh, James F., 3688
Korte and Mohring, 1947
Kosaraju, 464
Kosub, Sven, 4014
Kott, L., 3319, 3564, 3593, 3647
Kou, 271, 525, 633
Kou, Markowsky, and Berman, 2172
  algorithm, 1537
Kovalyov and Shafransky, 3610
Kovalyov, Mikhail Y., 3610
Kowalik and Osborne, 46
Kowalski, 1017, 1289
Kowalski and Kuehner, 799
Kozen, 898
Kozen and Schwartzbach, 2552
Kraft-McMillan
  characteristic inequality, 3014
  inequality, 3014
Krahn, Tobias, 4130
Krajíček, J., 3759
Král, 50
Král, J., 50
Kranakis et al. conjecture, 3855
Kranakis, Evangelos, 3723, 3733
Kratochvíl et al., 4052
Kratsch, Dieter, 3458, 3574, 3854
Krause and Waack, 3281
KRC, 1092, 1214
Kreinovich, Vladik, 3757
Kriauciukas, 1722

Kripke
complete, 1091
models, 1417
structure, 1478, 2876
style semantics, 1204
Krishnamachari, Bagirath R., 3279
Krishnamoorthy, Mukkai, 3405
Krishnamurthy, Rao, and Subramanian, 1010
Krivelevich, Michael, 3765
Krob, D., 3608
Krogdahl, 1323
Krohn-Rhodes theorem, 3798
Kronecker power, 952
Kronecker product, 3467, 3814
of graphs, 3814
Krumke, S.O., 3748
Krumke, Sven O., 3715
Kruskal algorithm, 2248
Kruskal et al., 2822
Kruszewski, Paul, 3863
*k*th
alternation level, 1109
element queries, 1761
largest element, 1685, 2175, 2990
power freeness, 1070
*k*th smallest
element, 1042, 1087, 1273, 1685, 3987
item, 1113, 3987
*k*th-order
dependency, 3504
nonlinear filter, 3894
ku^{2}lETOL, 3074
Kubiak, Wieslaw, 3488, 3828
Kubicka et al., 2719
Kučera, Luděk, 944, 3573
Kucherov, Gregory, 3015
Kühn, Ulrich, 3853
Kulasinghe, Priyalal, 2989
Kulasinghe, Priyalal D., 3475
kulETOL systems, 3074
Kulkarni, Sandeep S., 3605
Kulkarni, Santosh, 3310
Kumar, 432
Kumar and Lin, 1767
Kumar, Devendra, 3485
Kumar, S. Ravi, 3539
Kumar, Shashi, 3278
Kung, 97, 283, 953, 1445, 2699
algorithm, 97
Kung and Leiserson, 1051, 1352
hex connected processor array, 953
Kung deque, 1257
Kung et al., 1257
Kung-Leiserson, 601
Kuo, 3209
Kuo, Sy-Yen, 3861
Kuo, Yu-Chen, 3336
Kuratowski theorem, 736
Kurosawa, Kaoru, 3323, 3324, 3434
Kuroyanagi, Susumu, 3899
Kurtz, 2560
Kurtz, Mahaney, and Royer, 2560
Kushilevitz and Mansour, 2792
Kushilevitz, Eyal, 3486
Kwai, Ding-Ming, 3832
Kwast method, 3692
Kwiatkowska, Marta, 3714
KWIC index, 324
Kwong, 927
k-acyclic families of subtrees, 3703
k-ary, 3443
butterfly graph, 3442
k-ary hypercube, 1967
network, 1967
k-ary n-cube, 2684, 3445
interconnection networks, 3445
networks, 2684
k-ary tree
generation algorithms, 3915
representations, 2965
sequences, 2965
k-ary trees, 768, 2965, 3688, 3915
k-belts, 3374
k-capacity channel, 2055
k-center problem, 2661, 3670
k-chain problem, 1791
k-clique problem, 2353
k-closure of a graph, 1362
k-colorable, 1334
graphs, 3561
subgraphs, 1334
k-coloring, 2902
for planar graphs, 1395
of an oriented graph, 2902
k-colourable, 1890
k-compaction problem, 3963
k-competitive
algorithm, 2117, 2171
online algorithm, 2171
k-connected
graph, 2565, 3524
hyperedge replacement languages, 2565
triangulation, 1926
k-connectivity, 3169, 3482
k-coterie, 2791, 3336
k-cyclic graphs, 4102
k-*d* tree, 447, 678, 718, 825, 850, 1291, 1521, 2080
k-decomposable, 205
digraph, 205
graph, 205

k-decomposition, 3785
k-differences problem, 3143
k-dimensional binary search tree, 850
K-dimensional Euclidean Voronoi diagram, 517
k-dimensional
  packing, 3105
  tree, 718
  trie, 791
k-distribution, 907
k-edge connectivity, 3737
k-enabled, 67
k-extendable, 3650
k-fairness, 1018
K-firing sequences, 67
k-flat, 2638
k-fold
  bitonic sort, 1177
  clique transversal problem, 3697
k-forest, 2164
k-GC, 3661
k-geodetically connected, 3661
k-gons, 3170
k-head
  finite automaton, 1232
k-head one-way deterministic finite
  automation, 1371
  automaton, 1232
k-head two-way pushdown automaton, 2776
k-hulls, 3374
k-independent set problem, 2474
k-isomorphism, 478
  of graphs, 478
k-iterated, 3842
K-iteration
  grammar, 193, 201
  languages, 201
k-k routing, 2450
k-level
  graphs, 583
  uncapacitated facility location problem, 4016
k-levels, 3374
k-limited
  ED0L systems, 3332
  ET0L systems, 1643, 2720
  T0L systems, 1643
k-median, 4058
  problem, 4058
k-mortal set of matrices, 3593
k-MST problem, 3667
k-mutual exclusion, 3336, 3785
  algorithm, 2791
  problem, 3785
K-M-P string matching, 3631
k-nearest neighbor query, 3867
  processing cost, 3867
k-neighborhood chordal, 3703
k-node connectivity, 3737
k-pairwise disjoint paths, 3799
k-parse, 1197
k-partition problem, 3472
k-path free dominating sets in graphs, 809
k-paths problem, 887
k-polygon graphs, 3574
k-resiliency, 2838
k-resilient, 2838
k-restricted ETOL systems, 778
k-selection problem, 1706
k-sensitive everywhere function, 1608
k-server
  conjecture, 3261, 4066
  problem, 2117, 2171, 4066
K-server problem, 2216
k-sets, 3374
K-Σ-automaton, 1256
k-sorters, 1880
k-state algorithm, 1369
k-Steiner distance hereditary, 3129
k-subsets, 2166
k-subtree, 969
k-tape Turing machine, 1581
k-tree, 969, 1221, 1961
k-violation linear programming, 2945
k-way
  forest, 2866
  tree, 2718, 2866

L

L, 1657, 3268
$\oplus$L, 2070
L form, 297, 683
L language, 361, 869, 2665
L system, 160, 232, 279, 297, 361, 572, 778, 1475, 1643, 1950, 2665
L(1GDSAFA) = L_{DCS}, 2038
L(1SAFA) = L(2SAFA) = L_{CS}, 2038
L(2GDSAFA) = L_{DCS}, 2038
L(2-DA), 571
L(2-DOTA), 571
L(2-NA), 571
L(2-OTA), 571
L(ET0L) $\subsetneq$ L(k1ET0L) $\subset$ L(11ET0L), 1643
L(k1ET0L), 1643
L(k1T0L), 1643
L∞ metrics, 517
L_∞, 4123
  distance, 689
  interdistances, 1685
  metric, 422, 2227
L^∞ norm, 3590

L_1
metric, 517, 968, 2227, 3038
nearest neighbor, 968
norm, 2872
traveling salesman problem, 1014
TSP, 1014
L^1 norm, 3590
L_2
distance, 689
traveling salesman problem, 1014
L_p
metric, 1923
point distance, 2177
L_{TOP}, 2007
label, 128
calculations, 1837
computations, 1837
construct, 397
invariants, 1019
operator, 397
structure, 397
labeled, 538, 600
labeled connected
chordal graph, 1747
graphs, 4048
labeled
directed acyclic graph, 538
graph, 508
nodes, 671
ordered tree, 295
tree, 671, 2335, 2397, 2832, 2891
trees comparison, 1930
labeling, 424, 1575, 2616, 3217, 3549, 3592, *see also* labelling
a balanced binary tree, 424
labeling a rectilinear, 3860
map, 3683, 3860
labeling
algorithm, 819, 1185
function, 983
hierarchies, 1575
of the edges, 2616
problem, 3860
spanning trees, 3592
technique, 3850
labelled, 13
binary trees, 2503
directed graph, 13
graph, 3012
marked graph, 554
networks, 4121
poset, 554
preordered Kripke structures, 2876
labelled transition system, 1687, 2459, 2550
with divergence, 3618
labelled
trees, 822, 2519, 2887
undirected graphs, 9
vertices, 772
labelling, 554, 772, 3477, 3644, *see also* labeling
labelling of
graph nodes, 3477
vertices, 128
labyrinth, 857
ladder, 1779, 1826
Ladner, 526, 832, 1209
Ladner and Lynch, 1390, 2882
Ladner
main theorem, 832
result, 1209
Ladner-Lynch, 1390
lag, 2081
system, 2081
Lagergren, Jens, 3294, 3673
Lagrange
interpolating polynomial, 2405, 3145
multipliers, 224
lagrangian, 74
Laguerre geometry, 841
Lahav (Haddad), Shlomo, 2941
Lai and Sahni, 1272
Laih et al., 2958
Laih, Chi-Sung, 3514
Lakhal, J., 3650
Lakshmanan, Ravikumar, and Ganesan, 2471
LAL, 862
Lalgudi, Kumar N., 3576
LALR, 1308
parser, 2862
LALR(1), 1775
algorithm, 1775
lookahead set, 1144
lookahead sets, 1775
lookaheads, 1775
parse tables, 1144
parser state, 2198
parsing algorithm, 3095
properties, 1144
LALR(k), 747, 2862
parser generation, 2675, 2862
Lam, Nguyen Huong, 3135
Lam, T.W., 3474
lambda abstraction, 1375
lambda calculus, 802, 1099, 1375, 1592, 1665, 2366, 2464, 3047, 3302, 4101
expressions, 1375
lambda
expression, 1099, 1375, 4101
term, 3983
λ, 330
$\lambda_{\beta'}$ — A λ-calculus, 3047

λ-calculus, 928, 1793, 1934, 2615, 3047, 3983
λ-cycles, 3284
λ-expression, 500, 802
λ-free, 144
Λ-free catenation closure, 160
λ-free context free
  grammars, 413
  programmed languages, 144
Λ-free homomorphism, 160
λ-free unconditional transfer contect free
    programmed grammar, 144
λ-term, 2552
  in normal form, 2552
lambda-node, 1375
Lambert, Timothy, 3531
Lamma, Evelina, 3303
Lamport, 1305, 1816, 1858, 2204
Lamport and Owicki, 962
Lamport
  clocks, 2204
  fast mutual exclusion algorithm, 2573
  logical time, 1125, 2204
  regular register, 1621
Lan, Yu-Feng, 3876
Landau, Gad M., 2632, 3824
Landsbergen, 1229
Landweber, 1067
Landweber and Robertson, 584, 726, 1392
Landweber et al., 1209
Landwehr et al., 1144
Lang, 659
Langer and Shum, 919
Langmuir, Irving, 22
Langston, Michael A., 3809
language, 3, 5, 23, 24, 26, 34, 47, 61, 68, 94, 107, 112, 113, 126, 132, 144, 169, 190, 200, 232, 237, 256, 262, 263, 289, 307, 311, 321, 343, 376, 378, 394, 397, 399, 411, 413, 430, 438, 440, 453, 457, 460, 463, 465, 480, 482, 495, 535, 539, 544, 548, 571, 572, 620, 640, 644, 653, 658, 663, 680, 683, 710, 712, 730, 739, 740, 749, 753, 763, 773, 786, 795, 804, 814, 832, 869, 874, 894, 900, 910, 928, 931, 940, 948, 951, 975, 999, 1012, 1022, 1028, 1029, 1032, 1034, 1041, 1066, 1068, 1076, 1106, 1130, 1155, 1194, 1204, 1244, 1297, 1299, 1312, 1341, 1360, 1383, 1402, 1407, 1417, 1418, 1423, 1440, 1499, 1550, 1553, 1567, 1576, 1577, 1585, 1615, 1622, 1643, 1644, 1670, 1678, 1707, 1732, 1744, 1776, 1802, 1836, 1838, 1839, 1856, 1866, 1886, 1956, 1981, 1988, 1989, 1996, 2027, 2060, 2061, 2063, 2086, 2093, 2112, 2120, 2145, 2170, 2180, 2231, 2342, 2344, 2348, 2375, 2388, 2466, 2503, 2511, 2522, 2544, 2563, 2585, 2655, 2733, 2734, 2752, 2760, 2776, 2827, 2867, 2880, 2930, 2963, 3008, 3009, 3126, 3162, 3188, 3198, 3221, 3366, 3571, 3588, 3656, 3705, 3772, 3789, 3920, 3940, 4029, 4132
  accepted, 1277
language accepted by
  nondeterministic machines, 1277
  one-way one-turn nondeterministic auxiliary
    counter machines, 1657
language
  accepted in deterministic polynomial time, 411
  analysis, 10
  approximation, 1838
  are accepted by OCA in real time, 1710
  based editor, 2717
  classes, 3162, 3366
  compiler, 106
  construct, 82, 196, 896, 1807
  constructs of coordinator, 1807
  defined by rational functions, 1585
  defining device, 1585
  definition, 480, 544
  equations, 361
  facilities for backtracking, 340
  families accepted by chains of m DPDT, 1130
  family, 144, 161, 297, 1643, 2497
language for
  applicative multiprogramming, 928
  distributed programs, 1833
  document generation, 59
  modular programming, 1200
language from NPDA(k), 739
language generated by a
  D0L system, 107
  DT0L system, 361
  grammar, 126, 2585
  T0L system, 47, 77
language
  generated by shuffle expressions, 1449, 1577
  homomorphisms, 3418
  identification, 2669
  in NP, 1894, 2827
language inclusion, 2655
  problem, 2655
language independent methods, 582
language of
  annotated programs, 1019
  exponential size, 1981
  infinite words, 1213
  propositional formulae, 430
  sentential forms, 680
  strings, 2170
language
  operations, 160
  over a unary alphabet, 1388, 2665

language
paradigms, 2707
processing, 61
processors, 84, 955, 1558, 1831, 1922, 2329, 2717, 3142, 3161
language recognition, 740
problem, 108, 1891
language recognized by
1acmp(k, i), 1139
1-MFA, 2063
2acmp(k, i), 1139
logspace unbounded error probabilistic Turing machines, 3031
loopfree 2npda, 894
language
semantics, 2733
theoretic properties, 1130
theory, 2503, 3608
language with
exceptions, 3008
goto statements, 1019
mixed scoping, 500
language without star, 874
languages generated by
a family of L systems, 297
free grammars, 311
LL(1) grammars, 1754
propagating K-iteration grammars, 201
random context grammars, 232
tree adjoining grammars, 3162
languages recognized by
automata, 3031
one-turn one-way pushdown automata with one input head, 1065
pushdown automata, 739
languages recognized by two-way
deterministic pushdown automata, 909
nondeterministic pushdown automata, 740
Lankford, 2771
Laplace equations, 195
Laplace matrix, 1212
of a graph, 266, 1212
Laplace operator, 266
large
AI programs, 1477
block schema, 980
classes of functions, 531
databases, 1663, 2491
deviations, 1902
graphs, 815, 1395, 3783
holes, 2239
index node, 1663
integer arithmetic, 1667
large memory
computations, 3744
organizations, 3744
large moduli residue arithmetic, 2309
large network, 1971, 3597
complexity, 1015
large
number of values, 18
parallelism, 145
large scale
distributed systems, 3532
graphs, 3805
integration, 157
large
size, 527, 884
sparse system of linear equations, 504
transients, 1796
virtual memory, 1915, 2528
largest clique, 163, 349
of a graph, 349
size, 645
largest
elements, 3907
prime divisor, 2149
relative overlap, 2332
running times, 539
Larmore, Lawrence L., 3558
Larsen, Kim S., 3677
Larson, 717, 1750
Las Vegas, 2683
algorithm, 2683, 3059
complexity, 1695
RNC algorithm, 2286
type PRAM algorithm, 3439
Laski, 1654
Laski and Korel ordered data context criterion, 1598
last
call optimization, 1299
result linear component, 980
latency, 203, 2044, 3743, 3744, 4129, 4131
of a vertex, 4129
latency of data access, *see also* LDA
model, 3743
Latin square, 3125, 3726
latin squares, 574, 3125
Latteux and Leguy, 951
lattice, 125, 1209, 1450, 1930, 2395, 3431, 3961, 3982, 4041
lattice
of binary trees, 1450
ordered semigroup, 78
path, 175
structure, 1450, 1930
lattice theoretic
measures, 1930
results, 1930

lattice
theory, 125, 3316
vectors, 3468
Laugerotte, E., 3617
Lautemann, 2722
Lavault, Christian, 3443
Lavín, Víctor, 3766
Lawler, 130
Lawler and Martel, 868
lawn tennis tournaments, 860
Lawrie, 659
laws of
commutativity and associativity, 1636
programming, 1498
propositional logic, 2787
Lawson, 1991
topology, 1991
Lax, 2867
layer type, 190
layered witness graph, 3642
layering, 2351
of a program, 2458
laying out a multigrid network, 4012
layout, 592, 659, 988, 1005, 1252, 1254, 1405, 1476, 1490, 1684, 1738, 1912, 1975, 2054, 2208, 2245, 2385, 2620, 2623, 3141, 3155, 3734, 3756, 3812, 3832, 4012, 4072
algorithm, 1684
components, 1405
design process, 3141
for the shuffle exchange network, 659
of files, 3235
problem, 1886, 3155, 3734, 3756
lazily evaluating functional languages, 1579
lazy, 2470, 3115
dynamic programming, 2470
lazy evaluation, 624, 896, 1041, 1372, 1579, 1592, 1985, 2470
scheme, 896
lazy
functional language, 3115
languages, 3161
mark scan, 2528
moves, 2171
randomized incremental construction, 3582
reduction mechanism, 1041
update, 3053
variable renumbering, 1665
z-buffer, 3115
LBA problem, 246
LBFS, 1354
LC, 1806
branch and bound algorithm, 1806
LC(1) attributed grammars, 3025
LCA problem, 2871
LCF ML, 3188
LCFL, 1065
LCS, 315, 576, 1175, 2916, 3459
problem, 315
LCSAJ, 238
LCSS, 2916
LDA, 3743, *see also* latency of data access
model, 3743
Le Doux and Parker, 2449
Le Lann, 1609, 1816
Le Verge, Hervé, 3905
Lê, Ngoc-Minh, 3599
leader, 1712, 1858, 2421, 2767, 2799
leader election, 1858, 2187, 2421, 2767, 3059, 3378
problem, 3119
protocol, 1858, 3378
leader finding, 1564, 1712
leads to, 1909, 2321, 2787
properties, 2787
relation, 1909
leadsto properties, 2703
leaf, 717, 718, 799, 849, 921, 1575, 2080, 2603, 2719, 3014, 3366
cells, 733
leaf language, 3366
classes, 3366, 3571
leaf
node, 1009, 1375, 3917
pages, 603
leaf size, 849
bounded computations, 849
leakage in a gas burner, 2304
LEAP, 251
learnability, 2497, 2792, 3333, 3766
of monotone $k\mu$-DNF formulae, 2953
results, 2792
theory, 2518
learnable, 2497, 2753, 3489
in polynomial time, 2406, 3941
learner, 3834
learning, 239, 754, 2792, 2984, 3165, 3486, 3489, 3567, 3685, 3766, 3775
activity, 239
algorithm, 2062, 2792, 3337, 3567
Boolean function, 3775
by example, 2439
conjunctions with noise, 3834
convex bodies, 2439
DNF expressions, 2792
framework, 2792
learning from
good examples, 3632
positive examples, 3856
queries, 2131

learning
halfspaces, 2915
multivariate polynomials, 3489
nearly monotone k-term DNF, 3766
structure, 3012
theoretic characterization of classes of recursive functions, 3075
theory, 2131, 2669, 2753, 2984, 3448
unions, 4056
width two branching programs, 3685
least
circular shift algorithm, 576
common multiple, 639, 868, 3559
least cost
branch and bound algorithm, 1806
error repair, 1308
insertion string, 1308
path algorithm, 2251
paths, 2251, 3805
least
distance hyperplane, 1002
element, 268
executed criterion, 2477
expected cost of access, 2114
least fixed point, 399, 1638, 1837, 2692
theorems, 782
least
fixpoint semantics, 3432
Herbrand model, 2269
least median of squares, 3585
regression, 3585
least
move distances, 3431
recently used, 2291
square generalized solution, 81
squares criterion, 1502
upper bound, 1929, 4049
weight subsequence problem, 1906
Lebesgue measure, 2424
Lecroq, Thierry, 3459, 3579
Lee, 439, 2410
Lee and Preparata, 439, 490, 517, 2142, 2384
algorithm, 2142
Lee and Wong, 517
Lee, Dong-Tsan, 3390
Lee, Gyung-Ok, 3611, 4018
Lee, Jae-Ha, 3862
Lee, Juhnyoung, 3578
Lee, Ju-Hong, 3867
Lee, Kyung Oh, 3841
Lee, Myung-Joon, 2191
Lee, Narn-Yih, 3871
Lee, R.C.T., 2939, 3490, 3668
Lee, Sangjin, 3473
Lee, Sang-Goo, 4019
Lee, Shiun-Wei, 3103
Lee, T.D., 3117
Lee, Wei-Bin, 3587
Lefmann, Hanno, 3311
left
center of a language, 1070
commutativity, 1028
context, 2768
factor, 637, 1189, 1325
hand sides, 983, 1800, 2676
left linear, 2366
algebraic rewriting, 2366
constructor system, 2676
grammar, 2880
left parse, 438, 474
left part
of a production, 284
theorem, 1744
left regular grammar, 474
left rotation, 1504, 1930
transformation, 1930
left son, 935, 1216, 1290
left subtree, 96, 176, 365, 447, 788
weight, 788
left
Szilard language, 960, 1114, 1301, 2512
threads, 1290
left to right, 1383
cover, 474
flow, 953
greedy approach, 2054
left endpoint ordering, 2003
maximum, 223
order, 733
ordering, 935
traversals, 273
left weight, 935
leftist
2-3 trees, 3980
heap, 2263
trees, 1426, 3980
leftmost
derivation, 413, 438
derivations, 674, 2061, 2512
leftmost one
computation, 2696, 2830
problem, 2696
leftmost restricted
matrix grammars, 68
random context grammars, 68
leftmost restriction, 68
leg, 1722
legal
configuration, 4086
move, 998
node ordering, 3737

legal path, 997
  problems, 997
legal program structure, 975
legality assertion, 480
Legendre symbol, 1703
Lehmer congruential generator, 907
Leighton, 1095
Leighton and Micali, 2991
  protocol, 2991
Leighton and Rao balanced separator procedure, 2820
Leighton et al., 2416
Leiserson systolic model, 1445
Leiss, 1249, 2466
Lempel, 562
Lempel, Seroussi, and Winograd, 2370
Lengauer, 2161, 4141
Lengauer and Tarjan, 585
Lengauer, T., 1292, 3107, 3229, 3311, 3325, 3326, 3339, 3340, 3341, 3389, 3392, 3394, 3417, 3418, 3421, 3444, 3460, 3470, 3527, 3568, 3612, 3621, 3635, 3640, 3643, 3674, 3711, 3720, 3746, 3781, 3795, 3807, 3808, 3865, 3896, 3904
length, 5, 175, 459
  constrained heaviest path problem, 3866
  ensemble, 3014
  function, 1828
  limited code extensions, 3708
length of a
  longest path, 1828
  shortest path, 505, 815, 816, 3985
length of the longest
  cycle, 3048
  edge, 1254
  string, 112
length of
  the word chain, 1959
  word chains, 1462, 1959
length
  preserving rule, 1649
  reducing rules, 1649
length sets, 107
  of D0L languages, 107
lengths of words, 107
Lenhart and Liotta, 4097
Lenstra, 635
Lenstra, H.W., Jr., 1159
Lenstra, Jr., 635
Lent and Mahmoud, 3185
Leonardi, Stefano, 3732
$\leqslant_m^p$-hard set, 3071
less than operator, 3930
letrec, 397
letter to letter homomorphism, 1032
Leu, Shing-Jiuan, 3592
Leung, 1234
Leung, H., 3150
Lev algorithm, 1199
Levcopolous, 2950
Levcopolous and Overmars, 2950
Levcopoulos, Christos, 3237
level, 43, 165, 3810
  compressed trie, 2654
  index system, 2928
  linked search tree, 1984
level of
  abstraction, 3921
  confidence, 46
  granularity, 333
levelling
  plan, 564
  terrain trees, 564
Levenshtein distance, 1943
Leverrier method, 342
Levi lemma, 794
Levialdi, 2186
Levialdi, Stefano, 3755
Levin, 3134, 3567
Levitin, Lev B., 3872
Levner, Eugene, 3795
Levy, 263, 750
Lewenstein, Moshe, 3824
Lewenstein, Noa, 3824
Lewis, 1187, 3504
Lewis, Hartmanis, and Stearns, 246
Lex, 2198
lex first blocking flow, 1762
LexAGen, 2198
LexBFS, 3919
lexical address coding, 1968
lexical addressing
  algorithm, 1968
  techniques, 1968
lexical ambiguity, 1922
  in a tree adjoining grammar, 1922
lexical
  analyser, 202
  analysis, 202, 2198
lexical analyzer, 202, 2198
  generator, 2198
lexical
  atoms, 202
  conflict detection, 2198
  conflicts, 2198
  order, 3968
  scan, 1558
  scanner, 1558
  scanning algorithm, 1558
  scoping, 397

lexicographic, 2762
  breadth first search, 1354, 3082, 3194, 3919
  combination of linear functions, 506
  order, 768, 974, 1162, 1468, 1536, 1997, 2762, 3092, 3219
  ordering, 974, 1162
lexicographic path ordering, 2437
  constraints, 2666
lexicographic
  relation, 506
  semicommutations, 1468
lexicographical, 684, 970
  metrics, 416
  order, 684, 970, 1228, 3217
  permutations, 970
lexicographically, 969, 1162, 2068, 3844
  ascending order, 1876
lexicographically first, 1873
  maximal 3-cycle free edge induced subgraph problem, 1528
  topological order problem, 1873
lexicographically
  greatest string, 3844
  least circular substrings, 576
lexicographically minimal
  maximal path, 1332
  strings, 3988
lexicographically ordered tuples, 1162
lexing algorithm of Hillis et al., 1754
lexiocographic order, 576
lexiographically least circular shift, 576
LFBD, 1094
LFF parsing, 3346
LFSR, 3465
LFT, 3736
Li, 1371
Li and Yesha, 1608
Li, Jin, 3739
Liang, 2481
Liang, Y. Daniel, 3411
Liao, Kuo-Hong, 3505
Liapunov stability analysis, 2021
Liaw, Bern-Cherng, 2939
Liberatore, Vincenzo, 3754
library
  of two-dimensional texts, 3474
  retrieval system, 197
Lie product, 198
Liebl, Petr, 3463
Lien, 1094
life
  sciences, 147
  time function, 310
Lifschitz, 1555
light
  cycles, 3010, 3081
  intensities in graphics modeling, 2846
likelihood, 179, 2607
  of rollbacks, 3462
Lim, Andrew, 3320
Lim, Kyungshik, 3597
limit, 43
  closure, 2363
  of the speed up, 777
  theorem, 77
limitation, 742, 2062, 2650, 2954, 3260, 3465, 3755, 3940, 4078
limited
  0L systems, 3332
  compacting, 933
  ET0L systems, 2720
  length queueing theory, 57
  memory, 3472
  recursion, 11
  storage, 546
limiting
  probabilities, 285
  resource, 527
Lin, 2046
  entailment logic, 2046
Lin, C.H., C.C. Chang, and R.C.T. Lee, 3175
Lin, Chun-Yuan, 3736
Lin, G.-H. and G. Xue, 4122
Lin, Guo-Hui, 3864
Lin, Min-Sheng, 3620
Lin, Yen-Chun, 3415
Linardis, P., 3664
LINC, 8, 38
Lindenmayer, 47, 56, 93, 279, 313
  families, 241
  grammars, 314
  languages, 200
  systems, 93, 161, 456, 572
  type formal language, 161
Lindenmayer, A., 313
Lindstrom, 176
  algorithm, 176
  scanning, 2689
Lindström quantifiers, 3627
line arrangements, 1562
line digraph, 819, 3023, 3264, 3442, 3530
  interconnection networks, 3264
  operation, 3442
line
  graph, 87, 252, 518, 1495, 2743, 3214, 3264
  intersection searching problem, 774
  of action, 3511
  probe, 1612
  segment, 350, 748, 774, 1121, 1171, 1267, 1380, 1387, 1394, 1431, 1469, 1863, 1882, 1992,

line segment (*cont.*), 2083, 2135, 2264, 2332, 2408, 2417, 2527, 2893, 3039, 3317, 3380, 3602, 3646, 3683, 3693, 3723, 3794, 3860, 3878, 4127
line segment intersection, 748
searching problem, 1171
line
separation, 3646
sliding over the plane, 1612
stabber, 1863
stabbing, 1863
transversal, 1863
linear
additive term, 602
algebra, 377, 1726, 2367, 2745, 2872, 3680
algebraic equations, 81, 287
algebras, 472
linear algorithm, 217, 346, 573, 813, 854, 1050, 1127, 1190, 1221, 1309, 1518, 1638, 1859, 1892, 1994, 2019, 2256, 2337, 2474, 2486, 2503, 2546, 2889, 3079, 3612, 3919
for finding the convex hull, 512
linear algorithms, 505, 518, 1002, 1926, 2740, 3391
for edge coloring trees, 492
linear amortized time algorithms, 2716
linear and
bilinear arithmetic algorithms, 719
discrete time, 1478
linear
applicative solution, 1092
approximation, 3206, 3507
arithmetic constraints, 3123
arrangements, 187, 633
linear array, 1734, 1876, 1942, 1997, 2644, 3459
language, 862
of processors, 3193, 3415
linear arrays, 2407, 4011
of automata, 47, 56
linear
associative memory, 2021
automata theory, 19
automaton, 19
linear binary
search tree, 1658
space, 3078
trie, 1658
linear
blocks, 82
boundary problem, 39
linear cellular
array, 1734
automaton, 2631, 3466, 3718
linear
code sequence and Jump triple, 238
codes, 2370, 2568, 3901, 3961
linear complexity, 2505, 2609, 2716, 3285, 3465, 3706, 3894, 4001, 4075
profile, 3465, 4075
linear
congruence equations, 2367
congruences, 3175
constraints, 3123
linear context free
grammars, 56
languages, 640, 1065, 1277, 1640
linear
convergence, 2824
cost model, 4047
linear decision tree, 613, 673
model, 673, 1052
linear
dependence, 334
deterioration, 818
difference equation, 1429
Diophantine equations, 341
equation, 1386, 2193
equations in dimension two, 1240
error correcting codes, 3961
linear expected
case time complexity, 552
run time, 570
linear expected time, 240, 328, 840, 959, 1534, 3334
algorithm, 1400
linear extension, 1038, 1365, 2500, 3546, 3621
linear families, 271
of subsets, 271
linear
finite automaton, 19
form, 445, 1164, 1190, 4088
function, 407, 730, 869, 1956
functional, 2945
functions, 2387, 2856, 3070, 3851
gates, 4088
grammar, 202, 960, 2061
graph languages, 1886
linear hashing, 1658
schemes, 1658
linear
homogeneous difference equation, 598
inequalities, 385, 3815
integer program, 2815
iterative array, 1734
language, 94, 3943
layout, 2385
list, 249, 475, 823, 1142, 2114, 2195, 3315, 3398
logic, 2458, 3390
lower bounds, 1152
mapping, 1516
median finding algorithm, 165
medium, 756

linear (*cont.*)
memories, 1477
model, 3585
multiple choice knapsack problem, 1002
optimization, 2253
linear order, 312, 2087, 3928
among lists, 312
linear
ordering, 114, 640, 3116, 3392
organization, 525
partitions, 2169
pattern matching, 1230
permutation, 2410
pipelines, 2256, 2364
precedence functions, 225
prime number sieve, 3344
probing, 1112, 1142
processor array, 2515
linear program, 258, 519, 1219, 1938, 2016, 3698, 4044
relaxation, 2533
linear programming, 328, 385, 409, 411, 519, 639, 660, 981, 1002, 1192, 1219, 1287, 1359, 1783, 2004, 2124, 2369, 2383, 2533, 2915, 2945, 3062, 3177, 3698
algorithm, 2745, 2915
linear programming problem, 1192, 2124, 2369, 3062, 3796
with integral coefficients, 3815
linear
programming relaxation, 4016
programs, 289, 2016
propositional temporal logic, 4140
recognition algorithm, 3391
linear recurrence, 820, 844, 1429, 1865, 2810
computation, 820
relation, 626, 3933
linear
recurring sequence, 3606
recursion, 458, 2418
linear recursive
algorithm, 458
schemata, 741
linear regression, 4098
linear resolution, 799, 1330
with selection function, 799
linear search, 1004, 1142, 1633, 2305
heuristics, 1633
theorem, 178
tree, 552, 613
linear
separability, 1192
sequences, 275, 522
linear sequential
machine, 19
time, 2633
linear
set, 3
single tree languages, 4029
size constant depth polylog threshold circuits, 2225
skewing scheme, 524
linear space, 268, 1304, 2056, 2945, 3746, 3931, 4141
computation, 4141
index structures, 3820
solutions, 2071
translation, 802
linear
speed up, 2704
speedup, 2455, 3227
linear storage, 2050, 2334, 2536
device, 756, 2050
media, 271
organization, 221
linear storage space, 324
algorithm, 324
linear
strategy, 1587
superconcentrators, 745
symmetries, 2365
linear systems, 1270, 1584
of equations, 1584
linear systolic algorithms, 3480
linear systolic array, 1175, 2256, 2639, 3459
architecture, 3459
linear temporal logic, 2787
linear time, 90, 114, 182, 276, 353, 419, 519, 675, 689, 736, 845, 893, 999, 1052, 1100, 1175, 1179, 1214, 1243, 1250, 1322, 1371, 1438, 1455, 1464, 1519, 1625, 1641, 1664, 1685, 1699, 1713, 1801, 1869, 1913, 1937, 1939, 1947, 2036, 2054, 2061, 2063, 2087, 2146, 2177, 2215, 2221, 2301, 2343, 2426, 2503, 2598, 2664, 2689, 2716, 2726, 2729, 2753, 2863, 2930, 2940, 2967, 3049, 3062, 3079, 3162, 3194, 3253, 3262, 3431, 3456, 3476, 3547, 3645, 3648, 3714, 3737, 3815, 3878, 3919, 3932, 3938, 4070, 4079
algorithm, 114, 354, 419, 512, 576, 642, 800, 819, 854, 893, 965, 1016, 1020, 1077, 1127, 1198, 1364, 1471, 1559, 1628, 1641, 1739, 1777, 1828, 1906, 1939, 2010, 2058, 2074, 2276, 2319, 2337, 2341, 2377, 2379, 2426, 2435, 2469, 2484, 2499, 2623, 2716, 2743, 2766, 2835, 2889, 2908, 2930, 2977, 3080, 3083, 3121, 3194, 3253, 3320, 3330, 3348, 3452, 3456, 3491, 3537, 3542, 3547, 3729, 3771, 3781, 3790, 3985
linear time algorithm for finding
all feedback vertices, 374
the domination number, 371

linear time algorithms, 689, 1077, 2074, 2087, 2278, 2341, 2499, 2503, 3295, 3506, 3542, 3796
linear time algorithms for
finding a maximum matching, 3200
graph search, 3737
linear time
and space, 2503, 3560
approximation algorithms, 689
bound, 1984
complexity algorithm, 493
heuristic, 2591
implementation, 2596
isomorphism algorithm, 2499
Jordan sorting, 1984
many one reduction, 3574
minimal memory algorithm, 2177
optimization algorithms, 1743
preprocessing, 1219
processor product, 2961
linear time recognition, 3121
algorithm for interval dags, 642
linear time
reducible, 1603, 3779
reduction, 1322
sequential algorithm, 2394, 2779
simulation, 276, 836, 2930
solution, 1739
solvability, 3737
specifications, 3714
temporal logic, 2363, 2572
transformation, 3815
unit resolution algorithm, 1628
linear
transform, 1170
transformation, 390, 531, 4113
traversal, 244
unambiguous cfl, 2537
worst case complexity result, 1220
linearity, 2681, 3881
linearization, 3058, 3497
linearly, 586, 907, 1895, 2623, 2824, 3183, 3567, 3660, 3775, 3807
bounded, 4136
independent, 1190
linked list, 244
linearly ordered, 405, 2380
set, 1518
subsets, 405
linearly organized memories, 1494
Lingas, 1431
Lingas and Smith, 2426
Lingas, Andrzej, 3236, 3237, 3665
Linguist, 45
linguistic, 7, 583, 951, 1480, 1922
link capacity, 3597
constraint, 3597
link
failure, 2421, 2507, 3264
field, 114, 177
length, 3855
path, 2075, 3117
redundant linear array, 2868
structures, 671
linkage, 3308, 3587
editors, 1919
updating, 229
linked form of data representation, 99
linked list, 721, 803, 858, 972, 1300, 1443, 2151, 2480, 2573, 2576, 2769, 3954
ranking problem, 2151
linked structures, 671, 1385
linking, 1385, 1749
structure, 972
lint, 1383
Liotta, Giuseppe, 3506
Lipschutz, Seymour, 3688
Lipski, 633, 744
Lipski and Marek, 633
Lipski and Preparata, 3200
Lipton, 307, 470, 628, 1392, 1478
Lipton and Miller, 628
Lipton and Park, 1936
Lipton and Sedgewick, 977
Lipton and Tarjan, 454, 517, 1442
algorithm, 1442
Lipton and Tuttle, 183
Lipton et al., 307
Lipton invariance theorem, 307
Lipton, Richard J., 3283
Lipton-Tarjan separator algorithm, 1752
Liśkiewicz and Reischuk, 2752
Liskov and Wing, 3113
lisometric array anguages, 989
Lisp, 243, 244, 312, 321, 384, 397, 496, 500, 549, 714, 896, 1257, 1299, 1418, 1704
1.5, 312
Lisp based
high level language machine, 896
machine, 896
Lisp
evaluation procedures, 1494
evaluator, 2707
function, 284, 321
implementations, 506
language, 496
Lisp like
environment, 1361
language, 896

Lisp
list access streams, 1477
machine, 896
objects, 496
program, 506, 1477, 1655
programming, 2391
recursive data structures, 1494
systems, 500
Lisp type
data base system, 496
data bases, 496
garbage collection marking, 72
list, 100, 443, 972, 1297, 1477
compacting algorithms, 261
forming operations, 284
insertion sort, 1222
list manipulation, 1477
problem, 549
list
memory, 114
permutations, 2480
list processing, 6, 114, 117, 152, 339, 468, 549, 845, 1214, 1220, 1223, 1477, 1494
environment, 114
operations, 114
program, 549
schemes, 312
system, 312, 1257
list programming problem, 549
list ranking, 1899, 2296
problem, 1847, 1899
list
representation, 549
reversal, 958
schedule, 527, 648, 1812
list scheduling, 504, 527, 595, 2133
algorithm, 4024
of UET task systems with 0-1 resources, 648
list searching, 823, 2971
algorithm, 823
list structure, 384
marking algorithm, 72
representation, 242
list
structured data, 72
structures, 72, 114, 312, 896
list update, 2946, 3187, 3622
problem, 2195, 2829, 3187, 3398, 3622
strategy, 2946
list variables, 114
listing
algorithms, 3877
subtrees, 969
literal, 419, 548, 561, 799, 1268, 1330, 1552, 1659, 2420, 2957, 3280
in a logic formula, 1552
ordering, 1767
selection function, 799
shuffle, 3357
literature, 152
Litovsky et al., 3477
Litovsky, I., 3387
Litow, B., 3727
Litwin, 717
Litzler, L., 3650
Liu, 609, 1049
Liu and Layland, 868, 4049
schedulability test, 4049
Liu, Hongfei, 3566
Liu, Tzong-Jye, 3701
Liu, Zhaohui, 3903
live
analysis, 1817
and bounded marked Petri nets, 1472
data, 3163
I/O automaton, 3372
ω-regular language, 2086
quorum, 3686
variable analysis, 545
liveness, 1173, 1265, 1909, 2029, 2086, 2281, 2321, 2456, 2700, 2794, 3372, 3418, 3952
commitments, 2817
problem, 129
property, 962, 1173, 1361, 2029, 2086, 2210, 2281, 2282, 2456, 2700, 3418
LL
parsers, 1311
regular grammars, 168
LL(1)
grammar, 1311
grammars, 154, 690
parsers, 457, 1311
LL(1) parsing, 1308
algorithm, 2717
LL(k), 457
grammars, 835
language, 168
parsing, 457
LL1 parsers, 277
Lloyd, 1431, 2443
Lloyd, E.L., 595
Lloyd, Errol L., 3369, 3552
LLR
grammar, 168
language, 168
production, 168
rule, 168
LLRI deduction, 1289
LLS(k) grammar, 168
LM Prolog, 1297
LMS, 3585
regression, 3585

LMT skeleton, 3892
algorithm, 3892
load
and store instructions, 289
balance, 3100
load balancing, 2006, 2684, 2929, 2955, 3100, 3540
problem, 2955
load
conditions, 280, 326
imbalance, 1591
load levelling, 546
constraint, 546
load sharing, 2006
Löbbing, 3370
Löbbing, Martin, 3781
local
access to data, 3684
address, 933
adjustment, 2853
and global trial inconsistency, 3363
application, 851
local area
computer networks, 2192
networks, 3780, 4131
local
authentication mechanism, 1416
balance, 2254
balancing, 2254
broadcast network, 1966, 2835
buffering, 2783
catenativity, 869
changes, 3370
communication, 698, 1089, 1430
compaction, 1090
computation, 2199, 3477, 3853
condition, 2725
connection pattern, 735
consistency constraint, 1697
constraints, 2105, 3583
local data
base system, 553
processing, 1084
structure, 2838
local
DBMS, 3349
density, 522
dependencies, 1989
extrema, 2062
identifiers, 4121
information, 1712, 3026
integrity constraints, 2147
invariants, 3583
map, 2631, 3466, 3718
mark scan, 1915, 2528
local memory, 759, 838, 1668, 2148, 2850
locations, 2742
local
microcode compaction, 1090
node, 2571
overflow, 387
range join algorithm, 2933
recording, 1439
restrictions, 730
restructuring, 1930
rotations, 2254
rules, 3817
seach, 2994
local search, 1357, 1696, 2237, 3052, 3370
algorithms, 1696
approximation techniques, 3247
heuristic, 2442
problems, 2994
local
semantics, 1512, 2649
theories of inheritance, 2649
transactions, 562
variables, 1677, 2446, 2628
local/global balancing, 2254
locality, 229, 2649
of reference, 687
principle, 260
transition behaviour, 310
localization of
a fault, 1654
data, 553
locally, 1308
balanced search trees, 2254
cate, 279
locally catenative, 279, 313, 869
developmental systems, 279
DOL language, 869
formula, 279, 313
L systems, 279
OL system, 279
locally
catentative developmental system, 279
connected, 953
locally least cost error repair, 1308
scheme, 1308
locally least cost
insertion string, 1308
LR error repair, 1308
locally
minimal triangulations, 3892
one to one transformation, 445
locally optimal
partitions, 2837
reduction, 2693
solutions, 2994

locating objects, 1612
location, 187, 462, 480, 503
  in a network, 371
  of facilities, 1859, 3289
  problem, 1620, 2911, 3174
  secrecy, 3655
lock, 687, 805, 1708, 2728
  free queue, 2742
  granularity, 333
  modes, 300
locking, 687, 1326
  mechanism, 687
  overhead, 1742
  protocol, 1708, 1742
  protocols for B-trees, 687
  the directory, 1742
lockout, 430, 1446
locus method, 422
Loescher, Bernd, 3449
log
  depth circuit, 1499
  space bounded Turing machine, 1006
logarithm, 616, 1956
logarithmic advice, 3144
logarithmic algorithm, 1046, 2292
  for exponentiation, 1429
logarithmic cost, 407, 1726
  criterion, 1956
  measure, 407
logarithmic
  derivative, 347
  deterministic sample, 2633
  evaluation, 2292
  query time, 2182
logarithmic space, 246, 2769
  bound, 4118
logarithmic space bounded
  computation, 1935
  Turing machines, 2070
logarithmic space
  bounds, 1390
  complexity classes, 1613, 2616
  measure, 1702
  reductions, 1251
logarithmic
  time, 268, 1046, 1464, 1754, 2292, 3482
  word size, 2950
logbounded rudimentary reductions, 2272
logcomplete, 1109
logic, 216, 440, 442, 1041, 1283, 1408, 1478, 2046, 2219, 2344, 2458, 2572, 2876, 3006, 3050, 3087, 3316, 3407, 3570, 3616, 3627, 3633, 3893, 4069
  assertions, 2219
  circuits, 751
  databases, 1459
  design, 208, 751
  formula, 1552
  function, 2325, 2865
  gates, 2045
  grammars, 1367
  implications, 1459
  inference machine, 1306
  languages, 1751
logic of
  initially and next, 3893
  knowledge, 1417
  programming, 632, 1402
  programs, 440, 946, 1181, 1246, 2344, 3990
logic program, 847, 1017, 2255, 2510
  formulations, 1809
  semantics, 2839
logic programming, 847, 958, 1017, 1041, 1278, 1459, 1543, 1628, 1659, 1781, 1870, 1962, 1989, 2077, 2202, 2255, 2269, 2431, 2513, 2585, 2589, 2679, 2839, 3303, 3318, 3521, 3778
  languages, 1297, 1494
  memory management, 2140
  systems, 847
logic
  programs, 1017, 1306, 1543, 1659, 1809, 2255, 2293, 2679, 2880, 2957
  puzzle, 1370
  puzzles, 1370
  simulation, 3044
  termal equivalence, 534
  theories, 2077
logical
  address space, 31, 817
  characterization of NP, 2659
logical characterizations, 3570
  of polynomial space, 3570
logical clock, 1346, 2204, 3818
logical closure, 216, 4145
  of a set of binary relations, 216
logical
  communication channel topologies, 1617
  completeness, 846
  conditions, 370
  connectives, 286, 658
  consequence, 871
  data structure, 772, 3447
logical database, 484, 1330
  design, 484
logical databases, 1330
logical definability, 3232
  of optimization problems, 2659

logical
design, 142, 484
expressions, 192
formalism, 2649
formula, 1229, 2510
formulae, 2060
formulas, 555, 1229, 4062
framework, 4069
grid structures, 1897
implication, 1241, 1330, 2523, 3973
independence, 440
inference, 2731
logical meaning, 2046
of programs, 192
logical
properties, 448
reductions, 3570
relations, 216, 2510
ring, 1816, 2944
solver, 3815
specifications, 3027, 3396, 3633
speed, 1346
structure, 1134, 1897, 2310
synthesis process, 2729
system, 1492
time, 1125, 1346, 2204, 2441
translation, 1229, 1367
variable, 369, 958, 1751
wires, 1971
logically
complete annotated programs, 1019
immaterial, 43
logico semantic
formula, 1367
representation, 1367
loglan, 1655
LOGSNP complete, 3856
logspace, 1613, 2616
bounded alternation hierarchy, 1390
logspace complete, 1613, 1657, 2597, 2616, 3031
for P, 1586, 1762, 2124, 2383
problem, 1586, 3031
logspace
hard, 411
MOD classes, 4118
PCA, 593
reducibility, 411
logspace reducible, 1657, 2597, 3031
to, 411
logspace
reduction, 1507, 2124, 2303
transformations, 1778
logtime reductions, 1647
Lohman and Muckstadt, 652
Lomet, 1440
Long, 1877
long
ear decomposition, 3945
edges, 1252
Long et al., 3381
long term
behaviour, 2546
memory networks, 45
longest branch, 206
longest common
ascending subsequence, 2002
prefix, 640
longest common subsequence, 315, 1100, 1261, 1307, 1428, 1569, 2023, 3459, 4141
problem, 315, 1175, 1428, 2916, 3459
longest
decreasing subsequence, 175
detour, 3761
longest diagonal, 1970
of a simple polygon, 1970
problem, 1970
longest distances, 2594
longest fragment first, 3346
parsing algorithm, 3346
longest generation sequence, 222
longest guard
chord, 4127
diagonal, 4127
longest Hamiltonian
cycle problem, 3668
path problem, 3668
longest
increasing subsequence, 1100
least cost path, 2251
LONGEST PATH, 3926
longest path, 1745, 2789, 3301, 3382, 3926
outerplanar graph algorithm, 1828
problem, 1828, 3301
longest
prefix, 2664
processing time heuristic, 3687
queue, 2006
(s, t)-paths, 1828
segment, 2013
stuttering subsequence problem, 1471
substring, 2855
suffix, 2345
traveling salesperson problem, 3668
upsequence, 1151
wire, 1254
Longpré, Luc, 3757
look ahead, 1331
lookahead, 277, 338, 348, 366, 457, 2829, 3346
length transformation, 1526
policy, 338
sets, 1775
strategy, 261

lookahead symbols, 747
lookback state, 1331
lookup, 721, 3899
  dictionaries, 3310
  frequencies, 2164
  operation, 1717
  table, 1595, 2309, 2846, 3728, 3898
loop, 178, 192, 539, 609, 645, 772, 931, 1820, 2284, 3013, 3128, 3201, 3727, 3780
  architecture, 2168
  cleaning, 980
  control, 443
  correctness rule, 3009
  exit, 2207
loop free
  2npda, 894, 1062
  Bachman diagrams, 1094
  form, 112, 539
  programs, 192, 414
  two-way pushdown automaton, 894
loop
  invariants, 1004, 1223, 1492, 3013
  network, 3691, 3780, 3950
  order, 498
  program, 11, 1441
  structure, 2168
  termination, 1635
  unravelling, 178
looping, 2
  configuration, 112, 1144
  deterministic two-way pushdown automata, 2776
  LR parsers, 1500
  problems, 1144
  property, 1096
  vs. repeating, 1102
loopless
  algorithm, 2233
  generating algorithms, 3822
loopless generation, 2965, 3688, 3822, 3915
  algorithm, 3915
  of k-ary trees, 3688
loopless graph, 1845, 2284
loosely connected processes, 470
loosely coupled, 735
  asynchronous concurrent communicating systems, 928
  components, 735
  environment, 1966
  multiprocessor, 1382
  processors, 1369
Lopez-Escobar, 1785
Lorin, 901
loss of
  peak precision, 1108
  token, 1964
loss probability, 52
lossless, 600, 1025
  database decompositions, 1025
  decomposition, 834
lossless join, 996, 1025, 1618
  property, 600, 2449
losslessness testing algorithm, 600
lossy join, 600
LOTOS, 2294, 2459, 2550, 2653
  specifications, 2459
Loui, Michael C., 1627
Lovász, 392, 1927, 2379
  local lemma, 3513
Loveland, 799, 3534
  complexity, 3534
low
  amplitude noise component, 172
  complexity operations, 1010
low congestion routing, 4065
  in networks, 4065
low density, 3406
  circuitless graphs, 1220
  environment, 3406
  graphs, 1220
low discrepancy sets, 4033
low exponent
  attack, 2995
  RSA, 2995
low level
  complexity classes, 11
  data structure, 532
low
  polynomial time, 4020
  shop problem, 1812
Low, Chor-Ping, 3826
lower and upper bounds, 1235, 1450, 1549, 2400, 2408, 2477, 3473, 3506
lower bound, 69, 76, 185, 328, 354, 436, 479, 537, 542, 552, 589, 592, 597, 602, 605, 613, 628, 656, 673, 715, 797, 807, 831, 841, 893, 901, 906, 942, 1007, 1011, 1015, 1030, 1043, 1051, 1052, 1095, 1135, 1164, 1168, 1183, 1201, 1203, 1226, 1252, 1269, 1270, 1355, 1396, 1414, 1424, 1431, 1450, 1454, 1469, 1479, 1505, 1517, 1545, 1552, 1564, 1569, 1695, 1706, 1712, 1718, 1790, 1791, 1821, 1847, 1863, 1893, 1917, 1925, 1928, 1952, 2003, 2011, 2020, 2034, 2040, 2051, 2101, 2103, 2107, 2111, 2121, 2165, 2175, 2188, 2221, 2274, 2350, 2353, 2370, 2378, 2400, 2426, 2466, 2471, 2481, 2487, 2498, 2542, 2587, 2635, 2658, 2664, 2673, 2694, 2699, 2732, 2796, 2819, 2831, 2843, 2845, 2856, 2859, 2878, 2885, 2910, 2921, 2925, 2934, 2952, 2971, 3011, 3037, 3100, 3167, 3193,

lower bound (*cont.*), 3202, 3239, 3252, 3281, 3343, 3377, 3443, 3464, 3508, 3524, 3540, 3553, 3558, 3559, 3581, 3594, 3600, 3622, 3653, 3666, 3674, 3704, 3759, 3763, 3768, 3830, 3845, 3855, 3859, 3939, 3947, 3970, 3974, 3975, 3986, 4001, 4012, 4024, 4066, 4092, 4095, 4099
  analysis, 1552, 4099
  formula, 542
  results, 757, 977
  technique, 3343
  theorem of Ben-Or, 2952
  theory, 757, 3600
  time complexity, 1846
lower bounds, 185, 315, 472, 537, 563, 589, 719, 777, 1043, 1134, 1152, 1159, 1164, 1168, 1183, 1203, 1232, 1269, 1316, 1323, 1355, 1371, 1452, 1684, 1691, 1706, 1846, 1863, 1868, 1878, 1925, 2016, 2040, 2095, 2121, 2156, 2190, 2208, 2350, 2400, 2408, 2436, 2454, 2481, 2539, 2587, 2600, 2619, 2658, 2664, 2694, 2704, 2730, 2750, 2752, 2850, 2859, 2925, 2980, 2987, 3088, 3136, 3189, 3193, 3222, 3239, 3281, 3377, 3434, 3509, 3511, 3553, 3594, 3598, 3622, 3666, 3667, 3672, 3759, 3855, 3901, 3947, 3948, 4088, 4091, 4092, 4095, 4099
  for sorting, 1893, 2123
  of computations, 1134
  to AT^2, 1269
lower
  complexity bounds, 399
  envelope, 1671, 2251, 3191
  envelopes of parabolas, 3191
  interface, 2279
  level specification, 2210, 2282
  tester, 2279
  time bounds, 1159
lowerbound, 552
lowest common ancestor, 1435, 2296, 2863, 2871
Löwner-John ellipsoid, 3811
lowness, 1542
Lozano, Antoni, 3366
LP formulation, 1783
LP free, 3062
  approximation algorithm, 3062
LP problem, 1783
lp2afa(l), 2145
lp2nfa(l), 2145
lpo, 2648
LPO constraint solving methods, 2666
LPT, 1453
  rule, 3171
LR, 378, 582, 1311
  AG, 1318
LR attributed, 1311
  grammar, 1311, 1318, 2326
  LR(l) grammars, 1311
  property, 1318
LR automaton, 2326
LR based
  error repair, 2768
  implementation, 2685
  locally least cost insertion string, 1308
  parsing, 1308, 2768
  syntax error repair, 2768
LR
  error repair, 1308
  grammar, 1331
LR parser, 779, 1311, 1331, 1500, 1838, 2329, 4018
  technique, 1331
LR parsing, 779, 1318, 1838, 2326, 2329, 2675, 2768, 2883, 4018
  method, 1331
LR state, 1318, 1838, 2675
LR(0)
  automaton, 1775, 2675
  parsing methods, 1144
LR(0)/SLR(1) grammars, 955
LR(1)
  grammar, 1311
  languages, 1744
  parsing algorithm, 3095
LR(k), 1105, 3162
  context free grammar, 2141, 2675
  coupled context free grammars, 3162
  grammar, 65, 747, 835, 1526, 1744, 2141, 2191, 2318
  grammars, 3611
  languages, 168
LR(k) parser, 1105, 1526, 2141, 2318, 2693
  control, 1526
  optimization, 1526
LR(k)
  reduced parsers, 2318
  tables, 2318
lr0 grammar, 955
lr1 grammar, 955
LRU, 260, 2291
  algorithm, 890
  stack, 338, 890, 3053
LRU stack model, 890
  of program behavior, 890
LSD, 21
LSI, 1364
  technology, 592
LSM, 1445
lt equivalence, 534
LTL, 4140
  circuits, 4140
  formula, 4140

LTM, 45
  network, 45
LTUR, 1628
LU decomposition, 1445
Lu, Erl-Huei, 2983
Lu, Hongjun, 3146
Lu, Mi, 3346
Lubanov, 949
Lubiw and Sleumer, 2841
Lubiw, Anna, 3694
Luby NC algorithm, 3154
LUC, 3933
  cryptosystem, 3933
  digital signature scheme, 3933
  system, 3021
Lucas
  function, 3021
  numbers, 1818, 4139
  problem, 3021
Lucas, Salvador, 3753, 3793
Luccio and Preparata, 525, 1030
Luccio, F., 681
Luccio, Fabrizio, 3600
Luccio, Flaminia L., 3712
Luce, Guillaume, 3459
Lucifer, 2327
Lueker and Booth, 1961
Luke, Edward A., 3739
Luks, 1961
Lum, 1048
lumped disk seek time, 3101
Lund and Yanakakis, 2755
Lund, Carsten, 3558
LUSH resolution, 799
LUST resolution, 799
Lutz conjecture, 4050
LWG, 3642
LWPP, 2954
Lynch and Tuttle, 3372
Lyndon word, 576, 1973, 2828
Lyon, Gordon, 3065
Lysne, Olav, 2924
l-apex, 3476
  graph, 3476
L-attributed, 1311
  grammar, 1311, 1318
  LL(1) grammars, 1311
L-automata of Kurshan, 2655
l-conservative Petri nets, 2253
L-consistency, 1989
L-function, 408
L-infinity interdistance selection, 1685
L-languages, 47, 56
l-parse, 438
L-shaped corridor, 3322
L-stability, 287, 587
L-stable method, 287, 446, 587
L-system, 47, 93, 107, 193, 201, 292, 313, 1124, 3519
l-system of distinct representatives, 510
L-value, 462

M

m out of n nets, 86
$(m, 0)$-method, 26
(m, n) merging problems, 405
(m, n)-concentrator, 745
(m, n)-grid, 2169
(m, n)-grids in the plane, 2169
M.E. algorithms, 2840
M.I.S., 621
M/G/1 priority queue, 1384
Ma, 3794
Ma, Yuan, 3540
Maass, 2856
MAC parameters, 3501
Mace, 3695
machine
  architectures, 1176
  behaviour, 112, 1067
  coding, 29
  deadlines, 3610
  decomposition, 1481
  design, 29
  failures, 2084
  independent, 296
  language, 211, 1169
machine learning, 1381, 2669, 2984, 3252
  theory, 2406
machine
  model, 1376, 1390, 1702, 1942, 3509
  orientation, 1200
  produced lists, 33
  selfreproduction, 75
  structure, 29
  verification, 294
machine, mixed type, 71
machinery, 356
Maclaurin, 347
macro, 23
macro property, 501
  of programs, 501
macro system, 237, 773
Madanlal, M.S., 3347
Maekawa, 1725, 3602, 4110
  grid, 3602
  $\sqrt{n}$ algorithm, 2310
Maes, 3554
Maggiolo-Schettini, 669

Maggs, Bruce M., 3745
magic rule rewriting, 2418
  technique, 2418
magic semi-join, 1870
magic sets
  method, 2418, 2662
  transformation, 2662
magic squares, 444
magma, 794
magmoïde, 794
magnetic bubble
  memory, 573, 602
  storage, 157
Magó, 733
Mahajan, Meena, 3107
Mahaney
  result, 1894
  theorem, 3525
Mahler, 1595
Mahmoud, Hosam M., 3654
mai max heap, 1790
Main and Lorentz, 699
main memory, 543, 708, 1037, 1049, 1724, 1730, 1735, 2080, 2489, 2582, 3803, 4090
  access, 718
  buffer, 1140, 1804, 2041
  buffer size, 2188
  databases, 2582
Main, Bucher, and Haussler problem, 1189
maintaining
  a directed acyclic graph, 961
  consistency, 1786
  equivalence relations, 861
maintenance, 44, 496, 1419, 2733, 3750
maintenance of a
  Lisp type data base, 496
  tournament tree, 617
Maio et al., 2313
majority, 2349, 2694
  colour, 3557
  function, 1015, 1452
  gate, 3032
  information, 3557
  quantifiers, 2153
  vote technique, 3323
  voting, 2310
Majster-Cederbaum, Mila, 3773
Majster-Cederbaum, Mila E., 3353
makespan, 2025, 2440, 2831, 3416, 3461, 3660
  optimality criterion, 3227
  problem, 3660
makespan scheduling, 3269
  problem, 3070, 3269
Mäkinen, 1746, 2074, 2215, 2301, 2341, 3943
  algorithm, 2301
  solution, 2301
Mäkinen, Erkki, 3502
Makki, S.A.M., 3388
Makowsky and Pnueli, 3570
Makris, Christos, 3444, 3746
Malcolm, 2452
male optimal stable solution, 1955
Malhotra, Vishv M., 3310
malicious
  attacker, 3956
  server, 3659
Malik et al., 3425
Mallat algorithm, 2592
malleable, 3912
mallest axis parallel rectangle, 3663
Malvestuto, F.M., 3825
Man, Fai Lau, 3408
Manacher, 550, 2503
Manacher and Zobrist, 550, 1193, 1431
management, 6
  of replicated data, 2310
  systems, 6, 3963
managing
  memory, 1717
  replicated data, 2823, 4138
Manasse et al., 3398
Manber and Myers, 2106
Măndoiu, Ion I., 3708
Mandrioli, D., 150
Manhattan
  channel routing, 2539
  distance, 2761, 3167
  graph, 2761
  metric, 1699, 2245, 3696, 4079
  mode, 1975
  model, 2539
Manhattan path, 1052, 2135
  algorithm, 1052
Manhattan street network, 3832
manifest, 462
manipulation, 60
  of data structures, 60, 99, 1482, 1571
Manku, Gurmeet Singh, 3330
Manna, 134, 460, 826, 1306
Manna and Ness, 2771
Manna and Pneuli, 460
Manna and Waldinger, 460
  logic of intermittent assertions, 1019
Manna result, 1306
Manolopoulos, Y., 3664
Manolopoulos, Yannis, 3492
Manos, H., 3907
Mans, B., 3727
Mans, Bernard, 3549

Mansour, 3098
Mansour, Schieber, and Tiwari, 2156
Mansour, Yishay, 3581, 3834
manual translation, 61
Manuel, Paul D., 3697
manufacturing, 2777
  faults, 2054
  systems, 2806
many
  discs problem, 1044
  face complexity, 2912
  many relation, 181
  moving bodies problem, 1044
many one
  complete set, 2645
  completeness, 3366
  reducibility, 1209, 1891
  reducible, 2739
many sorted language, 3027
map
  colouring, 627, 628
  grammar, 1244
map labeling, 2952, 3683, 3860
  problem, 2952, 3683
MAPA, 3813, *see also* multi action process algebra
mapping, 12, 1259
Marek, 633
Marek and Pawlak, 187
Marchetti-Spaccamela Alberto, 3340, 3732
Margolus, 2430
  neighborhood, 2430
Margulis, 390
mark and sweep collectors, 1704
mark scan, 1915, 2528, 2607
  algorithm, 1915, 2528
  garbage collection algorithm, 1915, 2528
  process, 1915
marked graph, 67, 129, 554, 981, 1180, 2806, 3139
marker, 157, 3992
marking, 72, 114, 590, 1223, 1519, 3059
  algorithm, 312, 618, 741, 1519
  finite rooted binary directed graphs, 1223
  of list structures, 114
Markov, 3377
Markov chain, 756, 1024, 1548, 1700, 1902, 2111, 2488, 2546, 2564, 2806, 2813
  model, 1024
  simulation method, 1700
  theory, 1024
Markov
  model, 3042
  models, 142, 3944
  transition diagram, 756
marriage problem, 816
marriage, stable, 1727
Marr-Poggio algorithm, 3615
Martel, Charles U., 3315
Martel, Park, and Subramoniam, 2244
Martin and Rem, 2292
Martin, Alain J., 1160
Martin, Henk, 3468
Martin, Johannes J., 912
Martinelli, Fabio, 3784
martingale, 3875
  techniques, 303
Martin-Löf, 2611
  random, 2611
Masek, 3941
massive memory, 1436
massively parallel, 3427
  algorithm, 3094
  architectures, 2606
  dictionaries, 3817
  machine, 4078
  processors, 3744
MAST, 3153, *see also* maximal agreement subtree
  of k trees, 3153
master grammar, 683
master key, 643, 734, 760, 1811, 2958
  space, 2958
master
  slave model, 3935
  slaves relation, 1933
Mastrobuoni, Vincenzo, 3546, 3621
Masuyama, Shigeru, 3543
Matamala, Martín, 3525
matching, 181, 234, 245, 299, 444, 510, 567, 646, 660, 689, 705, 810, 854, 959, 991, 1185, 1201, 1250, 1315, 1338, 1955, 2111, 2125, 2160, 2211, 2227, 2242, 2307, 2503, 2531, 2599, 2625, 2920, 3054, 3109, 3379, 3537, 3553, 3650, 3808, 3824, 3924, 3938, 4103, 4128
  algorithm, 1250, 2227
  diagram, 2028
  in a graph, 567
  lower bound, 2929
  nuts and bolts, 3351
  of maximum cardinality, 567, 810, 1315
  pair, 1888
matching problem, 689, 816, 1338, 1986, 2160, 2227, 2670, 3729, 3938
  on Euclidean space, 2920
matching problems, 444
  with side constraints, 1845
matching
  property, 649, 1140
  relational structures, 181
  upper and lower bounds, 3613
  with bonds, 1845

matchings in graphs, 646
material implication, 2046
materialized view, 4019
mathematical, 142, 278, 1642, 2563, 2909
  algorithms, 214
  analysis, 153, 347
  concepts, 625
  difficulties, 2037
  fields, 442
  foundations, 1642
  framework, 572
  geodesics, 337
  interest, 353
  interpretation, 2204
  intuition, 1258
  investigations in meteorology, 22
  language, 830
  logic, 871, 1279, 1330, 1372, 2046
  methods, 1411, 3152
mathematical model, 332, 809, 1067
  for routing problems, 711
mathematical model of
  a, 142
  communicating processes, 1298
  reconfigurability, 1971
mathematical models, 188, 275, 313, 989
  for developmental systems, 279
mathematical
  morphology, 1394
  notation, 1996
  point of view, 232, 1726
  process, 979
  programming, 1819, 2395
  projection, 1612
  proof, 1128, 1486
mathematical properties, 232, 256
  of computer programs, 294
mathematical
  reasoning, 1427, 2563
  results, 442, 1197
  semantics, 544
  set theory, 644
  techniques, 2881
  theories, 2008
mathematical theory of
  computation, 125
  L systems, 572
mathematical treatment, 455
mathematically predictable models, 142
mathematics, 454, 644, 965, 1286, 1995, 3263
  of MetaSoft'88, 1642
Matijasevič, 414
Matijasevitch, Yuri, 1802
Matoušek, 2945
Matousek and Thomas, 1961
matrices over finite fields, 2070
matrices with
  constant gap, 3196
  polynomial entries, 694
  sorted rows and columns, 1087
matrix, 15, 20, 4088
  algebra, 1126
  analysis, 3409
  arithmetic, 199
matrix closure, 1603
  problems, 1603
matrix
  computation, 1445, 2407, 3850
  eigenvalues, 783
  grammar, 68, 330, 413
  grammars of finite index, 330
matrix inversion, 1502, 1692, 2193
  algorithm, 342
matrix
  inverter, 1502
  language, 68, 413, 2112, 3943, 3988
  method, 923
matrix multiplication, 15, 136, 214, 215, 351, 377, 398, 450, 454, 540, 601, 616, 626, 641, 702, 713, 719, 723, 724, 789, 833, 918, 936, 952, 953, 1011, 1051, 1082, 1164, 1271, 1445, 1603, 2183, 2575, 2673, 3218, 3301
  algorithm, 2834
  complexity, 540
  problem, 398, 1164, 1603
matrix
  multiplications, 2564
  operation, 616, 1135, 1703
  processing, 2623
matrix product, 351, 398, 2721
  verification, 2721
matrix
  rank computation, 3781
  rigidity, 3641
matrix searching, 3298
  algorithm, 1739
matrix symmetrizability, 491
  problem, 607
matrix
  theory, 3593, 3680
  $*$ vector multiplication, 1352
  transposability problem, 607
  transposition, 1581
  triangularisation, 2044
matrix vector
  multiplication, 1954
  product, 1502
matroid, 121, 308, 2161, 2518, 2813, 2992, 3010
  bases, 2813
  intersection problem, 130

matroid (*cont.*)
optimization problems, 1203
oracle algorithm, 2813
partition, 887
problem, 1203, 2813
theory, 130
Matsushita, Teresa A., 1627
Mattson et al., 366
Matula and Kornerup, 1010
Matula, D. and C. Gregory, 1595
Mauceri, 812
Mavronicolas, Marios, 3559
max, 640
clique problem, 2258, 2659
max flow min cut, 1783
property, 1783
theorem, 1783
max flow
min multicut ratio, 2668
problem, 1762, 3896
max
gap problem, 1355
k-cut problem, 3673
not all equal Sat, 3698
NP, 2258
Max operators, 2647
max
ordering property, 2678
prefix problem, 1903
set splitting, 3698
MAX SNP, 2258
MAX SNP complete, 2088, 2809
problems, 2088
MAX SNP completeness results, 2258
MAX SNP hard, 1823, 2088, 2797, 2935
problem, 2088, 2809
MAX TSP, 4124
MAXΠ, 2659
MAX2SAT problem, 3648
MAXCLIQUE, 1891
maxima of a set of vectors, 1864
maximal
antichains, 3982
bipartite set problem, 2299
bridge connected subgraphs, 101
cardinality, 3878
clique, 181, 1624, 3697
common subgraph, 181
connected subgraph, 101
constraint satisfaction, 4142
maximal cut, 865
problem, 865
maximal
degree, 4086
directed paths, 335
distance, 621, 1490
dynamic flow, 3724
maximal edge
induced subgraph, 2299
length, 1254
maximal
element, 1245, 1630
elements problem, 1245, 1511
even factor, 599
extension function, 1489
f-matchings, 3236
ideals, 2631
independent set, 1203, 1430, 1536, 1554, 2118, 2299, 2340, 2427, 2782, 2808, 3091, 3154, 3286
inference degrees, 2669
interlocking sets, 1803
internally stable set, 69
isomorphic, 181
layers, 3374
maximal length, 904
linear shift register sequences, 2881
maximal match, 181
maximal matching, 1199, 1202, 2299, 2340, 2446, 2802, 2961, 3154, 3220, 4128
in a graph, 2961, 3220
maximal model generation, 4055
maximal models, 4055
of a Boolean expression, 4055
maximal
node disjoint paths, 1799
number of ε-moves, 539
odd factor, 599
maximal outerplanar, 518
graph, 518, 2499, 3262
maximal path length of trees, 3382
maximal path problem, 1332
in planar graphs, 1332
maximal paths, 1799, 2339
maximal points, 2267
for an n-point subset, 2189
maximal set, 1193, 1431, 1965, 2339
maximal subgraph, 87
problem, 1528, 2299
maximal subset of vertices, 2299
maximal tree cover, 2299
problem, 2299, 2415
maximal unilaterally connected subgraphs, 335
maximal vector, 552, 594, 1505
determination, 552
maximal vertex induced subgraph, 2299
maximality problems, 2969
maximally arc connected, 4027
digraphs, 4027

maximally balanced
connected partition problem, 3422
spanning tree problem, 3422
maximally path reconstructable grammar, 218
maximization, 3860
problem, 1891, 2659, 3860
maximize, 2628, 2668, 2869, 3422, 3584, 3591, 3597, 3751, 4133
maximizing, 2657, 2941, 3679
maximum, 27, 46
1-packing of T-cuts, 2286
2-chain edge packing problem, 1842
3-dimensional matching, 2088
acyclic subgraph problem, 2892
maximum agreement subtree, 2719, 3153, *see also* MAST
problem, 2719
maximum alignment, 1100
of terminals, 1100
maximum area
and maximum perimeter k-gon problems, 1846
k-gon problem, 1846
maximum
axis aligned rectangle, 2905
balance, 3422
bipartite matching, 705
bounded H-matching, 2809
broadcast time, 2209
maximum cardinality, 705, 816, 2408, 2448, 2719, 3612
breadth first search, 3295
maximum cardinality clique, 2408
problem, 2408
maximum cardinality
depth first search, 3295
matching, 2125
partition, 1619
search, 1354
maximum clique, 136, 429, 645, 942, 1493, 1891, 1951, 2028, 2408, 2500, 3794, 4057
number, 3090
problem, 2392, 2408, 2500, 3503
maximum
completion time, 519, 4024
coordinate metric, 422
coverage problem, 3913
maximum covering
by 3-sets, 2088
of a graph by triangles, 2088
maximum cut problem, 2377
maximum degree, 492, 704, 815, 873, 1430, 1522, 2133, 2335, 2340, 2377, 2401, 2493, 2534, 2705, 2719, 3090, 3094, 3311, 3928
3 graphs, 704, 2401
of parallelism, 2133
maximum
δ-separated matching, 816
distance, 621, 2450, 2548, 2603, 2623, 3174, 3507, 3670
maximum distance discharge, 2194
algorithm, 2173
maximum
edge length, 1254, 1282, 1434, 1734
efficiency, 217
maximum finding, 2929, 3399
algorithm, 3399
on rings, 3328
problem, 3328
maximum flow, 375, 729, 2173, 2194, 2248, 2428, 3748, 3949
algorithm, 2002, 2173
in a network, 375, 3896
minimum cut in a graph, 851
problems, 2173
maximum
f-matching, 3665
f-star subgraph, 245
f-subgraph, 245
genus, 1398
height, 589
h-colourable subgraph problem, 3697
maximum independent set, 429, 942, 1100, 1442, 1620, 1879, 2028, 2278, 2331, 3094, 3379, 3455, 3674, 3978, 4057
problem, 1620, 2493, 3094, 3674
maximum induced
forest, 1334
subgraph problems, 3476
tree, 1334
maximum
internal matchings in graphs, 2307
k-colorable subgraph problem, 1334
latency TSP, 4124
leaf spanning tree, 704
leaves spanning tree problem, 2935
maximum length, 315, 448, 1882, 2586, 3346
of an ascending subsequence, 448
maximum load, 3540
maximum matching, 299, 567, 705, 810, 1315, 2581, 2670, 3200, 3273, 3379, 3537, 3665, 3826
in a graph, 810
problem, 660, 816, 2670
maximum matchings, 567, 1315
in bipartite graphs, 510
maximum neighbor, 3928
maximum neighborhood
elimination order, 3928
ordering, 3928

maximum
network flow problem, 3779
norm, 689, 2872
maximum number of
edges, 671, 2290, 2743, 2877
elements, 2498
leaves, 704, 2935
spanning trees, 3680
vertices and edges, 1398
maximum
packing of 3-edge paths, 3555
path length, 1847, 2101
perimeter k-gon problem, 1846
reliability path, 2421
maximum satisfiability, 1459
problem, 1459
maximum service radius, 3562
maximum set
of independent chords, 2331
packing, 3555
maximum
similar subpicture, 4119
sized clique, 1493
splitting of k-sets, 3294
stable set problem, 3460
maximum traveling salesman, 3774, 4124
problem, 3774, 4124
maximum
two-independent set problem, 2306
vertex degree, 2892, 3159
vertical distance, 1328
weight 2-independent set problem, 2474
maximum weight clique, 2483, 4057
algorithm, 1757
problem, 1757
maximum weight independent
set problem, 2474, 2483, 2605
sets, 4057
maximum weight matching, 1845
maximum weight stable set, 1787
problem, 1787
maximum weight triangulation, 3917
maximum weighted
2-colorable subgraph problem, 3456
2-independent set problem, 3456
maximum weighted clique, 1900, 2408
problem, 2408
maximum weighted
compatible matching, 2628
independent set, 1900
maximum weighted tardiness, 2032
problem, 1772, 2032
maximum width rectangle, 3683
MAXNP, 2659
hardness, 2659
MAXNP $\subset$ MAXΠ, 2659
MAXNP $\subset$ RMAX(2), 2659
MAXNP1 $\subset$ RMAX(1), 2659
MAXSAT problem, 3648
Mayr, 726
maze, 857
Mazurkiewicz trace
systems, 2458
theory, 3360
Mazurkiewicz traces, 3798
Mazurkiewicz, Antoni, 3477
Mazzone, S., 681
MBT problem, 2652
MCBFS, 3295
MCC^{2}s, 2101
McCabe, 513
McCallum and Avis, 1389
McCarthy, 2510, 2707
McCarthy and McKay, 491
McCarthy array expression, 658
McColl, 435, 831
McCreight, 1435
McCulloch-Pitts neural net, 3198
McCune, William, 3695
MCDFS, 3295
McGee, 6
McGill University, 256
McIver, Annabelle, 3356
McKellar, Steven, 4053
McKinzie, Wiley R., 45
McNaughton, 188, 1067
MCNF, 3779
problem, 3779
MCP, 1058
MCS, 1354, 2742
contention free lock, 2742
MCTP, 1180
for PN, 1180
McVitie and Wilson, 881, 992
McVitie-Wilson algorithm, 1955
MDD, 2194
ME algorithm, 3728
mean, 3654
deviation, 821
error, 180
mean flow time, 2440, 3488
problem, 3488
mean
page fault rate, 260
payoff games, 3823
seek time, 886, 3254
mean value, 2487
analysis, 2487
mean weighted
execution time loss, 1359
flow time, 1918

meaning of
  an execution, 159
  programs, 928, 1492, 2269, 2707
measurable in EXP, 3869
measure 0, 143, 3438, 4050
measure of
  complexity, 393, 605, 3627
  penetration, 4006
  performance, 449
  presortedness, 1885, 1903, 2234, 2236
  security of statistical databases, 1302
  sortedness of a list, 901
  vulnerability, 887
measure preserving correspondence, 2258
measured data, 66
measurement, 36, 384, 1063, 3750
  inaccuracies, 3615
  space, 143
measuring, 1283
  process, 3888
mechanic evaluation, 1097
mechanical, 689
  devices, 3235
  logic, 861
  plotter, 689
  program verification, 1492
  proof, 506
mechanical theorem
  prover, 506
  proving, 861
mechanical transformation, 26
mechanism, 5, 707, 1243, 1919, 2218
mechanized
  gameplaying, 79
  proofs, 3873
median, 250, 431, 466, 581, 916, 1042, 1113, 1273, 1300, 2533, 2825, 3250, 3696, 4058, 4079
  calculation, 431
  finding algorithm, 165
  method, 916
median of a
  discrete, 3696
  finite ordered point set, 3483
median of
  three selection, 784
  weighted discrete points, 4079
median
  point, 2804
  problem, 2533, 2804
  residual, 3585
  selection, 109, 466
  sort, 1344
  value, 678
medical sciences, 147
medium, 485, 3893
medium access, 3501
  control parameters, 3501
meet over all paths problem, 741
meeting time, 3900
Megiddo, 1002, 1192, 1685
  algorithm, 1192
  multidimensional search technique, 3056
  parametric searching technique, 2657
Megill, Norman, 3695
Mehlhorn, 901, 1196, 1264, 2172
Mehlhorn algorithm, 901, 1264
  for bracket languages, 1264
Mehlhorn and Tsakalidis, 1491
Mehlhorn estimate, 2183
Mehlhorn, K., 1064, 1148, 1282
Mehlhorn, Kurt, 3720, 3896
Meijer, 682
Meijer and Akl, 1801
MEIS, 2299
  problem, 2299
Meisters, 856
Melançon, Guy, 3395
meld, 3240, 3484
meldable priority queues, 3240
Melkman, Avraham A., 3386
Mellin transform, 2811
Mellin-Perron formula, 3662
Mello, Paola, 3303
Mellor-Crummey and Scott, 2742
member
  queries, 1761
  query, 661
membership, 481, 786, 2153, 2262
  oracle, 2669, 2813
membership problem, 481, 1507, 1763
  for T0L systems, 1475
  of dependencies in relational databases, 481
membership
  query, 656, 1974, 2131, 2792, 3489, 3766, 4056
  question, 144
MEMBERship test, 212
membership testing, 1763
memo function, 1704
memoization, 3631
memory, 1, 35, 52, 60, 127, 177, 251, 258, 264, 338, 366, 420, 495, 527, 530, 543, 546, 593, 602, 609, 708, 711, 721, 733, 817, 838, 890, 906, 933, 1031, 1049, 1309, 1497, 1768, 1816, 1876, 2194, 2309, 2382, 2411, 2509, 2530, 2610, 2688, 2772, 2824, 2865, 3024, 3454, 3564, 3635, 3743, 3744, 3876, 3931, 3944
memory access
  costs, 566
  restrictions, 777
  time, 1250

memory
accesses, 251, 2411
address, 1717, 2045
memory allocation, 114, 229, 387
problem, 1031
memory
and time requirements, 530
arbiter, 1060
area, 35, 2509
bandwidth, 3744
blocks, 1012
capacity, 338, 3029
cell, 933, 986, 1131, 1596, 2408, 2610, 3159, 3301
chip, 573
collisions, 2006
configurations, 338
conflicts, 1855
memory constrained, 3472
module allocation problem, 3472
memory
constraint, 4125
core, 52
cycles, 2646
efficient, 3876, 3992
hierarchy, 3743, 3744
interval, 387
location, 176, 230, 480, 759, 1133, 1177, 1231, 1315, 1350, 1354, 1455, 1942, 2216, 3137, 3653
management, 817, 890, 933, 1717, 2528, 2623
model, 602
modules, 1596, 1855, 1954, 2045, 3042
performance analysis, 141
productivity, 224
requirements, 59, 1090
resources, 1182
size, 338, 1997, 3876
space, 280, 324, 1606, 1607, 2092, 3313, 3876
memory state, 258, 338, 366
transitions, 366
memory
storage capacities, 2021
structure, 602
memory system, 543, 602, 2045, 3743
design, 3744
memory to memory swap, 1808
memoryless, 790
combiners, 3606
Menger theorem, 392
Mereghetti, Carlo, 2982
merge, 102, 256, 1438
cycles, 1385
merge insertion, 40, 92
method of sorting, 40
sorting method, 92
merge
logic, 1385
order, 1385, 3415
phase, 1385
merge sort, 102, 329, 617, 1182
algorithm, 329, 617
merge sorting, 329, 557, 617, 1074, 3415
algorithm, 1074
mergeable heaps, 2680
mergeable priority
queue operations, 2680
queues, 3484
mergesort, 901, 1903, 2064, 2747, 3918
algorithms, 2064
merging, 90, 91, 312, 405, 565, 617, 728, 956, 1016, 1084, 1177, 1296, 1385, 1817, 1884, 2064, 2115, 2198, 2305, 2420, 2455, 2693, 2825, 3415, 3918, 4098
algorithm, 240, 405, 638, 956, 1225, 1296, 2064, 2305, 3415
in parallel, 2825
method of sorting, 91
networks, 1880
merging of
linear lists, 1261
two ordered lists, 1365
merging
operation, 2514
problem, 405
rule, 2420
schemes, 728
sorted sequences, 90
stages, 1177
subblocks, 2064
two sequences of records, 91
merging two sorted
arrays, 2825
blocks, 2064
sequences, 1884
merging
two subproblems, 1206
vectors, 638
with constraints, 1365
Merkle and Hellman, 1932
Merkle-Hellman
cryptosystems, 938
public key schemes, 924
Merlin, 1964
Mero, 3156
Merrett and Otoo, 839
Merritt, Michael, 3500
Mesa, 883
mesh, 1177, 1245, 1896, 1942, 2168, 2186, 2435, 2587, 2696, 2699, 2701, 2830, 2834, 2873, 3211, 3467, 3566, 3712, 3979, 4054
architecture, 2701

mesh (*cont.*)
computers, 1896, 2727, 2933
connected, 1177, 1508, 1847, 1893, 2450, 2699
mesh connected array, 2699
of processors, 2699
mesh connected
computer, 1508, 1847, 2101, 2450, 2587, 3979
model, 1893
parallel computer, 1177, 1245
processor array, 1893, 1895
mesh
multicomputers, 4038
networks, 2592
mesh of
n processors, 1245
processors, 1245, 1583, 2186
mesh of trees, 1051, 1596, 2475, 2783, 3111
algorithms, 2475
network, 2475
mesh
permutation routing, 2450
sort, 2123
system, 2701
mesh with
buses, 2587
multiple broadcasting, 3211
message, 505, 562, 579, 643, 653, 681, 760, 913, 1165, 1191, 1224, 1382, 1403, 1439, 1545, 1566, 1632, 1639, 1712, 1716, 1725, 1816, 1825, 1847, 1911, 1944, 1999, 2048, 2084, 2101, 2132, 2165, 2388, 2477, 2547, 2584, 2663, 2710, 2730, 2840, 2875, 3024, 3026, 3042, 3059, 3136, 3148, 3266, 3388, 3477, 3522, 3549, 3609, 3644, 3732, 3733, 3950, 4035, 4121
authentication code, 3681
message based
algorithm, 1756
systems, 579
message communication, 1247
message complexity, 1224, 1403, 1566, 1978, 1999, 2187, 2584, 2730, 2791, 2823, 2864, 3266, 3328, 3354, 3549, 3787
of the set intersection problem, 1545
message
corruption, 3669
delivery, 2547
dissemination, 2209, 2875
distortions, 188
driven, 1712
efficient, 1403
exchanges, 1734, 2323, 3142
linkage, 3308, 3587
loss, 1547, 3669
overtaking, 3818
message passing, 693, 1382, 1617, 1668, 1816, 2218, 2479, 3742, 3965
computers, 2168
mechanism, 693
multiprocessors, 2168, 2684
programs, 3024
subsystem, 1382
system, 1319
message recovery, 3587
message routing, 1357, 1967, 3950
algorithm, 3691, 3950
message
sequence numbering, 2257
terminating algorithms, 3059
transmission, 508, 913
Messeguer, Xavier, 3817
metablock, 4048
enumeration, 4048
metacircular Lisp evaluator, 2707
metacomputation, 3512
metalanguage, 544
metalevel, 2269
metalinear languages, 3195
metalinguistic encoding, 4101
metalogical
character, 2734
property, 4069
metamathematical theorems, 1035
metaphor, 3018
MetaSoft, 1642
metastability, 1796
metastable state, 1796
meteorology, 22
method, 17, 27, 116, 134
for interpolation, 37
method of
analytic tableau, 2420
finite differences, 74
optimization, 46
regularization, 81
synthesis, 49
method selection, 3647
methodological, 2029
ideas, 1642
point of view, 2029, 2281, 2282
question, 1639
methodology, 355, 2733
of science, 1381, 2669, 2984
with a mathematical basis, 355
Métivier, Yves, 3814
metric, 219, 416, 959, 1014, 1699, 1731, 1930, 2177, 2612, 2922, 3409
field, 2177, 3603
for traces, 1991
graph, 3155
property, 917

metric space, 317, 1450, 1674, 1699, 1991, 2216, 2288, 2533, 3038, 3210, 3261, 3353, 3368
  structure, 1991
metric
  structure, 416
  topology, 1674, 1856
  trees, 2288
metrizable, 1991
metrization, 416
  technique, 416
Metropolis algorithm, 2111
Meyer, 15
Meyer and Ritchie, 11
Meyer and Stockmeyer, 767, 967
Meyer auf der Heide, Friedhelm, 3509
Meyer, R., 3798
MF rule, 1633
mial coefficients b, 37
Michael, Maged M., 3410
Micheneau, C., 3481
Michie, 364
microcode level, 106
microcomputer
  hardware, 2127
  system, 738, 1497
microinstruction word organizations, 106
microoperation, 127
microprocessor, 624, 1027, 1336
microprogram, 106, 609, 1090
  generation, 1049
  optimization, 1090
  register allocation, 1049
microprogrammable
  computer, 609, 1090
  system, 1049
microprogrammed control, 127
microprogramming, 106, 127, 131, 158, 609, 1090
Microsoft Winsock 2 API, 4131
microword bit dimension, 127
micro-instructions, 1090
Middeldorp, 3793
Middeldorp, Aart, 3753
Middeldorp, Ohsaki, and Zantema, 3760
middle
  mode of acceptance, 1550
  space bounded alternating Turing machines, 3202
Mignosi, F., 3772
migration, 2955, 3749
Mihail, Kaklamanis, and Rao, 3539
Milan Polytechnic, 496
military
  applications, 3888
  communication networks, 3591
Miller, 505, 574, 628, 927, 2412, 2504
  algorithm, 2412
Miller and Reif, 1961
Miller and Stout, 1810
Miller primality
  criterion, 408, 635
  test, 408
Miller, J.C.P., 844
Miller, Mirka, 3697
Miller, Russ, 1977
Miller, W.C., 3728
Milner, 294, 520, 928, 1399, 1971
  agents, 966
  basic CCS, 2981
  calculus of communicating systems, 928
Milner, Robin, 3036
MIMD, 2030, 2450, 2587
  computer, 1296
  machines, 950
MIMD parallel
  computers, 1047, 1089
  processor, 1089
MIMD
  program, 3201
  systems, 2176
MIN, 338, 366, 586
min, 640
min + matrix product, 2183
min + product, 2183
MIN algorithm, 338
min cut linear arrangement, 2548
MIN entropy, 4089
min max
  problems, 308
  spanning arborescence, 308
min max spanning tree, 308
  problem, 308
min max tree, 788
MIN operator, 2647
min
  transitive closure, 4094
  transitivity, 4094
  wise independent permutations, 4033
(MIN, +)-multiplication, 724
(MIN, +) product, 616
Minato, Shin-ichi, 3735
MinD computation, 1149
Ming-Tsan, Juan, 3348
minima, 3807
minimal
  1-DNF, 27, 3856
  algorithm, 998
  area, 659
  automaton, 3772
  candidates, 1261

minimal change
algorithm, 1058
property, 1058
minimal
changes, 1997
charge algorithm, 1058
comparison sorting, 92
minimal cost, 723
solutions, 1690
minimal covering, 388, 634
minimal cycle time, 1180
problem, 981, 1180
minimal
depth, 145
deterministic automaton, 2671
dominating set, 2028
Eulerian graphs, 688
factor automaton, 1990
fault patterns, 2868
forbidden words, 3772
Herbrand model, 1962, 2513
imperfect graphs, 1904
imperfection, 1904
information flow, 1269
key, 2637
lateness, 2624
minimal length, 1030
increasing subsequences, 3877
nonpreemptive schedule, 504
schedule, 504
minimal
magic sets, 2418
matching, 3729
model, 1555, 2513, 3617
minimal number of
edges, 3257
multiplications, 198, 657, 692
minimal
opaque forest, 1673
pairs, 2169
path computations, 268
minimal perfect hash
functions, 2478
tables, 3899
minimal perfect hashing, 3899
scheme, 1529
minimal
performance measure, 366
polynomial, 3706
predicate, 1555
process algebra, 2981
programs, 2984
recurrence, 4106
SD, 3493
sense of direction, 3493, 3644
separator, 3836
set, 159, 1805, 2868
minimal set of
edges, 3436
nodes, 2196
primitive relations, 1824
values, 82
minimal
size of a square free morphism, 915
solutions, 341
minimal spanning
forest, *see also* MST
forests, 813
minimal spanning tree, 759, 813, 916, *see also* MST
problems, 759
minimal
storage representations, 772
suffix automaton, 1990
trees, 2178
vertex nested polygon problem, 1860
visibility graphs, 2091, 2622
weak sense of direction, 3644
weighted path length, 53
with respect to set inclusion, 3386
word chain, 1686, 2501
words, 1468
minimally encoded control, 106
minimax
equations, 249
linear fit, 1328
procedure, 892
rule, 79
minimax search, 2974
methods, 2688
minimax value, 892
of a game tree, 892
minimise overall cost, 104
minimization, 890, 2245, 2495, 2753, 2854, 3171, 3233, 3472, 3617, 3730
method, 416
minimization of
conjunctive queries, 2854
demand paging, 890
functionals, 416
OBDD, 2729
page faults, 890
resource consumption, 1812
running costs of modules, 546
switching functions, 583
the execution time of a query, 553
minimization of word
and bit dimensions, 1090
dimension, 1090
minimization
problem, 718, 1038, 2395, 3171
procedure, 2931

minimization transformation, 1526
minimize
a functional, 416
accumulators, 27
congestion, 3796
set up costs, 560
the number of paths, 429
minimizing, 221, 271
computation time, 145
congestion cost, 2548
cost, 103
dilation, 2548
mean weighted execution time loss, 1359
n-state finite automata, 3233
schedule length, 1027
search cost, 1321
minimizing the
expected total computing time, 405
number of page pulls, 366
minimum
abort set, 2196, 3882
access time, 187
additional storage, 102
area upward drawing, 3258
average working storage, 27
minimum broadcast
graphs, 3852
time, 2652
minimum cardinality, 810, 1994, 2705
connected dominating set, 3181
minimum cardinality dominating set, 1040, 1518
problem, 1900
minimum cardinality
feedback set, 374
of a dominating set, 170
Steiner set, 3181
total dominating set, 1221, 1275, 1518, 3574
T-join, 2286
minimum
circle cover problem, 1821
clique cover, 1879, 2278, 3267
minimum coloring, 645, 1184, 1624
problem, 2714
minimum comparison, 109
merging and sorting, 1884
selection, 860
minimum consistent acyclic DFA, 3730
minimum cost, 295, 371, 756, 1569, 2843
cycle in a graph, 2372
edge, 165
minimum cost flow, 2428, 3748
problem, 1780
minimum cost
levelling plan, 564
maximum flow, 2428
path, 731, 765, 2270
paths in graphs, 2270
recovery, 236, 903
sequence of edit operations, 295
minimum cost spanning
pseudoforest, 1559
tree, 1508
minimum cost
subgraph, 2723
traveling salesman tour, 2300
tree mapping, 671
minimum cover, 810, 1000, 1218, 1377, 1963, 3636
in a graph, 810
of functional dependencies, 1218
minimum cover problem, 1000, 3826
problem, 1963
minimum covering by cliques, 429, 942
minimum cut, 425, 729, 1153, 1727, 2579, 3338, 3637, 3949
problems, 3637
minimum degree, 2377, 2484, 3442, 3926, 4108
greedy algorithm, 3455, 3674
minimum
DFA, 2466
diameter, 3000
minimum diameter spanning tree, 3000
of a graph, 3000
minimum distance, 219, 746, 1149, 3801
constraint, 2385
routing, 2884
minimum dominating set, 371, 1879
problems, 2278
minimum eccentricity, 1835
minimum edge
coloring, 492
dominating set, 3192
sum coloring problem, 4102
minimum
entropy, 3556
Euclidean distance, 1149
feedback arc set, 2705
minimum feedback vertex set, 1586, 2196, 3712
problem, 2196
minimum
fill problem, 1514
finishing time schedule, 1605
fullness factor, 1073
graph coloring problem, 2815
minimum height
decision tree, 2051
elimination tree, 3183
minimum
incremental distance, 3590
independent dominating set, 2118

minimum (*cont.*)
label spanning tree problem, 3715
labeling spanning tree, 3592
latency problem, 4129
minimum length, 1431, 3926
executable test sequence, 3692
schedules, 648
scheduling problem, 868
minimum
matching problem, 2920
maximal independence number, 2635
multicut and maximum flow ratio, 2668
minimum nested
nonconvex polygon, 2075
polygon, 2075
minimum node covering, 299
minimum node disjoint path
cover, 942
covering, 429
minimum number of
edges, 392, 2507, 3467, 3790, 3852
leaves, 704, 1537
multiplications, 155
nodes covering the edges, 1787
page pulls, 366
processors, 185
queens, 170
vertices, 1860, 2075
minimum
order, 492
outdegree, 4047
minimum queen cover, 1437
problem, 1437
minimum
q-Steiner forest problem, 2843
range cut, 3637
redundancy codes, 1009, 1497
satisfiability problem, 3280
minimum set of
primitive relations, 1480
vertices, 1586
minimum size, 88
of a vertex cover, 478
minimum spanning
arborescence, 308
forests, 2161
pseudoforest, 1559
minimum spanning tree, 165, 174, 308, 317, 471, 765, 968, 1228, 1231, 1260, 1292, 1508, 1544, 1554, 1559, 2016, 2248, 2540, 2556, 2577, 2741, 2891, 2922, 3516, 3526, 3667, 3802, 3946, 4020
heuristic, 3244
of a graph, 3516
problem, 174, 308, 765, 2556, 2577, 3178
minimum storage, 102, 638
merging algorithm, 638
sorting algorithm, 102
utilization, 925
minimum
subgraph, 765
sum coloring problem, 3978
minimum total
cost, 731
distance, 1014
edge cost, 765
jogs layout, 2054
undesirability, 731
minimum
transmission time, 3724
transmitting delay, 2913
$u \rightarrow v$ cut, 425
minimum vertex cover, 1442, 3280, 3676, 3826
problem, 3280
minimum
vertex distance, 987
weakly cooperative guards problem, 2939
minimum weight, 689, 1374, 1431, 1768, 1787, 2947, 3010, 3592
balanced separator problem, 2820
connected dominating set, 2352
cycles, 3010
dominating set, 2122
drawing, 4097
feedback vertex set problem, 2947
matching, 959, 2102, 4092
minimum weight perfect matching, 689, 2102, 4092
in a graph, 2286
problem, 1201, 2286
minimum weight
spanning tree problem, 4020
Steiner subset, 2352
subset, 2423
tree, 2698
minimum weight triangulation, 1193, 1374, 1431, 2380, 3208, 3244, 3262, 3892, 4097
heuristics, 3244
minimum weight vertex cover, 1787, 3062
problem, 1787, 3062
minimum weighted
1-tree, 2016, 3456
dominating set, 1900
Euclidean matching, 991
latency problem, 4129
maximal irredundant set, 3713
spanning tree, 1260
minimum weighted total dominating set, 1900
problems, 1900
minimum weighted vertex cover problem, 3018
minimum width, 3756
tree layout, 3756

minimumload levelling plan, 564
Minker, 1962
Minkowski, 1394
  metric, 317, 1014
  sum, 3731
Minkowskian geometry, 3359
MinMaxHeap, 1464
minor, 3476
Minoux, 2716
MINSAT problem, 3280
Minsky and Papert, 2062, 2325
minterm, 3528
  normal form, 2325
Mints, G., 1409
MINVC problem, 3280
MIP, 3299
MIPS R10000 machine, 3803
miracle, 1498
Miranda, 1358, 1996
mirror, 1230, 3967
  image, 1688
  reflection, 2691
MIS
  algorithm, 2782
  problem, 3455
mismatche, 1872, 2715
mismatching, 1872
misoperation, 4
Misra and Chandy, 1157
  proof systems, 1157
Misra, Jayadev, 2324, 3007, 3033
MISS
  intersection graphs, 69
  of a graph, 69
Missikoff, Michele, 3536
missing
  information, 1626
  value, 286, 744
Mitchell, 505
Mitchell, J. Roger, 3595
Mitrana, Victor, 3640
Mittal, Ravi, 3279
Mitzenmacher, Michael, 3622
mixed, 500
mixed boundary
  conditions, 89
  problems, 89
mixed
  graph, 4057
  networks, 3564
  scoping, 500
  strategy, 955, 2522
  transitivity, 528
mixture, 2777, 3622
  distribution, 2777
mixture of
  a true distribution and a noise distribution, 3834
  densities, 211
  mark scan and reference counting, 1915, 2528
  two COUNTER algorithms, 3622
Miyadera, Youzou, 3734
Mizuno, Masaaki, 3437, 3747, 3895
ML
  PRS, 3152
  type system, 3222
MM problem, 2299
MMCC, 2123
Mo, Jiancheng, 3414
Mo, Park Sung, 3473
mobile, 2216
  cellular radio systems, 2444
  communication, 2712
  guard, 4127
  networks, 3655
  robot, 2853, 3862
Möbius function, 1117
*MOD, 753
MOD 2 gate, 3768
mod
  2^j arithmetics, 38
  classes, 3107
  m arithmetic, 2309
MOD m gates, 3768
MOD_3 counting function, 2024
MOD_5, 2024
MOD_6
  circuits of depth two, 3281
  gate, 3281
MOD_{11}, 2024
$MOD_k P$, 3144
$MOD_k P/log$, 3144
mod_p gates, 2040
MOD_n^k, 3377
modal, 2572, 3087
  clauses, 3087
  connectives, 440
  deduction, 1204
  functions, 2268
modal logic, 769, 1204, 1417, 1587, 2219, 2363, 2402, 2572, 3221, 3316, 3616
  S5, 2572, 3616
modal
  mu-calculus, 3043
  μ-calculus model checking, 3823
  operators, 1204
modal system, 769, 1204
  S4, 1587
modality, 2344, 3893
mode, 17
  handling, 17
  of acceptance, 1550

mode representation, 17
model, 1, 2, 45, 57, 119, 934, 966, 990, 1996
  checker, 1638
model checking, 2510, 2655, 3381, 3880, 4083, 4140
  for circumscription, 2510
  problem, 2510
model for
  concurrent processes, 995
  parallel computation, 2101
  VLSI, 953
model independence, 834
model of a
  database, 231
  page on demand system, 280
model of
  algebraic types, 620
  computation, 167, 199, 255, 777, 927, 986, 1043, 1045, 1101, 1133, 1199, 1203, 1231, 1350, 2070, 2156, 2280, 2409, 2411, 3195, 3671
  concurrent systems, 3002
  Kam and Ullman, 473
model of parallel
  computation, 593, 777, 792, 1433, 1640, 1722, 2083, 2409, 2411, 2697, 3964
  computing, 430, 3964
model of
  program behaviour, 229
  reconfiguration, 1971, 2317
  the type free λ-calculus, 125
model theoretically, 700
model theory, 95, 2046, 2077, 3392
  for program schemas, 95
  of the predicate calculus, 95
modeling, 919, 1964, 2562, 2733, 2737, 2923, 3101, 3564, 3863
  B-tree insertion activity, 1460
  hypergraphs, 2579
  NUMA architectures, 3564
  time of operations, 981
modelling, 522, 590, 2047, 2302, 2550, 3162, 3360
  causality, 3360
  computer systems, 520
  concurrent behaviour, 1991
  discrete dynamic systems, 1535
  of feasible computing, 1485
  operation times, 1180
  sequential composition, 3353
  systems, 1971
models of
  processes, 966
  programs, 966
modern programming languages, 443, 1311, 2528
modification of Paton algorithm, 115
modified
  data manipulator networks, 1466
  edit distance problem, 1906
  Fourier spectrum, 2136
  Petri net, 2047
Modula 2, 883, 1807, 2198
  problem, 2198
  syntax, 2198
modular, 1450, 2183, 3017, 3728
  addition, 2584
  algorithm, 2163
modular arithmetic, 2183, 2309, 3719, 3780
  operations, 3548
modular
  computations, 3076
  decomposition, 3391, 3537
  exponentiation, 3728
  gates, 3032
  inverse, 2167
modular multiplication, 938, 2901, 3719, 3728, 4009
  algorithm, 4009
modular
  program, 493, 546
  programming, 1200
  proofs, 3407
  property, 1910
modular reduction, 1910
  relation, 1910
modular
  structure, 3027
  sum, 2584
modular synthesis, 1515
  of VLSI systems, 1515
modular term rewriting system, 1910
modular tree
  transducer, 2078
  transductions, 2078
modularity, 213, 837, 1490, 1910, 2219, 2733, 2773, 3017, 3396, 4022
  of compilers, 2733
modularization
  property, 3027, 4069
  techniques, 1642
modularization theorem, 3027, 4069
  for logical specifications, 3396
module, 6, 493, 524, 546, 582, 620, 631, 672, 1506, 1596, 1679, 1819, 1910, 2069, 2078, 2733, 2748, 3409, 3472
module allocation, 1819
  problem, 3472
module assignment, 493, 546, 1819
  problem, 546, 1806

module
hierarchies, 237
in a data processing system, 6
interaction, 493
specifications, 120
modules in concurrent programs, 190
moduli, 3835, 4036, 4107
set, 4107
modulo
a composite, 3925
adder, 3898
classes, 3144
functions, 3165
m function, 3165
modulo *p*
adders, 19
scalar multipliers, 19
modulo the empty word, 201
modulus division, 755
Moffat, Alistair, 3806
Molchanov, 98
Molchanov, N., 98
molecular
biology, 1906
graphics, 301, 422, 908
graphs, 9
modeling, 3155
structure, 9
molecule, 9
Molloy, 2806
Molter, U., 3603
Molter, Ursula, 2374
Molter, Ursula M., 3729
Molva, R., 3655
moment, 1222
monadic
1-modular tree transducers, 720, 2078
Church-Rosser systems, 720
output, 4060
monadic program, 501
schemata, 133
monadic
quantifiers, 3035
recursion scheme, 378
second order logic, 1886, 3035
string rewriting systems, 4085
$\sum_1^1$, 3035
tree, 2078
MONADS II, 708
Monge
arrays, 2300
matrix, 3791, 3807
path decomposable tridimensional arrays, 3807
monic random polynomial, 606
Monien, 246, 664
Monien and Sudborough, 664
monitor, 227, 235, 237, 1176, 1807
definition, 235
implementation, 235
like structure, 1807
Monma and Wei, 1822
monoid, 1085, 1166, 1763, 3608
of factors of a language, 1732
presentation, 1363
monomial, 2702, 3333, 3403, 3834
monomorphic characterization, 1881
monomorphism, 1656
monotone, 526, 677, 1530, 2344, 2706, 3333, 3464, 3520, 4023
arithmetic circuits, 2796
basis, 877, 1015
monotone Boolean, 3464
circuits, 3335, 3464
function, 323, 435, 949, 3335
monotone circuit, 323, 1814, 1948, 2353, 3242, 3335, 3759
complexity, 1948
depth, 2796
monotone
clique, 2353
complexity, 3242, 3335
concave polygonal chains, 2877
contact networks, 2845
depth of Boolean functions, 877
DNF formulas, 2753
monotone formula, 323
size, 877
monotone
function, 435, 831, 1015, 2596, 4120
graph property, 1718
matrix searching, 1923
network complexity, 1015
nondecreasing, 677
nonincreasing, 677
parts, 1530
planar circuit value problem, 526
polygon, 677, 1530, 2426, 2706
polynomials, 3520
projections, 949
monotone real
circuit depth, 3759
circuits, 3464, 3759
formulas, 3759
monotone
sequence of arcs, 677
width two branching programs, 3685
monotonic, 1489, 1909, 2016, 3242, 3534
abstract property, 2348
monotonic array
grammars, 210, 228
languages, 210

monotonic
map, 2348
nondecreasing, 1206
patterns, 818
polynomials, 2771
p-projection equivalent, 3242
scheduling, 2713
monotonically, 1328
monotonicity, 677, 826, 850, 1372, 2344, 2706, 2835, 3768
monotonicity property, 826, 850, 2016
of k-d trees, 850
mono-unary algebra, 1205
MONSTR, 3404
Montague, 1229
grammar, 1229
intensional logic, 1367
Montaña, J.L., 3767
Montanari, 3510
Monte Carlo, 1141
algorithms, 2116
estimation, 793
experiments, 689
Monte Carlo inversion, 46
of data, 46
Monte Carlo
method, 46, 211, 416, 2916, 3225
randomized algorithm, 2286
study, 2777, 3225
Montgomery algorithm, 3719
Moon, Sang-Jae, 3719
Moore, 668
machine, 2268
Moore-Penrose generalized inverse, 1502
mops, 2499
Moran, S., 724
More, 786
Moret, Bernard M.E., 3855
Morgan, 2452
Morgan, C., 3397, 3404, 3495, 3505, 3548, 3556, 3577, 3623, 3628, 3649, 3651, 3717, 3764, 3784, 3837, 3874
Morgan, Carroll, 3356
Morita and Harao, 2430
Morita and Ueno, 2430
Moriya, Tetsuo, 3357
morphic equivalence, 1076
morphism, 361, 780, 1076, 1572, 1973, 2501, 3072, 3213, 3357, 3640
in a category, 780
morphogenesis, 197
Morrii, M. and M. Kasahara, 2609
Morris, 177, 547, 576, 737, 1158, 1266, 1280, 1290, 1446
algorithm, 1266
starvation free solution, 1266
Morris, J.H., Jr., V.R. Pratt, and D.E. Knuth, 265
Morris, Joseph M., 3478
Morris/Morgan/Gardiner, 1941
Morse, 655
sequence, 655
mortal pair of matrices, 3593
MOS memory devices, 817
mosaic, 2636
Mosca, Raffaele, 3460
Moses, 12
most critical edge, 3761
most general, 57, 752
E-unifiers, 1531
unifier, 3157, 3521
most
privileged security class, 1532
recent property, 501
recently used, 2291
most vital
edge, 2248, 2741, 3425
edges problem, 2556
motion
coordination, 1044
estimation, 2136
in the plane, 1044
motion of a
disk head, 63
particle in a stream, 22
motion planning, 1044, 1599, 1779, 1826, 2142, 2744, 3131, 3406, 3731
Motzkin, 858
algorithm, 858
mountainous terrain, 564
move to front, 1633, 1724, 2195, 2829, 2971
heuristic, 691
rule, 1633
movement, 564, 845, 1267, 2053, 2476
moving
head disk, 1771
many nonconvex bodies, 1044
non-systems oriented software, 1169
obstacles, 2142, 2853
operating system software, 1169
parallel obstacles, 2142
point of view, 3693
problem, 1387
MP algorithm, 3315
MPA^*_δ, 2981
MPI, 3749
MPP, 3744
MPS, 1954
MRecSSS*, 2688
MRFS, 2749
MRU, 2291

ms precedence
grammars, 955
parser, 955
MSBB, 2090
MSF, 813, *see also* minimal spanning forest
MSSP, 4043
MST, 165, 317, 759, 813, 1544, 1777, 2741, 2922, 3667, 4122, *see also* minimal spanning tree
algorithm, 165, 1544
heuristic, 4122
number, 4122
problem, 3667
spanning points, 4122
update algorithm, 1544
MT, 1596
nodes, 1596
roots, 1596
MTC, 2299
MTF strategy, 2971
μ-branching programs, 2753
μ-calculus, 2321, 2344, 3293
μ-formulas, 2344
μ-notation, 2134
Mühlbacher, 646
Mühlbacher and Steinparz, 646
Mühlbacher, Steinparz, and Tinhofer, 646
Muller, 188, 2655
Müller, 726, 1517
Muller and Preparata, 208, 1226
Muller and Schupp, 2017
Muller automaton, 2655
Müller, Haiko, 3836, 3854
Mulmuley, 2359
multi action process algebra, *see also* MAPA
multibase algebraic system, 370
multibit encryption and decryption, 1932
multibound, 3419
multibucket
data leaves, 2080
leaf, 2080
leaves, 2080
multibus, 3042
multiprocessor systems, 3042
multicache
coherence protocol, 1874
system, 1874
multicast, 3716
group, 3716
protocols, 4053
tree, 3077
multicasting, 887, 3716
multichannel
access protocol, 2048
capacity, 2048
priority protocol, 2048
multiclass customers, 806
multicommodity flow, 1783, 2416
demands, 2820
network design problem, 2820
problem, 1783, 2416, 2668, 2820
trees, 2820
multicomputer, 668, 2479, 2780, 2861, 3965
interconnection environment, 3780
multiconnected, 1267
multiconnection network, 2724
multicounter machine, 727, 1068, 1139
multidatabase, 2147, 3349
consistency, 2147
systems, 2917, 2923, 3349
multidestination paths, 2724
multidimensional, 615, 748, 807, 2836, 3867
access methods, 3447
algorithms, 748
arrays, 1956
binary search tree, 678, 718, 850
closest pair problems, 1501
cumulative distribution functions, 807
multidimensional data, 1521
space, 3867
multidimensional
file structures, 3447
grids, 3855
index, 3867
indexing structures, 3497
interdistance selection problem, 1685
memories, 1956
mesh, 2123, 2697
multidimensional mesh connected, 1893
computers, 2123
processors, 2123
multidimensional
mesh structures, 2123
meshes, 2123
nonuniformity, 907
online bin packing, 2726
multidimensional problems, 301
on a grid, 1511
multidimensional reconfigurable mesh, 2697
multidimensional search, 281, 1521
problem, 1192
multidimensional searching, 422, 774, 908, 1146
problem, 281
multidimensional
space, 301, 2289
tensors, 719
tries, 791
multidirectory hashing technique, 2582
multidisk file design, 1110, 1597, 2557
multidisk partial match, 2557
file design, 1597, 2557

Multifit, 1453
multifunction coarsest set partition, 2389
multigraph, 3808
multigrid network, 4012
multihead, 1039
  automaton, 1139, 1371, 1433, 2063, 2962
  disk, 886
  finite automaton, 4004
  one-way finite automaton, 2063
  pushdown automaton, 113
multihop packet radio network, 3591
multikey, 678
  file organizations, 2080
  hashing, 2184
  records, 850
  searches, 678
  searching, 678, 1291, 1916, 1952
multilayer
  data structures, 2638
  networks, 2062
multilevel index, 790
multilevel indexed sequential
  files, 855
  search, 855
multilevel
  memory hierarchy, 3740
  representations, 2865
  secure databases, 3690
  statistical computation, 3430
  transactions, 3690
multilinear identity, 2116
multilingual
  information retrieval, 61
  thesaurus, 61
multimedia, 2710, 3029, 3841, 4098
  applications, 3029
  databases, 3867, 4098
  multicast, 3597
  server, 3841
  storage system design, 3101
  systems, 3657
multimicroprocessor systems, 1027
multimodal logics, 2344
multimodality, 1777
multimode Golomb code, 383
multinode
  broadcast, 2642
  broadcasting, 3445
multiobjective
  optimization, 809, 3156
  search, 3278
multipaging, 3754
multiparent hierarchies, 1575
multiparty, 1833
  interactions, 1833, 1920, 2014
multipass
  compilers, 1130
  online tessellation acceptor, 571
multipattern matching, 3970
  problem, 3970
multipeg tower of Hanoi problem, 2805
multiple access, 556
  broadcast network, 2929
  network, 2929
  to a tree, 333, 360
multiple
  active layers, 1161
  adjacencies, 627, 628
multiple alphabets, 1418
  in a single text, 1418
multiple
  arcs, 590, 2593
  assignment, 3305
  attribute consecutive retrieval, 221
multiple choice knapsack, 1002
  problem, 3795
multiple classes of users, 3152
multiple communication, 562, 681
  problem, 562
multiple
  complexity objective, 1123
  computer structures, 668
  constraints, 3874
  coroutine systems, 196
  coroutines, 196
  cut methods, 1316
  cuts, 1316
  database users, 1326
  decisions, 3504
  edges, 252, 645, 2284, 2336, 2956
  failure, 1659, 2293
  file interaction, 2835
  goals, 3327
  headed clauses, 2431
  heuristics, 1690, 1841
multiple instruction
  multiple data stream, 1089
  threads, 3305
multiple
  layer layout, 1161
  level exit statements, 2207
  lines, 163
  metrics, 3629
  modulus arithmetic, 1595
  mutual exclusion, 2852, 3437
  occurrences, 221
  ownership, 300
  processors, 639, 1617, 2362, 2455, 2737
  p-adic arithmetic, 1595
  query processing, 3146

multiple (*cont.*)
quickselect, 3185
recursive rule Datalog programs, 1843
reference bit, 2646
relations, 369, 2737
routing procedure, 2155
search problem, 3288
multiple stack, 2090
branch and bound, 2090
data structure, 2090
multiple stacks, 2509
manipulation, 2509
multiple
subset sum problem, 4043
to single layer transformation, 1161
tokens, 590
total stable models, 3318
value, 230
versions, 3462
vertex dominator, 3013, 3331
multiplexed optical networks, 3539
multiplexer generator, 3923
multiplication, 15, 215, 359, 393, 432, 436, 472, 694, 1240, 2214, 2238, 2526, 2620, 2835
multiplication of
Boolean matrices, 616
polynomials, 2370
multiplication of two
2×2 matrices, 1271
$n \times n$ matrices, 342, 777
multiplication operator, 199, 1603
multiplicative, 479, 3430
multiplicative complexity, 472, 713, 2370
of algebras, 472
multiplicative
congruential generators, 38
constant, 354, 515, 2987
factor, 1254, 4128
methods, 3429
metrics, 3874
multiplicity, 1212, 3076, 3959
of an edge, 1212
one, 1276
multiplier, 1352
multiply
add type arithmetic, 2076
addition, 3429
twisted hypercube, 2989
multiplying
2×2 matrices, 450, 1051, 1188, 1634, 3306
5×5 matrices, 351, 1271
matrices, 601, 2673
$n \times n$ matrices, 2183
sparse matrices, 918
two $n \times n$ matrices, 601
multiport, 3965
message passing systems, 3965
multiprefix
operations, 3847
scan operations, 3847
multiproblem solving, 754
multiprocess handshake, 1933
multiprocessing, 185, 410, 896
environment, 300, 1126, 1290
system, 35, 1239
multiprocessor, 1003, 1382, 1538, 1668, 2006, 2123, 2455, 2548, 3042, 3044, 3142, 3292, 3564, 3726, 3744, 3872
automaton, 1433
computers, 3463
multiprocessor computing, 145
system, 504
multiprocessor
coordination problems, 2042
design, 1382
environment, 288, 402, 1290, 1954
multiprocessor interconnection, 2848
network, 2848
multiprocessor
machines, 2746
message passing, 1382
multiprocessor scheduling, 288, 1453, 1602, 1760, 2926
problem, 1760
multiprocessor
system, 255, 326, 838, 868, 1266, 1406, 1695, 1769, 1874, 1954, 2006, 2955
task systems, 2624
tasks, 2624
multiprogrammed multiprocessor system, 3227
multiprogramming, 27, 44, 142, 280, 310, 928, 1075, 1280, 3419
level, 1075
system, 142
multipushdown machine, 1068, 1139
multiquery, 3146
multireader regular registers, 1858
multirecord buckets, 1750
multirelation databases, 771
multireset languages, 712
multiresource
malleable task scheduling, 3912
systems, 3912
multiring architecture, 3279
multisecret set schemes, 4091
multisegment virtual memory, 933
multiselection, 2825
multisender, 3681
environment, 3681
multiserialization, 1023

multiserver computer processing buffering system, 57
multiset, 826, 1489, 1928, 2223, 2360, 2825, 3014, 3199, 4033
multiset of
  edges, 392
  elements, 1194
multiset
  operations, 2223
  ordering, 826, 1489
  property, 3760
multiset sorting, 3777
  problem, 3439
multisignature, 3922
multistack method, 3877
multistage
  interconnection network, 1466, 1769, 3580
  network, 2525
multistar
  graph, 3680, 3850
  related graph, 3680, 3850
multistart methods, 1696
multisubsequence searching, 4087
multisymbol majority vote, 3323
multitape
  algorithm, 90
  alternating machines, 1625
  automaton, 619, 752
  Turing machine, 411, 1156, 1168, 3534
multitasking environment, 2197
multiterm query, 3435
multiterminal
  channel routing problem, 3141
  nets, 1975
multitolerant
  barrier synchronization, 3605
  program, 3605
multitype resource systems, 1050
multivalued algorithm, 994
multivalued Byzantine agreement, 994
  algorithm, 994
multivalued consensus, 4059
  problem, 4059
multivalued
  dependencies, 481, 523, 608, 700, 1026, 1094
  dependency, 481, 528, 742, 996, 1026, 1241, 3619
  domain, 994
  logic, 435, 831
  MIN, 338
multivariate, 2463, 3471, 3489
  generating functions, 4048
  polynomial, 18, 591, 2463, 3489
  polynomials in parallel, 651
multiway, 3405
multiway cut, 4095
  problem, 4095
multiway
  merge, 3918
  radix search, 3405
multiway tree, 1913, 2891
  structure, 3447
multiwriter variable, 2451
multi-access system, 553
multi-action process algebra, 3813
multi-attribute organizations, 2080
multi-inkdot nondeterministic Turing machines, 2752
multi-input and multi-output linear finite automaton, 19
multi-join, 2737
  optimization problem, 2737
  queries, 2737
Multi-Maren multiprocessor, 1003
multi-object auctions, 4103
multi-reset, 712
multi-user
  conflict, 2048
  models, 621
MUMD shared memory architectures, 3201
Munich Algol 68 implementation, 17
Munro and Suwanda, 656
Munson data file, 36
Mussio, Piero, 3630
mutable
  abstract data types, 1506
  modules, 1506
mutation, 582, 3212
mutational grammar, 582
Mutex, 3499
Muthukrishnan, S., 3439
mutual, 36, 1191, 1263
  authentication, 2997
  drift, 1346
  drifts, 1346
mutual exclusion, 43, 235, 404, 406, 555, 568, 575, 667, 676, 686, 698, 1023, 1060, 1158, 1180, 1266, 1280, 1305, 1446, 1617, 1635, 1715, 1786, 1816, 1862, 2005, 2323, 2354, 2477, 2742, 2791, 2838, 2840, 2852, 3270, 3499, 3602, 3686, 4086, 4110
  algorithm, 1737, 2573, 2838, 2852, 3166
  among write transactions, 556
  problem, 406, 667, 946, 1023, 1060, 1120, 1158, 1266, 1280, 1305, 1446, 1609, 2005, 2042, 2204, 2477
  protocol, 2351
mutual
  inclusion, 1263
  information, 36
  recursion, 397
  search, 3986

mutually, 255
  adjacent, 136, 645
  edge disjoint spanning trees, 887
mutually exclusive, 33, 430, 754
  access, 686, 1807
  execution, 1807
mutually
  independent processes, 1126
  obscuring defectives, 3775
mutually recursive
  function systems, 2749
  specifications, 995
MVD, 481, 608, 996, 1094
mvds, 1026
MVIS, 2299
MWT, 2380, 3892
  subgraphs, 3892
Myhill LBA-problem, 246
Myoupo, Jean Frédéric, 2364, 3459, 3480
Myrvold, Wendy, 3850
m-ary search tree, 1451
m-center problem, 3562
m-combinations, 1876
m-contour, 2267
m-cover, 3929
m-free
  D0L language, 730, 948
  language, 948
  word, 948
M-grammar, 1229
m-machine scheduling, 2831
  problem, 2831
M-pitfall protocol, 1708
M-PRAM, 2411
m-reducible in polynomial time, 832
M-sequence, 907
m-sequence, 2881
m-sequences, 2881, 3894

N

N nonattacking queens problem, 1940
N queens, 1940
n queens, 1258, 2358
N queens problem, 434, 970, 2613
n queens problem, 1432
$N + k$-closure problem, 3268
$n \times n$ chessboard, 1437
$N \times N$ matrices multiplication, 2673
$(n \times n)$ matrices, 15
(n, k)-arrangement graph, 3738
(n, k)-star graph, 3209
N.T.S
  grammar, 709
  language, 709
  languages, 709
$(n^2 - 1)$-puzzle, 3167
Nadot and Vaysseix, 147
Nagamochi, Hiroshi, 3792
Nagavamsi, P., 3713
Nagumo, Hideo, 3346
naive reverse, 1214
Nakano, Shin-ichi, 3542
Nakata and Sassa, 2675
Nakayama, Shin-ichi, 3543
nal bin packing problem, 589
name servers, 3686
<name> algorithm, *see also* algorithm of <name>
naming, 708
  a data structure, 1482
  construct, 3677
Nanni, Umberto, 3340, 3457
Naor and Naor, 2568
Naor and Reingold, 3925
Naor and Shamir, 4135
Naor et al., 1624
Nardelli, Enrico, 3546, 3621, 3761
narrow banded matrices, 214
narrowing algorithm, 4078
Nash, Jonathan, 3741
Nash-Williams, 887
Nassif, Nayla, 3427
Nassimi and Sahni, 659
Natali, A., 360
native asynchronous transfer mode, 4131
Natschläger, 3333
Natschläger, Thomas, 3403
natural
  coding, 1968
  complexity measure, 849, 2466
  computational complexity measures, 670
  cycletrees, 3436
  deduction, 1427, 1486, 1567
  domains, 945
  extension, 2528, 2662, 2791
  formalization, 95
  generalization, 444, 646, 850, 1264, 2664
natural join, 608
  query, 742
natural language, 61, 120, 284, 1059, 1427, 3162
  sentence, 1229
natural model, 3938
natural number, 393, 436, 657, 1139, 1279, 1630, 2169, 3968
  computation, 159
  theory, 632
natural
  order embedding, 2783
  selection, 1182
  semantics, 632, 1021
  transformations, 780

NAUR, 134
Nawrocki, Jerzy R., 3678
Nayak, A., 4045
Nayak, Amiya, 3241
NC, 1354, 1379, 1395, 1484, 1528, 1722, 1726, 1961, 2243, 2252, 2383, 2419, 2428, 2492, 2625, 3154, 3433
NC algorithm, 1203, 1332, 1945, 1961, 2052, 2299, 2427, 3154, 3267, 3286, 3301, 3425
  for k-tree isomorphism, 1961
NC
  reducibility, 1689
  reducible, 1689, 2339
  reduction, 1689
$NC \subseteq C^2$, 1390
$NC \subseteq P$, 1390
NC^0, 1484
  circuits, 1484
NC^1, 1499, 1647, 1836, 1983, 2007, 2167, 2769, 2847
  complete, 2769
  reducibility, 2419
  reducible, 1931, 2070
  reductions, 2070
NC^2, 1528, 1726, 1983, 2007
  algorithm, 1726
$(NC^{(2)}, P)$ effective entropy, 2112
NC^i, 1722
NCE, 2228
NDTM, 832
NE, 1887
$NE \neq E$, 1887
near
  convex, 3892
  neighbor problem, 301, 908
near neighbor searching, 422
  problem, 422
near neighbors, 422
  search problem, 2235
near one pass packet routing schemes, 2525
near optimal
  decision trees, 207
  solution, 560, 1014, 2789
  speedup, 2173
nearer server rule, 3492
nearest lattice vector, 3468
  problem, 3468
nearest neighbor, 137, 354, 391, 439, 490, 678, 825, 968, 1291, 1916
  algorithm, 422
  problem, 517, 1923, 2277
  query, 825, 1761, 3867
  retrievals, 1916
  searches, 678, 825
  searching, 678, 679
nearest neighbors, 301, 391, 490, 678, 1916, 2277, 3174
nearest neighbors in
  discrete space, 1291
  k-dimensional space, 1916
nearest neighbour search, 3210
nearest neighbour searching, 1387
  algorithm, 3210
nearest
  neighbour technique, 20
  neighbours, 219, 916, 1400, 3210
  region neighbours, 1400
  vertex, 1533
  vertices, 1533
nearly minimal
  identification of functions, 3929
  programs, 2984
nearly
  minimum hypothesis, 1381
  optimal sorting algorithms, 2123
  perfect hypergraph packing, 3433
needed reduction, 3793
neededness, 3753, 3793
Needham, 3186
Needham-Schroeder public key authentication protocol, 3186
Neg gates, 1152
negated ground atom, 1962
negation, 419, 949, 1962, 1986, 1989, 2024, 2513, 2677, 3226, 3520, 3766, 4076
  as failure rule, 2443
NEGATION gates, 3377
negation limited, 3377
  circuit complexity, 3377
negation limited circuits, 3377
  computing symmetric functions, 3377
negation resolved, 2443
negative
  arcs, 905
  conclusions, 2269
  cost cycles, 2251
negative cycle, 905, 2311
  problem, 2311
negative
  data, 2231, 2375
  edge, 2790
  information, 1962
  literal, 2443
  samples, 3763
  weight vertices, 2423
negligible, 300
  delay, 797
  loss of information, 52
neighbor, 1730, 2384, 2517, 2799, 2873, 2875, 3177, 3928, *see also* neighbour
  searching, 422

neighborhood, 3348
neighborhood chordal, 3703
  graph, 3703
neighborhood graph, 2011
neighboring node, 2571
neighbors problem, 1923
neighbour, 345, 532, 627, 628, 1369, 1609, 1635, 1712, 1927, 2113, 2652, 2699, *see also* neighbor
  sort, 1296
neighbourhood, 1457, 1949, 2643, 3368
  graph, 1400
neighbouring, 1065, 1635, 3419
  relationship, 345
Neilsen, Mitchell N., 3437
neonatal medicine, 2634
Nepomniaschy, V.A., 3891
NEPTUNE MIMD system, 1296
nested, 3677, 3940
  algorithms, 1140
  $*$ operators, 2027
  $\circledast$ operator, 1577
nested between
  P and Q, 2075
  two polygons, 1860
nested
  coding, 1107
  databases, 1849, 2072
nested dissection, 1514
  order, 1514
nested
  fixpoint expressions, 3381
  fixpoints, 3381
  join, 1140
  levels of back referencing, 3677
nested loop, 1730, 1804, 2538
  algorithm, 2291
nested loop join, 2041
  method, 1730
nested
  loop model, 1659
  monitor calls, 1807
  nonconvex polygon, 2075
  objects, 3199
  options, 1126
  polygon, 2075
  procedure, 5
  procedures, 931
  relation, 1849, 2072
nested relational
  calculi, 2803
  calculus, 2803, 3940
  model, 2072
nested relations, 2072, 3199
nested transactions, 2842
Nesterenko, Mikhail, 3747
nesting, 11
nesting of
  loops, 11
  shuffle closure, 1449
nesting property, 642
nestling tree, 272
net, 129, 476, 711, 1018, 1180, 1803, 2320, 2469, 2508, 2539, 2578
  of states and transitions, 452
  representation, 452
  theory, 981
  topology, 3198
Netto, 1258
network, 14, 19, 167, 309, 410, 505, 579, 867, 877, 883, 913, 1047, 1075, 1089, 1157, 1201, 1321, 1337, 1346, 1357, 1402, 1466, 1566, 1651, 1738, 1762, 1823, 1859, 1897, 1911, 1942, 1949, 1971, 2084, 2168, 2209, 2248, 2257, 2298, 2343, 2381, 2395, 2421, 2475, 2482, 2556, 2599, 2602, 2627, 2649, 2650, 2668, 2699, 2724, 2742, 2746, 2754, 2783, 2820, 2826, 2837, 2843, 2845, 2856, 2869, 2875, 2913, 2929, 2931, 2944, 3001, 3084, 3097, 3111, 3112, 3137, 3174, 3215, 3274, 3289, 3348, 3383, 3388, 3425, 3442, 3493, 3559, 3564, 3580, 3602, 3629, 3644, 3679, 3720, 3724, 3726, 3736, 3832, 3907, 3950, 3971, 4047, 4104, 4110
  architectures, 815
  availability, 2869
  bandwidth, 3749
  based multimedia applications, 4131
  chips, 3137
  cost, 2561, 2835
  data model, 1259
  database models, 1094
  decomposition theorem, 2668
  delay, 3260
  design, 2248, 2820, 3866
  designer, 2248
network flow, 121, 510, 843, 903, 1359, 1727, 1780, 2173, 2416, 2820, 2891, 3720, 3779, 4082
  algorithm, 493, 3720
  problem, 903
  theory, 245, 510
network
  for parallel computation, 2783
  management, 2837
  model, 1094, 3679
  nodes, 2561, 3137
network of
  arbitrary topology, 3084
  bounded degree, 3274

network of communicating
processes, 508, 1157
processors, 1128
network of
computers, 118
large numbers of processors, 1047
parallel working computers, 883
processes, 2351
processors, 1942, 2390, 3328
vehicle detectors, 52
workstations, 3744
network optimization, 765
problems, 765
network
problems, 76
reliability, 3289
routing problems, 2743
services, 4131
simulation, 2599
structure, 1738
survivability, 2790
theory, 14
topology, 883, 2381, 2507, 3152, 3388
network, multiring, 3279
Neuman and Stubblebin, 2999
Neuman problem, 39
Neumann neighbourhood, 1457
Neuman-Stubblebine authentication protocols, 2999
neural, 3207
nets, 2062, 3198
neural network, 2021, 2062, 2110, 2237, 2330, 2432, 2601, 2650, 3094, 3207, 3368, 3591, 3783, 4142
model, 2330, 3094, 3368, 3591
problems, 2237
theory, 2110
neural
sorting network, 2601
updates, 3094
neuron, 1512, 2650, 3591
neutral state, 579
Neuts, 806
Newman and Schuster, 3979
Newton, 1971
direction, 1731
method, 287, 1731, 3581, 3625
polyhedra, 3535
polyhedron, 3535
Newton-Raphson, 2398, 3429
algorithm, 2398
division algorithm, 2398
nexptime, 880
next event
method, 269
technique, 269
next fit, 1773
algorithm, 1773
next
operator, 3586, 4140
state function, 3881
time operator, 3586, 4140
NFA, 2549, 3284
nformation flow barriers, 1917
NFT, 3736
double loop networks, 3736
Ng, Joseph Kee-Yin, 4073
nibble algorithm, 3433
niching, 3749
Nielsen, Franck, 3374
Nielsen, M., 456
Nieminen, 349
bound, 349
NIFF, 2404
algorithm, 2404
Nijenhuis and Wilf, 247
Nijholt, 438
Nikolopoulos and Rondogiannis, 3850
Nikolopoulos, S.D., 3680
Nikolska, Macha, 4112
Nishihara and Ikeda, 1162
Nishino, Tetsuro, 3377
Nishizeki, Takao, 3542
Nivat, 766, 1674, 1856
Nivat, M., 3696
NL, 1251, 1657, 2007, 2072, 3069
complete set, 2007
hard, 2007
hierarchy, 2206
NL = L, 1550
NL ≠ L, 1550
NL*, 2007
(FL^{NL}), 2007
NLC, 983
NLOG, 1171, 1192, 1454, 1873
complete, 1873
NLOGSPACE, 2597
NlogSpace, 861
NLRI deduction, 1289
no
error logspace polynomial expected time, 2616
information interpretation, 1021
side effects implementation, 958
NOAH, 384
node, 7, 9, 13, 15, 35, 53, 62, 67, 76, 87, 88, 114, 127, 139, 164, 165, 176, 217, 244, 255, 273, 299, 308, 309, 312, 365, 375, 390, 397, 410, 421, 424, 427, 429, 447, 493, 504, 511, 538, 545, 553, 579, 592, 616, 618, 631, 636, 649, 671, 675, 681, 687, 705, 706, 709, 718, 736, 743, 745, 764, 788, 799, 836, 845, 850, 851,

node (*cont.*), 872, 883, 892, 905, 921, 926, 935, 942, 953, 961, 969, 983, 988, 1001, 1040, 1084, 1121, 1167, 1216, 1231, 1243, 1260, 1275, 1290, 1309, 1332, 1357, 1375, 1455, 1476, 1490, 1504, 1512, 1519, 1538, 1551, 1566, 1573, 1610, 1619, 1640, 1652, 1660, 1663, 1668, 1688, 1702, 1713, 1715, 1722, 1730, 1734, 1746, 1753, 1787, 1816, 1825, 1832, 1840, 1869, 1891, 1967, 1971, 1976, 1999, 2007, 2016, 2065, 2088, 2090, 2108, 2122, 2126, 2151, 2164, 2168, 2176, 2196, 2197, 2199, 2211, 2215, 2220, 2233, 2241, 2243, 2251, 2287, 2296, 2301, 2319, 2322, 2343, 2382, 2386, 2421, 2422, 2445, 2446, 2448, 2449, 2487, 2503, 2519, 2546, 2553, 2556, 2571, 2580, 2593, 2598, 2599, 2603, 2627, 2630, 2642, 2651, 2652, 2654, 2663, 2678, 2688, 2727, 2745, 2746, 2754, 2757, 2758, 2759, 2780, 2783, 2789, 2800, 2809, 2810, 2826, 2837, 2843, 2852, 2857, 2863, 2866, 2869, 2884, 2886, 2890, 2891, 2929, 2951, 2965, 3012, 3026, 3044, 3097, 3111, 3137, 3156, 3168, 3180, 3209, 3258, 3289, 3296, 3306, 3348, 3383, 3414, 3419, 3425, 3446, 3447, 3477, 3501, 3523, 3524, 3549, 3591, 3604, 3623, 3670, 3682, 3688, 3716, 3724, 3726, 3727, 3733, 3734, 3736, 3752, 3756, 3761, 3780, 3799, 3801, 3808, 3812, 3832, 3837, 3863, 3971, 4094, 4104
  addition, 1816
  array, 2783
  coloring problem, 1610
  congestion, 2580
  connectivity, 2884
node cover, 1243
  problem, 1243
node covering, 299, 1243
node degree, 2016
  constraints, 2016
node
  deletion, 1216
  disjoint, 2809, 3726
node disjoint path, 217, 429, 745, 1799, 2126, 2630, 3026, 3168, 3524, 3799
  cover, 429
node
  expanded, 3156
  expansion, 1690
  failure, 1816, 2381, 2507
  faults, 1600, 2884
  labeled undirected graphs, 983
  labels, 983
  processors, 2197
  ranking of trees, 1610
  reliability, 2869
  removal, 1816
node rewriting, 983
  graph grammars, 983
node search
  number, 2433
  trees, 521
node
  separator tree, 1610
  set deletions, 3523
  splitting, 88
  symmetric, 3832
  to set disjoint paths problem, 3524
  weights, 255
  with minimum height, 164
Noetherian, 875, 1363, 1630
  induction, 954, 1630
  order, 1630
noise, 3067, 3834, 3888
  covariances, 49
  model, 3834
noise tolerant learning, 3252
  algorithm, 3252
noiseless
  coding theorem, 53
  feedback, 3179
noiselike transforms, 188
noisy
  binary images, 963
  broadcast network, 4035
  channel, 4035
  computation, 4035
  environment, 4114
  forward channels, 3179
  images, 3888
nonaccepting
  configuration, 666
  states, 112
nonadaptive
  membership queries, 3941
  oracle, 3299
  queries to an NP oracle, 3908
nonadditive, 4103
  nature of valuations, 4103
  resource allocation problem, 851
nonadjacent vertices, 350
nonapproximability, 3569
  results, 3843
nonassociative, 2116
  binary operation, 2506
  parallel prefix computation, 2506
nonatomic
  operation, 1589, 1621, 1709, 1721, 2138
  programs, 1589
nonblocking, 2724
  communication, 2055

nonblocking (*cont.*)
interprocess communication, 2055
multistage interconnection network, 2724
nonbounded
context, 34
language, 113
nonce based mutual authentication protocol, 2999
noncenter node, 3670
noncentralized solutions for mutual exclusion, 3260
nonces, 2999
noncircular, 1867
nonclassical
logics, 2572
notion of completeness, 1478
nonclosure, 160
nonclustered index, 2041
noncommunicative ring, 713
noncommutative, 351, 398
noncommutative algorithm, 351, 1271
for multiplication, 351
noncommutative
bilinear algorithm, 398
case, 472
fast algorithms, 351, 1271
fields, 3617
minimization algorithms, 3617
polynomials, 1188
ring, 215, 713
noncommutativity, 215
noncommuting variables, 1931
noncompactness, 95
noncomparable languages in NP, 832
noncompromisable database, 473
noncomputable sets, 2669
nonconsecutive vertices, 136
nonconservative algorithms, 2036
nonconsistent equations, 81
nonconsistent systems, 81
of linear algebraic equations, 81
nonconstructive, 715
proof, 2987
noncontext free, 1313
rules, 1229
noncounting
context free parenthesized languages, 311
languages, 311, 463
regular languages, 311
noncritical section, 568, 1280
noncrossing
straight line segments, 2380
wires, 1100
nondeadlocking mutually exclusive access, 686
nondecreasing, 1075
functions, 526
nondegenerate, 1374, 1412, 2841
Boolean function, 1007
Delaunay triangulation, 2841
nondeterminacy, 579, 2266, 3478
within expressions, 3478
nondeterminism, 209, 340, 663, 735, 767, 776, 849, 1039, 1139, 1229, 1390, 1402, 1550, 1657, 1866, 2257, 2549, 2703, 2876, 2985, 3432
nondeterministic, 348, 928, 1313, 1399, 1625, 1635, 2132, 2329, 2458, 2776, 2832, 3282, 3305, 4004
algorithms, 135, 767
alternative statements, 501
automaton, 2210, 2776
case, 792
choice, 1934, 1991
complexity, 1695
computation, 209, 767, 880, 1503, 2206, 4004
concurrent read concurrent write PRAM, 1608
constructs, 298
context sensitive language, 246
counting Turing machine, 674
CRCW PRAM, 1608
data flow networks, 1402
decisions, 2038
device, 1585
exponential class of languages, 1887
expressions, 3478
feedback controlled models of automata, 1155
finite automaton, 1753, 2466, 2549, 3284, 3343
nondeterministic finite state
acceptor, 766
machine, 766, 1684
nondeterministic
flowchart, 135
function, 1402
generalized sequential machine, 201, 386, 476
grammars, 340
languages, 200, 3353, 3432
LR parser, 2329
machines, 1277, 1390
model, 1155
multicounter machines, 1068
ω-automaton, 982, 1798
one-way pushdown automaton, 1608
oracle model, 2206
parallel assignments, 3305
pda, 1499
nondeterministic polynomial time, 209, 1887
machine, 1134
nondeterministic
priority(1), 1608
procedural programming language, 1399
procedure, 458, 3088
program, 776, 1306
nondeterministic programming, 340
languages, 629, 3432

nondeterministic
programs, 135, 629, 1306
quantum polynomial time complexity class, 3962
recognition of context free languages, 3769
rewriting system, 514
safety specifications, 2210
selection, 629
nondeterministic space, 664, 3130
bounds, 664
nondeterministic space complexity, 2378
classes, 2038
of context free recognition, 2378
nondeterministic
specification, 1798
state oriented programs, 2585
systems, 2295
TM, 1550
nondeterministic Turing
acceptors, 257, 4004
machine, 144, 849, 1388, 1503, 1866, 2473, 2752, 2870, 2925, 4004
nondeterministic two-dimensional
automaton, 318
online tessellation acceptors, 571
nondeterministic two-way pushdown automaton, 2978
nondeterministically, 1871
fully space constructible, 1871
nondisconnecting, 3945
nondistinct, 1238
tip values, 892
nondominated
coteries, 2852
k-coteries, 2852, 3437
nonemptiness, 2262
problem, 1993
nonempty, 740, 948, 2152, 2636, 3792
groups, 760
intersection, 1859
set, 1630
string, 1106, 2851
subset, 1630
substring, 1106
triangles, 1431
word, 730
nonerasing, 242, 1572
homomorphism, 483
morphisms, 1572
nonexact (experimental) data, 172
nonexistence of a
cover, 438
polynomial algorithm, 205
nonextendible independent set, 2635
nonground success patterns, 2679
nonhalting problem of Turing machines on a blank tape, 1607
nonhierarchical complexities, 2161
nonhomogeneous k-d tree, 718
nonincreasing first fit, 2404
nonincremental, 1179, 1844
nonindependent problems, 754
noninteracting processes, 995
noninteractive, 3871
noninterference of solid objects, 522
noninterleaving, 1991
semantics, 2402
nonintersecting
line segments, 2083, 2091, 2417
straight line segments, 1431
nonisomorphic graphs, 1212
with the same T-polynomial, 1212
nonisomorphic trees, 266, 1212
nonlinear, 287, 1956, 3606, 3894
algebraic equations, 287
differential equation, 22, 1207
equations, 2824
filter generator, 3606
filters, 3894
layered resolution deduction, 1289
lower bound, 597, 719, 3377
numerical analysis, 2334
patterns, 2137
skewing scheme, 2410
upper bound, 1839
nonlinearity, 3672, 3859
of balanced Boolean functions, 3672
nonlocal
data access, 566, 703
predicates, 3595
nonlooping DPDA, 539
nonmalicious distributions, 2915
nonmaximal
directed paths, 335
unilaterally connected subgraphs, 335
nonmodular operations, 4036
nonmonadic, 2078
second order term languages, 4061
nonmonotone
polynomial, 3520
projections, 949
nonmonotonic, 1555, 2510
heuristics, 3156
reasoning, 1555, 2513, 2839
nonnegative
arcs, 905
integer variables, 227
integers, 138, 304, 341, 371, 801, 936, 939, 990, 1507, 1687, 2615, 2636
operators, 81

nonnegative (*cont.*)
real numbers, 78
reals, 1533
weights, 764, 3450
nonnormalizing, 3916
term, 3916
nonnumerical, 1286
algorithms, 2577
mathematics, 54, 334, 1109, 1665
nonomniscient data bases, 744
nonorthogonal retrenched subspace, 267
method, 267
nonoverlapping
address intervals, 1717
convex polygons, 884
ears, 856
nonparametric operation, 3916
nonpartitionable point sets, 1057
nonperiodic, 868
scheduling, 639
nonpolygonal world, 1394
nonpolynomial, 1152
time, 393
nonpreemptable resources, 2728
nonpreemptible resources, 418, 1050
nonpreemptive, 1742, 2362, 3828
algorithm for scheduling, 868
DD scheduling problem, 519
schedule, 504, 519, 648, 2757, 3470
nonpreemptive scheduling, 1453, 3960, 4023
problem, 4023
nonprimitive recursive, 1441
function, 1441
nonprincipal rational cone, 900
nonprocedural query languages, 1063
nonqualified
coalition, 3821
set, 3652
nonquasiparity Berge graph, 3045
nonquiescent cell, 75
nonramification lemma, 2549
nonrational AFL, 874
nonreading machine steps, 539
nonreconfigurable nonpreemptive scheduling policies, 2133
nonrecursive, 458, 2523
algorithm, 247, 458, 827, 1508, 1913
Datalog programs, 3150
discrete density function, 1616
formula, 141
procedure, 2688
tree traversal, 511
nonrecursivity, 501
nonreducible string, 7
nonredundant
cover, 1377
covers of functional dependencies, 1377
FD covers, 1377
nonregular
context free language, 1134
deterministic context free language, 2378
language, 879, 1068, 1550, 2859, 2982, 3202
tally languages, 3202
nonrenewable resources, 519
nonrepetition rule, 79
nonrepetitive implementation, 1316
nonrigid, 1205
nonscalar
complexity, 1269, 4074
multiplication, 472, 1164, 3218
nonselfembedding, 1096
term rewriting system, 1096
nonselfprintable sets, 1622
nonsensical values, 744
nonsequential
processes, 275
programs, 883
systems, 275, 322
nonserial dynamic programming, 1442, 1570
formulations of satisfiability, 1570
nonsimilarity, 467
nonsimple polygons, 856
nonsingular
dpda, 1034
matrices, 1502
submatrices, 2334
Toeplitz matrices, 2334
nonsmooth convex distance functions, 3599
nonstandard transformations over matrices, 2073
nonstarving strategies, 345
nonstrict, 1372
nonstructural subtyping, 3302
nonsurjectivity, 2631
nonsymmetric, 852
functions, 3059
nonterminal, 13, 330, 438, 683, 778, 1301, 1331, 1988, 3162
bounded grammar, 218
nodes, 62, 799
separated, 720
separation property, 680
symbols, 302, 362, 474, 720, 1722
nonterminating term rewriting system, 2085
nontermination, 1347, 1372
nontransitive relation, 809
nontrivial
functional dependencies, 372
NL hierarchy, 2206

nonuniform
branching programs, 1935
complexity class of languages accepted by polynomial size circuit families, 1341
nonuniform data, 194
distributions, 3867
nonuniform
distribution, 566
logical definitions, 3627
memory access, 3564
pseudokeys, 1037
query distribution, 1953
nonuniformity, 1020
nonunimodal region, 46
nonunique
decipherability, 1251
precedence relations, 263
solution, 39
nonweighted graph, 3612
non-3-colorable graphs, 3088
non-3-colourability threshold, 3651
non-A-free graph, 4071
non-conflict free multivalued dependency sets, 996
non-context free, 2061
context sensitive languages, 2488
languages, 3195
non-FIFO channel, 1150, 1911
non-finite axiomatizability, 3951
non-ground terms, 847
non-Hamiltonian nondegenerate Delaunay triangulation, 1412
non-Horn, 1962
logic programs, 1962, 2513
sentences, 1289
non-left recursive form, 474
non-link information, 176
non-Markovian coupling, 1700
non-null
path, 701
strings, 13
non-path, 110
non-P-invariant Petri nets, 981
non-simply connected manifolds, 711
non-SOS operational semantics, 3813
non-tree edge, 1745
non-two-phase locking protocol, 1708
non-word local designs, 1095
norm, 2124, 2395, 2922, 3468, 3961, 4123
function, 2794
normal
basis, 2328
defaults, 2513
density, 211
distribution, 3654
normal form, 12, 68, 193, 438, 523, 634, 778, 1088, 1487, 1667, 1800, 1910, 2001, 2018, 2325, 2437, 2449, 2552, 2676, 2851, 2981, 3570, 3793, 3983
grammar, 438
theorem, 778, 846, 1148, 1487
normal forms, 12, 388, 683, 941, 1639, 1667, 1800, 1910, 2512, 2552, 2676, 3533
for CSP programs, 1487
of data base relations, 634
normal
hypercube algorithms, 2599
modal logics, 3087
order evaluation, 1985
programs, 2269
random variables, 211
solution, 81
normalisation, 1888
normalization, 484, 793, 899, 1259, 1511, 2751, 3533, 3916, 4101
approach, 523
constant, 449
lossless relations, 2072
of relational databases, 484
normalized
derivatives, 97
divide and conquer, 1511
numbers, 131
relations, 625
schema, 484
normalizing
procedure, 484
strategies, 3793
Norman, 819
normed
BPA processes, 2403
PA processes, 4000
north east nearest neighbors, 968
Noshita, 1375
not
all equal Sat, 3698
approximable in polynomial time, 3730
context free, 1325
provable in F, 1134
$\neg\text{PARITY}_n$, 3377
notation for distributed operations, 1461
notational formalism, 1306
notch, 1972
notional
calculus, 2046
entailment logic, 2046
noun phrases, 33
NOW, 3744
noyau, 1881

NP, 209, 478, 767, 832, 880, 884, 911, 1081, 1134, 1209, 1294, 1390, 1615, 1622, 1887, 1891, 2039, 2606, 2645, 2954, 3118, 3134, 3282, 3438, 3567, 3674, 3887, 3913, 3962
NP ∪ coNP, 911
NP ∩ coNP, 767
NP ∩ BPP, 1894
NP \ P, 880
NP ≠ coNP, 911, 2330, 2753
NP = coNP, 2049, 2330
  algorithms, 2666
  complete, 144, 187, 207, 220, 353, 371, 374, 388, 403, 411, 419, 421, 429, 441, 469, 470, 478, 483, 492, 504, 523, 525, 537, 546, 561, 607, 612, 622, 630, 633, 646, 648, 672, 704, 736, 743, 756, 798, 809, 810, 816, 829, 832, 865, 873, 932, 942, 947, 981, 1040, 1090, 1127, 1134, 1180, 1194, 1195, 1205, 1221, 1253, 1268, 1288, 1289, 1322, 1337, 1393, 1395, 1406, 1407, 1434, 1442, 1456, 1503, 1514, 1518, 1536, 1601, 1651, 1664, 1675, 1722, 1758, 1763, 1787, 1794, 1822, 1823, 1828, 1859, 1890, 1961, 1963, 1993, 1994, 2019, 2039, 2058, 2067, 2144, 2196, 2265, 2284, 2397, 2425, 2448, 2449, 2518, 2534, 2539, 2548, 2572, 2608, 2650, 2652, 2657, 2666, 2676, 2716, 2740, 2743, 2744, 2757, 2766, 2827, 2854, 2952, 2956, 2994, 3090, 3131, 3280, 3383, 3426, 3455, 3539, 3562, 3591, 3592, 3593, 3597, 3648, 3660, 3679, 3694, 3716, 3788, 3826, 3864, 3874, 4052, 4119
NP ≠ P, 1887
NP complete graph, 2635
  metric, 3809
  partitioning problems, 1495
  problems, 1947
NP complete
  in the strong sense, 1131
  MAXSAT problem, 3648
  problem, 144, 207, 271, 349, 403, 421, 454, 478, 483, 510, 560, 704, 743, 767, 1044, 1180, 1197, 1268, 1475, 1576, 1758, 1764, 1802, 1828, 1891, 2188, 2284, 2399, 2521, 2606, 2659, 2755, 3525, 3543
  set, 911, 1134, 1209, 2565, 3887
NP completeness, 144, 161, 411, 429, 441, 483, 608, 611, 692, 743, 745, 809, 816, 911, 997, 1040, 1131, 1205, 1288, 1289, 1336, 1406, 1434, 1456, 1459, 1560, 1602, 1651, 1758, 1764, 1794, 1822, 1918, 2049, 2067, 2242, 2395, 2425, 2565, 2652, 2956, 3716, 3748, 3874
NP completeness of
  MCTP, 1180
  the satisfiability problem, 1782
NP completeness
  results, 1195
  theory, 560
NP
  completion, 688
  functions, 3282
NP hard, 519, 527, 589, 612, 649, 672, 692, 884, 911, 1014, 1031, 1083, 1147, 1243, 1334, 1395, 1507, 1578, 1602, 1620, 1632, 1705, 1760, 1763, 1783, 1918, 2039, 2041, 2118, 2142, 2188, 2260, 2300, 2380, 2392, 2395, 2401, 2435, 2484, 2556, 2557, 2698, 2702, 2857, 2927, 3090, 3105, 3171, 3174, 3422, 3460, 3470, 3503, 3584, 3610, 3620, 3724, 3748, 3903, 3913, 3941, 3977, 3992, 4030, 4055, 4108
  graph problems, 2118
  in the strong sense, 1044, 1323, 3488, 3828
  optimization problems, 2935, 3094
  problem, 767, 1442, 1845, 1890, 2049, 2330, 2935, 3090, 3460, 3687
  sets, 3438
  to compute, 3370
NP
  hardness, 560, 561, 1044, 1147, 1602, 1918, 2723, 3715, 3842, 4103
  intermediate, 832
  machines, 2453
  multivalued functions, 3282
  optimization problem, 1891, 2258, 2702, 3052
  oracle, 3787
  problems, 1887, 2687, 2755, 2821, 3924
  set, 1209, 2870
NP(A) ∩ coNP(A), 2203
NP($d(n)$), 1887
$NP^A \neq P^A$, 1134
NP_m^p, 1209
NP_T^p, 1209
NP-complete, 2601
  problems, 2601
NP/poly ∩ coNP/poly, 2544
NPDA, 739, 740
NPDA(1), 739
NPDA(k), 739, 1065
NPO, 3668, 4117
  complete, 3668
  completeness, 3668
Npo PB complete problems, 3843
NPRIORITY(1) without ROM, 1608
NQP, 3962
NSPACE, 664, 1866, 1871, 3130
NSPACE($\log\log n$) = DSPACE($\log\log n$), 1550
NSPACE($\log n$), 1613, 2616
NSPACE($\log n$) ≠ DSPACE($\log n$), 1550
NSPACE($\log n$) ⊆ DSPACE($\log^2 n$), 2616

NSYMLOG, 2303
NT
  complete problems, 646
  consensus protocol, 2132
  hard, 530
Ntafos required k-tuples criterion, 1598
nth
  degree polynomial, 97
  Fibonacci number, 1818
NTIME, 2882, 3118
NTS
  expansive language, 680
  grammars, 720, 2522
  language, 680, 720, 2522
  property, 2522
NUD, 1251
  problem, 1251
null, 1021
  clause, 1268
  completion, 1237
  pointers, 114
  subtree, 176
  value, 286, 486, 744, 1021, 1237, 2249, 2672
NUMA, 3564
  architectures, 3564
number of
  1-factors, 234
  2-permutations, 175
  accepting paths, 2453
  accesses, 2006
  accumulators, 27
  arcs, 70, 220, 538, 1220, 1539, 1879, 2546, 2892, 3457
  arithmetic operations, 97, 215, 381, 724, 2183, 2216
  arithmetic steps, 393
number of bases, 2813
  of a matroid, 2813
number of bends, 3666
  per edge, 3725
number of block
  accesses, 1616
  transfers, 919
number of
  blocks, 2160
  b-matchings in a tree, 854
  candidate keys, 372
  chains, 2498
  coin tosses, 2987
  colors, 1184, 2534, 3068, 3450, 3543, 3638, 4136
  colours, 1890, 3644
  comparisons, 367, 405, 617, 1045, 1225, 1356, 1884, 2053, 2455, 2671, 2836
  components, 205, 1210, 2866, 3500, 3865, 4048
  connected components, 14, 1505, 2186, 3599, 4048
  convex k-gons, 2166, 2347, 3170
  counterfeits, 2909
  cycles, 3010
  data accesses, 566, 2455
  disk blocks transferred, 919
  divisors, 1117
  dominated points, 1245
  edges, 101, 121, 174, 205, 245, 478, 567, 627, 636, 642, 689, 765, 1315, 1373, 1403, 1469, 1559, 1562, 1573, 1660, 1815, 1947, 2122, 2260, 2339, 2377, 2484, 2518, 2548, 2577, 2889, 2947, 2975, 3010, 3048, 3129, 3257, 3272, 3330, 3530, 3722, 3779, 3896, 3949, 3959, 4048
  exchanges, 156, 1222
  execution nodes, 649
  FIND, 597
  functional dependencies, 231
  grid cells, 1380
number of Hamiltonian
  cycles, 2687
  paths, 2687
number of
  heads complexity classes, 4004
  inflowing words, 52
  input bits, 1316, 2812
  intersections, 2135, 3857
number of inversions, 901, 1222, 2236
  measure, 901
number of
  leaves, 2386, 2586
  leftist trees, 1426
  legs, 1722
  maximum independent sets, 1442
  mergings with constraints, 1365
  messages, 2323, 3388, 3733
  MISS's, 69
  multiple choice classes, 3795
  multiplication steps, 215
  neighbours, 1089
number of nodes, 62, 164, 205, 220, 505, 511, 538, 636, 892, 905, 1403, 1442, 1690, 1730, 1747, 1832, 1999, 2126, 2287, 2381, 2386, 2394, 2414, 2421, 2489, 2519, 2719, 2800, 2843, 2890, 2975, 3062, 3097, 3148, 3174, 3457, 3490, 3675, 3720, 3761, 3896, 3949, 3997, 4082
  expanded, 1690
number of nonscalar
  multiplication steps, 215
  multiplications, 1164
number of
  ordered pairs of vertices, 70
  output bits, 1316, 2146

number of page
accesses, 2041, 2313
faults, 366, 1735
fetches, 1063
pulls, 366
transfers, 906
number of
paths, 217
perfect matchings, 1442
permutations, 1174, 1222, 2360
queue operations, 866
reachable cells, 1436
rectangles, 785, 2960
register stages, 52
rollbacks, 3934
rotations, 203, 1504, 1746, 3654
rounds, 2388
servers, 57
set up operations, 560
single precision multiplications, 3719
solutions, 1258, 1442, 2367, 2870
spanning trees, 266, 1212, 3680, 3850
splits and merges, 687
strongly connected components, 15
number of subwords, 730, 869
in D0L languages, 730
number of
transactions, 934
triangles, 3311, 3797
true gates, 2124
unilaterally connected components, 205
UNIONs, 597
number of vertices, 14, 70, 101, 115, 121, 174, 371, 459, 467, 490, 518, 567, 642, 645, 668, 701, 736, 765, 815, 987, 1001, 1079, 1220, 1315, 1444, 1588, 1835, 1892, 1947, 2034, 2075, 2097, 2146, 2160, 2308, 2377, 2415, 2518, 2687, 2756, 2806, 2889, 2894, 3039, 3048, 3217, 3267, 3375, 3543, 3562, 3650, 3779, 3836, 3854, 3866, 3926, 4044, 4077, 4086
of a polyhedron, 4044
number of
words, 730, 2478
work tapes, 1625
zeros, 274
number representation, 1491, 2214, 2928
scheme, 972
number system, 650, 972
number theoretic, 3515
algorithms, 3287
characterization of NP, 1081
constants, 3515
cryptosystems, 4009
functions, 1117
languages, 2827
number theory, 159, 442, 3443, 3548, 3728, 4015
numbering, 166, 3075
of rooted tree vertices, 166
numerical
algorithms, 238, 2834, 4078
analysis, 46, 98, 140, 195, 351, 841, 1396, 1902, 2240
computation, 18, 3248
computing, 2846
numerical differentiation, 66, 172
of data, 172
numerical instability, 641, 789
of Bini algorithm, 789
numerical
integration, 806
iterative methods, 2043
mathematics, 22, 37, 39, 48, 66, 81, 89, 214, 450, 498, 711, 1126, 1902
methods, 74, 140, 507, 3248
problems, 4078
procedure, 195
results, 2487
robustness, 3086
simulations, 3368
numerical solution, 98, 195
of integral equations, 195
numerical
solutions of differential equations, 287
stability, 793, 1502
numerically
robust, 2841
unstable, 641, 789
nuts and bolts, 3351
NV sequentiality, 3793
NVNF sequentiality, 3793
Nyberg and Rueppel, 3230, 3587
Nyström, Sven-Olof, 3432
NYU ultracomputer, 3137
n-ary
Boolean functions, 2365
composition of a binary associative operator, 1946
n-bandwidth
heap, 2263
leftist heap, 2263
n-bayonet code, 3135
n-bit
binary integers, 1917
integer, 2167
VLSI counter, 1454
n-cliques, 3637
n-colourable graph, 2284
n-connected graphs, 234
n-cube, 583, 1047, 1730, 2034, 2197, 2222, 2746, 3125, 3967
configuration, 1730
networks, 2022, 2217

N-dimensional, 2933
n-dimensional, 2783, 3752, 4056
  algebra, 2116
  arrays, 1126
  boxes, 4056
  crossed cube, 3475
N-dimensional diffusion problem, 878
n-dimensional hypercube, 1834, 2220, 2651, 2861, 2884, 3296, 3752, 3837, 3971
N-dimensional hypersphere, 1141
n-dimensional
  space, 281
  star graph, 3524, 3799
  tori, 3467
  torus, 2684
N-dimensional torus computers, 2933
n-dimensional twisted cubes, 3112
N-dimensional vector space, 1811
n-fold composition, 1853
N-free, 1038
  ordered sets, 1038
n-gon, 856, 3917
N-gram method, 2660
N-grammars, 161
N-grams, 2660
n-input prefix circuit, 3936
N-lists, 2689
n-node *k*-ary trees, 3688
n-partitionable, 1057
n-permutations, 3959
n-processor algorithm, 1648
N-queens problem, 2367
n-queens problem, 2358
n-rational program schemes, 501
n-reconstructability, 218
n-reconstructable grammars, 218
n-ring towers of Hanoi problem, 827
N-SCS problem, 2170
n-star, 2222
n-stencil paths, 218
n-tape automaton, 619
N-trees, 895, 2689
N-type characterization for ET0L languages, 161
n-vertex graph, 1718, 2270, 2339, 2353, 2908, 3637, 3651
n-vertex *m*-edge graph, 929
  with maximum degree Δ, 3154
n-vertex planar graph, 3080

O

Obana, Satoshi, 3324
OBDD, 2729, 3370, 3510, 3730, 3781, 4083
  of minimal size, 2729
object
  binding, 1831
  circulation, 2315
object code, 480, 501
  size, 1817
object
  level, 1169, 2269
  normal forms, 1800
object oriented, 2047, 2733, 2848, 3647, 3750, 3921, 3935, 3940, 4132
  databases, 3297, 3536
  design, 3321
  interaction, 2037
  languages, 1831, 2066, 2180, 2528, 3647
  metric, 3321
  modeling, 2733
  programming, 2180, 3921
  queries, 3297
  representation, 2037
  rule based development, 2047
  searching problems, 679
  software, 3921
  system, 2628
object
  program, 495
  specifications, 55
  state, 2733
  structurability, 1197
objective function, 46, 76, 546, 1548, 2124, 3177, 3422
  value, 76
oblivious, 977
  adversary, 2195
  one-head tape unit, 1156
  protocol, 2584
oblivious read once
  branching programs, 3901
  parity branching programs, 3901
oblivious
  sequential machines, 2918
  Turing machine, 1379
Obokata, Koji, 3883
observable, 3085
  events, 3085
  outcomes, 278
observation, 8, 197
observational
  bisimulations, 2402
  congruence, 2001
  equivalence, 2295, 2459
observed data, 3585
observer, 1163, 1992
obstacle, 1044, 1121, 1262, 1267, 1546, 1705, 2083, 2142, 2509, 2737, 2936, 3272, 3722
  avoiding path, 1599
  edges, 1826
  growing, 1394
  vertices, 3272
obstruction, 2433

OCA, 1710
ocator polynomial, 3846
Occam, 1366, 1617
  razor, 1381, 3626
OCCTI protocol, 3578
occupancy problem, 3231
occurrence
  graphs, 554
  histories, 554
  nets, 1788
occurrence of a pattern, 2695, 3313
  string, 2774
occurrence time, 52
Ochsenschläger, Peter, 3418
O'Connor, Luke, 2979, 3037
oct trees, 1057
octagonal distance, 3089
odd
  circuits, 2894
  cycle, 809, 2284
odd even
  reduction, 728, 1270
  sort, 3441
odd factor, 252, 599
ODE, 2457
Odijk, Michiel A., 3658
Odlyzko, Andrew, 3835
O'Donnell, 1101
ODPP, 338
œ-cuttings, 2912
OFDD, 3370
offline, 1323, 2534, 3256, 3340
  adversaries, 3315
  algorithm, 1250, 1633, 2534, 3398, 3979
  computation, 3358
  cost, 2658
  dynamic storage allocation problem, 1131
  feasibility analysis, 3022
  matching problem, 2160
  minimum, 902
  nondeterministic Turing machine, 1388
  optimum, 4136
  processing, 1328
  routing algorithm, 3799
  storage allocation algorithm, 1323
  traversal, 1588
  Turing machine, 246
offset, 3764
Ogata, Wakaha, 3323
Ogden lemma, 828
Ogihara, 3438
Ogihara, Mitsunori, 3046
Ohlebusch, Enno, 3017, 4022
Ohori, 3157
Okada, Koji, 3434
Okamoto and Tanaka, 2447
  one-way ID based key distribution system, 2447
Okazaki, T., 4002
O'Keefe and Wand, 2552
Okuno, Hiroshi G., 3735
Olivié, 920
  class, 920
Olson, Clark F., 3585
Omega, 36, 174
  network, 1466, 2525, 2724
Ω(P) auxiliary shared memory, 2530
ω^2-well quasi-orderings, 4021
ω-automaton, 982, 2655
ω-code, 3387
ω-context free languages, 2086
ω-equality set of two morphisms, 1213
ω-equivalence problem, 1213
ω-events, 188
ω-generators, 3387
ω-Kleene closure, 922
ω-language, 922, 982, 1067, 1284, 1644, 2086, 2396, 3357, 3418
ω-part, 3197
ω-post correspondence problem, 1213
ω-rational
  expressions, 1067
  languages, 1067
ω-recognizable languages, 1067
ω-regular
  language, 1678, 2086, 3357
  set, 2086
ω-rigid set, 2396
ω-rule, 1785
ω-syntactic, 2396
  monoids, 2396
omission failures, 3975
on the fly algorithm selection, 1126
on the fly garbage
  collection, 1349
  collector, 962
one complement, 2214
  addition, 2214
  multiplication, 2214
  notation, 2214
one
  counter theorem, 133
  dimensional transforms, 498
  edge in common, 627, 628
  pass compilers, 277
  reversal, 1625
one to one
  bounding functions, 1272
  correspondence, 428, 684, 942, 1127, 1221, 1518, 1832, 1859, 3351, 3980
  mapping, 3394

one to one (*cont.*)
transformation, 445
translation, 1114
one's-complement multiplication, 2214
one- and two-level jump searching, 1296
one-bit reference counting, 2646
one-branch tree, 794
one-car spur, 2020
one-center problem, 2784
one-counter
context free language, 640, 1189
language, 94, 1585
one-dimensional
array of automata, 71
automaton, 571
one-dimensional bin packing, 3369, 3552
problem, 537
one-dimensional cellular
automaton, 2631
space, 1457
one-dimensional
Euclidean p-center problem, 1620
graphs, 1516
one-dimensional one-way
finite automaton, 578
reversible cellular automaton, 2430
one-dimensional
partitioned cellular automaton, 2430
phrase-structure grammars, 989
set, 137
symmetrical cellular space, 1457
two-neighbor RCA, 2430
two-way finite automaton, 578
weighted Voronoi diagram, 1210
one-dimensional bin packing algorithms, 622
one-head tape unit, 1168
one-headed systems, 2089
one-letter
input alphabet, 1022
regular languages, 3951
one-one
one-way functions, 2621
transformation, 697
one-output Boolean functions, 1691
one-pass
compilation, 376
packet routing schemes, 2525
processing techniques, 1311
one-pebble
acceptor, 722
rectangular array acceptors, 722
one-pebble two-way
alternating automaton with one head, 2145
nondeterministic finite automaton with one head, 2145
one-port I/O communication, 3445
one-resource requests, 418
one-reversal
counter, 1277
one-counter languages, 1277
one-head pushdown automaton, 113
pushdown, 1277
one-rule
semi-Thue system, 1166
system, 3453
one-sided
Dyck language, 1647, 1836
error probability, 2722
height balanced trees, 365
one-source node broadcasting, 3591
one-state DPDA, 539
one-step reduction strategy, 2676
one-tape offline
TM, 1868
Turing machines, 1868
one-tape Turing machine, 2925, 3364
one-time password, 3505
one-turn, 814
one-way pushdown automaton with k heads, 1065
one-way, 1484, 1550, 2038, 3132, 3851, 3990
one-way alternating
k-counter machine, 1139
TM, 1550
Turing machines, 3202
one-way automaton, 752, 1065, 1728
one-way cellular
arrays, 1710
automaton, 792
one-way
communication, 1553, 1944
counter, 3990
one-way deterministic
finite automaton, 663, 716, 1232
pushdown automaton, 1103
TM, 1550
one-way finite automaton, 578, 2506
with k input heads, 1065
one-way
function, 654, 1532, 1542, 2621, 3145, 3323, 3634
globally deterministic synchronized alternating finite automaton, 2038
hash functions, 3132, 4134
heads, 696
ID based key distribution system, 2447
one-way input
heads, 739, 1232
tape, 1277, 1585

one-way
list, 855, 1655
mail, 1944
mesh, 1553
one-way multihead
automaton, 1065, 1371
finite automaton, 2063
pushdown automaton, 113, 739
one-way multiprocessor automata languages, 1433
one-way nondeterministic, 2832
finite automaton, 663
pushdown automaton, 740
TM, 1550
one-way
nonerasing stack automaton, 4002
npda, 740
optimization, 2789
output tape, 1585
permutations, 1484
point to point communication, 1944
RCA, 2430
space complexity classes, 3851
Turing machine, 3851
two-head finite automaton, 113
onion
polygonizations, 3249
polygons, 3249
online, 1974, 2117, 2160, 2164, 2277, 2551, 2639, 2735, 2831, 3022, 3114, 3227, 3235, 3346, 3461, 3526, 3540, 3575, 3635, 3801, 3861, 3979, 3993
algorithm, 537, 541, 889, 1323, 1328, 1773, 2097, 2160, 2171, 2195, 2216, 2277, 2436, 2481, 2534, 2658, 2726, 2735, 2895, 2910, 2920, 2934, 2936, 2948, 3038, 3105, 3114, 3187, 3235, 3261, 3346, 3398, 3440, 3461, 3526, 3553, 3558, 3575, 3607, 3622, 3707, 3754, 3801, 3862, 3993, 4024, 4066, 4100
alternating Turing machine, 1388
and offline computation, 3358
online bin packing, 537, 1773, 2436
algorithm, 2436, 2481
problems, 2436
online
case, 1066
channel allocation, 3801
online coloring, 4136
algorithm, 4136
online computation, 889, 1371, 1573, 1797, 2063, 3523
online computation of
convolutions, 1797
graph properties, 1573
online
connectivity queries, 3623
construction, 1389
d-dimensional bin packing, 2726
edge coloring, 2534
editor, 1250
environment, 33
insertions, 2267
kernel search problem, 3862
linear time algorithm, 2551
online load balancing, 3158
problem, 3540
online matching, 2160
problem, 2160
online
minimax linear fit, 1328
minimum matching problem, 2920
parsing, 3162
pattern matching algorithm, 1250
polynomial approximation strategy for DSA, 1323
problem, 3149
processing, 1328
query term expansion, 2660
online scheduling, 2831, 3607, 4024
jobs, 2910, 3553
problem, 4024
online
search, 1238, 3327
searching, 2300, 3807
shelf algorithm, 3575
simulation, 1156, 1168
online spanning
tree problems, 2735
trees, 3526
online Steiner
problems, 3114
tree, 2735
online
strip packing, 3575
traversal, 1588
Turing machines, 849
vs. offline machines, 1388
Onoe, 498
OODB schema, 3536
Ookubo, Takuya, 3541
opaque, 1313, 1345, 2091
contexts, 1229
forest, 1345, 1673, 2264
lines, 2091
minimal forest, 1345, 2264
opaqueness, 1134
open addressing, 222, 1112, 1714, 1750
hashing, 1714
open
distributed systems, 4070
hash methods, 1142
objection, 4134

open problem, 72, 194, 218, 313, 395, 436, 542, 571, 725, 727, 828, 858, 1075, 1103, 1164, 1203, 1426, 1446, 1449, 1583, 1643, 1750, 1757, 1822, 1957, 2081, 2085, 2170, 2271, 2273, 2277, 2384, 2405, 2412, 2426, 2448, 2510, 2560, 2609, 2645, 2732, 2753, 2762, 2786, 2866, 2887, 2954, 2986, 3054, 3141, 3188, 3924, 4029, 4097
  from Slot and van Emde Boas, 1196
  of Brucker, 1195
open question, 1232, 1613, 1739, 1887, 1947, 2007, 2034, 2154, 2179, 2616, 2630, 2880, 2922, 3119, 3268, 3281, 3315, 3350, 3460, 3539, 3938
open question of
  Akers and Krishnamurthy, 3812
  G. Tel, 3733
open set condition, 3325
open shop, 519, 1180
  scheduling, 519
open world assumptions, 3199
opera, 263
operand, 453, 575, 624, 1956, 2519
  variations, 624
operating system, 31, 44, 80, 103, 118, 142, 227, 237, 296, 326, 498, 560, 590, 631, 957, 961, 1023, 1167, 1176, 1280, 1286, 1771, 1807, 1830, 1831, 1914, 1919, 1971, 1981, 2089, 2168, 2317, 2373, 2728, 2789, 3064, 3254, 3677, 3882
  design, 118, 326
  level, 1239
operation, 6, 11, 30, 43, 119
  coalescence, 2628
  of sequential circuits, 4
$\oplus$ operation, 2270
operation on a
  database, 787
  file of data, 6
operation on
  languages, 879
  OBDD, 4083
operation research, 156, 893
operational
  characteristics, 1
  characterization, 278
  models, 2295
  point of view, 316, 549
  precedence constraints, 288
  research, 1614, 2731
operational semantics, 544, 1934, 2134, 2563, 2907, 3770, 3773, 3813
  of programming languages, 830
operational subcubes, 2197
operations research, 163, 3374, 3815, 4103
operator, 169, 258, 370, 453, 640, 786, 795, 859, 900, 922, 1837, 1909, 2294, 2519, 2647, 2771, 2835, 2876, 2879, 3221
  form, 302, 362
  grammars, 225
  in SAA, 370
$*$-operator nested, 1449
operator precedence, 263, 302, 750, 1360
  algorithm, 169
  grammar, 263, 302, 311, 362
  languages, 302, 362
  matrix, 225
  parser, 263, 750
operator precedence parsing, 1360
  method, 169
operator precedence
  relation, 302, 362
  technique, 169
$\oplus$ operation, 2270
$\oplus$L, 2070
$\oplus$P, 2109, 2954
$\oplus P^A$, 2109
OPSC, 2197
OPT, 338, 366, 1735
  algorithm, 338
optical
  media, 3029
  orthogonal code, 2271
  routing on trees, 3539
  storage, 3029
optima, 4065
optimal, 5, 27, 1675, 3566
optimal algorithm, 90, 283, 338, 602, 699, 713, 781, 987, 1042, 1079, 1100, 1163, 1210, 1438, 1509, 1666, 2011, 2051, 2075, 2103, 2159, 2340, 2393, 2478, 2486, 2498, 2540, 2546, 2673, 2699, 2808, 2825, 2851, 2864, 2911, 2932, 2939, 2971, 3039, 3057, 3068, 3105, 3179, 3319, 3516, 3531, 3849, 3912, 3985, 4011
  for unbounded searching, 226
  of Winograd, 1188
optimal algorithms, 226, 260, 338, 366, 422, 987, 1084, 1095, 1230, 1501, 1899, 2073, 2498, 3220, 3567
  for finding bridges, 978
optimal allocation, 1323, 1819, 4103
  of resources, 851
optimal alphabetic
  binary search tree, 184
  trees, 3776
optimal approximation, 3504
optimal arrangement, 633
  of pages, 1556
optimal assignment, 493, 546, 1597, 1806, 3539, 4133

optimal availability, 1786, 3686
quorum systems, 3686
optimal average, 3551
case performance, 194
optimal average information, 3551
rate, 3551
optimal binary
decision trees, 207
search tree, 706, 788, 2591, 3776
optimal
bound, 904, 1488, 1789, 2886
bridge, 3878
broadcasting, 3345, 3971
buffer size, 2041
b-matching problem, 4103
cache scheduling, 1735
chain partitions of trees, 166
checkpointing, 1439
optimal coloring, 3450
of a graph, 69
optimal
coteries, 2869
cover, 1377
covering, 672, 3872
CRCW PRAM fault tolerance, 2212
cyclic arrangement, 633
database reorganisation, 818
optimal demand
paging algorithm, 260
prepaging algorithm, 338
optimal
design, 855
disk system, 3149
optimal distributed
algorithm, 2165, 2864
election, 2187
optimal
distribution, 2184, 2192
division, 1074
optimal domination network, 371
problem, 371
optimal
DRDE allocation, 2835
dynamization, 661
effectiveness metric, 3739
embedding of hyperrings in hypercubes, 3296
encoding formula, 3394
optimal estimation, 398
algorithm, 49
optimal
flow shop schedule, 1812
greedy heuristic, 2087
height, 206
heuristic, 2254
information rate, 3948
IO sequence, 2283
k-d tree, 678
K-level quantizer, 1765
labeling, 424
optimal layout, 4012
of vertices, 1738
optimal length, 2618, 2630
test sequences, 2750
optimal linear arrangement, 633
problem, 756
optimal
lower bound, 2619, 2859, 2982
makespan, 2440
matching, 1201
median residual, 3585
merging and sorting, 1884
message routing, 3691, 3950
module assignment, 546
motion planning, 1826
multilevel indexed sequential files, 855
network partitioning, 2837
networks, 601, 883
node ranking of trees, 1610, 1869
optimal nonpreemptive
schedules, 519
scheduling, 255
optimal
number of comparisons, 2747
offline algorithm, 2216
online decremental connectivity, 3623
order, 678
ordering, 4020
packing, 530, 672, 2436
paginations, 260
paging algorithms, 366
optimal parallel
3-coloring algorithm, 2340
adaptive sorting algorithm, 2234
optimal parallel algorithm, 1525, 1538, 1766, 1795, 1821, 1876, 1885, 2004, 2393, 2494, 2517, 2706, 2714, 2825, 2911, 2932, 3089, 3220, 3490, 3777, 4128
for maximal matching, 2961, 4128
optimal parallel algorithms, 1879, 1944, 2340, 2413, 2706, 2808, 3091, 3671
optimal parallel algorithms for
finding bridges, 978
merging, 2825
sorting presorted sequences, 2234
optimal parallel
circle cover algorithm, 1795
computations, 2932
construction of heaps, 2732
prefix circuits, 3936
processor bound, 1115

optimal parallel (*cont.*)
randomized renaming, 3439
selection, 3350
time bounds, 2408
transformations, 1753
optimal partition, 2837
optimal path, 2142, 3291
cover, 1994
optimal
performance values, 1735
policy, 652, 886, 934, 2114
polyhedron partitioning, 884
preemptive schedules, 519
process assignment, 631
rank number of a tree, 1610
ranking, 1869
reorganisation strategy, 818
restructuring rule, 1633
rewriting strategy, 3753
routing, 2414, 2482, 3097, 3479
schedule, 288, 519, 527, 648, 1406, 3070, 3269, 3591
optimal scheduling, 167, 185, 1632
algorithm, 611, 2819
policy, 1632
optimal search, 1147, 2582
algorithm, 1666, 1851
strategy, 1666
optimal simulation, 2697
of tree arrays by linear arrays, 1734
optimal
slope selection, 2674
solution, 76, 546, 649, 689, 756, 890, 1146, 1583, 1787, 2174, 2286, 2401, 2404, 2498, 2533, 2705, 2892, 2945, 3408, 3792, 3796, 4016
optimal sorting, 40
network problem, 1594
optimal space, 1438
optimal speed up, 1810, 2683, 3044
algorithms, 2148
ratio, 2148
optimal
static multiway tree, 2164
stochastic rule, 707
strategy, 449, 612, 1084, 1147, 1735, 2683, 2829, 3224
string alignment, 3931
superprimitivity testing for strings, 2205
optimal test, 904
sequence, 2026
optimal time, 1163, 1438, 1645, 2684, 3799
algorithm, 3721
and space, 1913, 2223, 3642
bounds, 2384, 2727
optimal total exchange, 2390
optimal tree, 53, 207, 3776
correction, 671
editing program, 671
optimal
triangulation, 469, 550
updating mechanism, 5
use of storage, 117
vertex ordering problem, 4020
worst case time complexity, 1501
optimality, 260, 699, 707, 934, 1633, 1666, 1735, 1765, 2114, 2286, 2291, 2314, 2451, 2466, 2750, 2822, 2871, 2952, 3124, 3252, 3289, 3590, 3753, 3849
criterion, 2054
measure, 4020
proof, 3124
optimally, 1844, 2215, 2603, 3244, 3289, 3379, 3504, 3812
optimally balanced
data structure, 1953
search strategies, 1953
optimally distributing program modules, 1806
optimally efficient
parallel algorithm, 1509
selection algorithm, 1509
optimally
fault tolerant, 2746
triangulating, 3244
weighted 1-tree, 2016
optimisation, 262, 3201
optimised code for coercions, 262
optimistic
concurrency control time interval, 3578
simulation, 3060
synchronization, 3934
optimization, 27, 46, 127, 230, 258, 273, 1135, 1636, 1848, 2057, 2110, 2432, 2508, 2666, 2854, 3018, 3278, 3305, 3341, 3663, 3992, 4026, 4120
algorithms, 273, 560, 1084, 2318
criteria, 560
optimization of
a test suite, 3408
LR(k) parsers, 2693
programs, 2563
store size, 103
optimization problem, 809, 1321, 1891, 2110, 2753, 3422, 3569, 3624
under constraints, 890
optimization problems, 271, 765, 1165, 2111, 2258, 2432, 2659, 3094, 3389, 3391, 3842, 3992
in interval graphs, 1947
on circular arc graphs, 2278
optimization strategies, 2679

optimizer, 1063
  generator, 2489
optimizing, 27, 2479, 3142, 4107
  a database structure, 941
  ADT queries, 2489
  compilers, 1053
  dynamic modular logic languages, 3303
  linear programs, 289
  one-dimensional storage, 1556
  program performance, 1239
  queries, 2489
  reference counting, 3142
  the number of block accesses, 2188
  transformations, 289, 293
optimum, 860, 873, 935, 1131, 1431
  bases, 2161
  checkpointing interval, 934
  colouring, 1743
  cost, 1891, 4016
  cover, 873
  distribution of modules, 493
  domination in weighted trees, 371
  execution order, 2050
  k-d tree, 850
  number of update transactions, 652
  one-dimensional binary search tree, 850
  ordered biweighted binary trees, 935
  solution, 1165, 1891, 2016
optimum tree, 850
  valuation, 424
optimum triangulation, 469
  of a point set, 550
optimum watchman routes, 1578
OP-TIM, 3163
OR clause, 561
or continuous, 1909
OR gates, 1152, 2024, 3335
or parallelism, 1306
OR type channel, 2048
oracle, 781, 832, 1117, 1203, 1204, 1390, 1467, 1615, 1622, 1718, 1889, 2007, 2109, 2252, 2424, 2560, 2626, 2669, 2813, 2993, 3299, 3625, 3792, 3885
  access, 3961
  classes, 3885
  complexities, 2043
  computations, 1203, 1390
  hierarchy, 1390
  machine, 2626
  model, 3299
  queries, 3282
  reduction, 911
  sets, 1390, 2206
  tape, 1390
  Turing machine, 832
orbit, 344, 421
Orda, Ariel, 3500
order, 20, 88, 154
  completion, 1991
  dependency, 3504
order k
  Fibonacci numbers, 626
  homogeneous linear recurrence relation, 626
  recurrence relations, 536
order of
  a blocked process, 43
  decreasing diameter, 577
  demand analysis, 3161
order of evaluation, 1383, 1506, 3115
  of arguments, 1383
order of execution, 167, 255
  time, 1429
order of
  functions, 2325
  magnitude, 37, 522, 2399, 4012
  state functions, 2325
  traversal, 96
order
  on multisets, 1489
  polynomial algorithm, 3289
order preserving, 1037
  method, 1658
order relation, 2270
order statistics, 1538, 1804, 2232, 3185
  problem, 1538, 1706
order theoretic properties, 2648
ordered
  2-3 tree, 212
  array, 1123
  BDD, 4083
ordered binary
  and functional decision diagrams, 3370
  decision diagrams, 2729, 3510, 3735, 4083
ordered
  biweighted binary trees, 935
  context free grammars, 161
  decision diagrams, 3370
  dictionaries, 2000
  domains, 1991
  grammars, 161
  keys, 925
ordered list, 339, 648, 703, 1016, 1225, 3947
  of blocks, 2188
ordered minimal perfect hash table, 2921
ordered minimal perfect hashing
  function, 1529
  scheme, 1529
ordered
  multiset, 1489
  pair, 215, 390, 1177, 2992

ordered pair of
nodes, 723
nonnegative numbers, 935
vertices, 616
ordered
rewriting, 2068
set, 519, 521, 974, 1050, 1630, 2082
sets of combinations, 974
subtree isomorphism, 2301
ordered table, 212, 303
of combinations, 974
searching, 226
ordered tree, 1832, 1840, 2074, 2215, 2296, 2301, 2871
ordering, 110, 515, 691, 735, 826, 882, 1163, 1228, 1372, 1489, 1809, 1816, 1820, 2068, 2437, 2545, 2588, 2648, 2729, 2771, 2840, 2895, 3121, 3199, 3370, 3760, 4020, 4021
algorithm, 515
by length, 2068
information, 3557
of assignments, 2
on multisets, 1489
relation, 954, 974, 1632, 2257
the generators, 1020
orderisomorphism, 294
ordinal, 1283, 1630
closures, 3778
ordinary
differential equations, 586, 587
encodings, 3588
organic development, 279
orientable graphs, 2361
orientation, 134, 986, 1115, 1401, 2119, 2508, 2524, 3059, 3584, 3650, 3995
of K_n, 3790
problem, 3584
oriented, 60
addressing, 60
balanced trees, 54
depth first search, 1745
graph, 4057
planar graphs, 2902
rings, 3378
tree, 164, 244
Voronoi diagram, 2011
orienting, 3584
edges, 3790
graphs, 3584
origin, 4129
Orloff, 2372
Orlowska, 1567
O'Rourke et al., 1412
Orozco, J., 3501
orthogonal, 253, 774, 2208, 3404, 3666, 3723, 3973
arrays, 3400
graph drawing, 3401, 3666
hyperrectangles, 2289
hypersquares, 2289
intersection searching, 774
lists, 455
object, 748, 774, 2119
polynomials, 253
projections, 2242, 3904
range query, 859, 2106
rectangle intersection, 774
segment intersection search problem, 2071
straight line segments, 3723
orthogonal subspace, 267
method, 267
orthogonal
trees network, 759
TRS, 2676
orthogonality, 2317, 2676
orthogonalization, 2098
orthogonally connected multiprocessors, 2123
ortholattice, 3695
identities, 3695
orthomodular lattices, 3695
OS/360, 296
catalog management, 296
OS/VS1, 203
Osborn, 798, 2449
Ostrand, Phillip A., 1309
other agent, 3986
OTN, 759
Ottmann and Wood, 3817
Otto, Martin, 3392
out
degree, 2283, 2806
of band communication, 885
outdegree, 128, 441, 1568, 1660, 3153, 3644
outer face, 518
outer layer, 1136
of a set of points, 1136
outer
product, 198, 786
vector product, 1269, 1502
outermost needed
rewriting, 3753
strategy, 3753
outerplanar, 518, 1528
algorithm, 518
graph, 518, 1828, 3809
outlet, 2724
output, 19, 390, 526, 590, 719, 745
arcs, 67, 1964
behavior, 1316
buffer, 420, 1385
characteristics, 1721
free path, 1598

output (*cont.*)
input path, 1598
nodes, 745
output polynomial, 4055
algorithm, 4055
time, 4055
output processes, 878
output sensitive, 3992
algorithm, 3374
peeling, 3374
output
specification, 178
terminals, 19
vertices, 808
wire, 3559
outregular digraph, 3644
outward connectivity, 392
Ouyang and Palem, 2783
overflow, 16, 57, 387, 863, 868, 1238, 2080, 2192, 2509
area, 1238
block, 203
bucket, 2080
handling, 203
in hash tables, 157
movings, 925
technique, 925
overhead, 24
overlap, 585, 1721, 2135, 3453
overlap closure, 2085
construction, 2085
overlap
free words, 2785
graph, 2483, 4057
overlapping
segments in storage, 187, 633, 1030
substrings, 615
subtrees, 114
overlay, 3582
of two simple polygons, 3582
overloaded, 548, 2080
construct, 548
overloading, 548, 2707, 3222
capabilities in Ada, 548
of operators, 548
Overmars, 1327, 2267, 3820
Overmars and Harel, 2950
Overmars-van Leeuwen structure, 2267
overprint operation, 119
Owicki and Gries, 3201, 3419
Owicki method, 962
Owicki-Gries logic, 1875

P

P, 1622, 1726, 2243, 2626, 3118, 3134
$\oplus$P, 2109, 2954
P = 2ACMPRC = 1ACMPRC, 1139
P = NC, 2428
P = NP, 144, 209, 1536, 1887, 1894, 2118, 2601, 2635, 2659, 2797, 2935, 3174, 3472, 3491, 3643, 3730, 3808, 3887, 4055, 4117
P =? NP, 209
question, 767, 1622
$P \stackrel{?}{=} NP$ question, 1390
$P = P^{\#P}$, 2179, 2453
$P \neq NP$, 207, 798, 832, 1209, 1615, 1887, 1890, 1891, 2753, 3525, 3634, 3842
$P \neq PSPACE$, 2993
$P \subseteq NP$, 1390
$P \subseteq NP(A)$, 1390
P and
NP, 1134, 1887
V operations, 686, 1158, 1176
P complete, 411, 1203, 1332, 1778, 2124, 2243, 2355, 2383, 2389, 2428, 3268
problems, 2124
P
completeness, 1332, 1484, 1778, 2243, 3268
hard to compute, 1484
immunity, 1894
NP problem, 1894
operation, 1158, 1446
Turing equivalence, 1294
uniformity, 2167
P versus NP, 1134
question, 2560
P $\langle k, l \rangle$ language, 160
#P, 674, 2179, 2434, 2453, 2526, 2870, 3550
#P complete, 1442, 2887, 2894
problems, 2894
#P
completeness, 2887
hard problem, 2813
p-measure, 0, 3438
$\mathcal{P}''$-language, 535
P(A) = NP(A), 1390
P(B) $\neq$ NP(B), 1390
P($d(n)$), 1887
P($d(n)$) $\neq$ NP($d(n)$), 1887
P($d(n)$) = NP($d(n)$), 1887
PΣ-EAA, 749
(p, q)-dpda, 696
P/log, 3144
P/poly, 1341, 3071, 3869
$P_{1-\text{help}}(NP \cap coNP)$, 3469
$P_{1-\text{help}}(UP \cap coUP) = UP \cap coUP$, 3469
P2//C_{max}, 3461
P_4
laden graphs, 3391
lite graphs, 3391
tidy graphs, 3537

P_5, 3460
  free graphs, 3460
P_{P-comp}, 3134
P^{NP}, 3674
  upper bound, 3674
PA, 395
$\oplus P^A$, 2109
PAC, 3567
  learnability, 2792
  learnable, 2439, 3337, 3685
PAC learning, 2224, 3067, 3252, 3489, 3567, 3626, 3685, 3834, 4031, 4056
  algorithm, 3337, 3489
PAC model, 2406, 2792, 3252
PAC + MQ algorithm, 4056
Pacas-Skewes, 1964
Pacault, 110
Pacault's algorithm, 110
Pachl, Jan, 2520
packed decimal
  keys, 1037
  numbers, 1037
packet, 1276, 1730, 2199, 2642, 2686, 2701, 3591, 3609, 3726
  delivery process, 3609
  radio network, 3152, 3591
packet routing, 3979
  algorithms, 2561
packet store rewriting, 3404
packet switched, 2686
  d-cube, 2914
  multiplexer, 2686
packet
  switchers, 1596
  switching network, 3591
  transit times, 3609
packing, 530, 672, 1031, 1448, 2436, 3105, 3552, 4065
  algorithms, 622, 3105
  and covering problems, 672
  in two dimensions, 530
  items, 1448
  problem, 2392, 3105, 4065
  rectangles, 530
  strategy, 1448
PACS, 4031
  model, 4031
pad, 3169
  sorted, 3169
Padé
  approximants, 2334
  tables, 2334
paddable languages, 3144
padded list, 503
Padró, Carles, 3529, 3530, 3821
page
  arrangements, 1556
  connectivity graph, 2041
page fault, 21, 280, 338, 366, 1397
  count, 366
page
  faulting, 1397
  faults, 310, 338, 366
  fetches, 1735
  management schemes, 338
page on demand
  policy, 280
  system, 280
page pull, 338, 366
  count, 338
page
  reaccess, 2041
  reference strings, 260
page replacement, 3577
  algorithm, 890, 3577
page
  swaps, 498
  trace, 338
  transfer, 906
  utilization, 925
paged
  computer systems, 280
  segmentation, 933
paged virtual memory, 229
  system, 338, 366
pagenumber, 3116
pager, 747
pagination, 229, 260
  procedures, 229
paging, 21, 142, 229, 280, 366, 498, 890, 1397, 3754, 4066
  algorithm, 260, 338, 366, 3754
  behaviour, 260
  environment, 498, 1397, 2108, 2291
  mechanism, 21
  performance, 229
  problem, 3754
  rate, 310
  scheme, 21
  strategy, 1735
Pagli, Linda, 3600
pair
  algebra, 3782
  index, 848, 2017
pair of
  languages, 61
  nodes, 1309
  nonadjacent vertices, 1778
  vertices, 101, 505, 2708, 2871, 2966, 3529, 3530, 3576, 3949
  words, 640

paired
sequential lists, 387
stacks, 2816
pairing
heaps, 2558
problems, 881
pairwise
adjacent vertices, 1904
pairwise balanced
combinatorial designs, 2848
design, 2848
pairwise compare and interchange operations, 1177
pairwise comparison, 3225, 3363, 3833
matrices, 3833
pairwise
disjoint sets, 271, 1910
incompatible objects, 69
independence, 3993
intersection property, 742
palindrome, 2503, 3140
left factor, 685
of even length, 2503
palindrome recognition, 182
algorithms, 182
palindrome words, 685
palindromic subtrees, 2503
Pallo, 3822, 3915
representation, 3822
Pallo, Jean, 3431
Palmer, 338
palstar, 2503
Pan
bound, 540
technique, 540
Panaite, Petrişor, 3361
pancake interconnection networks, 2602
Panconesi and Ranjan, 2258, 2659
Panconesi, Alessandro, 3294, 3673
pancyclic graph, 4052
pancyclicity, 4052
Pandey, A., 1841
Pang, Chaoyi, 3523
Panigrahy, Rina, 3539
Papadimitriou, 1456, 1826, 3588
Papadimitriou and Silverberg, 1826
Papadimitriou and Yannakakis, 642, 1823, 2258, 2377, 2659
Papadimitriou-Silverberg algorithm, 1826
Papaefthymiou, Marios C., 3576
parabola, 3191
paradigm, 808, 1622, 2113, 2231, 2531, 2563, 2570, 2874, 3840
paradox free logic systems, 2046
parallel 2-3 tree, 807, 2194
parallel access, 3674
to NP, 3674
parallel
accessing mechanism, 251
algebraic circuit complexity, 1006
parallel algorithm, 251, 623, 820, 905, 1042, 1113, 1133, 1143, 1153, 1199, 1202, 1203, 1273, 1315, 1332, 1350, 1361, 1386, 1396, 1404, 1430, 1488, 1509, 1540, 1554, 1582, 1583, 1586, 1590, 1648, 1683, 1692, 1701, 1726, 1729, 1762, 1766, 1780, 1799, 1810, 1821, 1842, 1876, 1899, 1951, 1990, 1997, 2022, 2083, 2152, 2215, 2217, 2270, 2322, 2340, 2357, 2359, 2394, 2415, 2467, 2468, 2486, 2494, 2517, 2575, 2577, 2597, 2605, 2714, 2725, 2808, 2812, 2825, 2873, 2911, 2933, 2961, 2969, 3007, 3018, 3089, 3106, 3147, 3159, 3178, 3184, 3203, 3215, 3220, 3350, 3482, 3490, 3516, 3543, 3702, 3756, 3963, 4128
design, 2871
parallel algorithm for
dominators, 1350
eliminating cycles, 1965
finding the closest pair of points, 593
parallel algorithm for maximal
cliques, 1624
matching, 1199
parallel algorithms, 623, 759, 1154, 1203, 1231, 1395, 1404, 1430, 1488, 1539, 1554, 1624, 1668, 1722, 1726, 1810, 1876, 1878, 1879, 1896, 1900, 1903, 1942, 1944, 1945, 1947, 1951, 1961, 1965, 1983, 1990, 2004, 2009, 2024, 2036, 2042, 2044, 2052, 2083, 2094, 2101, 2102, 2115, 2123, 2130, 2143, 2151, 2152, 2153, 2155, 2163, 2167, 2173, 2181, 2186, 2193, 2194, 2197, 2199, 2212, 2217, 2222, 2234, 2238, 2243, 2244, 2256, 2263, 2270, 2286, 2296, 2299, 2302, 2308, 2315, 2322, 2328, 2340, 2357, 2359, 2362, 2389, 2390, 2393, 2394, 2408, 2409, 2410, 2411, 2412, 2413, 2415, 2427, 2450, 2455, 2465, 2467, 2475, 2486, 2490, 2492, 2494, 2506, 2516, 2517, 2530, 2537, 2575, 2577, 2587, 2592, 2597, 2603, 2605, 2610, 2620, 2624, 2625, 2634, 2678, 2686, 2695, 2696, 2697, 2699, 2706, 2714, 2725, 2727, 2732, 2746, 2769, 2793, 2795, 2796, 2808, 2812, 2814, 2822, 2825, 2834, 2850, 2871, 2873, 2874, 2911, 2929, 2932, 2961, 2964, 2969, 2971, 2990, 3007, 3018, 3033, 3040, 3044, 3076, 3106, 3147, 3154, 3159, 3169, 3172, 3178, 3203, 3211, 3215, 3220, 3236, 3237, 3286, 3288, 3292, 3296, 3301, 3319, 3326, 3342, 3350, 3399, 3414, 3415, 3425, 3427, 3441, 3443, 3459, 3480, 3482, 3490, 3500, 3516, 3543, 3573, 3600, 3665, 3671, 3739, 3747,

parallel algorithms (*cont.*), 3756, 3817, 3847, 3927, 3936, 3964, 3965, 3987, 4071, 4078, 4128, 4142
parallel algorithms for
addition and multiplication, 2620
exponentiation, 2328
merging, 2825
traversing trees, 2151
parallel
application analysis, 3739
approximability, 2124
architecture, 1445, 1466, 1740, 1810, 1847, 1983, 2101, 2218, 3459, 4013
parallel arithmetic
algorithms, 1692
computing, 3443
parallel assignment, 82, 3305
instructions, 82
parallel asynchronous
algorithm, 2186
connected components, 2186
parallel
banyan, 2724
batched planar point location, 1883
behavior projections, 950
Boolean operations, 2218
branch and bound algorithm, 1272
bucket sort, 1525
cardinality stack, 2194
parallel circle cover
algorithms, 1539
minimization algorithm, 1805
parallel
circuits, 1680
classifier, 2634
clique tree constructing algorithm, 1747
coloring of planar graphs, 1395
combination, 995
parallel comparison tree, 1878
model, 2732
parallel complexity, 777, 1007, 1083, 1762, 2153, 2243, 2339, 2389, 2964, 3172, 3268, 3665
parallel complexity of computing, 623
a maximal set of disjoint paths, 2339
parallel complexity of
finding a blocking flow, 1762
graph properties, 1007
matching on general graphs, 2961
maximal matching on bipartite graphs, 2961
parallel composition, 275, 1929, 2060, 2294, 2295
of two cyclic programs, 1263
operator, 1788
parallel compounds, 604
parallel computation, 145, 208, 259, 591, 593, 751, 777, 849, 867, 883, 927, 944, 964, 973, 978, 986, 1095, 1115, 1132, 1203, 1242, 1272, 1354, 1376, 1396, 1433, 1484, 1499, 1508, 1522, 1603, 1608, 1640, 1847, 1883, 1893, 2173, 2250, 2270, 2599, 2985, 3111, 3220, 3480, 3529, 3743, 3796
model, 2320, 2806, 3326
of the edit distance, 1640
thesis, 964
parallel computational
complexity, 1353, 2562
geometry, 1583
models, 1821
parallel computations, 1153, 1722, 2252, 3376, 3935
parallel computer, 214, 867, 1047, 1177, 1539, 1730, 1900, 2222, 2562, 2699, 2793
structure, 1293
systems, 2362, 2624
parallel computing, 864, 1632, 1651, 1683, 1780, 2065, 3060
time, 1747
parallel
conditional, 2366
conflict free access, 2045
connectivity algorithms, 3945
construction, 1990, 3203
context free grammars, 2181
Cramér rule, 1386
parallel data
paths, 106
structure, 1488
parallel database, 4089
systems, 2737
parallel
depth first traversals, 2151
dictionaries, 3817
dynamics of positive automata networks, 2432
edges, 136, 299
evaluation, 145, 208, 896, 1372, 1692, 2293, 2538, 2957
parallel execution, 896, 1445, 1730
time, 3423
parallel
garbage collection, 1257
generation of memory addresses, 2045
grammars, 749, 1244
graph algorithm, 1115, 2492
hashing algorithms, 251
hierarchical cellular array processor, 963
hybridsort, 1801
implementation, 379, 1348, 1740, 1896, 2173, 3749
integer sorting, 2036
parallel interval
graph recognition, 1947
narrowing, 4078

parallel
iterated bucket sort, 1766
iteration, 995
join algorithm, 3151
jump searching algorithm, 1296
parallel linear algebra, 4132
library, 4132
package, 4132
parallel
list update problem, 2971
lossless image compression, 3342
parallel machine, 1242, 1315, 1896, 1942, 2036, 2465, 3610, 3743
problems, 1180
parallel machine scheduling, 3610
problem, 3461
parallel
makeheap, 2678
map, 2631, 3466, 3718
matching, 2194
matrix computation, 1445
maximum matching algorithm, 1315
median algorithm, 1113
parallel memory, 524
access, 2410
modules, 524
system, 2045
parallel
merge process, 728
mergesort, 2455
parallel merging, 728, 956, 1296, 1884
algorithm, 728, 2825
parallel
model, 1353, 3741, 4151
models of computation, 1371
moves, 2532, 2604
multiple search, 2115
multisection, 783
NC algorithm, 2779
neighbour sort, 1296
parallel numerical
algorithms, 1445
applications, 4132
parallel
operations, 43, 950, 1257, 2123
operators, 2653
parallel parsing, 1754
algorithm, 3292
parallel
polynomial division, 1154, 1353
potential, 728
parallel prefix
algorithm, 2413, 3965
computation, 2506
parallel priority queues, 2263
parallel problem, 430
description, 368
parallel processes, 44, 86, 404, 766, 1200
parallel processing, 43, 45, 71, 106, 127, 159, 214, 259, 477, 526, 653, 659, 733, 735, 783, 792, 896, 943, 950, 963, 966, 1007, 1090, 1126, 1177, 1191, 1200, 1245, 1286, 1293, 1354, 1361, 1455, 1539, 1595, 1596, 1617, 1624, 1663, 1668, 1699, 1747, 1769, 1795, 1810, 1821, 1831, 1880, 1895, 1899, 1900, 1954, 1979, 2025, 2126, 2168, 2184, 2197, 2218, 2256, 2362, 2390, 2409, 2431, 2482, 2515, 2525, 2538, 2583, 2599, 2601, 2606, 2610, 2624, 2673, 2684, 2724, 2737, 2738, 2742, 2743, 2745, 2779, 2783, 2789, 2793, 2810, 2834, 2861, 2868, 2885, 2913, 2933, 3026, 3044, 3065, 3068, 3070, 3111, 3183, 3201, 3227, 3239, 3362, 3367, 3425, 3427, 3442, 3445, 3470, 3480, 3559, 3565, 3605, 3740, 3742, 3743, 3780, 3812, 3898, 3914, 3934, 3935, 3959, 3979, 4036, 4038, 4089, 4107, 4108, 4132
architectures, 1126
environment, 2610
language, 45
of HCB_trees, 1663
parallel processor, 639, 807, 905, 950, 1126, 1257, 1855, 2045, 3433, 3488, 3565
interconnection schemata, 659
parallel product, 1678
parallel program, 604, 632
schemata, 357
parallel programming, 237, 259, 3935
language, 1617
paradigm, 3935
primitives, 43
parallel
programs, 604, 632, 1176, 1632, 3007, 3419
projection, 2638
p-adic computation, 1595
queries, 3705
parallel queries to
an oracle, 3705
NP, 3887
parallel quicksort algorithm, 3700
parallel RAM, 1007, 1152, 1525
algorithm, 1648
parallel random
access machine, 1133, 1231, 1350, 1522, 1540, 1608, 1689, 1722, 1753, 1942, 1986, 2181, 2409, 2411, 2697, 2873, 3509, 3955
permutation generation, 3803
parallel recognition, 2537, 3040
algorithms, 4071

parallel
reference counting algorithm, 1257
residual algorithm, 3443
parallel rewriting, 572, 778, 1643, 1950, 3074
systems, 572
parallel
routing algorithm, 3726
scanning, 1663
search, 1165
searching, 1663
selection, 1042, 1538
Σ-erasing array acceptors, 749
simulation, 2814, 3934
slicing algorithm, 3215
solution of linear equations, 1386
sort algorithms, 728
parallel sorting, 1801, 1884, 2036, 2793
algorithm, 2455
parallel
speedup, 1203
stacking, 666
strong orientation, 986
synchronous algorithm, 2186
parallel system, 368, 379, 555
problem, 430
schema, 555
parallel systems, 368, 379, 1617
behavior, 555
parallel task
detection algorithms, 106
system, 2362, 2624, 4023
parallel
tasks, 106, 2133, 3227
thinning algorithm, 2302
parallel time, 526, 986, 1006, 1113, 1132, 1847, 1924, 2036, 2101, 2193, 2263, 2503, 2633, 2789, 2871, 3284, 4128
bounded reducibility, 2252
bounds, 3600
complexity, 1353, 1395
on a SIMDAG, 526
parallel
trace driven simulation, 2686
transmissions, 1084
parallel tree
contraction, 3376
difference algorithm, 3423
parallel
uniform hashing, 2094
update, 1231
user programs, 1176
parallel, bulk synchronous, 4078
parallel/distributed architectures, 3749
parallel/sequential array automaton, 71
parallelism, 232, 256, 568, 590, 667, 693, 777, 883, 896, 950, 992, 1012, 1060, 1126, 1332, 1386, 1404, 1586, 1632, 1831, 1909, 2133, 2390, 2402, 2538, 2737, 3319
parallelizability, 905
parallelizable, 2193
lexicographically first maximal edge induced subgraph problem, 1528
tasks, 3912
parallelization, 1753, 2359, 2412, 2486, 2592, 3342, 3516
parallelize, 1753, 2359
parallelized, 3433
parameter, 22
estimates, 1502
estimation, 2009
parameter of
a graph, 3214
program components, 190
parameter
space, 1895
values, 2049
parameterized, 1607, 2774
algebraic types, 620
algorithms, 4037
parameterized complexity, 3624, 4037
theory, 3624
parameterized
matching, 2774
pattern matching, 2774
problem, 4037
recurrent systems, 3905
string matching, 2774
triangle inequality, 4030
parameterless functions, 548
parametric, 2481, 2657, 2690
form, 284
network flows, 1727
optimization, 1727
polymorphism, 3916
search, 1685, 2232, 2784, 3016, 3056, 3507
parametric searching, 2674
technique of Megiddo, 2674
parametric stable marriage, 1727
parametricity, 3916
parametrized recurrent systems, 2749
paramodulation, 2648
PARBS, 2697, 3127
Pardo, Luis M., 3767
parent, 176
pool, 1717
parentheses, 684, 1981, 3162, 3431, 3844
parentheses matching, 2322
problem, 2322
parentheses strings, 3431, 3844

parenthesis, 684, 3844
language, 680, 2522
string, 684
parenthesized languages, 311
Pareto optimum, 809
Parfenoff, I., 3537
Parhami, Behrooz, 2901, 3812, 3832
Parikh, 440, 1417
Parikh bounded
languages, 951
property, 951
Parikh
boundedness, 951
mapping, 3
theorem, 356
parity, 1452, 1608, 2109, 3377, 3594
parity
acceptance, 2070
accepting mode, 3901
branching programs, 3901
checks, 3606, 3923
detection, 2833
function, 1152, 2040, 2121, 2325
games, 3823
gates, 3594
like languages, 3046
OBDD, 3781, 3901
ordered binary decision diagrams, 3781
sequence, 1106
tests, 2764
$\neg$ PARITY$_n$, 3377
Parity$_n$ function, 3377
Park, 973, 1399
Park et al., 3871
Park, Choonsik, 3859
Park, Kunsoo, 3577
Parker, 659
Parlati, Giuseppe, 3382
Parlog, 1306
Parnas, 86, 254
Parnas, Michal, 3834
parsable, 457
parse, 26, 910, 1197
natural languages, 2329
of a substring, 910
sets, 989
stack, 26
tree, 273, 548, 1264, 1988, 2670, 2717, 3537
trees with arcs, 218
parsed program, 582
parser, 26, 263, 384, 457, 495, 582, 690, 747, 750, 779, 822, 975, 1105, 1299, 1308, 1331, 1360, 1526, 2329, 2585, 2675, 2693, 2862, 2883
deadlock, 582
generating systems, 2883
transformation, 2883
parsimonious, 3386
complete sets, 3386
parsing, 112, 169, 302, 362, 438, 457, 539, 582, 690, 750, 779, 835, 910, 975, 1144, 1197, 1229, 1311, 1331, 1360, 1367, 1500, 1754, 1922, 1988, 2318, 2675, 2717, 2768, 3292, 3346, 3994
algorithm, 910, 1229, 1360, 3162
conflicts, 779
efficiency, 1331
framework, 683
methods, 2733
parsing of
context free languages, 1722
montague grammar, 1229
natural language, 3162
parsing
process, 495, 582
programming languages, 302, 362
step, 1229
tables, 457, 747, 2318
technique, 457, 750, 2522
Parthasarathy, Srinivasan, 3410
partial attributed tree transducers, 4060
partial commutation, 3234
relations, 3234
partial
commutativity, 1463
computation principle, 258
partial correctness, 776, 846, 962, 1833, 1875
assertions, 1833
of programs, 1875
programming logics, 1875
proofs of CSP programs, 1833
partial
cover, 3636
deadlock, 1286
deduction, 3498
diagram, 1937
differential equations, 74, 140, 195
evaluation, 1698, 2137, 3435, 3512
evaluator, 2137
filtering, 1809
partial function, 348, 1853, 2685, 3050, 3616
of trees, 348
partial
information, 3199
k-trees, 1961
partial match, 194, 718
query, 447, 718, 1045, 1110, 1597, 2184, 2557
partial match retrieval, 194, 718, 1045
of multidimensional data, 1574
partial match searching, 194
partial matching, 1861
query, 791
partial modular tree transducer, 2078

partial monadic 2-modular tree
transducer, 2078
transformation, 2078
partial
Occam razor, 3626
operations, 1372
partial order, 288, 402, 648, 656, 1372, 1425, 1565, 1632, 1791, 1929, 1949, 2204, 2458, 2876, 3085, 3219, 3831, 3982
heuristic search, 3156
logic, 2458, 3880
properties, 2458
search, 3156
semantics, 1991, 3108, 3499
structures, 2458
temporal logic, 2458, 2876
partial
ordering, 110, 114, 128, 466, 504, 656, 782, 1209, 1820, 1949, 2133, 2189
orders, 642, 656, 3432, 3880
products, 3248
realization problem, 2334
recursive functions, 122, 159, 535, 670
sequence, 275
specification, 1021
stack algorithms, 808
stacking, 1809
partial sum, 2065
problem, 2065
partial
sums problem, 3014
types, 2464, 2552
values, 486
words, 3108
partiality, 1788
partially balanced trees, 1233
partially commutative
free monoid, 1211
monoids, 2153
partially
completed product, 120
consistent hypothesis, 3626
damaged communications network, 1357
partially decidable, 1096
set of axioms, 1639
partially
dynamic graph algorithms, 3301
interpreted computation, 1487
partially ordered, 1688, 2876
Kripke structures, 2876
set, 197, 294, 1425, 1630, 2204, 2498, 2849, 3546, 3621
partially
reducible, 1999
solvable, 1607
partially sorted, 901
outputs, 180
partially
specified queries, 825
visible, 1755
partition, 247, 471, 1337
algorithm, 947, 2455
partition analysis, 1666
of a communication network, 1666
partition of
n, 3968
vertices, 110
partition on graphs, 699
partition problem, 530, 947, 2389, 2448, 2606, 3171
of circle graphs, 2448
partition
testing, 1391, 3246
trinity, 1481
value, 850
with minimum entropy, 3556
partitionable
cutsets, 1904
graphs, 2052
partitioned
database, 2150
encryption, 1473
into groups, 20
secret sharing, 1473
partitioning, 69, 699, 1370, 1804, 2455, 3131, 3514, 4057
algorithm, 431, 991, 2377
into interlocking sets, 1803
l-apex graphs, 3476
multiple chain like tasks, 2748
partitioning of
graphs, 1560
relations, 3151
partitioning
problems, 1963
process, 431
sort, 431
technique, 699, 2455
partitions of feature space, 179
party graph, 234
Pascal, 191, 465, 480, 505, 644, 653, 858, 1012, 1297, 1383, 1418, 1558, 1571, 1655, 1996
like records, 1655
passing
of pointers as parameters, 480
procedures as parameters, 5
passivation, 1535
of actions, 1535
passive
node, 1512
processes, 1447
password, 3132

password authentication, 3145
schemes, 3145
password
guessing, 2844
security, 2844
table, 3145
patchwork, 4048
Paterson, 436
Paterson and Stockmeyer, 479
Paterson and Wegman, 861
Paterson and Yao, 2535
Paterson, Ruzzo, and Snyder, 1254
Paterson-Stockmeyer, 436
path, 7, 15, 101, 110, 121, 128, 139, 147, 164, 166, 218, 229, 314, 375, 459, 538, 542, 564, 567, 616, 642, 668, 701, 723, 729, 731, 743, 746, 809, 836, 889, 921, 935, 997, 1009, 1063, 1137, 1216, 1290, 1332, 1398, 1550, 1557, 1573, 1591, 1598, 1599, 1610, 1660, 1745, 1779, 1834, 1835, 1869, 1912, 2003, 2034, 2058, 2142, 2243, 2251, 2316, 2363, 2421, 2517, 2537, 2548, 2580, 2602, 2603, 2627, 2630, 2648, 2649, 2701, 2738, 2743, 2783, 2853, 2861, 2886, 2911, 2940, 2957, 2966, 3014, 3083, 3109, 3128, 3147, 3156, 3272, 3284, 3385, 3413, 3458, 3460, 3524, 3559, 3576, 3602, 3693, 3724, 3726, 3750, 3780, 3866, 3874, 3945, 3985, 4129
algebra, 2270
analysis, 178, 3161
path based
depth first search, 4081
theories, 2649
path
bisimulation, 2614
compression, 765, 1737
computations, 1837
costs, 731
path cover, 854, 1994
of a graph, 1994
path
coverage criteria, 1598
covering, 1994
covers, 854
decomposition, 3253
edge, 1252
ensemble, 3014
path equivalence, 3284
problem, 3284
path
equivalent, 3284
expression, 379, 575, 1067, 1176, 1807
path finding
in robotics, 1394
problem, 1508, 3874
path for AND parallel execution, 2957
path integral, 1796, 1902
calculations, 1902
evaluation, 1902
methods, 1796
path length, 164, 1912, 2311, 2422, 3382, 3780, 3799, 4058
of a tree, 3382
path
matching, 3955
networks, 309
path of
a robot, 2142
bounded length, 2251
path of length
at most k, 459
k, 70
path of nodes, 1216
path partition, 2977
problem, 2977
path
planning, 2142, 2853
predicates, 3297
problem, 1332, 3926
quantification, 2363
queries, 3402
reversal, 1737, 2558
separators, 2504
system, 836
testing problem, 1355
to node covering number, 217
tree, 1601
width, 2433, 3450
pathmax, 3156
property, 3156
paths embedded in trees, 459
paths in a
graph, 2251, 2966
host graph, 772
pathwidth, 3253, 3809
pathwidth of
a graph, 3253
outerplanar graphs, 3809
Patil, 86
cigarette smokers' problem, 254
Paton algorithm, 115
Patrou, B., 3387
patt, 4060
pattern, 36, 179, 267, 738, 763, 862, 1258, 1490, 1950, 2105, 2341, 2559, 2633, 3216, 3243, 3368, 3427, 3463, 3579, 3824, 3935, 3970
analysis, 1954
class, 36, 267
classification, 267
classifiers, 328

pattern (*cont.*)
compiler, 2137
discovery, 179
driven reduction, 1041
matcher, 1698, 2137
pattern matching, 204, 276, 321, 327, 615, 1008, 1250, 1943, 1982, 2137, 2162, 2215, 2341, 2531, 2566, 2664, 2695, 2715, 2774, 2855, 3015, 3054, 3057, 3474, 3480, 3487, 3631, 3694, 3824, 3938
pattern matching algorithm, 276, 321, 1024, 1250, 1558, 2531, 2855
of Knuth, Morris, and Pratt, 451
pattern matching
in strings, 1698
machine, 1008
paradigm, 2774
problem, 276, 1840, 3487
program, 2137
with swaps, 3824
pattern
occurrence, 3271
of instructions, 950
preprocessing, 2664
pattern recognition, 20, 36, 143, 204, 267, 290, 336, 395, 423, 467, 498, 571, 593, 841, 884, 1854, 1895, 1930, 1982, 2021, 2162, 2288, 2465, 2634, 2777, 2873, 3368, 3374, 3888
system, 267
pattern representation, 242
space, 267
pattern
representations of families of languages, 242
sample, 36
searching, 2660
size, 3938
string, 265, 2531, 2664, 2715, 3143, 3824
vectors, 267
Patterson, 794
Paul, M., 944
Paul, Wolfgang J., 3517
Paulson, 3649
Păun, Gheorghe, 3352, 3755
paw free graphs, 1580
Pawagi and Ramakrishnan, 1544
Pawagi, Shaunak R., 1458
Payet, Étienne, 3656
payoff games, 3823
PB, 3843
pc
matrix, 3363
method, 3363
PCA, 593, 864, 1293, 2430
PCB routing, 2265
PCP, 695, 2665, 3299
PCP(9), 695
PCP(10), 695
PCP(k), 695
PCP(l), 695
PCR, 1386
algorithm, 1386
PCS, 2194
pd list, 112
PD0L languages, 2665
PD2L system, 93
PDA, 1499
without ε-moves, 1499
PDL, 1091, 1102
operators, 1091
with data constants, 1091
PDLC, 1417
PDP, 11, 624
PE, 896, 1177, 1997
bipartite graphs, 852
index function, 1177
indexing, 1177
peak, 27, 2136
intervals, 269
load, 146
precision, 1108
processing load, 1122
Peano arithmetic, 846
Pearson and Vazirani, 2299
pebble, 563, 585, 722, 808, 857, 1581, 2145, 2262
acceptors, 722
pebble game, 563, 585, 808
on graphs, 585
pebble number, 722
pebbled, 563, 585, 808
vertex, 563
pebbling, 585
strategy, 585
Pedreschi, Dino, 3778
Pedrotti, A., 2946
peephole optimization, 624, 1383
Pelagatti and Schreiber, 839
Pelc, Andrzej, 3733
Peled and Pnueli, 2458
Peled and Wilke, 4140
Peled, Doron, 3586, 3880
Peled et al., 4140
Peleg and Upfal, 2199
Pell equation, 2031
pendant vertex, 2643
penetration measures, 4006
Peng, Shietung, 3168, 3524, 3799
pentagon, 442
per stage flow problem, 375
perceived mean, 990
percentile, 250
point, 2455

perception based configuration design, 990
perceptron, 2062
percolation, 3511
perfect, 1904, 1927, 2448, 2821, 2827, 2958, 3229
perfect domination, 2019, 2740
problems, 2740
perfect
dynamic threshold scheme, 2958
edge, 3104
perfect elimination, 852
bipartite graph, 852
graphs, 136
orderings, 3295
scheme, 136, 1624, 1747, 3082
perfect graph, 1580, 1752, 1904, 1927, 2448, 2766, 2821, 3040, 3045, 3421, 3758, 4071, 4136
families, 2766
perfect hash function, 1196, 2350, 2478, 2921
perfect hashing, 1196, 2350, 2921, 3447, 3899
function, 1529
perfect internal
matching, 2307
matchings in graphs, 2307
perfect linear complexity profile, 4075
perfect matching, 245, 252, 444, 932, 1442, 1689, 2102, 3650, 3924, 4092
in a graph, 252
perfect
matrices, 2448
packing problem, 3433
planar graph, 1752
perfect power, 3287
testing, 3287
perfect randomization, 1037
method, 1037
perfect
secrecy, 2958
secret sharing scheme, 3434
perfect shuffle, 1186, 1942, 4130
network, 759
permutation, 4130
perfect stable, 932
in a graph, 932
perfect
staircase profile, 2609
perfect zero knowledge, 2827
interactive proof, 3890
proofs, 2827
perfect zero knowledgeness, 2827
perfection, 2554, 2821
performance, 10, 1003, 1527, 4131
analysis, 863, 1122, 1750, 1796, 2054, 2080, 2302, 2582, 3223, 3744
bottlenecks, 1653
bound, 527, 2265, 3564
degradation, 2861
demands, 2737
performance evaluation, 326, 914, 981, 1180, 1276, 1472, 1558, 2025, 2080, 2089, 2108, 2111, 2188, 2247, 2291, 2359, 2373, 2479, 2487, 2701, 2806, 2811, 2868, 2970, 3030, 3042, 3065, 3149, 3254, 3363, 3492, 3517, 3564, 3739, 3741, 3744, 3764, 4073, 4131
measure, 981
of concurrent systems, 1180, 2806
tools, 326
performance
gain, 2160
guarantee, 873, 1184, 2016, 2555, 2820, 3094, 3174, 3280, 3715, 3913, 4030
indices, 2840
measure, 2111, 2806
measurement, 10, 498, 557, 707, 738, 818, 990, 1954
measures, 338, 366, 914, 1075, 2487
modeling, 1591, 1796, 1902
models, 2479
monitoring, 1679, 3744
performance of
algorithms, 906
an access path, 1048
branch and bound algorithms, 1272
hash tables, 2094
performance
ratio, 537, 873, 2436, 2543, 3470, 3698, 4064
requirements, 120, 2846
performing, 15
Peri and Shiloach, 2058
perimeter, 550, 856, 2146, 3663
polygon, 2075
period, 639, 868, 2551, 2795, 3314, 3678, 3764, 3894
in strings, 1568
length, 1950
period of a
random number generator, 38
string, 2205
periodic, 611, 868, 1108, 1713, 1950, 3022, 3613
bimodal function, 1666
computations, 868
continued fraction, 1865
distributed system, 3613
dumping, 652
external signals, 611
function, 2240
job problem, 868
model, 3613
occurrences, 2554, 2632
predetermined manner, 2142
real time tasks, 611

periodic scheduling, 639
problem, 639
periodic
sequence, 265, 611
signals, 1108
skewing schemes, 524
static reorganization, 1556
string division, 1950
subsequence, 265
periodic task, 1713, 3607
sets, 4049
periodically inspected buffer, 420
periodicity, 265
number, 265
periodicity of
strings, 2919
words, 685
peripheral CPU interfacing, 264
Perl, Itai, and Avni, 303
Perleberg, Chris H., 3334
Perlis and Thornton, 1290
permanent, 674, 936, 1700, 2463, 2796, 3550
faults, 1769
formula, 3550
permanent of
a matrix, 3550
matrices, 2434
permanent
transition fault, 1964
value problem, 2434
permitting context grammars, 232
permutability of firing sequences, 129
permutable, 1732
permutation, 156, 175, 178, 272, 291, 344, 352, 390, 416, 421, 565, 573, 602, 659, 697, 715, 756, 757, 768, 807, 828, 906, 969, 970, 1083, 1174, 1194, 1222, 1258, 1484, 1594, 1872, 1979, 1997, 2002, 2028, 2334, 2356, 2360, 2410, 2412, 2562, 2590, 2598, 2605, 2630, 2699, 2914, 3092, 3256, 3361, 3412, 3487, 3694, 3877, 3927, 3959, 3979, 4033, 4130
algorithm, 573, 602, 1724
based parallel range join algorithm, 2933
capability, 2914
containing string, 828
flow shop problem, 1812
free word, 1189
functionals, 416
graph, 1100, 1184, 1221, 2028, 2122, 2352, 2448, 2483, 2605, 2765, 2947, 3147, 3178, 3181, 3267, 3273, 3347, 3348, 3411, 3490, 3543, 3547, 3574, 4136
group, 1083, 1763, 4063
in a bubble memory, 602
inversions, 807
matrices, 491, 607
matrix, 607
network, 659
permutation of
bounded degree, 1083
concurrent actions, 1991
jobs, 1812
keys, 1222
records, 602
permutation
packet routing problem, 3256
realization, 3959
permutation routing, 2450, 2562, 2587, 2783, 3979
problem, 2450, 2587
permutations generating functions, 223
permuting, 3, 906, 2562
information, 906
Perotti, Cristina, 3106
perpendicular, 1163
perpetual revolution, 602
Perrin, 801
Persiano, Giuseppe, 3382, 3890
persistence, 584, 1919, 3444, 3746
of a vector addition system, 584
persistency, 726
persistent information space, 1919
architecture, 1919
persistent
net, 726
Petri nets, 726, 1472
search tree, 3322
vector addition systems, 584
perspective view, 3693
PERT diagrams, 2316
perturbation, 2446, 3981
problem, 2992
techniques, 1055
pes, 1376
Petersen, 444
Petersen, H., 2962, 3041
Peterson, 303, 1305, 2005
algorithm, 2005
mutual exclusion algorithm, 2005
Petit, A., 3798
Petreschi, R., 665
Petreschi, Rossella, 3173, 3479
Petri net, 86, 129, 254, 275, 476, 584, 590, 726, 1180, 1215, 1392, 1411, 1425, 1512, 1788, 1964, 2047, 2154, 2229, 2369, 2578, 3384, 3839
Petri net language, 476, 1215, 3204
problems, 476
Petri net
model, 590, 1392
modeling, 4138
token, 590

Petri nets, 67, 86, 129, 275, 307, 357, 368, 590, 726, 966, 981, 1018, 1180, 1392, 1738, 1964, 2047, 2153, 2253, 2295, 2320, 2369, 2578, 2806, 3108, 3499, 3952
  models, 1964
Peyton-Jones, 1092
PFL, 879
PFO, 976
PG-TIM, 3163
PH, 2040, 2722
PH $\neq$ PSPACE, 2203
PH $\subseteqq$ BP $\cdot$ C$_=$P, 2722
PH $\subseteqq$ RP $\cdot$ C$_=$P, 2722
PH $\subseteqq$ ZP $\cdot$ C$_=$P, 2722
Ph step, 2094
phase
  change, 1191
  clock, 3701
  shifts, 3923
  synchronization, 2158, 2324, 3419
phase transition
  behaviour, 229
  threshold, 3651
phase transitions, 3689
Philips Electrologica, 237
Phillips, Jeffrey Mark, 3771
philosopher, 2351
philosophical point of view, 75
phrase, 340
  delimiters, 33
  marker, 218
phrase structure
  form, 13, 68
  grammars, 989
  languages, 989
phrase structures, 340
phylogenetic trees, 3153
physical, 2861, 2875, 3018
physical address, 933
  spaces, 708
physical
  arrival time, 2840
  clock, 2944
  contact, 2245
  data base, 919
  database design, 1048, 2835
  design of database organizations, 1048
  interconnections, 1617
  medium, 278
  memory, 708, 1436
  pages, 21
  parallel devices, 943
  process, 1802, 1890
  sciences, 66
  storage size minimization, 1655
  systems, 188
  wires, 1971
physics, 140, 195, 1971, 2240
  experiments, 762
(π + 1)-competitive, 3862
Π_1^0, 1962
  complete, 1962
  hard, 1962, 4062
Π_1^1 complete, 1102
Π_2
  alternating, 1866
  assertions, 1313
Π_2^0
  complete, 1962
  hardness, 1962
Π_2^1 complete, 1798, 1962
Π_2^p complete, 2854, 3788
π-calculus, 3983
pictorial
  data bases, 509
  database, 4119
  query, 3614
picture, 509, 864, 1421, 2242, 3614, 3755, 4119
  languages, 749, 3290
  matching, 2242
  processing, 864, 963
  queries, 2242
  recognition, 722, 749
picture unambiguous
  context sensitive language, 3290
  regular, 3290
pictures of scenes, 181
piecewise algebraic curves, 2043
piecewise linear
  boundaries, 2043
  motion, 1826
piecewise testable languages, 1763
PIG, 631
pigeon hole principle, 1925
  formulas, 1925
Pighizzini, Giovanni, 2982
pile of PC, 3744
pin, 592, 2054
Ping, Low Chor, 3716
Pinotti, M. Cristina, 3184
Pinsker, 745
Pinter, 2054
Pinzani, R., 3696
PIPELINE, 2610
  algorithms, 2610
pipeline, 1005, 3817
  computation, 601
  parallelism, 2737
  scheme, 67

pipelined, 1983
  architectures, 1983
  lexical scanner, 1558
  processing, 1558
  RAM, 3260
pipelining, 601, 1352, 1502, 1983, 2737, 2748, 3146
  tree structured algorithms, 1983
Pippenger, 745, 751, 949, 1379
Pirillo, G., 3538
PISA, 1919
  architecture, 1919
pitfall, 1709
  paradox, 1708
  protocol, 1708
PIVOT, 384
pivot point, 1163
pixel, 1699, 2873, 3342, 4135
PJNF, 3533
PKC, 1973, 3021
PL, 440, 3031
PL/1, 2, 237
PL/CV, 891
  programming logics, 891
PL/I, 105
  compile time facilities, 105
  like dynamic arrays, 1655
place/transition nets, 2320
placement of
  records, 756
  relocatable sectors, 260
placing
  recovery points, 1601
  two disks in a convex polygon, 4026
plactic monoid, 3608
plaintext, 643, 2995, 3751
  attack, 681, 682, 3923
Plaisted, 133
  program schema, 133
plan, 564
planar, 9, 526, 736, 1127, 1340, 1357, 1705, 2082, 2274, 2435, 2504, 2570, 2887, 2904, 3011, 3280, 3476, 3723, 3801
  3CNF formula, 1442
  3-connected graphs, 1127
  acyclic directed graph, 128
  algorithm, 517
  approximation algorithm, 893
  assembly, 3131
  bipartite graphs, 1127
planar circuit, 526, 1340, 1691
  complexity, 1691
planar convex hull, 893
planar cubic 3-connected, 1828
  graphs, 743, 942
planar
  curve arrangement, 3731
  diagram, 1210
  digraphs, 441, 2504
  directed graph, 2504
  discrete set of points, 1328
  embedding, 736, 2208, 2435, 3457
  Euclidean Voronoi diagram, 517
  fixed radius near neighbor searching problem, 422
  formulas, 1570
planar graph, 9, 353, 441, 454, 518, 627, 628, 736, 908, 1077, 1172, 1332, 1395, 1398, 1442, 1648, 1752, 1926, 1961, 2010, 2058, 2316, 2340, 2435, 2499, 2636, 2667, 2668, 2841, 2902, 3511, 3612, 3917
  coloring, 1945
planar
  interaction graphs, 1570
  line intersection, 2280
  map, 627, 628
  multicommodity flow, 2286
  network, 729, 1153
  object, 672, 1612
planar orthogonal drawings, 2208
  of graphs, 2208
planar point
  location, 908, 1883
  set, 469, 1230, 1400, 2347, 3170
planar
  polygons, 1896, 1972
  realization of Boolean functions, 1340
  relative neighbourhood, 1400
  room with polygonal boundary, 1599
  rotation, 2076
planar separator, 1442
  theorem, 1442, 1570
planar
  set, 32, 1387
  skeleton, 1020
  straight line graph, 1827
  subdivision, 509, 1883, 2097
  tripartite line graphs, 3426
  two-center decision problem, 2661
  very large scale integration, 1095
  Voronoi diagram, 517, 1937
planarity, 9, 627, 2082, 2316, 3814
Plandowski, Wojciech, 3376
plane, 32, 2724
  graph, 1705, 1883
  layout, 1705
  partition, 2535
  static problem, 89
plane sweep, 1501
  algorithm, 1501, 2690

plane triangulations, 1926
planning, 1137, 1480, 1826, 2142, 2216, 2744, 2853, 3131
  motion, 1044
  program, 384
plant
  location problem, 649
  morphogenesis, 197
Plantholt, 3721
PLAPACK, 4132
plapackJava, 4132
plasma physics, 3935
Plass, Michael F., 800
plausible, 45
Plaxton, C. Greg, 3607
PLCP, 4075
  sequences, 4075
Plessey, 250, 708
Plotkin, 1531, 2031
Plotkin, Serge, 3540
plotter pen movement, 689
PLS, 2994
  complete problems, 2994
plus
  hierarchy, 3705
  (mod 2) gates, 1152
+-closure, 1124
±60° tracks, 1975
PN, 1180
Pnueli, 460, 3714
POBDD, 3781
  reduction, 3781
Pohl, 14
point
  data, 2800
  deletion feature, 515
  distribution, 1193
point enclosure, 876
  problem, 2071
point location, 1146, 1883, 2097, 2536, 3406
  algorithm, 509
  data structure, 2097
  problem, 1146, 2536, 3601
  query, 1883, 2536
  task, 1883
point
  matching, 2438
  of choice, 3360
  representation, 1717
point set, 87, 422, 550, 893, 1198, 1400, 1562, 2166, 2169, 2347, 2384, 2784, 3011, 3016, 3208, 3615, 3811, 3892, 3917
  congruence, 3615
  representation, 593
  stereo matching problem, 3615
point symmetry, 1230
point to point
  connection problem, 3034
  network, 2835
point with integer coordinates, 1159
pointdeletion process., 515
pointer, 114, 187, 480, 503, 511, 603, 718, 721, 763, 845, 1440, 1482, 1658, 1915, 2236, 2528, 2950
  adjustment schemes, 312
  algorithms, 2878
  based models, 1702
  fields, 152, 427, 2866
pointer free
  data structure, 2644
  operations, 100
  representation, 100
pointer handling, 1571
pointer machine, 3746, 3816
  model, 427, 2950, 3860
pointer
  permutation scheme, 176
  redirection, 671
  reduction, 671
  reversal, 321
  to atoms, 114
  valued variables, 100
  variable, 1655
  with scope, 1440
points in general position, 1815, 2527, 3011
pointwise difference, 2276
Poisson
  approximation, 1750
  distribution, 717, 1274
  equation, 39
  filling model, 1274
  model, 603, 1274
  result, 1274
  transform, 1274
Poissonian frequency distribution, 52
POL, 2458
polar
  angle, 380
  coordinates, 320, 380, 1141
  lattice, 3468
polarity, 2571
  function, 2571
policy, 418, 555, 2114, 2196, 3022, 3101, 3265
  of resource allocation, 418
polling, 3383
  algorithms, 3383
  in a network, 3383
poly, 2610, 3174, 3413
Pólya urn, 3654
polyadic π-calculus, 3983

polybounded verifier, 2827
polygon, 336, 350, 380, 428, 439, 490, 512, 677, 774, 841, 856, 876, 884, 893, 965, 1044, 1079, 1198, 1267, 1364, 1373, 1394, 1530, 1546, 1676, 1741, 1777, 1824, 1860, 1888, 1921, 1970, 2043, 2075, 2119, 2221, 2337, 2426, 2445, 2744, 2804, 2960, 3039, 3164, 3249, 3375, 3389, 3507, 3693, 3857, 3892, 3917, 4127
  circle graph, 4057
  clipping, 1984
  comparison, 327
  containment, 3375
polygon decomposition, 1530, 2331
  problem, 1267, 2144
polygon in the plane, 774, 3131
polygon intersection searching, 2119
  problem, 774
polygon nesting, 1972
  problem, 1972
polygon
  search, 3710
  similarity, 336, 428, 467, 1888
  triangulations, 1504
  with holes, 1578
polygonal, 1364, 2043, 2877
  chains, 2290
  faces, 3722
  holes, 1267
polygonal intersection searching, 774
  problem, 2119
polygonal
  map, 1380
  object, 1982
  obstacle, 1044, 1262, 1599, 1779
  path, 2075
polygonization, 3249
polyhedra, 746, 884, 1414, 2043, 2146, 2725
polyhedral, 1671, 2043
  bodies, 746
  objects, 2904, 3722
  obstacle, 1137
  terrains, 1671
polyhedron, 884, 1414, 3722, 4044
polylog, 1395, 2419, 2575, 2626, 3143
  arboricity, 3286
  parallel algorithm, 1315
  space, 2626
polylog time, 1395, 3433
  algorithm, 2492
polylogarithmic, 2161, 4128
  algorithm, 1766
  density, 3887
  factor, 2427
polylogarithmic parallel time, 1847
  algorithms, 2530
polylogarithmic
  space, 2626
  time, 2101, 2339, 3552
polymorphic
  functional languages, 3222
  instructions, 624
  lambda calculus, 3302
  method invocation, 3750
  recursion, 2938
  references, 2907, 3223
polymorphic torus, 2697
  network, 2030
polymorphic type system, 3188
polymorphically typed lazy functional language, 3161
polynomial, 18, 37, 93, 97, 171, 253, 355, 414, 436, 450, 472, 479, 507, 526, 538, 560, 562, 606, 657, 674, 692, 694, 715, 736, 743, 829, 832, 932, 1083, 1154, 1192, 1269, 1353, 1485, 1542, 1552, 1705, 1722, 1766, 1787, 1890, 1898, 2035, 2067, 2144, 2149, 2163, 2175, 2179, 2240, 2284, 2334, 2358, 2370, 2386, 2412, 2453, 2457, 2463, 2510, 2527, 2568, 2616, 2645, 2691, 2702, 2743, 2763, 2764, 2771, 2821, 2880, 2888, 3010, 3098, 3145, 3152, 3271, 3281, 3448, 3471, 3489, 3503, 3520, 3534, 3624, 3836, 3970, 3976, 4037, 4056, 4099, 4116
  algebra, 155
  algorithm, 215, 421, 646, 981, 1180, 1338, 1472, 1495, 1527, 1560, 2067, 2740, 3129, 3214, 3380, 3460, 3527, 3650, 3697, 3771, 4103
polynomial algorithm for, 231
  b-matchings, 1338
polynomial approximation, 253, 2815
  scheme, 1137
polynomial arithmetic, 606
  time, 674
polynomial average
  behavior, 829
  time, 829, 1552, 2346
polynomial bound, 3010, 3081
polynomial bounded
  algorithm, 130, 220
  counters, 133
  procedure, 130
  time, 1014
polynomial
  bounds, 981
  characterization, 1495
polynomial complete, 82, 130, 181, 209, 217, 271, 898
  problems, 271, 898

polynomial
completeness, 209
complexity, 574, 674
configurations, 2691
curves, 2691
polynomial delay, 1536
algorithm, 1536
polynomial derivative evaluations, 283
polynomial division, 1154, 2240, 2516
with remainder, 2516
polynomial
equations, 507
evaluation, 18, 283, 436, 657, 2846
polynomial expected
running time, 1404
time, 1613
polynomial
factorization, 1574
functions, 222
hash functions, 222
hierarchy, 967, 1109, 1294, 3282
polynomial in
one indeterminate, 18
time, 519
polynomial
interpolation, 2193
interpretations, 2771
invariant, 3902
polynomial inversion, 1154
modulo a power, 1154
polynomial
IO complexity, 1887
learnability, 2792
learning algorithm, 1381
polynomial length, 2865
universal sequence, 2616
polynomial
lowness, 1542
multiplication, 445, 719, 936, 2193
polynomial number, 2722, 3094, 3766
of processors, 1722, 1847, 2101, 2193, 2492, 3284, 3650
polynomial of
high degree, 18
small degree, 1485
polynomial
orderings, 2771
problem, 1664
queries, 2175
reduction, 421
remainder, 1353
routing algorithm, 1975
security, 1932
polynomial sequential
algorithm, 1395
time, 3284
polynomial size, 1154, 1931, 2238, 2568, 2619, 2699, 2880, 3094, 3287, 3337, 4033
Boolean formulas, 2847
circuits, 1341
constant depth circuits, 1452, 2225
formulas, 2847
network, 2330
polynomial
solution, 660, 1889
space, 3570
subclass, 1197
tests, 2764
polynomial time, 144, 181, 209, 393, 441, 519, 526, 538, 674, 692, 694, 741, 743, 756, 767, 770, 798, 810, 816, 832, 887, 898, 942, 960, 1083, 1139, 1197, 1205, 1267, 1268, 1289, 1334, 1337, 1381, 1406, 1442, 1536, 1605, 1613, 1726, 1760, 1763, 1783, 1787, 1887, 1891, 1898, 1925, 1927, 2003, 2049, 2058, 2112, 2197, 2228, 2240, 2283, 2300, 2448, 2534, 2548, 2601, 2626, 2635, 2637, 2676, 2702, 2716, 2743, 2786, 2798, 2879, 2894, 3066, 3098, 3175, 3291, 3366, 3470, 3488, 3489, 3527, 3543, 3571, 3748, 3941, 3945, 3961, 4052, 4129
algorithm, 538, 743, 798, 873, 903, 924, 942, 947, 960, 1127, 1167, 1187, 1221, 1275, 1322, 1323, 1392, 1395, 1431, 1459, 1463, 1485, 1495, 1518, 1549, 1722, 1859, 1927, 1945, 1961, 2154, 2161, 2361, 2362, 2380, 2385, 2397, 2449, 2522, 2548, 2596, 2624, 2643, 2657, 2750, 2757, 2893, 3070, 3165, 3192, 3227, 3269, 3412, 3422, 3446, 3450, 3472, 3491, 3527, 3539, 3565, 3673, 3694, 3703, 3757, 3758, 3781, 3791, 3809, 3826, 4041, 4057, 4119, 4129
polynomial time algorithms for
finding a maximum matching, 299
optimal solutions, 3416
recognition, 645
trees, 4102
polynomial time approximation, 2534, 2635
algorithm, 1514, 2118, 2258, 2657, 3174, 3422, 3458, 3472, 3774, 3808, 3864, 4064, 4117, 4124
scheme, 1823, 2258, 2289, 2659, 2797, 2935, 3624, 3643, 3683, 3842, 4117
polynomial time bound, 419, 967
polynomial time bounded, 1209, 1390, 3518
algorithm, 371
reduction, 1782
relativizations, 1390
polynomial time
bounds, 2621
complete, 1132

polynomial time complexity, 1090, 1485
classes, 2954
polynomial time computability, 1485
polynomial time computable, 209, 1891, 2258, 2596, 3134, 3534
function, 2453
ordinal, 1283
sets, 3245
polynomial time
computation, 209, 767
decidable, 534, 741
polynomial time decision
algorithms, 1485
procedure, 1776
polynomial time
degree, 1209, 1294
disjunctive truth table reducible, 3887
equivalent, 421, 491, 607, 3021
graph coloring algorithm, 1723
greedy algorithm, 1925
heuristic algorithm, 1749
heuristics, 1014
hierarchy, 767, 1255, 1390, 1407, 1467, 1622, 1877, 2109, 2206, 2722, 2963, 3259, 3282, 3705, 3908
indistinguishable, 4091
polynomial time isomorphism, 1134, 2499
algorithms, 1961
polynomial time
learning algorithm, 2131
level, 767
polynomial time many one
complete, 3366
reducibility, 3571
polynomial time
n^k-enumerator, 2179
n-membership comparable sets, 3438
overhead, 1702
parity reductions, 2099
probabilistic algorithm, 767
probabilistically computable sets, 767
randomized reduction, 2645
recognition algorithm, 1743
recognizable languages, 1197
reducibilities on NP, 1209
reducibility, 1209, 1294, 2606
reducible, 421
sequential algorithms, 1961
serial algorithms, 1900
solution, 1947, 3380, 3683, 3860
solvability, 3757
solvable, 429, 743, 942, 1961, 2067, 2196, 3826
subclasses, 770
polynomial time Turing
complete, 2645
Cook reducible, 3468
polynomial time
turing reductions, 2453
weakly invertible, 1891
polynomial transformation, 399, 1195, 2499, 2906
polynomial with
0-1 coefficients, 436
integer coefficients, 414, 479, 2457
rational coefficients, 479
polynomial worst case time complexity, 1129
polynomially bounded, 1925
functions, 2526
number, 2408
polynomially
complete, 144
equivalent, 385, 421, 2879, 3464
reducible, 421, 674, 2369
polynomially solvable, 1334, 1664, 1787, 2058, 2161, 2185, 2716, 3683, 3697, 3977, 4103
problems, 2161
satisfiability problems, 1664
polynomially time bounded, 444
polyomino, 2128, 2821, 3250, 3696, 3904
polyphase microinstructions, 127
polysilicon wires, 2245
polytope, 2146, 3177, 3507
polytopical, 2725
cell decompositions, 2725
pomset bisimulation equivalence, 2402
Ponse, Alban, 3770
Pontelli, E., 3816
pool, 1717
Poon, Zhu, and Chin, 3860
POP operation, 3927
Pop stacks, 3927
in parallel, 3927
PoPC, 3744
Pope, D.A., 285
Pope-Stein
algorithm, 285
division algorithm, 285
trial digit, 285
Popler, 340
popular, 158
population, 179, 431, 612, 1700, 1729, 2853
of processors, 1126
Pop-2, 1299
port labeling, 3493
Porto and Matos, 1441
Posenato, Roberto, 3830
poset, 2498, 3621
of finite traces, 1991
position, 222
positioning delay, 1591

positive Boolean
dependencies, 1541
terms, 1541
positive
coefficients, 692
data, 2669, 3502
definite, 136
examples, 2439
literal, 1187, 1322
positive polarity, 3528
Reed-Muller, 3528
positive
polynomial time Turing reducibility, 1894
probability, 1890
programmed grammars, 3058
rational fraction, 385
restriction, 2495
samples, 3763
semidefinite real (n×n) matrix, 2110
structural data, 2512
switch cost, 1147
term normal form, 2325
Turing reducible, 2739
positive weight, 425
vertices, 2423
positively, 1395, 3673
compensatory operators, 2647
possession, 2298
possibility mappings, 2210
possible, 190
Post canonical systems, 357
post conditions, 4070
Post correspondence problem, 47, 572, 695, 1213, 1886, 2078, 2589, 3593, 3755
post evaluation, 36
Post
machine, 119
normal system, 482
post office problem, 1146
in the plane, 1146
post
order, 2151
pre approach, 134
Post systems, 357
postcondition, 134, 1004, 1306, 1492, 2641, 3778
postorder, 35, 73
numbering, 166, 854
traversal, 1623, 1913
traversing, 1832
postponement transformation, 1526
postspecification, 1399
potential
actions, 809
field method, 2853
flow, 22
for parallelism, 728, 1819
potential function, 2117, 2558, 3622, 3896
arguments, 3896
potential
problems, 140, 195
volume, 453
power, 440, 460
bounded languages, 463
domain constructions, 2259
domains, 2259
engineering, 711
free words, 1070
of, 259
power of a
computation model, 2030
model, 119
query language, 1849
power of
attribute grammars, 1987
built in relations, 3868
folding, 953
geometric duality, 1163
integer division, 936
jumps, 1039
majority gates, 3032
negation, 949, 3520
nondeterminism, 1039
number of heads, 1039
partitioned encryption, 1473
primitives, 440
real time two-way multihead finite automata with jumps, 1039
term rewriting, 2031
power series, 334, 3213, 4074
computations, 334
expansion, 674
power set, 1760
powering, 2619
powerlist, 3007, 3441
functions, 3007
notation, 3007
powerset, 1849, 1881, 4021
algebra, 1849
PP, 2099, 2434, 3118, 3451
PP^{PH}, 2109
PP^{PH^A}, 2109
PPQ, 2263
operations, 2263
PPRM, 3528
PQ tree, 1947
PQA, 1748
operation, 1748
PR quadtree, 2800
practical implementations, 1095, 1210, 2363

PRAM, 1115, 1133, 1199, 1395, 1522, 1525, 1582, 1590, 1596, 1608, 1722, 1805, 1884, 1885, 1903, 1986, 2094, 2115, 2153, 2158, 2212, 2339, 2408, 2409, 2411, 2490, 2530, 2562, 2697, 2873, 3089, 3425, 3482, 3756, 3847, 3964, 3987
algorithm, 1680, 2153, 2212, 3089, 3379, 3439
computation, 1596, 2094, 3600
computational bounds, 3600
EREW, 2468
model, 2094, 2151, 3509, 3600, 3963, 3964
simulation, 1596, 2123
sorting algorithm, 1885
theory, 3600
Pramanik and Ittner, 2041
Prather, Ronald E., 3409
Pratt, 440, 547, 576, 737, 1957
processes, 966
precedence, 169, 750, 955, 1981
constraint, 185, 288, 648, 1038, 2025, 2032, 2362, 2628, 3273, 3565
constraints, 504
functions, 186, 225
grammar, 26, 186, 225, 302, 362, 955
matrices, 225
matrix, 186, 225
network, 309
parser, 955, 1054
parsing, 169, 263
relation, 302, 362, 750, 1721, 3488, 3977
relationship, 2133, 3462
precise
types, 945
typing, 945
precision, 891, 1036, 1380, 2127, 2987, 3515
precomputation, 399, 1099
precomputed, 2671, 3728
precondition, 37, 134, 1004, 1102, 1306, 1492, 2530, 2641, 4070
preconditioned conjugate gradient iteration, 1731
preconditioning, 18, 37, 51, 436, 2098
predecessor, 268, 288, 1512
algorithm, 339
of an element, 339
problem, 3563
predetermined reduction goals, 4018
predicate, 258, 314, 625, 675, 742, 829, 847, 1194, 1286, 1295, 1319, 1333, 1402, 1422, 1642, 1820, 1844, 1909, 1995, 2015, 2113, 2249, 2255, 2523, 2787, 2867, 3316, 3595
algebra, 3316
predicate calculus, 95, 192, 369, 795, 3316, 3419
language, 795
predicate
detection, 3595
join reduced, 742
predicate logic, 1017, 1427
based languages, 1628
predicate
on functions, 1402
semijoin reduced, 742
terms, 258
transfer, 1319
transformation algorithm, 134
predicate transformer, 298, 629, 1286, 1422, 1909, 2297, 2321, 2452, 2485, 2867, 3033, 3478
semantics, 629
wp, 1909
predicates on relations, 608
predicative, 1402
specification language, 1402
specifications, 1402
symbols, 412
prediction, 142, 878, 3342, 3362, 3741, 3867
predictive
uncertainty, 179
value, 179
variants of the polymorphic λ-calculus, 3916
predictor automaton, 1709
preemptable real time tasks, 2819
preemption, 1384, 1406, 2185, 2362, 3193
times, 255
preemptive, 1359, 3227, 3828
algorithm, 868
DD schedule, 519
earliest deadline scheduling strategy, 1713
policies, 1384
priority, 1384
schedule, 519, 2312
preemptive scheduling, 255, 519, 639, 868, 1384, 1406, 1605, 1713, 1918, 1938, 1969, 2362, 2624, 3227
algorithm, 519
preemptive scheduling of periodic
jobs, 868
real time tasks, 611
preemptively scheduled, 639
Preethy, A.P., 3898
preevaluation, 36
preference, 401, 1955, 2563
list, 401
preferred, 2108, 2701, 2865
prefix, 383, 457, 615, 637, 794, 1585, 1903, 2086, 2345, 2348, 2501, 2551, 2785, 2834, 2880, 3172, 3465, 3803
circuit, 3936
code, 463, 637, 812, 2093, 2928, 3708
computation, 1903, 2101, 3936, 3965
prefix free, 2093
language, 2093
property, 3639

prefix
freeness, 794
grammar, 2880
iteration, 2981
language, 1585
matching algorithm, 2664
problem, 3936, 3965
property, 457, 955
relation, 1585
sum, 3007, 3172, 3803
traversal, 2246
prefixes of
an infinite word, 1423
infinite words, 1423
preflow push
max flow algorithm, 3896
method, 3896
prenex normal form, 2672
preorder, 35, 62, 73, 96, 671, 969, 1290, 2151, 2871
node numbers, 3688
preorder traversal, 1290, 1623, 2393, 2394, 2890
of a tree, 1913
preordered Kripke structures, 2876
prepaging, 338
algorithm, 338
swapping strategies, 261
Preparata, 439, 1389
Preparata and Hong, 552
Preparata and Sarwate, 2357
Preparata, F.P. and D.V. Sarwate, 2357
prepare to commit operations, 3349
preperfect, 1649
preperfectness, 1649
prepositional
Horn clause logic, 1289
intuitionistic logic, 1204
preprocess, 2083
preprocessed
graphs, 2012
text, 2106
preprocessing, 281, 656, 1261, 2012, 2083, 2235, 2251, 2531, 2772, 2871, 3783
algorithm, 656
cost, 656
phase, 385, 737, 2013
procedure, 1020
time, 1000, 1262, 2627, 2775
Presburger arithmetic, 584, 658, 1194
prescribed, 1365
data structure definitions, 3635
presence of faults, 1566, 1769, 3274, 3605
presentation, 598, 1067, 1363, 1662, 1722, 1847, 1996, 2037, 2101, 2334, 2563, 2817, 2907, 4117
hardware, 2037
of programs, 842
preservation of
correctness properties of parallel systems, 927
the invariants, 3831
preserves derivations, 1078
preserving
adjacency of nodes, 2176
internal sequencing of data, 693
order, 268
preset, 522, 1360
presorted sequences, 901
presortedness, 901, 1885, 2234, 2236
presorting, 1937
prespecification, 1399
prespecified order, 2050
presynthesized library modules, 1515
prevention, 1346
preventive, 1964
pre-NTS
context free grammars, 2522
grammar, 709
grammars and languages, 2522
languages, 2522
property, 2522
Price, 282
Prim
algorithm, 2248
shortest spanning tree algorithm, 367
primal, 2435
primal dual
algorithm, 4082
approximation algorithm, 2843
method, 2843
primality
checking, 393
problem, 767
test, 408
testing, 2156
primary
bucket, 2080
copy method, 3001
key, 625
primary memory, 280, 817
pages, 280
primary signal, 4
prime, 1595, 2833, 3344
divisors, 606
factor, 3032
factorization, 472, 1117
factors, 2167, 3835
implicants, 3037, 3711
irredundant disjunctive normal form, 2495
prime number, 393, 407, 635, 767, 1609, 1862, 2149, 3344, 3548

prime number (*cont.*)
of nodes, 3727
sieve, 3344
primitive, 43, 254, 430, 470, 555, 1138, 1295, 1473, 1808, 1911, 2707, 3847
computable unary functions, 3216
primitive data, 72
structures, 256
primitive
element, 2888
function function, 500
functional dependencies, , 484
functions, 1101, 1372
iteration, 3216
logical connective, 2046
morphism, 3640
operations, 226, 757, 936, 1642, 3811
priority manipulation operations, 2895
recursion, 11
primitive recursive functions, 11, 2268
on trees, 2078
primitive
relation, 1480, 1824
relations in temporal logic, 1480
root, 3515
temporal relations, 1824
words, 3640
primitives type, 307
principal
AFL, 680
cone, 1681
leading minors, 2334
minors, 529
rational cone, 900
principle of
equivalent representation, 1494
inclusion and exclusion, 2687
the longest match, 2198
Prins/Gries, 1941
prioritization, 2895
prioritized, 2895, 2929
priority, 590
priority assignment, 3022
policy, 3022
priority
based serialization discipline, 2840
classes, 3501
cognitive algorithm, 3462
Priority CRCW, 2408
priority deque, 1464, 1790, 2644
operations, 2644
priority
disciplines, 2840
inversions, 3501
measure, 379
of transaction classes, 2150
priority ordering, 2048
problem, 2895
scheme, 3314
priority
problems, 43
processes, 44
protocol, 2048
priority queue, 166, 174, 268, 555, 939, 1013, 1227, 1384, 1464, 1748, 1790, 2103, 2263, 2508, 2639, 2680, 2891, 3240, 3410, 3889
heaps, 3410
operations, 2129, 3240
scheduling, 575
with attrition, 1748
priority scheduling, 124, 2686, 3764, 4039
policy, 2686
priority
scheme, 2150
search tree, 1435, 3642
PRIORITY write PRAM, 3169
Pritchard, 3344
Pritchard, Paul, 3544
privacy, 610, 682, 957
homomorphism, 3430
private computation, 2584
private key, 562
algebraic code cryptosystem, 3838
cryptosystems, 2496, 3206
private vs. common random bits, 2213
privilege, 410, 621, 1249
probabilistic acceptors, 4004
probabilistic algorithm, 317, 391, 606, 694, 705, 767, 843, 916, 1043, 1066, 1203, 1253, 1376, 1448, 1712, 1958, 1980, 2042, 2116, 2478, 2568, 2721, 3059, 3448
of the third kind, 606
probabilistic analysis, 622, 998, 1268, 1415, 1784, 1905, 2442, 2922, 2923, 2951, 3105, 3180, 3637, 3682, 3863, 3937
probabilistic analysis of
algorithms, 947, 991, 1723, 1864, 3105
Karger randomized algorithm, 3637
probabilistic
automaton, 752
behavior, 1784
checking, 2116
choice, 3714
classes, 2722
combination, 3504
communication complexity, 3768
complexity classes, 1894
computation, 767, 1407, 3031
deletion algorithm, 2157
distance, 143

probabilistic encryption, 1473, 1932
algorithm, 1932
scheme, 1932
probabilistic
extensions, 1407
failure, 1415
grammars, 78
graph, 2906
hierarchy, 767
logic, 610
lower bound, 1043
machine, 3787
method, 1066, 1925, 3513
minimum spanning tree algorithm, 317
model, 1268
performance, 1268
probabilistic polynomial time, 2099, 2109
algorithm, 3323
hierarchy, 3885
verifier, 1615
probabilistic
process, 934, 3714
proof, 2951, 3180
probabilistic protocol, 1936, 2042, 3084
verification, 3103
probabilistic
public key encryption, 1473
searching, 184
selectivity, 3118
selfstabilization, 1980
simulation of PRAM, 1596
speedup, 1066
Turing machine, 967, 1066, 3031, 3205, 3451, 4004
probabilistically, 1517, 1613, 1980, 3504
checkable debate systems, 2993
decidable, 538
independent, 1771
probability, 1, 16, 173, 1527, 1755, 1924, 2059, 2424, 2560, 2891, 2915, 2993, 3714, 4025
analysis, 3098
asymptotics, 3232
converging to 1, 2287
density function, 2906
distribution, 328, 503, 570, 806, 829, 890, 893, 959, 1136, 1142, 1448, 1633, 2305, 2906, 2916, 3098, 3504, 3652, 3757, 4031
probability of
access, 224, 691, 1724
cheating, 3598
conflicts, 1527
failure, 2346
misrecognition, 143
shares, 4025
success, 3393
probability
one, 991, 1548, 3167
tending to 1, 1596
theory, 303
probable correctness, 1391
theory, 1391
probably optimal embedding, 3296
probe, 1111, 1160, 1236, 1295, 1612
length, 1714
messages, 1637
rate, 615
sequence, 1142
Probert, 3218
probing, 1750, 1815, 1949
techniques, 1949
problem, 1, 43, 106, 130
by Ginsburg, 3
domain, 281
in engineering, 39
instance, 2049
kernel, 4037
problem of
absolute privacy, 957
accepting invalid strings, 750
ascending subsequences, 448
blocked online bipartite matching, 2160
chemical structure inference, 123
definition, 23
dining philosophers, 2113
dynamic expression evaluation, 1847
garbage creation, 962
generation, 768
identification, 669
identities, 370
maintaining a data file, 1966
matching nuts and bolts, 3351
problem of mutual exclusion, 568, 1897
in a network, 1897
problem of
packing, 672, 1448
parallel conflict free access, 1855
rearranging scattered information, 3963
relational recursion, 1837
representation, 45, 448
routing, 3805
sink finding, 781
table lookup, 226
the dining philosophers, 345
Zarankiewicz, 3711
problem partitioning, 1819
problem reduction, 108
representation, 108
problem
representation, 239, 754
solver, 364

problem solving, 108, 239, 754, 2314
  models, 239, 754
problem
  space, 364
  transformation, 1355
procedural
  implementations, 620
  interpretation, 1017
  language, 1996
procedure, 10, 33, 931
  calls, 737, 1169, 1817, 2641
procedure integration, 1817
  algorithms, 1817
procedure, Davis-Putnam, 1552
process, 43, 62, 136, 190, 1788
process algebra, 1639, 1934, 2134, 2219, 2294, 2459, 2550, 2614, 2653, 3770, 3813, 4000
  axiomatizations, 1639
process
  allocation, 1382
  application, 1934
process assignment, 631, 1632
  algorithms, 631
  problem, 631
process
  behaviour, 310
  calculi, 1934
  classes, 1176
  communication, 753, 1653
  concept, 44
process control, 49, 868, 1611, 1831
  environments, 693
process
  crash, 4008
  equivalences, 54
  fairness, 3714
process in
  a locality, 310
  transition, 310
process
  interaction graph, 631
  logic, 440, 502
  management, 1317
  model, 1659, 3212
  networks, 2653
  scheduler, 1176
  scheduling, 753
  swap overhead, 1126
  synchronization, 277
  synthesis, 3293
  with dynamic priorities, 1816
processed jobs, 3269
processes communicating asynchronously, 1639
processing
  algorithm, 120, 1558
  costs, 1037
  elements, 668, 896, 1177, 1376, 1855, 1997, 2507, 2639, 2746, 3591, 3620
  graphs, 105
  lists, 339
processing order, 1812
  of jobs, 1812
processing
  overheads, 3655
  point, 553
  time, 53, 268, 288, 1122, 1558, 1605, 1663, 1812, 2440, 2620, 3070, 3416, 3470, 3660, 3828
processor, 26, 167, 185, 493, 838, 1730
  allocation, 1983
  array, 1893, 1942, 2030, 2296, 2620, 2697, 3832
  bound, 342, 1624, 2270, 3345
  complexity, 1350
  consistency, 3260
processor efficient
  exponentiation, 2328
  implementation, 2173
processor
  failure, 1967
  identifiers, 2042
processor identity, 1936
  problem, 1936, 2042, 2799
  protocol, 1936
processor
  identiy problem, 2042
  interconnection, 668, 1617
  memories, 2009
  networks, 508, 1089, 3745
  scheduling, 2789, 3273
  sharing, 1122
  slack, 2530
  systems, 167, 2610, 2819
  throw back, 300
processor time
  complexity, 2004
  product, 2732, 4128
PROCOL, 1831
Prodinger, Helmut, 3662
producer consumer system, 270
product, 94
  automaton, 1411
  distribution, 2953, 3834
  form networks, 1075
  objective function, 1178
product of
  elementary automata, 1411
  Lucas numbers algorithm, 4139
  polynomials, 215
  prime numbers, 3614
  two $n \times n$ matrices, 1164
product reductions, 2434

production, 13, 129
  compiler, 120
production rule, 47, 77, 773, 1244, 1459
  knowledge bases, 2495
production systems, 830
productions, 13, 47, 65, 169, 284, 292, 356, 394, 398, 438, 989, 1244, 1301, 1988, 2061, 2675, 2880, 3074
  in context free derivations, 356
  on two-dimensional arrays, 1244
products, 2268, 2568, 2777
profile, 3465
program, 6, 8, 25, 27, 28, 122, 192, 1019, 1028, 1036, 1169, 1263, 1297, 1347, 1383, 1579
  algebra, 976
  analysis, 238, 3128, 3303
program behavior, 890, 2787
  modelling, 293
program
  behaviour, 229, 1239
  caused errors, 652
  checkers, 1383
  checkpointing, 914
  components, 190
  composition, 29, 2297, 3512
  constraints, 3128
  construction, 448
  constructors, 2452
  constructs, 3008
  control, 29
  correctness, 178, 364, 618, 761, 891, 1179, 1295, 1914, 1941, 1968, 2057, 2060, 2201, 2266, 2297, 2321, 2336, 2387, 2545, 2585, 2641, 2794, 3009, 3027, 3033, 3050, 3113, 3201, 3356, 3485, 3778, 3880, 3891, 3983
program counter
  loads, 882
  stores, 882
program
  dependence graph, 1329
  derivation, 549, 913, 985, 1046, 2079, 2137, 2255, 2266, 2292, 2356, 2376, 2391, 2452, 2590, 2930, 3003, 3004, 3007, 3008, 3397, 3419, 3441, 4139
  design, 2734
program development, 213, 464, 549, 565, 604, 620, 1314, 1402, 2282, 3633
  by transformations, 565
program equivalence, 513, 3990
program execution, 609, 914, 1257, 1494, 1557
  time, 914, 1239
program
  faults, 1391
  flowgraph, 1598
  formation, 448
  fragments, 1028, 1498, 2774
  generation, 3512
program graph, 88
  nodes, 88
program
  instructions, 88, 1239, 1329
  invariants, 3893
  inversion, 2100, 2246
  level, 453
  locality, 229, 310
  mapping, 2354
  model, 1601, 1617
  modularity, 105, 118, 2734
  modules, 370
  of ALGOL 60 type, 501
  optimisation, 104
program optimization, 82, 545, 980, 1169, 1817
  problem, 544
program
  parallelization, 1239
  performance, 914
  presentation, 913, 1349
  proofs, 178
  properties, 1478, 2787
  proving, 134, 196, 294
  refinement, 2703
  restructuring language, 24
  schema, 95, 133, 396
program schemata, 133
  over distributed memory, 1736
program schematology, 1736
program scheme, 534, 727, 978, 1028, 1103, 1181, 3868, 3990
  in QDL, 1102
program
  segment, 370, 1041, 1492, 2458
  simplification, 3215
  slicing, 3215
  specialization, 1698, 3512
  specification, 298, 620, 1971, 2057, 2113, 2172, 2317, 2641, 2703, 3017, 3027, 3099, 3138, 3397, 3572, 3616, 3893, 3921
  state, 1909
  storage, 2835
  synthesis, 754, 761, 1278
  termination, 280, 1489
  testing, 238, 314, 355, 997, 1329, 1598, 3246
program transformation, 248, 513, 547, 618, 716, 918, 980, 1188, 1214, 1320, 1665, 1677, 1817, 1875, 3009, 3498, 3512
  techniques, 1061
program
  translated from Pascal, 1297
  validation, 414

program (*cont.*)
verification, 134, 412, 489, 954, 1102, 1246, 1492, 3009, 3880, 3921
verifier, 134, 384, 541
volume, 453
program with
bounded memory, 1181
errors, 582
finite modes, 501
loops, 192
programmed
context free languages, 161
deallocation, 1012
grammars, 161
simulation, 2, 4
programmer, 29
programming, 25, 1151
by induction, 25
calculi, 1968, 2321, 2344, 2452, 2867, 2981, 3002, 3003, 3007, 3008, 3009, 3302, 3407, 3441, 3498, 3916, 3983, 4101
concurrent systems, 928
construct, 404
programming effort, 45
growth rate, 1071
programming
environment, 1200
errors, 82, 1807
examples, 8
experience, 132, 1996
programming language, 26, 100, 105, 106, 122, 135, 151, 159, 256, 368, 477, 480, 644, 747, 786, 787, 928, 1017, 1041, 1101, 1111, 1200, 1289, 1361, 1372, 1477, 1639, 1919, 1996, 2060, 2563, 2572, 3750
definitions, 284
design, 1679
Edison, 1200
EUCLID, 480
Lisp, 1477
PASCAL, 480
semantics, 480, 1169, 1968
programming languages, 5, 17, 23, 24, 25, 26, 28, 34, 58, 82, 99, 151, 159, 169, 189, 190, 191, 213, 256, 258, 284, 311, 340, 343, 443, 462, 464, 532, 544, 644, 653, 691, 710, 755, 779, 786, 787, 830, 883, 891, 950, 966, 1012, 1069, 1360, 1372, 1408, 1461, 1482, 1492, 1636, 1642, 1655, 1674, 1736, 1807, 1831, 1856, 1911, 1919, 2060, 2077, 2180, 2202, 2207, 2318, 2431, 2443, 2707, 2734, 2907, 2938, 2949, 3142, 3161, 3223, 3302, 3303, 3404, 3485, 3512, 3521, 3647, 3677, 3753, 3916, 4061, 4076
classification, 23
programming
logic, 891, 1372, 1478, 1875
methodology, 105, 157, 213, 243, 891, 1004, 1071, 1125, 1314, 1346, 1443, 1498, 1677
of elastic stores, 157
operations, 256
paradigm, 1557
problems, 412
systems, 213, 3075
technique, 25, 565, 617, 1036
techniques with continuations, 1985
theory, 2589
tool, 43, 237
vehicle, 972
programs as
predicates, 1402
proofs, 891
progress, 1909
axiom, 1158
properties of programs, 1909
property, 2700, 3873
Proietti, Guido, 3761
Project, 553
projection, 267, 608, 634, 677, 762, 839, 949, 950, 1612, 1995, 2638, 3696
join normal form, 3533
projection of a
slice, 356
universal instance, 523
projection of
data, 762
languages, 752
relations, 941
projection
operator, 267, 608
polyhedra, 2725
probe, 1612
reduction, 3242
projective, 726
planes, 2310, 3496
Prolog, 847, 958, 1041, 1297, 1299, 1330, 1557, 1751, 1767, 2572, 3778
based, 1297
interpreter, 1557
program, 1041, 1297, 1299, 1781
systems, 847, 1041
promise classes, 2954
proof, 12
by consistency, 2924
derivation, 3005
design, 3004, 3005
graphs, 3386
methodology, 3033
proof methods, 1630, 1941
for data refinement, 1520

proof of
ambiguity, 3477
assertions about programs, 196
completeness, 2202
proof of correctness, 159, 412, 618, 1875, 1911, 2342, 3062, 3631
of parallel programs, 962
proof of
NP completeness, 1195
parallel programs, 1067
performance, 1122
proof
procedures, 1204, 1459
rule, 196, 235, 340, 1019, 1941, 2207, 2266, 2641, 3891
proof system, 480, 1157, 1478, 1567, 1785, 1798, 1833, 2060, 2787, 2827
for first order temporal logic, 1478
proof
techniques, 300, 1043, 1203, 1585, 2403, 3407
theory, 2077
propagating
0L systems, 160, 2679
DOL system, 313
learning algorithm, 2062
propagation, 1249, 2487, 3013, 3859
characteristic, 3672
criterion, 3859
delay, 2487, 2587, 2931
of privileges, 1249
proper
circular arc graph, 942, 1859
complete system, 875
C-coloring, 2028
dpda, 1034
hierarchy, 2078
proper interval graph, 942, 1127, 1619, 1859, 3121, 3194
recognition, 3194
proper
matching, 567, 810
prefix, 463
robust scheduling, 3152
properties for complexity measures, 670
properties of
nondeterministic programs, 1306
programs, 460, 2060, 2611
∗-property, 1098
property, 194
on graphs, 2299
preservation, 3407
propositional, 1091, 2371, 2458, 2572, 3316, 3586, 3588
calculus, 440, 542, 1459, 1628, 1733, 2046, 2590
circumscriptive formulae, 2510
description, 1535
duration calculus, 3704
propositional dynamic logic, 1091, 1102, 1417
with converse, 1417
propositional
expert systems, 2495
formula, 1289, 1503, 1664, 2056
formulae, 1289, 2510
formulas, 1503, 1925, 2056, 3829
propositional Horn
formulae, 1628
sentences, 1289
propositional
language, 440
level, 2420
logic, 1289, 1417, 1541, 1782, 2046, 2392, 2510, 2731, 3006, 3588
propositional logic of
branching time, 1417
common knowledge, 1417
knowledge, 1417
propositional modal logic, 769, 1417, 1587
S5, 3316
propositional
modal resolution, 1587
models, 2371
normal modal logics, 3087
problem, 3588
proof system, 1925
propositional satisfiability, 2521
problem, 2392
propositional sentences, 1322
in CNF, 1322
propositional temporal, 2572
logics, 2458
propositional variables, 1782, 1802
PROSIT, 773
Protasi, Marco, 3052
protected
kernel call, 1176
regions, 237
protection, 31, 426, 676, 1062, 1167, 1688
graph, 1062
in operating systems, 31
mechanism, 31, 118, 708, 1167
model, 1062, 1830
protection of
information, 957
property, 1811
protection problem, 676, 1062
protective, 1964
protein structure, 2554, 2632
protocol, 508, 698, 838, 885, 913, 1145, 1150, 1346, 1415, 1417, 1483, 1547, 1609, 1653, 1831, 1858, 1897, 1936, 1967, 2026, 2033, 2042, 2048, 2257, 2279, 2283, 2310, 2351, 2405,

protocol (*cont.*), 2570, 2584, 2767, 2929, 2944, 2991, 2997, 2998, 2999, 3060, 3084, 3103, 3110, 3119, 3186, 3190, 3285, 3477, 3522, 3532, 3634, 3649, 3652, 3653, 3659, 3692, 3701, 3732, 3861, 3906, 3986, 4008, 4025, 4059, 4086, 4091, 4131
  attacks, 3835
  communication, 1420
  conformance testing, 2026, 2279, 2283
  constrained concurrent object oriented language, 1831
protocol implementation, 2026, 2279, 2283
  conformance, 3692
protocol model, 1417
protocol of accessing, 698
  overlapping sets of resources, 698
protocol
  of resource accessing, 698
  specification, 2026, 2279
  superimposition, 2351
  testing, 2279
  verification, 3103
  vulnerabilities, 3649
prototype, 544, 3162
  implementation, 544
  military computer systems, 1098
prototypical expression grammar, 1360
provability, 1782
provable, 1134
  competitive rule, 2216
  equivalent, 122
  in F, 1134
provably
  infinite, 1313
  nonregular, 1313
prover, 1407, 1615, 2388, 2827, 3299, 3787
proving correctness, 364, 1150, 1968, 2210
  of strategies, 364
proving
  open properties by induction, 1630
  program correctness, 178
  selfstabilization, 1635
  termination, 2437, 2771
proximity
  problems, 2384
  queries, 2288
  searching, 2106
proximity/similarity queries, 2288
PRS, 46, 2749
  algorithm, 3152
  of Brooks, 46
prune and search, 2337
pruned
  3D torus, 3832
  three-dimensional toroidal networks, 3832
pruning, 1879, 2092, 3832
  algorithm, 1320
  direction, 3832
  power, 2688
  search space, 3716
  strategy, 3832
  technique, 3667
Przymusinski perfect model semantics, 2269
Przytycka, Teresa, 3328
Przytycka, Teresa M., 3379
PS, 555, 575
  schema, 555
PSEL close, 3071
pseudo
  constant, 2066
  lines, 2290
pseudocode, 495
pseudoflow languages, 879
pseudoforest, 1559
pseudokey, 1037
pseudoline, 3028, 3797
pseudopolynomial algorithm, 2362
pseudopolynomial time, 2362
  algorithm, 3903
pseudorandom
  function, 3925
  generation, 3993
  generator, 1960, 3869
pseudorandom number
  generation, 4001
  generator, 38, 50, 907, 1093, 1932
pseudorandom
  permutations, 2002, 4033
  property, 2002
  sequence, 2505, 2609, 3465, 3894, 4075
  variables, 3993
pseudo-algorithmic separation, 3028
pseudo-average block sensitivity, 3819
PSN, 759
PSP sequence, 2609
PSPACE, 1467, 1622, 2040, 2253, 2560, 2572, 2626, 2993, 3569, 3570
PSPACE = PCDS[log n, 1] = RPCDS[log n, 1], 2993
PSPACE
  complete, 1507, 2161, 2253, 2572, 2986, 3284, 3788, 3893
  completeness, 2986
  hard, 1044, 1150, 3569
  hardness, 1507
  upper bound, 4140
psychological complexity, 513
psychologist, 45
psychology, 942
pT, 1294
PT0L languages, 201

PTAS, 2797, 3624, 3643, 3842, 3926, 4043, 4117
PTIME, 2369
  complete, 1392
PTM, 1066
Ptolemaic graphs, 3661
PTQ, 1229
public, 437
  coin interactive proof, 3787
  decryption, 1416
  encryption key, 1475
public key, 562, 938, 3175, 3186, 3634, 3840
  cipher system, 3175
  cryptographic systems, 1932
  cryptographics, 924
  cryptography, 1932, 3308, 3587, 3840
  cryptosystem, 437, 562, 885, 1253, 1416, 1475, 1532, 1973, 2998, 3021, 3719
  distribution system, 3230
  encryption scheme, 1932
  scheme, 3933
  system, 610, 1416, 3021, 3175
Pudlak, Pavel, 3464
Pugh, 2230
Pullar, 2359
Pulleyblank b-matching algorithm, 1338
Pulleyblank, William R., 3731
pumping lemma, 343, 497, 804, 828, 879, 1106, 1215, 1744
  for regular languages, 497
pumping property, 1744
PUMPS architecture, 1954
Punnen, Abraham P., 3771
Purdom, 15, 70
  conjecture, 70
Purdom, P.W., 2386
pure
  birth process, 805
  classical implication calculus, 1782
  codes, 3640
pure context free
  grammar, 1301
  language, 1301
pure grammar, 1301
pure Horn
  component, 2495
  functions, 2495
pure
  implicational fragment, 1782
  λ-calculus, 2552
  length increasing grammar, 1301
  Lisp, 243, 397, 714
  literal, 1552
pure literal rule, 829, 1552
  algorithm, 1552
pure
  Prolog programs, 3778
  random search, 46, 416
purging, 541
pursuit evasion, 2476, 3277
  game, 3277
  problem, 2476, 3277
pursuit evation game, 2476
push/relabel algorithm, 4082
pushdown, 999, 1068, 1103, 1168
pushdown automaton, 112, 113, 378, 640, 739, 740, 814, 836, 999, 1022, 2832, 3309
  with k two-way input heads, 739
pushdown
  machine, 202
  stack, 458
pushdown store, 1156, 1168, 1264
  automaton, 378
pushdown
  transducer, 386, 725, 1114
  translations, 386
  tree automaton, 2832
pushout, 3396
  consistency, 3396
  construction, 3396, 4069
puzzle, 998, 2909, 3167
PV
  multiple slices, 307
  programs, 1286
Pyeong, S. Mah, 3349
pyramid, 593, 963, 2990
  acceptor, 395
pyramid cellular
  acceptor, 395
  automaton, 593, 864, 1293
pyramid
  machine, 963
  mode, 2990
  networks, 2592
pyramidally solvable, 3791
  case, 3791
P- and V-operations, 43, 406
p-adic
  arithmetic, 1010, 1502, 1595
  conversion of rational numbers, 1010
  lifting, 1584
  numbers, 1595
p-adic representation, 1010
  of rational numbers, 1010
p-adic system, 1010, 1595
P-approximable, 3438
P-BSSF, 3435
p-center problem, 1620, 3174
p-complete
  families of symmetric Boolean functions, 1693
  family, 1693

P-complete language, 2355
p-cycles graphs, 3529
p-degrees, 1209
  of NP sets, 1209
P-invariant Petri nets, 981
P-isomorphic, 3245
p-isomorphic to SAT, 1134
P-isomorphism question, 3245
p-isomorphisms, 1134
P-mc(n), 3438
p-meager, 4050
p-measure 0, 3438
p-m-degree, 1209
p-m-reducibility, 1209
p-neighbor k-center problem, 3670
P-operation, 43, 1280
P-paddable sets, 3245
P-printability, 1622
P-printable sets, 3245
P-processor PRAM algorithm, 2212
p-projection, 1693
P-RAM, 1753
  algorithms, 2603
P-RAM model of
  computation, 2101
  parallel computation, 1847
p-resolution, 2514
p-selective, 2739
P-selective, 3438
  and sparse sets, 3071
  set, 3071, 3438
p-selector, 2739
P-SPACE hard, 2142
p-T
  degrees, 1209
  reducibility, 1209

Q

Q_n, 1030, 3111, 3837, 3967
Q_n^k, 3967
Q_n^k-like graphs, 3967
QA, 1690
QA(ε), 1690
QDL, 1102
  with arrays, 1102
QoS routing, 3874
QPTL, 2008
QT, 1208
  logic, 369
  structure, 1208
quad tree, 153, 1057, 1126
quad/octree method, 2853
quadrangle inequality, 1906, 2805, 3708
quadratic
  0-1 programming, 216
  algorithm, 2370, 3584
  approximating model function, 1731
  Boolean equation, 630, 665
  convergence, 2824
  decision tree model, 673
  entropy, 36
  forms, 692
  formula, 2056
  function, 4001
  hash functions, 222
  lower bound, 884
  mutual information, 36
  programming, 1192, 2039
  residues, 1932
  residuosity, 1703
  search, 1142
  Shaker sort, 1594
  space, 3931
  surd number, 1865
quadratic time, 328, 1594, 2495, 2711, 2802, 3431
  algorithm, 3063
quadratic upper bound, 1839
quadratic worst case, 328
  behavior, 784
quadratically upper bounded, 1732, 1839
quadric surface, 2076
quadruple star, 3680
quadtree, 1208, 1380, 1474, 2566, 2800
  decomposition, 1380
  representation of an image, 1474
qualified subsets, 3652, 4025
qualitative
  analysis of tree type algorithms, 1276
  properties, 3714
quality metrics, 3321
quality of service, 3874
  routing, 3874
quantification, 1229, 1461, 3449
  in ALGOL like languages, 1408
  rule, 1229
quantified, 419
  Boolean formula, 419, 800, 3237
  dynamic logic, 1102
  formulas, 1408
  propositional temporal logic, 2008
quantifier, 369, 419, 1229, 1408
  alternations, 2008
  free logical reductions, 3588
quantitative, 484
quantizer, 1765
quantum, 4114
quantum black box
  algorithm, 4099
  complexity, 3957, 4099
  model, 3957

quantum
computation, 4099, 4114
computer, 3947, 4099
computing, 3947, 3957, 4126
gates, 4114
logic, 3695
search, 3947
quasi
serial execution, 2147
serializability, 2147
quasiconcurrent guarded region, 1807
quasigroup, 2412
quasimonotonic array languages, 210
quasiparity, 3045
quasiperfect code, 2888
quasiperiod, 2551, 2795
of a string, 2205
quasiperiodic, 2551, 2795
quasisynchronous, 269
quasivariable, 2180
quasi-arithmetic coding, 3342
quasi-Boolean, 2590
equivalence, 2590
expressions, 2590
quasi-ordering, 1531, 4021
quasi-typename, 2180
quaternary tree, 1020, 1126
bucketing, 1020
quaternion, 155
qubit, 4114
queens, 1437, 2358
algorithm, 970
problem, 434, 970, 1258, 1432, 1940, 2358, 2367, 2613
Queille and Sifakis, 1246
Queinnec, Christian, 3647
query, 10, 61, 187, 194, 281, 369, 385, 409, 422, 426, 447, 473, 485, 553, 633, 650, 656, 661, 662, 678, 718, 748, 771, 795, 825, 839, 859, 1030, 1048, 1063, 1084, 1146, 1238, 1302, 1327, 1368, 1435, 1459, 1546, 1573, 1626, 1725, 1761, 1848, 1849, 2050, 2083, 2105, 2131, 2175, 2182, 2251, 2267, 2277, 2313, 2342, 2424, 2453, 2489, 2566, 2660, 2679, 2737, 2775, 2803, 2844, 2854, 3165, 3199, 3238, 3272, 3299, 3301, 3383, 3392, 3435, 3489, 3614, 3623, 3638, 3657, 3684, 3703, 3705, 3746, 3820, 3853, 3957, 3986, 4099, 4109
algorithms, 1368
analysis, 10, 2342
query answering, 662
device, 1626
query
containment, 3238
cost, 1063, 3029
distributions, 1953
equivalence, 771
evaluation, 744, 3657, 4096
query execution
plans, 3029
strategy, 3029
query
formulation, 369
language, 332, 369, 795, 1063, 1636, 1849, 2342, 3199
learning, 3766, 4031
line, 2267
machines, 2206
model, 4031
object, 774, 3638, 4098
on cache, 3684
query optimization, 1063, 1848, 2313, 2489, 2692, 2854, 3297
strategy, 2679, 2692
query
order, 3705
picture, 3614
point, 1262, 1546, 2566, 3272, 3642, 3693, 3746
polygon, 774
problems, 1761
query processing, 553, 742, 996, 1084, 1626, 2489, 2672, 2737, 3029, 3146, 4019
model, 3029
time, 2489, 3435
query
ranges, 3406
rectangle, 785
reformulation, 4019
region, 3853
response times, 1861
responses, 2131
scheduling, 553
segment, 1171, 2071, 2332
set, 61, 485, 993, 1030
signature, 3614
string, 4109
terms, 2660
time, 533, 1171, 1304, 1387, 2071, 2097, 2536, 2638, 2775, 3638, 3746, 3820, 4109
vertical line segment, 2083
querying
a set of colored points, 3638
incomplete information in databases, 3199
question of Shamir, 144
questioner, 2105, 2471
queue, 44, 714, 803, 878, 886, 958, 1013, 1097, 1156, 1168, 1389, 2747
automaton, 2828
length process, 878

queue (*cont.*)
lengths, 878, 1075
merge sort, 2747
operations, 958
queueing, 379
disciplines, 80
measure, 379
queueing model, 280, 1591, 1663
of virtual memory, 1796
queueing network
departure processes, 878
models, 878
queueing
networks, 310, 878
of processors, 379
problem with feedback, 57
problems, 57
system, 806, 1384
theory, 57, 806, 1796
queues, 866, 878, 972, 1156, 1168, 1194, 1257, 2168, 3609, 3769
queuing
assumption, 686
buffer register size, 146
networks, 310, 3564
system, 990
Queyranne, 3792
quick
method, 1749
sort, 431
quickest
path problem, 2593, 2627, 2826, 3724
paths, 3724
QUICKSORT, 328
quicksort, 784, 858, 1356, 1397, 2096, 2247, 2399
algorithm, 1701, 3700
with equal keys, 858
quiescence detection, 1716
quiescent cell, 75
quindiagonal systems, 783
Quisquater, Jean-Jacques, 3835
quorum, 1897, 2310, 2823, 2852, 3336, 3602, 3686, 3785, 4110, 4138
quorum based
k-mutual exclusion, 3785
mutual exclusion algorithms, 2852
quorum consensus, 2310
algorithm, 2823
quorum
generation scheme, 3602
group, 3716
sets, 3602
size, 2310, 2791, 2823, 3602, 4110
system, 3686, 3785, 3953, 4110
quorumcast routing, 3716
problem, 3716
quorumcasting, 3716
quotient, 755, 1353, 1687, 3656
algebra, 472
by an equivalence, 1687
digits, 285
monoid, 1085
q-residuosity, 2827

R

R, 2954
R(n) reversal bounded 2npda(l), 814
r.e.
indices, 2669
languages, 2669
QDL, 1102
R^d, 594, 1002, 1072, 1219
RA stack, 972
Ra, Dong-Yul, 3292
Rabi, Muhammad, 3634
Rabin, 391, 494, 606, 610, 767, 848, 1932, 1958, 2175, 2655, 2764
algorithm, 391
Rabin and Scott, 752
Rabin
automaton, 848, 982
method, 610
nearest neighbor algorithm, 391
pair indices, 848
principle, 3535
probabilistic algorithm, 606
scheme, 1055, 1932
signature scheme, 1055
special automaton, 982
type algorithm, 767
Rabin, M.O., 257
Rabinovich, A., 3704
race
between primary and secondary signals, 4
hazards, 4
in a circuit, 4
Rackoff, 1392
ractional online algorithms, 824
Radhakrishnan, D., 3898
radii, 2784, 3368
radio network, 3591
radius, 301, 550, 908, 1854, 1903, 2178, 2260, 2784, 3628, 3985
radius of a
chordal set, 550
graph, 3985
radix, 979
dependent, 158
exchange sort, 1574
search trees, 1556, 3405
radix sort, 2155
algorithm, 2155

radix sorting, 557, 1228
Rado structure, 4021
Ragde, 2490
Raghavan and Upfal, 3539
Rahman, Saidur, 3542
Rajasekaran, Sanguthevar, 3777
Ralston, 172
RAM, 205, 824, 1065, 1376, 1956, 2036, 2156, 2215, 2480, 2950, 3262, 3746
ram, 182
RAM algol, 1956
  statement, 1956
RAM chips, 1497
RAM model, 2156, 3860
  of computation, 1569
RAM
  program, 3581
  registers, 1956
  space, 1196
Ram, Sudha, 3578
Ramachandran, V., 3315, 3335, 3344, 3354, 3368, 3373, 3398, 3412, 3496, 3513, 3539, 3566, 3576, 3578, 3625, 3700
Ramachandran, Vijaya, 3516
Ramakrishnan, I.V. and P.J. Varman, 2256
Ramamoorthy and Kleir, 106
Ramamurthy, Badrinath, 3780
Raman, T.V., 3405
Raman, Venkatesh, 3648, 3676
Ramesh, H., 3667
Ramírez Alfonsín, J.L., 3797
Ramnath, Sarnath, 3350, 4080
ramp schemes, 3879
Ramsey
  theoretic arguments, 3509
  theory, 3283, 3509
Rana, 1366, 2757, 2758
  algorithm, 2794
Ranade butterfly routing, 2561
  algorithm, 2561
random
  2-3 trees, 475, 921
  2-SAT, 4003
random access, 177, 1297, 1658, 2617, 3881
  files, 3881
  latency, 3744
  machine, 182, 205, 276, 350, 399, 419, 675, 766, 814, 836, 894, 909, 939, 1376, 1517, 1702, 1956, 1992, 2156, 2639, 2950, 3746
  memory, 85, 3826
  stack, 972
random
  alignments of strings, 2916
  arrangement, 1556
  assignment, 4064
random binary
  search trees, 3682, 3863
  tree, 2598, 2951, 3682
random bit
  generator, 2480
  patterns, 1037
  string, 3986
random
  bits, 2568, 3751, 4091
  B-trees, 921
  choices, 391, 2127, 3942
  construction of heaps, 1534
random context, 1711
  grammars, 68, 232
  languages, 68
random context structure
  automaton, 1711
  grammars, 1711
random
  cyclic permutation, 1248
  distribution, 1714
  equiprobable binary trees, 2951
  errors, 2131
  expressions, 2519
  faults, 2287, 2754
  file organization, 177
  finite functions, 2542
  fringe balanced binary search tree, 3654
  functions, 2542
  generation, 1997, 2866
random generation of
  combinatorial structures, 3078
  polygons, 1339
  words, 3078
random
  graph, 70, 1268, 1404, 2335, 2478, 2754, 2782, 2959, 3637, 3765
  initial point procedure, 1696
  initialization, 2237
  insertion, 921
  islands model, 3749
  keys, 615, 1451, 2254
  k-element subset, 1669
  list permutations, 2480
  local search, 2111
  mappings, 2335
  NC, 1689, 1762
  NC^2, 1726
random number, 211, 1141, 1669, 1759, 2059, 3508
  generation, 3556
  generator, 38, 752, 3751, 3856
random oracle, 1467, 2203, 2424, 2560, 3869, 3908
  separation, 2040, 2203

random
p.m. query, 718
patterns, 3271
permutation, 223, 1222, 1594, 1606, 2157, 3682, 3803
points, 1864
random polynomial
algorithms, 1889
time, 538, 1889
random prefixes, 1055
random probing, 1750
hashing, 1750
random
procedures for optimization, 46
pseudokey, 1037
reductions, 2645
replacement, 1724
samples, 142, 3508
sampling, 1141, 1669, 1729, 2131, 3508, 3585, 3954
satisfiability problems, 2098
random search, 46, 1142
methods, 2237
random
sequence, 4075
set generation, 3508
sets, 328, 594, 1552, 2560
simplex algorithm, 3177
source, 3848
string model, 2213
strings, 1024
suffixes, 1055
syntax tree, 2519
testing, 1391, 3246
text, 615, 3271
random time, 2192
interval, 806
random tree, 1720, 2335, 2951, 3180, 4058
random variable, 594, 1180, 1222, 2436, 2440, 2683, 2806, 2872
algorithms, 1276
random walk, 1976, 2200
in a tree, 1347
random walks, 3900, 4086
on graphs, 3900
randomised
greedy algorithm, 1253
heuristical algorithm, 1890
heuristics, 1890
randomization, 494, 1037, 1467, 1802, 2230, 2436, 2813, 2910, 2971, 3193, 3553, 4100
strategy, 2416
randomized, 1899, 2033, 2308, 2436, 2463, 2533, 2658, 2715, 2799, 3558, 3573, 3665, 3986, 4016, 4086
algorithm, 494, 1202, 1347, 1766, 2033, 2117, 2195, 2232, 2346, 2436, 2534, 2683, 2715, 2735, 2764, 2813, 2872, 2874, 2910, 3016, 3177, 3205, 3400, 3553, 3558, 3582, 3622, 3637, 3646, 3754, 3763, 3768, 3777, 3802, 3803, 3942, 3986, 3993, 4016, 4044, 4066, 4124
arbitrary CRCW PRAM algorithm, 3777
BA protocol, 2033
Byzantine agreement protocols, 2033
computations, 1315
expected time, 4109
fixed adversary CRCW PRAM, 3573
group testing, 3775
interactive proofs, 1407
k-server algorithm, 4100
linear time algorithm for minimum spanning trees, 3802
list update algorithm, 2658
many one complete, 2645
maximum flow algorithm, 2002
mutual search, 3986
NC algorithm, 2299
randomized online
algorithm, 2195, 2735, 3187
multiprocessor scheduling, 3553
scheduling algorithms, 2910
randomized
optimal algorithm, 2232
optimization algorithm, 1548
parallel algorithm, 1202, 1692, 1899, 2782, 3236
polynomial time algorithm, 3765
protocol, 3986
reduction, 2645
rounding, 4016
strategy, 2195, 3775
trackless 2-server problem, 4066
uniform selfstabilizing mutual exclusion, 4086
randomizing algorithm, 2595
randomly, 391
decidable, 1253
randomly generated
instances, 1806
problems, 1217
test problems, 630
randomly generating binary trees, 2598
randomness, 391, 1037, 1341, 1960, 2213, 2505, 2568, 2611, 2872, 2987, 3259, 3400, 3652, 3767, 3875
assumptions, 603
Rangan, C. Pandu, 3347, 3354, 3426, 3713, 3842, 3889
Rangarajan, K., 3139
range
cominima problem, 2775

range (*cont.*)
constructibility, 3182
detection, 1387
range join, 2933
algorithm, 2933
range of
a function, 3993
values, 744
range
query, 153, 791, 859, 939, 1304, 1387, 1435, 1658, 1761, 1908, 2235, 2836
querying, 679
restricted mergeable priority queues, 2680
restriction, 3638
range search, 1304, 1435, 1562
algorithm, 1562
queries, 3406
range searches, 153, 2654
range searching, 748, 1387, 1761, 3406, 3805, 3820
problem, 774
range
sorting, 557
sorts, 557
tree, 1171, 1368
ranged buckets, 1804
Ranjan et al., 2752
Ranjan, Chang, and Hartmanis, 2473
Ranjan, D., 3150, 3816
Ranjan, Desh, 3790
rank, 252, 623, 694, 1269, 1610, 1869, 1924, 2224, 2596, 2825, 3641
decision problem, 694
rank of
a matrix, 3196
order n matrices, 623
tensors, 719
the adjacency matrix of a line graph, 252
rank one
matrices, 1164
matrix, 472
rank
queries, 1761
r decision trees, 2406
rankable set, 3245
ranked, 1610
alphabet, 1101
tree, 2211
ranking, 768, 1551, 1609, 1706, 1805, 1869, 1899, 2151, 2175, 2233, 2647, 3217, 4133
algorithm, 768, 1551, 2598
function, 1997
nodes of a tree, 1610
ranking of
an unrooted tree, 1869
k-ary trees, 768
ranking problem, 1609
for a ring, 1609
Rao and Kumar, 3410
Rao and Smith, 4092
Rao and Zhang, 2678
Rao, Rajesh P.N., 4067
Rao, S. Srinivasa, 3648
Rao-Nam algebraic code encryption scheme, 3838
RAP, 2260
Rapps and Weyuker, 1053
all due paths criterion, 1598
Raschle, Thomas, 3794
Raskin, J.-F., 3893
raster type data, 1380
rate monotonic, 2713
scheduler, 4049
scheduling, 2713, 3501, 4049
rate of convergence, 1700, 3483
ratio minimization, 2790
ratio of
areas, 467
segment lengths, 467
rational
arithmetic, 1010, 1502
codes, 3387
coefficients, 479, 2240
cone, 94, 874, 900, 1681
constraint, 1614
expressions, 1067, 3811
formal power series, 1256
function, 436, 1585, 1719, 4116
interpolation, 1584
language, 94, 1284, 1614, 2396, 2502, 3387, 3789
matrix, 1692
multiples of π, 1667
number, 1010, 1595, 1667, 1760, 2280, 2702, 2992, 3455, 3962
ω-language, 2396
ordering, 2545
power series, 1256
relation, 766
search, 409
series, 3617
set, 766, 2128
transduction, 94, 666, 900, 1029, 1572, 3213
rationality, 1215, 2545
of Petri net languages, 1215
Ratliff, 1869
Rauscher, 609
Rauzy, Antoine, 4112
Ravelo, Jesús N., 3545
Ravi, R., 3670
Ravikumar, 2466
Ravikumar, B., 3648
Ravikumar, Bala, 1523

ray, 2076
  shooting, 2638
  tracing, 2076
Raymond, 2838
  tree, 2477
Raymond, K., 2323
Rayward-Smith, 1675
  Steiner tree heuristic, 1675
Razborov and Smolensky, 2040
RC, 44, 4000
RCA, 2430
RE charts, 464
reachability, 128, 129, 701, 1150, 2012, 2253, 2616, 3584, 4007
  algorithm, 4021
  in planar directed graphs, 128
  problem, 129, 357, 584, 701, 726, 1613, 2616, 2986, 2988
reachable problem for
  directed graphs, 1613
  graphs, 1613
  undirected graphs, 1613
  vector addition systems, 357
reachability
  set, 356, 726, 1507
  tree, 971
reachable, 128, 392, 909, 3148
  cell, 857
  data structures, 1915, 2528
  marking, 2253, 2369
  nodes, 2108
  state, 2210, 3372
reaching accessible sets in graphs, 1837
reaction, 993
  time, 981, 1180
reactive, 2219
  refinement, 3138
  system, 2120, 2456, 3002, 3372, 3407
Read and Tarjan, 309
read and write
  locks, 2728
  memories, 35
read
  conflicts, 759, 986, 1115, 1396, 1455
  head, 157, 2050
  k DNF formulas, 2753
  modify write, 1808
read once, 3496
  Boolean formulas, 2753
  branching programs, 3496, 3711
  non uniform deterministic finite automaton, 4032
read only
  access, 300, 1290
  algorithms, 35
  input tape, 2859
  memory, 35, 1290
  records, 300
  transactions, 2150
read
  quorum, 2310
  transactions, 556
  twice DNF formulas, 2753
  write conflict, 837
read/write
  heads, 756, 1591, 2373
  requests, 886
readback
  machine, 1331, 2675
  states, 2675
readers and writers, 556
  problem, 236, 333, 360, 556
  processes, 236, 333
readers writers, 555
reading only heads, 752
ready times, 402, 2819, 3022
real, 1087, 1974, 2198, 2702, 3128, 3525, 3746, 4005, 4056
real addition, 1109
  operation, 548
real arithmetic, 450
  operations, 757
real
  computation, 3767
  computer, 365
  functions, 253
  interval, 3845
  life objects, 2043
  line, 942, 1127, 1221, 1518, 1947, 2408, 3194
  matrix, 1692
  memory, 498, 1397
real number, 375, 564, 657, 757, 796, 1010, 1109, 1180, 1201, 2175, 2325, 2764, 2806, 2952, 3171, 3767
  arithmetic, 350
  models of computation, 4005
  operators, 757
  representation, 2928
real
  part, 2136
  polynomials, 3535
real projective
  plane, 3797
  space, 3989
real roots, 507, 2824, 3535
  of a polynomial equation, 507
real scaled matching, 3938
  model, 3938
  problem, 3938

real
sized scales, 3938
symmetric matrix, 417, 529
real time, 611, 714, 792, 1039, 1149, 1257, 1371, 1457, 1694, 1713, 1761, 1915, 2385, 2456, 2503, 2528, 2628, 2671, 2767, 2819, 3022, 3462, 3745, 3764, 4138
algorithm, 824, 3167
application, 611, 803, 837, 1012, 1606, 4138
computation, 1625, 2628
computing, 1122, 1761
concurrency control algorithms, 3462
concurrent language, 2485
constraints, 185, 2407, 3501
databases, 3462, 3578
emulations, 3745
environment, 1761, 3501
finite automaton, 1039
functional queue operations, 958
implementation, 958
interaction, 21
leader election, 2767
message transmission, 3450
multimedia, 3591
multiple tasks single processor, 2713
process algebra, 2614
processes, 611
processing, 3462
programming, 1694
queue operations, 714
requirements, 3101
real time scheduling, 3227
algorithm, 3804
real time
signal processing, 2407
simulation, 1457
software development, 3138
system, 933, 1122, 1239, 1440, 1713, 2120, 2304, 2385, 2485, 2614, 2628, 2713, 2767, 2819, 3002, 3064, 3101, 3126, 3138, 3314, 3462, 3678, 3699, 3704, 3804, 3841, 4049, 4073, 4105
version, 958
real Turing machine, 3767
real valued, 2517
capacity, 1762
edge cost, 765
function, 565, 1762, 1906, 2650
key, 1227
weight, 1013, 2741
real world, 484, 941, 996, 1021, 2072
applications, 1095
costs of computations, 454
dependencies, 996
keys, 1037
realizability, 891, 2817, 2841, 3531
of Delaunay triangulations, 1901
theorem, 2841
realizable
algorithms, 366
by a shuffle exchange network, 291
realization of
elastic storage, 157
permutations, 291
Petri nets, 86
reallocating memory, 2509
realtime, 1998
DPDA, 666
rearrangeable, 3959
graph, 3959
rearrangeable nonblocking, 2724
condition, 2724
rearrangement, 697, 1385, 2159, 3412
of permutations, 3412
rearranging scattered information, 3963
reason about
interacting systems, 1971
loops, 1971
reasoning, 773, 899, 1092, 1427, 1911, 2046, 2229, 2297, 2317, 2441, 2649, 2655, 2879, 3221, 3545
reasoning about
a system behaviour, 1635
always true, 2297
computer systems, 520
correctness, 2563
distributed systems, 1756
first order properties of underlying interpretations, 1478
infinite computations, 1102
integrals, 2304
knowledge, 1417
processes, 440
programs, 440, 480, 644, 1478, 2008, 3050, 3316
relational databases, 3221
sequential phenomena, 3002
reasoning
of transactions, 2057
tasks, 2514
with invariants, 2794
rebalancing, 920
rebuilding, 1919
rec
notation, 2134
random, 3875
recall and precision, 10
recedence grammars, 263
receiver, 371, 693, 797, 1319, 1721, 1813, 2405, 2995, 3681
receiving group, 2405

reception, 188
reciprocal, 1170, 1755, 4074
  of power series, 4074
reclaiming storage, 1257, 3142
recognising interval graphs, 1947
recognition, 551, 2181, 4071
  abilities, 2832
recognition algorithm, 136, 246, 642, 819, 852, 942, 1499, 2052, 2779, 3073, 3661, 3794, 3967
  for interval dags, 642
recognition by a 2pfa, 2488
recognition of
  bandwidth 2 biconnected graphs, 2623
  bracket languages, 1847, 2101
  context free languages, 894, 1722
  diamond free graphs, 4077
  EOL languages, 292, 305
  geodetically connected graphs, 3661
  infinitary tree languages, 982
  input driven languages, 1264, 1847, 2101
  line digraphs, 819
  ordinary context free languages, 2181
  palindromes, 2503
  parallel 2D-image languages, 2181
  perfect elimination bipartite graphs, 852
  union trees, 2596
  unit interval graphs, 3121
  useless components, 1704
recognition
  power, 999, 2320, 2832
  problem, 209, 2597
recognizability, 3699
  of bracket languages, 246
  problem, 2502
recognizable, 2078
$*$ recognizable, 2502
recognizable in
  deterministic log(n) space, 1251, 1264
  nondeterministic log(n) space, 1251
recognizable
  isomorphism, 1204
  language, 1197, 2128, 3608
  set of infinite words, 1104
  subsets, 3608
  trace language, 2502
recognize
  balanced graphs, 3697
  partitionable graphs, 2052
recognizer, 539, 1065, 1264
  models, 722
recognizer of
  bracket languages, 1264
  idl, 1264
  sentences in a language, 169
recognizing, 518, 894, 2725, 3173, 3656, 3661, 3674
recognizing a
  closed orthant, 3535
  language, 943
  relation, 766
recognizing
  algorithm, 741
  balanced formulas, 3063
  breadth first search trees, 1939
  cographs, 4071
  context free languages, 836
  even linear languages, 3198
  extended Horn formulas, 3063
  Hamming graphs, 3560
  languages, 739
  linear context free languages, 1065
  majority, 1553
  overflow, 1036
  refutable propositional logic formulas, 3242
  satisfiable Horn sentences, 1322
  shortest path trees, 2940
  strict 2-threshold graphs, 3073
  strongly connected components, 2291, 2569
  the König property in graphs, 630
recognizing threshold
  dimension 2 graphs, 3794
  graphs, 4071
recognizing unordered depth first search, 1590
reconfigurability, 1617, 1971
reconfigurable, 2030
reconfigurable bus, 2030, 2620
  system, 1942, 2030, 2409, 2620, 2697
reconfigurable buses, 1942, 2296, 2409, 2673
reconfigurable mesh, 2030, 2673, 2697, 3288
  connected architectures, 3127
reconfigurable mesh connected computer, 3127
  models, 3127
reconfigurable
  mesh models, 3127
  meshes, 3288
  systems, 1971, 2317
reconfiguration, 1617, 1971, 2133
  algorithm, 1668
  capabilities, 2868
  problem in a hypercube, 1668
  protocols, 1769
reconfiguring
  defective VLSI arrays, 3826
  the multiprocessor, 1668
reconstructability, 218
reconstructing, 3324, 3904
reconstructing a
  binary tree, 2393
  discrete 2D object, 3904
  secret, 3110
  tree, 2246

reconstructing
distributed computations, 3818
graphs, 1815
hv convex polyominoes, 3904
sequential behavior, 950
reconstruction, 85, 1612, 1815
machine, 3324
reconstruction of
a binary tree, 2394
polygons from projections, 1612
reconstruction property, 772
record, 177
hit ratios, 839
keys, 1556
loss probability, 52
relevant to a query, 187, 633, 1030
sets, 187, 633, 1030
signature, 3614
recoverability, 1964
recovery, 236, 652, 1126, 1369, 1439, 1716, 2084, 2646, 3124, 3308, 3349, 3587
algorithm, 2084, 3124
recovery from
a crash, 1566
mismatches, 737
recovery
in distributed systems, 2498
line, 1439
overhead, 4090
point, 1601, 3124, 4090
RecSSS*, 2688
rectangle, 571, 589, 622, 748, 785, 841, 1079, 1244, 1373, 1992, 2119, 2535, 2960, 3417, 3575, 3794, 3860, 4017, 4033
rectangle containment searching, 785
problem, 785
rectangle enclosure, 785, 3444
rectangle enclosure reporting, 4017
algorithm, 3444
rectangle enclosure searching, 785
problem, 785
rectangle
graph, 1288
in a d-dimensional space, 785
rectangle intersection, 748, 785
problem, 1511
searching problem, 785
rectangle
model, 3794
problem, 785, 1511
tooth tail method, 211
visibility, 3506
with edges parallel to the coordinate axes, 2119
rectangular, 589, 1755, 2936, 3566
arrays, 571
grid, 2310, 2476, 3566
languages, 571
rectangular matrix, 1502
multiplication, 1051
rectangular
mesh, 2482
module, 2508
objects, 1755
obstacles, 2936, 3272, 3402
partition, 2144
path, 2135
pieces, 530
shaped areas, 2054
visibility, 2267
rectilinear, 317, 1267, 2095, 2804, 2960, 3272, 3375, 3402, 4122
convex, 1079
decompositions, 2960
distance, 2804
graph, 1641
map, 3683, 3860
matching algorithms, 1201
rectilinear metric, 2804
geometry, 3562
rectilinear
minimal tree, 2178
norm, 1002
obstacles, 2142, 2936
polygon, 1079, 1578, 2804, 2960
polygons in the plane, 1079
short path queries, 3272
spanning paths in grids, 3855
rectilinear Steiner minimal
arborescence, 2805
tree, 2178, 2400
rectilinear Steiner tree, 2095, 2190, 2245, 2400
recurrence, 1065, 1206, 1276, 1574, 2656, 2932, 3339, 3807, 3952, 4106
equation, 1276, 1574, 3339, 3905
formulation, 2606
relation, 536, 1046, 1206, 1274, 1344, 2079, 2292, 2532, 2598, 2604, 2806, 3927, 3968, 4106
systems, 279
recurrent, 1242, 2749
interconnection pattern, 1242
recursion, 28, 243, 381, 732, 970, 992, 1111, 1344, 1837, 1985, 2134, 2159, 2246, 2294, 2418, 2656, 3222, 3662
recursion in
higher languages, 28
process algebras, 2134
recursion
introduction, 547
removal, 248
simplification, 669

recursion (*cont.*)
structure of programs, 669
theorem, 2867
theory, 1283, 2669, 2984
tree, 1753
vs. iteration, 888, 1074
recursive, 28, 159
algorithm, 458, 806, 881, 998, 1508, 2020, 2246, 2688, 2851
and nonrecursive formulas, 1616
array languages, 210
recursive ascent, 1838
Earley parser, 2329
implementation, 2329
parser, 1661, 2329
technique, 2329
recursive
authentication protocol, 3649
bucket, 895
calls, 458, 547
recursive circulant
graph, 3481, 3726
network, 3726
recursive
code, 243
computing, 1666
construction, 1753, 3481
constructs, 1934
recursive control
models, 1494
structures, 192
recursive
copying collector, 3163
data flow equations, 1867
Datalog queries, 1870
declaration, 1402
definition, 2134, 2648
recursive descent, 975
parsers, 1311
recursive descent parsing, 975
algorithm, 1661
recursive
enumerability, 1687
equations, 2629
formulation, 248
recursive function, 670, 1707, 2268, 3012, 3929
declarations, 620
recursive
interconnection patterns, 1242
language families, 2497
languages, 210, 397, 1576, 2231
level, 1283
lists, 114
logics, 3232
mode declarations, 620
multidimensional divide and conquer, 807
nondeterministic programs, 716
number theory, 159
ω-rule, 1785
oracle, 1134, 1255
ordinal, 1283
recursive parsing, 1661
algorithm, 1661
recursive path ordering, 2648
recursive procedure, 248, 910, 1646
body, 980
calls, 460, 669
recursive processes, 3293
recursive program, 28, 716
improvements, 1028
transformations, 1028
recursive
programming, 243, 577, 888
programs, 243, 488, 716, 808, 1028, 1722, 3632
recursive query
evaluation, 2418
optimization, 1870
recursive
real number, 1066
representation, 1134
recursive rule, 1843
expansions, 2418
recursive
schemata, 741
scheme, 741, 1028
set, 1209, 1294
solution, 577, 732
structure, 522
subdivision of space, 1474
types, 3536
unsolvability, 700
recursively defined, 520
expressions, 1310
function spaces, 520
functions, 1028
matrix multiplier, 601
relations, 1028
recursively enumerable, 670, 700, 1102, 1687, 3075
chain code picture language, 3290
complete domain, 4062
Dedekind cuts, 1066
language, 68, 482, 879, 2669, 3352
set, 12, 414, 778, 1139, 3309
subclass, 3929
recursively
generated set, 565
unsolvable, 700
recursiveness, 210, 228
red black
tree (symmetric binary B-tree), 2422
trees, 920, 2422

Reddy, Pradhan, and Kuhl, 2778
redexes, 2676, 3753
redirection, 3404
redistributing records, 906
reduce, 407, 445
  operators, 2452
reduce/reduce conflicts, 1144
reduced, 7, 46
  biquaternions, 2460
  cover grammar, 2883
  ε-free LL(1) grammar, 65
  finite automaton, 497
reduced representation, 2240
  of a trigonometric polynomial, 2240
reduced
  sensitivity, 49
  tables, 2318
reducibility, 454, 832, 1209, 1891, 2252, 3052, 3182, 3282
  among approximation problems, 3961
  for 5-coloring, 353
reducible, 88
  communication graphs, 2758
  flow graph, 2757
  graph, 88, 2757, 2758
reducible in
  logarithmic space and linear time, 861
  polynomial time, 832
reducing, 46
  categorical expressions, 7
  conflict resolution, 2656
  I/O bandwidth, 1445
  Ω to $\diamond W$, 3800
  the response time, 203
reductio ad absurdum, 1411
reduction, 7, 742, 786, 1044, 1343, 1603, 1652, 1850, 2049, 2286, 2611, 2676, 2715, 2722, 2769, 2879, 3182, 3633
  algorithm, 2729, 3087, 3781, 3902
  concepts, 927
  in complexity, 180
  machine instruction set, 1343
  mechanism, 1041
reduction of
  a handle, 26
  bit length of a multiplier, 979
  errors, 237
  LR(k) parsers, 2693
  OBDD, 2729
  two-way automata to one-way automata, 1728
reduction
  operator, 2835
  ordering, 2068, 2437, 2771, 3760
  process, 628
  protocol, 4008
  relation, 1910, 2366
  rules, 1806, 2229
  strategies, 3793
  system, 1101
  techniques, 493
  time, 1331, 2675
  to sorting, 1379
  variables, 2835
redundancy, 187, 633, 1030, 1110, 1597, 2449, 2745, 2768, 2868, 3076, 3093, 3308, 3999
  removal, 4053
  schemes, 3308
redundant, 227, 1110, 1329, 1330, 1830, 2388, 3123
  arrays, 4045
redundant code, 1329
  detection, 1329
redundant
  computations, 2326
  disk modulo allocation, 1110
  encodings, 1316
  information, 388
  instructions, 1090
  minterms, 2931
  parsing paths, 1229
  storage, 271
  use, 1598
  VLSI arrays, 2868
Reed-Muller coefficients, 3528
reference
  and assignment, 3223
  behaviour, 260
  citation relationships, 324
reference count, 1257, 2528, 3142
  algorithm, 2528
  scheme, 397
reference counter, 1704
reference counting, 384, 397, 1257, 1915, 2528, 3142
  algorithm, 1257, 2528
  garbage collection algorithm, 2528
  schemes, 3142
reference
  counts, 243, 384, 397, 1257
  node, 375
  potential, 375
  semantics, 2180
  string, 1735
  structure index, 324
  time, 366
  traces, 229
referencing
  pointers, 152
  variables, 5
referential transparency, 1092

refinement, 46, 846, 1520, 2266, 2295, 3027, 3138, 3282
  calculus, 2100, 2452, 2485, 2867, 3478
  mappings, 2210
refinement of
  actions, 2295
  equivalence relations, 699
refinement
  procedure, 46
  relations, 3138
reflected tree, 1688
  hierarchy, 1688
reflection, 582
  attack, 3505
reflexive, 197
  antisymmetric and transitive relation, 1660
  rights, 1167
  transitive closure, 669
reflexivity, 2363
reflexivo transitive closure, 701
refutation, 1017, 1587
  by NLRI deduction, 1289
  complete, 2514
  completeness, 1792, 2514
  method, 2229
refutationally complete, 2202
Reg, class of regular languages, 2145
regeneration, 279
  capability of L systems, 279
region, 46, 88
  dilation, 1946
  erosion, 1946
  invariant linear component, 980
  query, 447
  search, 447
regional average volume, 3867
register, 27, 1049, 1177, 1721, 1735, 1858, 1997, 2696, 2881, 3653, 3831
  address, 1956
register allocation, 82, 1049, 1817, 3426
  graph, 3426
  problem, 3426
register transfer level, 520
regression, 3585, 3749
  solution, 3585
  testing, 3408
regular, 1721, 1858, 2138
  architectures, 2868
regular array
  grammars, 1244
  languages, 1244
regular
  binary tree, 768
  bipartite graph, 3347
  control, 361, 2720
  coverings, 4121
  deterministic grammar, 399
  expander, 1976
  expression, 8, 463, 516, 879, 950, 1331, 1753, 1981, 2198, 2268, 3677
  factors, 444
regular grammar, 55, 202, 474, 2061, 2198
  forms, 683
regular
  graph, 2200, 2746, 3493
  k-ary tree, 768
  language, 94, 202, 241, 249, 297, 348, 497, 640, 663, 740, 879, 898, 922, 1029, 1068, 1155, 1284, 1684, 1686, 1728, 1776, 2145, 2466, 2522, 2880, 3343, 3352, 3502, 3656, 3951
  languages inferable from positive data, 3502
  lookahead, 348, 1853
  n sided polygon, 433
  networks, 3493
  noncounting languages, 463
  n-gons, 442
  n-sided polygon, 499
  ω-language, 2093
  partition, 168
  polygon, 515, 1846, 3262
  prefix codes, 463
  problems, 3741
  recursive schemas, 982
  register, 1721, 1858
regular resolution, 542
  proof, 542
regular right
  part grammar, 1331, 2675, 2862
  power bounded languages, 463
regular
  sequence specifications, 55
  set, 218, 378, 463, 1303, 1604
  sets of infinite tapes, 188
  signature schemes, 3587
  translation, 386
regular tree
  grammars, 1312
  languages, 3848
  specifications, 55
regular
  triangles, 442
  TRS, 2676
  undirected graphs, 1613
regularity, 188, 218, 956, 1029, 1678, 2466, 2699, 3832, 3911, 4000
regularity of
  languages, 2511
  normed PA processes, 4000
regularity
  preserving distortions, 188
  problem, 241

regularization, 172, 350
procedure, 172, 350
theory, 81
regulated
k-limited ET0L systems, 2720
rewriting, 2720, 3074
regulation, 2720
mechanisms, 2720
rehashing, 244, 1606
Reif, 1766
Reingold, Edward M., 3631
Reingold, Nick, 3398, 3558
Reingold, Westbrook, and Sleator, 3622
Reiser, 158
Reiser and Knuth, 158
Reiser and Kobayashi, 878
Reiser, J., 148
Reiss, 426
Reiss, Steve, 385
Reiter, 799
closed world assumption, 2269
Reith, Steffen, 4118
rejecting
halting state, 752
sink, 3685
rejection, 3645
by a sigmoid neuron, 2650
relabelling, 2294
relation, 2, 12, 231, 256, 302, 332, 1259, 1971, 3973
algebra, 3495
between intervals, 1824
model, 762
of E.F. Codd, 256
scheme, 600, 634, 798, 1025, 1279, 2449, 2637, 2751, 3533
relational, 608, 1259, 1541, 2041, 2249, 3940
relational algebra, 256, 332, 369, 771, 1237, 1837, 1849, 1881, 2250, 2342, 3199
operators, 1080
relational
algebraic language, 795
and deductive databases, 2854
approach to database systems, 528
arguments, 2342
calculus, 795, 1567, 2803, 3002
relational data base, 231, 286, 332, 388, 528, 634, 744, 2449
management systems, 1063
query languages, 332
relational data
model, 1259, 2041
sublanguage, 286
relational database, 256, 332, 369, 481, 484, 486, 523, 600, 608, 625, 742, 798, 839, 871, 996, 1021, 1063, 1237, 1241, 1541, 1618, 1650, 1730, 1800, 1804, 1907, 2368, 2576, 2751, 2933, 3221, 3318, 3392, 3533, 3703, 3825, 3958, 3973, 3999
definition, 528
design, 528
design theory, 523
relational database management, 523
system, 2576
relational database
model, 600, 941, 1094
queries, 771
query processing, 3703
schema analysis, 528
scheme, 798, 1800
system, 1804
theory, 625, 1672, 2368, 2786, 3619
relational
datamodel, 2637
DBMS, 1063, 1080, 1235
division, 1837
expressions, 771, 899
relational join, 1140, 2188
operator, 1730
relational model, 231, 372, 486, 528, 795, 1021, 1025, 1094, 1279, 2449
for databases, 625
relational
operation, 553, 757, 839, 2737
operators, 2342
relational query, 1848, 2737, 3523
processing, 742
relational
recursion, 1837
representation of specifications, 1567
selections, 1837
semantics, 629, 2985
structure, 181, 1094
theory, 1021
relativation problems, 1622
relative
completeness, 1157, 1478
complexity, 209, 1209, 1836, 1891
relative complexity of evaluating, 1891
the optimum cost, 1891
relative
convex hull, 2075
entropy, 3848
error, 1784, 3720, 3993
implementability, 316
loss of records, 52
motion, 22
neighborhood graph, 2841
neighbourhood graph, 1400
overlap, 2332

relative performance, 63
guarantee, 3174
relative
processor speed, 2204
strength, 1808
relativised
definability, 2363
deterministic polynomial time, 1889
random polynomial time, 1889
separations, 3107
relativization, 1255, 1390, 1877, 2560, 2626, 3469, 3908
of complexity classes, 2203
relativized, 1622, 2206, 2560, 2993
circuit depth, 2424
complexity class, 1467, 2109
separation, 3469
world, 2954, 3469, 3908
relaxation, 2533, 3703, 4095
methods, 130
relaxed
barrier synchronization, 3742
Monge matrix, 3791
triangle inequality, 4030
relay processes, 2055
release, 3110, 3764
and due date assignment, 3828
date, 519, 3828, 3960
lock, 2742
time, 868, 902, 1938, 2681, 2757, 3227, 3660
relevance, 1222, 1856
of a document, 477
relevant subgraph, 2108
reliability, 31, 46, 355, 1369, 1483, 1964, 2243, 2421, 2640, 3580, 3620, 4133, 4138
analysis, 2640, 4112
model, 2640
reliability of a
distributed program, 3620
system, 1964
reliability of
communication links, 3620
software, 1391
reliability
problem, 3620
theory, 806
reliable, 1128, 1857, 3686, 4035
and effective program construction, 1028
bank, 1050
broadcast, 4059
computing, 1415
connectivity problem, 2243
distributed computer systems, 1439
hypercube, 2197
information, 2105
processes, 1857
reliable system, 118
operation, 118
reliable
test & set objects, 3500
uniprocessor computer systems, 1439
upper bound, 1890
relix, 1837
code, 1837
relocation algorithms, 312
reluctant jogger, 731
rely
and guarantee conditions, 4070
guarantee discipline, 4070
remainder, 755
function, 755
remote login systems, 3505
removing
a segment, 933
infinite loops, 2776
information, 541
loops, 1144
Rémy, J.L., 3645
renamable Horn problems, 2392
renaming, 1187, 2056, 2774, 3079
a set of clauses, 1187, 1733
equivalence, 2056
of formulas, 2056
problem, 3439
rendezvous, 928
table, 1319
renewable resources, 519
renewal
process, 878
reward theorem, 652
theory, 652
Renyi α-entropy, 36
reordering, 1636
data items, 1177
reorganisation strategies, 818
reorganization, 1460, 2114
of index sequential files, 1238
repair, 1391, 2685
pattern, 2685
repeated
elements, 2825
merging, 90
range search, 1387
rounding, 158
repeatedly executed region, 980
repeater, 2260
repeaters allocating problem, 2260
repetition, 828, 1106, 1111, 2266
repetition in a
string, 3480
word, 699

repetition
in words, 699
operators, 159
repetitive structures, 279
replacement, 549, 1569
algorithm, 366, 890
of a substring, 157, 2685
selection, 1182, 3930
strategy, 2291
trees, 3930
replacing faulty nodes, 2948
replay attack, 3505
replica, 3001
replica control, 1897
protocol, 1897, 2310
replicated copies, 837
replicated data, 2310, 2823, 4138
management, 2310, 4138
replicated
databases, 1897, 3686
disk, 3492
object, 1897
resources, 1786
replication, 1110, 1897, 3001, 3686
control, 1786
of data, 3684
scheme, 3001
reply message, 1725
report
generation, 256
writer, 6
report writing, 6
systems, 6
representable, 535
representation, 17, 60, 100, 105, 108, 390, 412, 532, 949, 1134, 1180, 2072, 2514, 2649, 2653, 2753, 2865, 2965, 3213, 3366, 3370, 3506, 3941
by Boolean circuits, 3588
change, 754
for logic functions, 2865
in first order logic, 108
representation independent, 1313
independence results, 1313
representation language, 34
representation of
a tree, 62
an abstract device, 105
representation of binary
tree traversal, 73
trees, 60
representation of
bipartite planar graphs, 3723
Boolean functions, 4083
representation of data, 151, 1677
structures, 60
representation of
disjoint sets, 872
entities, 484
finite tree automata, 452
graphs, 1573
height balanced trees, 926
information, 59, 1330, 3199
integers, 226
knowledge, 45, 1021
lists, 1214
problems, 1134
sets, 212
spaces, 259
temporal knowledge, 1480
the language recognition problem, 108
tree automata, 452
trees, 969, 3506
representation
problem, 2037
space requirements, 2921
representational difficulties, 381
representative, 570, 1257, 1717, 3545
representative instance, 1626
of a database, 1626
representatives of n-tuples, 265
representing
a class of functions, 12
binary images, 1474
knowledge, 364, 1330, 2229
matrices as quadtrees, 1126
structures, 20
reproduction of incorrect messages, 270
request for
blocks of cells, 83
computation, 611
request
message based strategies, 3732
point, 4100
requesting of resources, 418
requirement engineering, 2047
requirements specifications, 2047
rescaling, 1593
functions, 1593
Rescigno, Adele A., 3383
reset, 2567, 3990
capability, 2026
free, 2375
resetting, 2293, 2957
operations, 2293
residual, 2137
algorithms, 3443
graph, 3612

residue, 1005, 2833, 3898
arithmetic, 2309
classes modulo m, 222
codes, 3076
notation, 2309
number system, 1005, 2812, 2833, 2901, 3076, 3898, 4036, 4107
representations, 4036
system, 1005, 2812
to binary conversion, 2812, 3106, 3184
resilience, 2463
resiliency, 1415, 2132
resilient, 2852
consensus protocols, 2132
coteries, 2852
functions, 2677
resistance, 3206
resistive spaces, 2117
resolution, 542, 548, 799, 1330, 1421, 1459, 1699, 1792, 1925, 2196, 2198, 2420, 2514, 2800
resolution based
deduction systems, 1792
theorem prover, 108
resolution calculus, 1792
resolution deduction, 1289
method, 1322
resolution
levels, 1421
like method, 4055
logic, 847
method, 1204
resolution of
cross references due to the nonlinearity, 2137
overloading, 548
the overloaded + operator, 548
resolution
principle, 1017
procedure, 1204
resolution proof, 1925
procedures, 1204
resolution
rules, 1204
style proof procedure, 2514
system, 1204
theorem proving, 847, 2420
tree, 542
resolvent, 799
resolving, 548, 3148
data conflicts, 3462
error propagation, 4090
resource, 418, 698, 838
resource allocation, 43, 80, 83, 118, 418, 519, 707, 851, 933, 1033, 1050, 1131, 1239, 1317, 1323, 1361, 1655, 2196, 2362, 2728, 3849, 3882
policy, 418
problems, 2743
resource
allocator, 1317
bound, 1576
resource bounded
category, 4050
environments, 2621
resource bounded measure, 3869, 4050
zero, 3869
resource
bounds, 1379, 2517
capacity, 3607
conflict, 1090
constrained scheduling, 2037
constraints, 402, 504, 519
consumption, 1812
contention, 961
invariants, 1286
manager, 1668
requirements, 261, 402
resource scheduling, 401, 2737
problem, 3607
resource
sharing, 754, 1954
utilization, 418
respecification, 120
responder, 2105, 2471
response, 2105, 2192, 2279, 2471
response time, 124, 1075, 1084, 1122, 1250, 1861, 3435, 3912, 4138
behavior, 4138
convexity, 1075
of a query, 553
restart, 837
restartable fail stop processor simulations, 2530
Restive, 812
Restivo, A., 3772
restricted classes, 2072, 2269
restricted classes of
graphs, 1828, 1879
networks, 1783
restricted
devices, 68
failure detector, 4008
finite substitution, 683
restricted form, 37, 1278, 2443
of the interpolation problem, 37
restricted
H-colouring, 2284
matching problems, 1845
model, 573
multicounter machines, 1139
number of processing elements, 1376
parallelism, 1376
Petri nets, 1964

restricted (*cont.*)
quadratic queries, 2175
use of productions, 68
restriction, 480, 735, 879, 931, 941, 2127, 2265, 2411, 2648, 2695, 2737, 3013, 3222, 3748, 3786
and exclusion operators, 3735
on the set of productions, 730
policy, 1933
restructuring, 1419
of matrices, 261
operators, 2072
rule, 1633
result
checking, 3635
states, 1218
resultant, 2690, 3471
retention strategy, 1012
retract, 1995, 3944
retransmission dependency, 1439
retransmitting, 1276
retrieval, 53, 197, 221, 264, 286, 423, 503, 718, 744, 859, 1658, 1861, 2242, 2647, 3690, 4098
algorithm, 437
anomaly, 3690
effectiveness, 2647
from context trees, 139
models, 197
retrieval of
exact statistics, 3430
information, 737
pictures, 2242
retrieval
operations, 1037, 2491
output, 10
performance, 61
request, 264
request pattern, 264
results, 61
systems, 197
techniques, 10, 61
time, 1030, 4096
retrieving, 1135, 1291, 1616, 3011
fuzzy information, 3657
retry, 543
return, 420, 1721, 1964, 2671
of an unfalsified detection message, 1756
statement, 3397
reusability of software, 2733
reusable, 2728
resources, 698
subtrees, 2717
Reusch, 162
reuse, 3132, 3801
constraints, 3801
distance, 3801
reversal, 389, 814, 958, 1056, 1068, 1139, 1379, 1581, 2574, 2705, 3412
reversal bounded, 814
deterministic k-tape Turing machine, 1379
reversal
complexity measure, 2574
number bound, 1139
operation, 3092
reverse
A-order, 1551
baseline networks, 1466
converters, 4107
lexicographic order, 1536
order, 230
reverse search, 4044
depth first traversal, 3992
technique, 4044
reversed versions, 2724
reversibility, 2430, 3630
reversible, 2375, 2512
cellular automaton, 2430
context free grammar, 2375, 2512
grammars, 2375, 2512
Petri nets, 356
systems, 2430
reversing a train, 2020
revoke, 621
revoking privileges, 1249
reweighting, 1405
rewrite, 2437, 2880, 3902
constraints, 4068
rules, 1543, 1910, 2676
system, 1652, 2437, 2676
rewriting, 47, 232
process, 1643
rule, 78, 644, 749, 989, 1028, 1850, 2078
strategy, 2001
system, 232, 778, 875, 1244, 1463, 2648, 2986, 3015
techniques, 3902
Rex, 2198
Reynolds
cover, 1078
number, 22
Rhee, Chongkye, 3411, 3721
Rhee, Injong, 3613
Rhodes' parser, 955
rhythmic phenomena in morphogenesis, 197
Ricart and Agrawala algorithm, 1715
Rice method, 3662
Richardson theorem, 3495
Rick and Evans, 529
Rick, Claus, 4141
Riemann
hypothesis, 408
zeta function, 347, 3515

Rifà, Josep, 3846
right
  center of a language, 1070
  context, 2768
  covers, 2141
  factor, 637
right hand
  side of productions, 730, 1331
  sides of productions, 241, 1331
right
  in-threaded binary trees, 1290
  linear grammar, 2880
  parse, 438, 474, 614
  pointer field, 1290
  power bounded languages, 463
  recursion, 1105
  recursive, 1105
  regular grammar, 474
  rotation, 1504, 1930
  shift k-ary integer GCD algorithm, 3443
right son, 935, 1216, 1290
  pointer, 1290
right subtree, 96, 176, 365, 447, 788, 2891
  weight, 788
right threads, 1290
right to left
  flow, 953
  maximum, 223
  tree traversals, 273
right weight, 935
rightmost derivation, 438, 1331, 2061
rigid, 1205
  algebra, 1205
  balance, 2254
  graphs, 3155
rigidity, 1205, 3155, 4088
  of a matrix, 3641
rigidly moving sets of points, 2472
Riguet, 1881
RIM, 3749
ring, 377, 398, 577, 732, 820, 1164, 1582, 1609, 1653, 1712, 1740, 1980, 2009, 2159, 2354, 2390, 2568, 2631, 2757, 2758, 2799, 3059, 3160, 3367, 3609, 3732, 3837, 3900, 4011
  based termination detection algorithm, 1756
  data structure, 532
  embedding, 3837
  movement, 2159
  network, 1366, 3279
ring of
  anonymous processors, 3059
  characteristic, 0, 2796
  eight processes, 1637
  finite state machines, 1607
  identical processes, 1980
  integer polynomials, 436
  machines, 1635
  philosophers, 2351
  polynomial invariants, 3902, 4063
  polynomials, 591
  processors, 1564, 1712, 1740, 2009, 2515
  residues modulo m, 390
ring
  orientation algorithm, 3059
  size, 2799, 3059
  structure, 532, 1730
  structured systems, 883
  task, 2515
  topology, 3388
Ringel, 138
  conjecture, 138
Riordan arrays, 3231
ripple carry adders, 2620
RISC computer, 1735
risk ratio, 2612
Rittri, Mikael, 3019
Rival, 1038
river routing, 2054, 2469, 2682
Rivest, 194, 691, 858, 1045, 1633, 2406
Rivest, R.L., 745
Rivest, Shamir, and Adelman, 1932
Rizzi, Romeo, 3808
RL, 879
RLP, 2616
RM scheduling, 3501
RMAX, 2659
RMAX(k) classes, 2659
RMESH, 3127
RNC, 3154
  algorithm, 2286
RNG, 1400, 1777
RNS, 1005, 3898, 4036
  architectures, 4036
  based systems, 1005
  to binary conversion, 2812
road network, 564
road traffic, 57
  data, 52
ROAESA, 3210
robber, 2476
robber route, 1921
  problem, 1921
Robins, Gabriel, 3888
Robinson, 847
  Joint consistency, 3396
  resolution, 1587
  unification algorithm, 1774
Robinson, Brian L., 3888

robot, 1667, 2142, 2853
arms, 1044
collision avoidance problem, 1149
dynamic constraints, 2853
navigation, 2936
path, 1149
system, 1044
vision, 3039
robotic sensory devices, 1612
robotics, 1044, 1149, 1236, 1394, 2465, 2476, 2570, 2853, 2873, 2904, 3277, 4006
Robshaw, M., 2881
Robson, 96, 1131, 1290, 1323
traversal, 2689
robust, 250, 566, 1020, 2313, 3585, 3598, 3686, 3821, 3888
algorithm, 1972, 3469
centralized certifier based concurrency control, 837
multipriority topology independent transmission schedule, 3152
scheme, 3821
secret sharing scheme, 3598, 3821
robustness, 765, 1422, 1635, 1972
Röck, 4082
Rödl and Thoma, 3433
Roelants van Baronaigien, 2965
Roelants van Baronaigien and Ruskey, 3822, 3915
Gray code, 3822
Roelants van Baronaigien, Dominique, 3877
Roggenbach, Markus, 3773
Rohl, 970
procedure, 970
Rohnert, Hans, 3340
rollback, 543, 1759, 3462
behavior, 3362
lengths, 3362
method, 1759
recovery, 1439, 3861, 3934
time, 1601
rollforward process, 652
ROM sizes, 3429
Romani, 702
algorithm, 2183
Romijn, Judi, 3372
Ron, Dana, 3567
Rondogiannis, P., 3680
rookwise connectedness, 551
root, 7, 101, 164, 166, 507, 845, 1491, 1939, 2385, 2457, 2646, 2866, 2888, 3850
graph, 252, 819
leaf paths, 3382
multiplicity, 2240
needed reduction, 3793
neededness, 3793
root node, 96, 139, 2718, 2723, 2866, 2891, 3850
insertion activity, 1460
root normalizing strategies, 3793
root of a
heap, 2103
polynomial, 445, 507, 2702
root to
frontier, 2832
leaf orientation of edges, 2863
root
vertex, 3667
weight, 788
rooted, 121, 245
DAG, 1347
directed tree, 1745
graph, 1132
labeled trees, 1930
leaf labeled trees, 3153
rooted ordered
binary trees, 969
trees, 2074
rooted
spanning tree, 2940
subtrees, 3932
tree, 101, 166, 392, 567, 764, 1532, 1601, 1688, 1840, 2340, 2341, 2596, 2808, 2863, 3091, 3411, 3932
unlabeled trees, 1930
roots of polynomials, 2457
Rose, 136
Rose, Tarjan, and Lueker, 1354
Rosen, 669, 741, 1101, 1652
equivalence, 741
Rosen, J. Ben, 3724
Rosenberg, 772, 781
Rosenberg, Burton, 3769
Rosenbloom, Arnold, 3464
Rosenbrock
method, 586
type process, 587
Rosenfeld, 578, 749, 989
Rosier and Yen, 1392, 1507
rotated, 589, 1244
rotating
device, 60, 157
disk subsystems, 1591
memory, 60
rotation, 336, 494, 622, 920, 1450, 1504, 1633, 1746, 1816, 1930, 1997, 2570, 2691, 2783, 2965, 3654, 4041
rotation based
arithmetic, 2076
computations for ray tracing, 2076
rotation distance, 1450, 1504, 1746, 1930

rotation distance of
  binary trees, 1504, 1746, 4041
  trees, 1504
rotation
  operation, 2965
  tree transformation, 822, 1450
rotational
  latency, 1591
  position sensing, 1591
  symmetries, 1230
Rote, 3380
Rote, Wang, Woeginger, and Zhu, 2347
Rothe, 3674
Rothe, Jörg, 4067
Roudneff, 3797
  conjecture, 3989
Roudneff, J.-P., 3989
roughly
  sorted, 1903
  synchronized clocks, 2944
round, 2033, 2353, 2875, 3942, 3974
round of
  communication, 797
  message interchanges, 1999
round
  off rule, 158
  optimal, 2827
round to
  even, 158
  odd, 158
rounding, 442, 2533, 4016
  rule, 131
roundoff
  considerations, 18
  error, 793
Roupin, Frédéric, 3472
Roussoupolous, 518
route, 1600
  graph, 1600, 2343, 2602, 2884
  planning problem, 2553
  selection, 3629
routing, 707, 1186, 1566, 1600, 1769, 1803, 1912, 1967, 1975, 1979, 2054, 2123, 2199, 2245, 2265, 2343, 2414, 2469, 2482, 2508, 2580, 2602, 2746, 2783, 2884, 3026, 3209, 3256, 3291, 3361, 3388, 3445, 3580, 3629, 3726, 3805, 3874, 3950, 3979, 4065
  a k-terminal net, 2508
  algorithm, 1089, 2065, 2199, 2381, 2410, 2482, 2571, 2642, 2651, 2783, 2861, 3026, 3097, 3112, 3137, 3141, 3251, 3279, 3291, 3479, 3580, 3726, 4054
  around a rectangle, 2508
  in hypercubes, 2884
  metrics, 3874
  model, 3256
  number, 3256
  of information, 138
  on trees, 3256
  optimization, 711
  path, 2826
routing problem, 711, 1803, 2265, 2372, 2381, 2548, 3716
  with locality, 2450
routing
  schedules, 3256
  scheme, 707, 1186, 1769
  with locality, 2450
row, 2045
  and column retrieval, 1135
  broadcasting, 2696
  column pairs, 4110
  major indexing, 1177
rowwise transform, 498
Roy, 216
Roy, T. Sony, 3368
Rozenberg, 126
RP, 3885
  operator, 2722
RPN, 1964
rpo, 2648
RPS, 1591
  reconnection delay, 1591
RRPG, 1331, 2675
RS index, 324
RSA, 3659, 3835, 3933
  cryptosystem, 3548, 4009
  encryption, 2901
  moduli, 3515
  scheme, 1932
  secret data, 3548
RSA signature, 3659
  computation protocols, 3659
RSMA, 2805
Ružička, Peter, 3733
Rubinstein, Shlomi, 3555, 3774
rudimentary, 1441
  function, 1441
  language, 1625
  reductions, 2272
  relations, 1081
Ruggieri, Salvatore, 3778
rule, 1330
rule based, 2489
  model, 2047
rule for
  assigning release and due dates, 3828
  construction, 836
rule of
  radius at most two, 3352
  routing, 707

rule
probability, 3994
rewriting techniques, 2418
rule/goal graphs, 2418
run generation algorithm, 3415
run length, 383
coded strings, 3055
run length encoding, 1474, 1946
method, 383
run of pixels of the same colour, 1474
run time, 710, 763, 1395, 2235
system, 501
Runge-Kutta methods, 287, 586, 587
running
cost, 103, 493, 546, 631
costs of modules, 546
identity of a concurrent entity, 693
running time, 434, 515, 539, 560, 609, 638, 689, 743, 757, 816, 866, 901, 929, 1066, 1192, 1273, 1300, 1485, 1552, 1576, 1673, 1685, 1760, 1818, 1872, 1884, 1898, 1957, 1997, 2002, 2189, 2300, 2377, 2387, 2416, 2463, 2465, 2575, 2594, 2671, 2683, 2705, 2719, 2763, 2770, 2804, 2872, 2919, 2952, 3154, 3219, 3330, 3344, 3369, 3534, 3624, 3708, 3716, 3794, 3836, 3860, 3896, 3931, 4056, 4082
running time of
algorithms, 1576
an algorithm, 391
runtime, 569, 636, 945, 1126, 1222, 1297, 1817, 2180, 2618, 3743
distribution, 3813
error free, 1492
errors, 945
mechanism, 5
of the Bykat Eddy algorithm, 569
performance, 2688
prediction, 3743
referencing, 5
stack, 511
staging, 2137
system, 1012, 1099
rural Chinese postman algorithm, 2026
Rusinowitch, Michaël, 3015
Ruskey, 969
Ruskey, Frank, 3844
Russell, Alexander, 3539, 4032
Russell, D.L., 270
Russian, 61
Rusu, I., 3537
Ruzicka, 1360
result, 1360
Ruzzo, 2007
Ruzzo, Simon, and Tompa, 1390
relativization, 1390
Ryan, P.Y.A., 3649
Rytter, Wojciech, 3236, 3376
r-coloring, 3450
r-decision lists, 2406
r-error digital search problem, 1952
R-forest, 2871
R-generability, 2363
R-generable, 2363
r-merge, 617
r-parse, 438
R-value, 462

S

S machine experiment, 294
S_0, 1664
S2-APMPOTA(1), 571
S4, 3087
S5, 2572, 3316
Kripke structure, 1417
(s, t) planar network, 729
(s, t)-paths, 3612
S, T-route problem, 1921
SA, 612
sa, 663
SAA, 370
Saab, Youssef, 3120
Saab, Youssef G., 3452
Sabnani, K. and A.T. Dahbura, 2283
SAC, 2818
Saccà, Domenico, 3318
Sacerdote and Tenney, 357
saddleback search, 761
SADT, 3741
Safavi-Naini and Seberry, 3514
safe, 1858
information, 3161
introduction of operations, 3633
lambda terms, 2464
marked graphs, 554
node, 921
ω-regular language, 2086
register, 1721, 1858
sequence, 1317
safety, 418, 962, 1167, 1173, 1176, 1285, 1361, 2029, 2086, 2281, 2282, 2456, 2464, 2700, 2707, 2794, 3418
analysis, 2464
critical systems, 3270
liveness classification, 2456
safety of
a resource allocation, 418
state transition, 418

safety
property, 962, 1173, 1285, 2086, 2210, 2281, 2282, 2700
question, 1167
test, 418, 1050, 1317
safety/security in digital systems, 2881, 2958, 2995, 3030, 3076, 3136, 3308, 3323, 3324, 3430, 3434, 3514, 3598, 3652, 3681, 3690, 3835, 4025
SAGBI basis, 3902, 4063
Sagiv, Delobel, Parker, and Fagin, 1241
Sajeev and Olszewski, 1571
Sajith, G., 3091
Sakakibara, 2375, 2512
algorithm, 2375, 2512
Sakano, Keiichi, 3323
Sakoda and Sipser, 663
Sakoda circle problem, 1293
Sakurai, Kouichi, 3224, 3707
Salhi, A., 3749
Salinier, Bruno, 2949
Salmasizadeh, M., 3606
Salomaa, 68, 201, 1067, 1973
leftmost restriction, 68
system, 1067
Salomaa, A., 193
Salomaa, Arto, 3951
Salomaa, Kai, 3309
SAM, 2038
Samarsky, 81
sample complexity, 2224, 3252
of PAC learning, 3252
sample
graph, 813
path, 1759
sample space, 2872
of shares, 4025
sampling, 211, 416, 2131, 2633, 2987, 3246, 3400, 3993
algorithms, 2987
information, 4125
lemma, 3802
oracle, 2131
period, 691
scheme, 1700
Sanchez, Pedro P., 3833
Sanders, 2297, 2321
theorem, 2297
Sanders, P., 3803
sandwich problem, 3758
Sang, Koo Seo, 3297
Sang, Lyul Min, 3577
Sankoff, 295
algorithm, 295
Santini, Massimo, 3830
Santomo, Alesiano, 3546, 3621
Santoro, 1082, 1438
Santoro, N., 4045
Santoro, Nicola, 3549, 3732
Santos, 1066
Santos, Francisco, 3359
Santos, J., 3501
Saoudi, A., 2860
Saouter, Yannick, 3905
Sardinas, 794
Sardinas and Patterson algorithm, 794
Sardinas-Patterson-Even test, 1008
Sarkar, Chakrabarti, Ghose, and De Sarkar, 2529
Sarkar, U.K. et al., 2382
Sassa, Masataka, 3541
SAT, 1268, 1664, 2098, 2521, 2716, 2731, 3087, 3887, 3966
instances, 2716
#SAT, 2179, 2453
satellite, 2748
satisfaction, 3101, 3418
of functional dependencies, 1626
relation, 3418
satisfiability, 278, 612, 829, 1268, 1286, 1289, 1306, 1417, 1503, 1540, 1570, 1664, 2098, 2371, 2392, 2395, 2442, 2467, 2572, 2589, 2666, 2716, 3063, 3079, 3128, 3237, 3280, 3815, 3966
for S_0, 1289
satisfiability of
a Horn expression, 1628
formulas, 2572
satisfiability problem, 419, 829, 1194, 1268, 1289, 1322, 1417, 1664, 1802, 2098, 2346, 2510, 2572, 2589, 2716, 3063, 3222, 3815, 4068, 4119
satisfiability problem for
formulas, 419
S_1, 1289
satisfiability
problem of propositional logic, 1289, 3815
threshold, 4003
satisfiable, 278, 630, 829, 1503, 1664, 3128, 4003
3CNF formulae, 2442
satisfiable Boolean
function, 538
graph, 538
satisfiable
formulae, 3908
sentences, 1322
satisfying
assignments, 3908
truth assignment, 1540, 2442, 2467
Sato, Tadakazu, 3466, 3718
saturated sets, 3302
saturation, 1617

Savage, 601, 877, 1051
saving space in parallel computation, 1683
Savitch, 664, 1390, 2616
  theorem, 664, 2206, 2253
Saxe, 650, 2548
Saxe and Bentley, 650, 661, 679
Saxe, James B., 454
Saxena, Sanjeev, 3091
SBS tree, 3411
SCAI
  language syntax, 132
  programs, 132
scalability, 3245, 3739
scalable
  performance, 3741
  set, 3245
scalar, 215
  multiplication, 215, 377, 1164
  multiplicative complexity, 436
  numeric variables, 256
  operators, 1056
  product, 443, 786, 953
scale, 3805, 3841
  changes, 522
scaled, 3938
scaled matching, 3938
  problem, 3938
scaled pattern matching, 3938
scaling, 1511, 2691
  technique, 1511
SCAN, 63
scan, 59, 786, 1558, 1633, 1804, 2829, 3115
scan disk, 3101
  scheduling policy, 3101
scan line, 1079
  generation, 59
  graphics system, 59
  method, 3115
  paradigm, 1079
scan
  mark garbage collection, 103
  phase, 2607
  process, 1915, 2528
  protocol, 3653
SCAN rule, 63
scanner, 3653
  generators, 2198
scanning
  list structures, 72
  policies, 63
Scarborough, 158
scatter
  function, 1556
  storage, 222
  table, 244, 4146
scattered context, 482
  grammar, 13, 482, 3074
  language, 13, 482
  normal forms, 68
  rule, 13
scattered grammars, 482
scattering, 2390
  strategy, 244
SCC, 2569, 3523
  recognition, 2569
SCCS, 1678
  process, 1678
scene, 1992, 3693
  analysis, 3888
SCG, 13
Schönhage, 155, 909
  result, 155
Schönherr, Sven, 3811
Schöning, 1542, 3071
Schützenberger, 112, 539, 801
Schach, Stephen R., 3321
Schaefer, 419, 2510
schedulability, 3764
schedule, 185, 288, 402, 504, 519, 560, 611, 639, 648, 868, 977, 1812, 1969, 2133, 2385, 2681, 2831, 3066, 3152, 3256, 3273, 3349, 3583, 3849
  a calling process, 753
schedule length, 1027, 1336, 1602, 3319
  criterion, 1027
schedule of
  cache loads and stores, 1735
  primitive operations, 1261
scheduled, 185, 868, 902, 2133, 2362, 2799, 3022, 3607, 3817
  parallelism, 2133
scheduler, 973, 1176, 1632, 4039
scheduling, 44, 167, 183, 185, 235, 269, 430, 527, 553, 642, 868, 886, 902, 1180, 1280, 1406, 1480, 1557, 1602, 1605, 1735, 1807, 2006, 2133, 2185, 2312, 2362, 2363, 2606, 2624, 2681, 2819, 2910, 2926, 3022, 3066, 3068, 3101, 3146, 3193, 3269, 3314, 3319, 3416, 3461, 3470, 3488, 3553, 3565, 3610, 3660, 3678, 3687, 3804, 3828, 3849, 3903, 3912, 3977, 4024
  a complete k-ary tree, 3319
  algorithm, 44, 185, 288, 611, 973, 1061, 1280
  analysis, 3764
  anomalies, 1632
  chains, 3488
  cyclic tasks, 3678
  decisions, 2628
  dependent and preemptable tasks, 288
  discipline, 368
  file transfers, 1336

scheduling groups of
jobs, 3903
unit length jobs, 3903
scheduling
hard real time periodic task sets, 4049
independent 2-processor tasks, 1027
infinite duration calls, 3193
jobs, 3070
multiprocessor tasks, 2362, 2801, 3565
scheduling of
processes, 44
task systems, 527
unit length independent tasks, 185
scheduling parallel tasks nonpreemptively, 2133
scheduling periodic
and sporadic time critical tasks, 1713
jobs, 868
tasks, 1713
scheduling
periodically occurring tasks, 639
problem, 185, 288, 504, 527, 560, 642, 672, 868, 1038, 1336, 1772, 1812, 3849
programs, 753
real time computations, 2385
rule, 236
sporadic tasks, 1713
strategies, 1239
tasks, 288, 402, 3470
theory, 185, 2624
to meet deadlines, 288, 402
tree structured tasks, 1602
under resource constraints, 402
unit time tasks, 902, 2681
variable sized requests, 3849
with deadlines, 1359
schema, 484, 3212
design, 1626, 1800
hazard, 3176
processing, 3212
schemata equivalence, 741
schematic
properties, 1028
protection model, 1830
rewrite system, 2437
rules, 565
schematology, 3990
SCHEME, 397, 1985
scheme, 195, 378, 603, 708, 721, 741, 1055, 1257, 1421, 1473, 1490, 2258, 2267, 2334, 2447, 2610, 2659, 2712, 2869, 2874, 2875, 2947, 2957, 2998, 3136, 3230, 3274, 3336, 3405, 3467
for concurrent transactions, 300
of recursion, 2589
Schensted, 175
Schieber, Baruch, 3581
Schittenkopf, Christian, 3568
Schlageter, 300
Schlipf, 1962
Schmeck, Hartmut, 1282
Schmeichel, Edward F., 3584
Schmidt and Druffel, 1646
Schmidt, Jeanette P., 2632
Schmitt, 757
Schmitt, Michael, 3333, 3403
Schneider, 735
Schneider, F.B., 2989, 3263, 3372, 3378, 3437, 3475, 3499, 3520, 3586, 3595, 3597, 3613, 3701, 3714, 3747, 3882, 3952
Schneider, Fred B., 1627, 1977
Schneider, S.A., 3649
Schneiderman and Goodman, 919
Schnorr, 479, 636, 1894
algorithm, 636
and Shamir, 2699
bound, 636
random sequence, 3875
Schobbens, P.-Y., 3893
Schoenmakers, Berry, 3484
Scholten, C.S., 3004
Schoor, 918
Schorr-Waite
algorithm, 618
marking algorithm, 618
Schott, R., 3645
Schröder tree, 3645
Schroeder, 3186
Schur
complements, 2334
symmetric functions, 2334
Schwabe, Eric J., 3745
Schwartz, 127, 659
Schwartz and Sharir, 1236
Schwarz, S., 3748
Schwarzkopf, Otfried, 3406, 3582, 3646
scientific
abstracts, 738
computation, 3248
Sciore axioms, 1618
SCL, 13
scope, 27, 2606, 2835
ambiguities, 1229
scope of
a stack, 803
formulae, 1080
label names, 931
scope rules, 190, 975
scope-n local map, 2631
scoping, 500

Scott, 125, 1991
domains, 1995
topology, 1991
Scott, Michael L., 3410
SCP, 2260
SCS, 2855
methods, 2855
SCV, 878
SCW, 1861
surrogate files, 1861
SC-SF, 3664
models, 3664
SD, 899
SDQP, 3642
SDR, 510
SE0L, 1124
systems, 1124
search, 36, 45, 72, 101, 130, 184, 217, 222, 239, 252, 261, 281, 282, 339, 409, 416, 449, 477, 522, 554, 559, 560, 566, 609, 661, 678, 687, 691, 699, 703, 706, 718, 737, 825, 850, 855, 857, 961, 1045, 1112, 1123, 1142, 1147, 1179, 1238, 1272, 1291, 1347, 1357, 1435, 1451, 1690, 1714, 1767, 1802, 1890, 2080, 2094, 2105, 2106, 2174, 2218, 2254, 2275, 2314, 2560, 2671, 2683, 2837, 2855, 2865, 3313, 3315, 3447, 3474, 3551, 3692, 3695, 3710, 3776, 3947, 3986
a sorted list, 703
search algorithm, 282, 691, 754, 1321, 1666, 1690, 2237, 3899
of Fredmann, 939
search
based computations, 1041
commands, 477
cost, 656, 2654, 3776
direction, 1731
distance, 2013
efficiency, 1690, 1841
effort, 2688
search for a
key, 1112
rational number, 409
search
for rationals, 385
key, 566
length, 1112
loci, 422
method, 101, 226, 2174
number, 3710
operation, 3474
operators, 1696
ordered tables, 282
ordering, 691
path, 1435, 2553
performance, 1724, 1750
problem, 226, 281, 1192, 1197, 1802, 1809, 2013, 2358, 2553, 2719, 3288
procedure, 409
process, 45, 1696, 2105
radius, 2013
rearrangement, 1809
space, 1347, 1696, 1767, 2174, 2420
speedup, 3776
strategy, 45, 108, 239, 1347, 1953, 4040
structure, 2080
techniques, 2613
time, 271, 422, 687, 1460, 2230, 3313, 3899
tree, 153, 822, 1435, 1646, 1658, 2000, 2164, 2254, 2288, 2950, 2967, 3405, 3966, 4037
trees with restricted maximal height, 184
tries, 194
version of SAT, 1802
with positive switch cost, 1147
searched key, 1142
searcher, 2275, 3277, 3710
& fugitive, 3277
searching, 8, 53, 194, 203, 206, 222, 226, 282, 312, 346, 427, 449, 454, 503, 559, 565, 566, 650, 662, 678, 679, 687, 691, 718, 721, 748, 754, 774, 785, 791, 825, 855, 859, 895, 1112, 1123, 1290, 1306, 1321, 1347, 1666, 1714, 1861, 1928, 2105, 2115, 2174, 2332, 2559, 2657, 2784, 2855, 2946, 3313, 3474, 3579, 3677, 3876, 3986, 4040
a graph, 2306
algorithm, 422, 661, 721, 1296
complexity, 1491
graphs, 2174
searching in
partial ordered sets, 1928
$X + Y$, 1928
searching
on secondary keys, 718
phase, 737
problem, 454, 533, 650, 661, 662, 721, 1245, 2106, 3638
problems for multidimensional point sets, 679
strategy, 4040
the index, 203
with errors, 4040
SEC, 1705
Secher, Jens Peter, 3623
second level, 1390, 1407, 1962, 2827, 3282
of the polynomial time hierarchy, 1255
second
nearest vertex, 1533
normal form, 1487

second order, 3302, 4061
  algorithm, 1126
  curve, 2076
  derivative information, 1731
  information, 1731
  linear recurrence, 1865
  logic, 1555, 2510, 3276
  nonlinear differential equations, 1207
  predicates, 1194
  sentences, 1555
  substitution, 794
  surface, 2076
  unification, 4061
  variables, 4061
second shortest path, 3576
secondary
  array, 271
  database storage, 1663
  keys, 194
secondary memory, 2455, 2489, 3313
  device, 280
secondary signal, 4
secondary storage, 566, 718, 791, 1724, 1730, 2041, 3601
  accesses, 1804
  device, 1730
secondary text files, 737
secret, 437, 3136, 3434
  information, 734, 2298
secret key, 885, 3393, 3835, 3956, 4042
  agreement, 3634
  cipher, 3393
  exchange, 3634
secret
  message, 4135
  multicast, 3655
secret reconstruction, 3110
  protocol, 3110
secret set, 3655, 4025, 4091
  schemes, 4091
secret
  shadow space, 2958
  shadows, 2958
secret sharing, 1473, 3110, 3324, 3434, 3551, 3598, 3652, 3948
  policy, 3110
  scheme, 3110, 3324, 3434, 3551, 3598, 3652, 3821, 3879, 3948, 4025
secret value, 3821
secure, 437, 1098, 2712, 2995, 2998, 3430, 3505, 3635, 3649, 3881, 3922, 3925, 4046, 4091
  authentication scheme, 3681
  communications, 2991
  concurrency control, 3690
  designs, 3881
  digital mobile communications, 2712
secure information
  retrieval, 437
  storage, 437
  systems, 437
secure
  multiversion concurrency control mechanism, 3690
  system, 31, 1098
security, 31, 426, 437, 562, 610, 681, 682, 957, 993, 1098, 1145, 1532, 1830, 2405, 2496, 2576, 2827, 3021, 3175, 3190, 3428, 3505, 3649, 3655, 3922, 3925, 4042
  against cheaters, 3821
  class, 1532
  in digital systems, 2818, 2991, 3132, 3145, 3186, 3190, 3230, 3522, 3532
  measures, 31
  model of Bell and LaPadula, 1098
  models, 1098
security of
  a system, 681
  multiplexer generators, 3923
  SPLICE/AS, 2998
security of the
  exponentiation function, 3021
  Lucas function, 3021
  Tseng-Jan group signature schemes, 4137
security
  parameter, 1932
  problem, 31, 426, 473
  related communication standards, 3906
  risks in statistical databases, 1302
  theorem, 1098
  violation, 31
  with efficiency problem, 1012
Sedgewick, 858, 1753, 1957
  theoretical lower bound, 858
  transformation, 1753
  version of quicksort, 2096
Sedjelmaci, Mohamed S., 3443
seed
  binary matrix, 1093
  matrices, 1093
  matrix, 1093
seek
  distance, 2089, 3254, 3492
  time, 3265, 3492
Segal, Michael, 3663
segment, 609, 612, 633, 658, 746, 845, 876, 933, 1030, 1052, 1106, 1149, 1171, 1193, 1267, 1431, 1440, 1515, 1882, 2013, 2071, 2091, 2264, 2332, 2417, 2678, 2799, 2853, 3317, 3380, 3389, 3683, 3692, 3807, 3860
  address, 933
segment dragging, 2083
  problem, 2083

segment
intersection, 3317
merging, 2799
of finite length, 1149
on the plane, 1052
tree, 1079, 1171, 1883
segmentation, 817, 933, 3700
for complex systems, 21
segmented
allocation problem, 612
store, 612
segmenting, 21
scheme, 21
segments with largest relative overlap, 2332
Seidl, Helmut, 2937, 3381
SELECT, 553
selectable collisions, 3132
selecting
Chinese postman algorithm, 3692
information, 26
the k largest, 2175
selection, 346, 581, 1042, 1087, 1111, 1113, 1273, 1509, 1517, 1685, 1928, 2022, 2825, 3185, 3350, 3896, 3987, 4043
algorithm, 346, 581, 2217, 2825, 2990
criteria, 1053, 1598
fairness, 1420
function, 799
method, 581
selection of
good algorithms, 283
index terms, 917
reductions, 26
selection
problem, 860, 1538, 1685, 2825, 3350
procedure, 1053
selective
merging, 3944
resetting, 2293
selectivity, 3118
selector, 1454
values, 644
self, 2066
application, 1934
object, 2180
selfadjusting, 1714, 2164, 3315
data structures, 1633, 2829, 3484
hash tables, 1142, 1714
linear list algorithm, 3315
lists, 3315
multiway search trees, 2164
structures, 1142
trees, 1953
selfapplication, 2137
selfapproaching strategy, 3862
selfchecking number, 325
selfconsistent, 1902
operations, 100
selfcontained, 681
selfembedding, 1096
selfembedding property, 1096
of term rewriting systems, 1096
selfindexed search algorithm, 3899
selfintersecting polygons, 380
selfintersection, 380
selflabelling technique, 3760
selfloop, 136, 299, 590, 1212, 1472, 1568, 1835, 2026, 2336, 2593, 3477
selfmodification of instruction addresses, 1169
selfmodifying
finite automaton, 3195, 4002
program, 1781
selfoptimizing, 1781
Prolog program, 1781
selforganizing, 1724, 3783
automaton, 864, 1293
selforganizing data, 1142
structures, 691
selforganizing
heuristic, 691, 1724
maps, 3783
selfoverlap free, 3453
selfprefix problem, 2664
selfproving construction, 73
selfrecreating binary trees, 3484
selfreducibility, 1894, 3118
selfreducible, 3144
paddable, 3144
selfreferential
Kolmogorov complexity, 1622
structures, 2528
selfrepairing programming system, 45
selfreproducing configurations, 75
selfreproduction, 75
selfresolution, 1792
rule, 1792
selfrouting networks, 2724
selfscheduling coroutines, 196
selfsimilar input traffic, 4073
selfstabilization, 410, 1369, 1635, 1980, 1998, 2285, 2351, 2446, 2799, 2802, 3084, 3096, 3119, 3378, 3701, 3747, 4034, 4086
selfstabilizing, 410, 2226, 2333, 2351, 2446, 2451, 2799, 2807, 3378, 4086
selfstabilizing algorithm, 1980, 2226, 2333, 2446, 2799, 3270, 3378, 4034
for finding a maximal matching, 2446
selfstabilizing
binary phase clock protocol, 3701
depth first search, 2807

selfstabilizing (*cont.*)
dining philosophers algorithm, 2351
leader election, 3378
mutual exclusion algorithm, 2799, 3270
property, 2333
protocol, 2351, 3096
serial model programs, 3747
system, 410, 1635, 2285, 2351, 3270
selfsubstitution, 1865
selftesting, 1027
programs, 3448
selftesting/self correcting programs, 3448
selftype, 2066, 2180
Selivanov plus hierarchy, 3705
Selkow, 71
Selkow, Stanley, 3447
Sellers, Peter H., 2632
Selman, 1894
semantic
analysis, 1311, 1367, 1515
approach, 1515, 2077
assertions, 191
basis, 2297
constraints, 1626
semantic data
modelling, 3390
models, 787
semantic definition, 544, 1674, 1856
of side effects, 191
semantic
description, 239
descriptor, 2249
domain, 1642
equations, 1788, 1991
equivalence parsing, 1229
evaluator, 3025
expressions, 2326
functions, 3432
implications, 1571
inclusion degree, 3999
independence, 2250, 2985
semantic information, 779
processing, 45
semantic
models, 1101
net, 181
phenomena, 1367
problem, 1367
processing, 273, 376
semantic properties, 196, 1028
of programs, 192
semantic
rule, 273, 1331
space, 3999
semantic specification
of the APL operators, 786
techniques, 544
semantic
target language, 928
vector space model, 3958
semantical, 2046
relations, 278
specifications, 278
semantically, 600, 2985
independent, 2250
related logics, 3616
semantics, 24, 239, 284, 544, 604, 625, 629, 634, 779, 782, 786, 830, 928, 1021, 1101, 1111, 1173, 1278, 1285, 1367, 1506, 1515, 1535, 1642, 1788, 1793, 1856, 1881, 1991, 2249, 2269, 2402, 2456, 2458, 2459, 2514, 2563, 2572, 2590, 2649, 2666, 2672, 2700, 2733, 2839, 3349, 3404, 3616, 3813
based, 2137, 3349
directed compilation, 2137
for logic programs, 2839
language, 24
semantics of a
declarative language, 1409
language, 1111
program, 2269
semantics of a programming language, 1372
construct, 298
semantics of a
recursive language, 243
simple language, 1278
semantics of
cause effect structures, 1535
commands, 1793
concurrency, 1067
concurrent programs, 604
cons, 2707
inheritance networks, 2649
jumps, 1793
message passing, 1319
P and V operations, 1158
PASCAL, 191
processed information, 278
programming languages, 159, 370
programs, 1422
recursive definitions, 782
recursively defined functions, 1372
sequential programming languages, 928
source information, 278
statecharts, 2120
SUBSTAD, 321
the programming language CORAL, 66, 191
weak semaphores, 1446

semantics preserving translations, 2342
semaphore, 227, 235, 254, 307, 404, 406, 470, 995, 1111, 1120, 1158, 1176, 1266, 1280, 1446
  arrays, 86, 254
  invariant method, 1286
semaphore operations, 406, 686, 1263
  P and V, 686
semaphore primitives, 43, 1176
  of Dijkstra, 86
semaphore
  queue, 1176
  value, 43
  variables, 43, 1176
semelective VLSI circuits, 2107
semelectivity, 2107
semibranching bisimulation, 3300
semicommutation, 1468
semiconductor circuits, 605
semicoroutine, 196, 1138
semidecidable, 122
semidefinite programming, 3698
semidynamic, 1171
  routing schemes, 707
  rules, 707
semifinite strip, 1435
semifree edges, 4071
semigroup, 1368, 1810, 1946, 2268
  computations, 1810
  problem, 1368
semihomogeneous routing algorithms, 2482
semilinear, 726
  property, 113, 951
  set, 113, 356, 726
semilinearity, 951
seminaive
  bottom up evaluation, 2679
  evaluation, 2679, 2692
semirandom source, 3451
semiring, 199, 820, 1312, 1582, 1603, 1640, 3213, 3789
  morphisms, 3213
semiring of
  formal power series, 399
  power series, 3213
semistrong coloring, 2902
semitree, 2150
semi-algebraic
  objects, 2043
  set, 2043
semi-analytical solution, 529
semi-extended regular expressions, 516
semi-implicit Runge-Kutta methods, 287, 586, 587
semi-infinite rectangular slab, 622
semi-join, 742, 1084, 1870, 1907
  algorithm, 1907
  operations, 1084
  reduction program, 1084
  theory, 1870
semi-Thue system, 1166, 2511
semi-unification, 2938, 3019
Sen, A., 2381
Sen, Ranjan K., 3109
Sen, Ranjan Kumar, 3955
sender, 1721, 3681
Sengupta, Abhijit, 3837
Sengupta, Anirvan, 3513
Sengupta, Rimli, 3520
sense of direction, 1224, 1627, 3493, 3549, 3644, 4121
sensitive, 701, 893, 1126, 1418, 2438, 4113
  complexity, 1424
  information, 984
sensitivity, 49, 3355, 3589, 3819, 4099
sensitivity analysis, 765, 1292
  problem, 765
sensitivity of a Boolean circuit, 3589
Sentance and Cliff, 783
sentence
  generator, 1069
  patterns, 1059
sentential form, 56, 169, 263, 284, 720, 750, 1331, 2522
Seok, Hee Hong, 3462
Seongtaek, Chee, 3672, 3859
SEP, 1229
separability, 1914, 3011
  measures, 143
  of classes, 143
separable
  convex polygons, 987
  permutation, 3487, 3694
separate compilation, 1200
  facility, 1200
separated, 592, 763, 965, 3011, 3131, 3646
  matching, 816
separately, 178
separates, 2245, 3011
separating
  line segments, 3646
  oracles, 1622
  set, 168
  strings, 1719
separation, 2054, 2424, 2954
  by a straight line, 204
  constraints, 2385
separation of
  complexity classes, 2424
  concerns, 579
separation problem, 2385
separator, 14, 383, 988, 1354, 1514, 1516, 1610, 1624, 1869, 2504, 3082, 3646
  theorem, 1514, 1516

sequence, 107, 2271, 2294, 3706
  alignment, 3931
  analysis, 3085
sequence comparison, 1943, 2023, 2170, 3054
  algorithm, 2023
sequence
  complexity, 3465
  matching, 1943
sequence of
  actions, 307, 3920
  angles, 1741
  assignment instructions, 82
  edges, 101
  equations, 591
  exterior angles, 1741
  free cells, 83
  increasing functions, 11
  integers, 265, 373, 1594, 1957, 3890
  nodes, 139
  non-path steps, 110
  numbers, 1797
  operators and operands, , 453
  parentheses, 2598
  positive integers, 1253
  prefix preserving Lyndon words, 2828
  procedure invocations, 1017
  productions, 438
  symbols, 3371
  vertices, 889
  words, 107
sequence
  splitting, 1112
  to sequence recursiveness, 159
sequencer, 1793
sequencing, 29, 430, 1831, 2407, 2919, 3660
  of processes, 575
  primitives, 29
  rules, 63
  tasks, 611
sequent symmetry multiprocessor, 2538
sequential, 85
sequential access, 1658
  method, 203
sequential
  algorithm, 728, 978, 986, 1884, 1947, 1955, 1961, 2146, 2359, 2605, 2670, 2873, 2932, 3301, 3425, 3749, 3817, 4078
  allocation, 114, 2509
  array, 244
  atomic shared multiwriter variable, 2451
  calculus, 3002
  circuits, 2, 4
  composition, 275, 1111, 1929, 1934, 2060, 3353
  computation, 1603
  concurrent process, 190
  control, 1494
  decomposition in cosets, 3894
  evaluation strategies, 1101
sequential execution, 556
  time, 3423
sequential
  files, 1238
  forms of data representation, 99
  implementation, 1900
  integer sorting, 2036
  languages, 3007
  lists, 387
sequential machine, 348, 476, 520, 1996
  decomposition, 162
  maps, 396
sequential
  median, 2825
  merging, 2825
sequential models, 1702
  of computation, 1371, 2699
sequential
  ordering, 236
  part, 1111
  pattern matching, 1558
  processes, 568, 698, 838, 995
  processing, 6, 1037, 1772
sequential program, 604, 950, 962, 1653
  design, 4070
  machine, 396
  semantics, 1909
sequential
  ravel order, 1056
  recording, 258
  retrieval, 203
sequential rewriting, 572
  systems, 572
sequential search, 282, 1045, 1724, 3398
  strategy, 449
sequential
  searching, 691
  segment of memory, 2816
  simulation, 2686
  solutions, 783
  sorting algorithms, 1942
  stable matching algorithm, 1955
  storage scheme, 1658
  string matching, 2671
  systems, 275, 2676
sequential time, 1203, 1354, 2215
  algorithm, 2152
  complexity, 1353, 1722, 2181
sequential
  timestamp, 2451
  transformation process, 741
  writing traversal array acceptor, 749
sequentiality, 640, 2676, 3425, 3435, 3793

SERE, 516
Sere, K., 3397
Sereno, Matteo, 3845
serial, 420
  algorithm, 1315, 4128
  implementation, 1896
  instruction multiple data associative processor, 477
  number, 156
  SJRPS, 1084
  storage, 264
  time, 526, 1896
serializability, 1023, 1326, 1456, 2147, 2150, 2842, 2917, 3583
  of database transactions, 2458
  theorem, 2842
serializable, 1337
  schedule, 3583, 3690
serialization, 1023, 3462
  graph, 2842
  order, 3578
serializer, 1807
series expansion, 223
series parallel, 3620
  graphs, 1221, 2743, 3748, 3955
Serlin, 868
Serna, M., 2383
server, 280, 1075, 1831, 2117, 2171, 2216, 2298, 2934, 3038, 3540, 3564, 3659, 3684, 3841, 3906, 4066, 4100
server aided
  computation, 3659
  protocols, 3659
  RSA signature, 3659
server problem, 2117, 2171, 3261, 4066
service distribution, 57
service time
  distribution SCV, 878
  distributions, 878
servicing
  requests, 63
  system, 57
session problem, 3613
set
  constraints, 3827, 4062
  controls, 993
  cover, 3636
set covering, 1963, 2755, 3408
  problem, 1963, 2260, 2755, 3658
set
  difference problem, 1092
  disjointness problem, 1846
  expressions, 4062
set intersection, 516, 2165
  problem, 1092, 1545, 2165
set
  manipulation, 268
  notation, 644
set of
  arcs, 2546, 2705, 4027
  articulation, 1926
  attributes, 372, 388, 608, 634, 1377, 1626, 3221
  binary relations, 4145
  clauses, 1187, 1204, 1330, 1733, 2514, 3079
  closed formulae, 257
  connectives, 1782
  constraints, 76, 647, 771, 1365, 1370
  defining relations, 1129
  dependencies, 700, 771, 996, 2449
  descendants, 1303
  disjoint isothetic rectangles, 2535
set of edges, 101, 128, 165, 252, 266, 299, 403, 425, 469, 508, 564, 705, 978, 983, 1062, 1315, 1514, 1722, 1749, 1787, 2556, 3192, 3680
  and nodes, 3523
set of
  equalities, 541
  factors, 3772
  firing sequences, 67
  generators, 259, 1119, 1129
  high information density, 3182
  identical processors, 185
set of infinite
  sequences, 188
  trees, 2017
set of
  integers, 222, 407, 655, 1135, 1963
  intervals, 2003, 2408
  lines, 163, 2221, 3646
  logical conditions, 370
  measurements, 36
  multisets, 1489
  natural numbers, 222, 1378, 1820, 2526, 4051
  operators, 370, 795, 2519
  overlapping rectangular objects, 1755
  productions, 263, 720, 750, 1643, 1722, 1988
  queries, 61
  relations, 388
  rewrite rules, 1910
  rules, 477, 2333, 3692, 3753
  square numbers, 3449
  terminal words, 683
  terms, 33, 514, 1910, 3976
  trees, 3827, 4062
set of vertices, 69, 101, 128, 136, 170, 252, 266, 299, 403, 564, 642, 673, 702, 736, 873, 1062, 1221, 1315, 1518, 1537, 1749, 1835, 2377, 3967
  of a simple polygon, 1414

set of words, 3, 1959, 2375, 2512, 2844
  containing a square, 699
set operations, 212, 407, 503, 3735
  on polygons, 2359
set
  operators, 4062
  partitioning, 471
  partitions, 247
  splitting, 3698
set theoretic, 575, 1241, 1642, 2250, 3219
  algorithms, 3544
  model of polymorphism, 1642
  operators, 1237
  problems, 1237
set
  theorist, 644
  theory, 644, 1237, 1642
set union, 471, 2140
  find algorithm, 240
  problem, 471, 597, 1092, 2061, 2140, 2375
set up costs, 560
Sethi, 1456
Sethi, Bhupinder S., 3888
SETL, 251, 644
setup
  costs, 4024
  optimization problem, 2500
  time, 4024
Seunhun, Jung, 3804
SEW, 1705
sewing problem, 593
Seynhaeve et al., 3827
Sgall, Jiří, 3553
shadow, 2958, 3110
shadowed
  disk systems, 3492
  disks, 3492
Shafransky, Yakov M., 3610
Shaker sort, 1594
Shallit, Jeffrey, 3343
shallow
  binding, 500
  Boolean circuits, 2024
Shamir, 144, 674, 924, 2560, 3835
Shamir and Beeri, 144
Shamir and Snir, 2796
  lower bounds, 2796
Shamir
  RSA for paranoids, 3835
  threshold scheme, 643, 760
Shamir, Adi, 3835
Shamos, 204, 350, 517, 552, 870, 1374, 1412
Shamos and Hoey, 517, 2013
Shamos and Honey, 422
Shangzhi, Sun, 3724
Shanker, 2615
Shannon, 3393
  entropy, 36
  expression for entropy, 173
  mutual information, 36
shape, 93, 97, 2594
  distribution of height balanced trees, 926
shape of
  a convex polygon, 1236
  subtrees, 3682
Shapiro, 524
Shapley, 1955
Shared abstract data types, 3741
shared
  address spaces, 817
  authentication token, 3505
  bus, 1617, 3042
shared data, 654
  base, 333
  items, 1874
  structures, 3741
shared environment closure reducers, 3163
shared list
  cell, 384
  structure, 384
shared memory, 721, 759, 1290, 1617, 1858, 1874, 1936, 2006, 2042, 2094, 2218, 2302, 2409, 2562, 2567, 2971, 3119, 3137, 3260, 3613, 3653, 3741, 3744
  computer, 1354, 2030, 2302
  distributed systems, 3613
  environment, 2767
  machine, 1379, 2538
  model, 759, 986, 1539, 1900, 2567
  models of parallel computation, 2562
  multiprocessors, 3137
  processor design, 2042
  programs, 3065
  scheme, 721
shared memory SIMD
  computers, 2302
  model, 759, 1455
shared memory systems, 3653
shared object, 1709, 3975
  implementation, 3975
shared
  random coins, 3986
  read/write registers, 1858
  register, 1589, 1709, 1721, 2138, 2567
  resource, 1062, 1305, 3732
  secret keys, 3906
  storage multiprocessor system, 530
  variable, 1305, 1446, 2138, 2158, 2451, 3831

sharing, 42, 111, 1688
assignment, 1482
special purpose resources, 1954
Sharir, 2784
Sharir, Micha, 3317
sharp
complexity bounds, 1392
lower bound, 3434
Sharp, David, 3628
sharpened triangle inequality, 4117
shattering long line segments, 3646
Shaw, 879
Shaw, Woei Wu, 3838
Shaw-Traub
algorithm, 97
family of algorithms, 97
Shearer, 3311
shearing
effect, 551, 749, 989
problem, 989
Shearsort, 2123
Shelf algorithms, 3575
Shell, 431, 1594, 1957
Shell sort, 431, 1465, 1594, 1957
increment sequences, 1957
running time, 1957
Shell version of the insertion sort, 580
Shende, Sunil M., 3801
Sherman, Alan T., 3634
Shiau and Yang, 3662
Shiau, Shyue-Horng,, 3399
Shibata, Yukio, 3442
Shidlovsky, B., 3601
Shidlovsky, Boris, 3312
shift, 420, 2456, 2783, 3688, 3915
graph, 3688
operation, 3688
shift or pattern matching algorithm, 2855
of Baeza-Yates and Gonnet, 2855
shift reduce
algorithm, 169, 263
parser, 2329
parsing algorithms, 302, 362
shift register, 52, 264, 420, 3606, 3923
shift/reduce conflicts, 1144
shifted, 602, 2198, 2783
circularly, 576
Shikishima-Tsuji, Kayoko, 3453
Shiloach, 494, 576, 2058
Shiloach and Vishkin, 728, 1315, 2408
Shimony, Solomon E., 3386
Shimozono, Shinichi, 3730
Shin, Chan-Su, 3725, 3810, 4026
Shin, Sung-Yong, 3722
Shinohara, 2231
Shinohara, Ayumi, 3730
Shirazi, Asaf, 3653
Shmueli, Oded, 3684, 3703
Shmuely, 3925
Shodai, 2007
Shoens, Kurt, 3684
Shokrollahi, M.A., 3641
Shonkwiler, R., 3603
Shor, 4114
shore, 857
short
circuit evaluation, 1636
configurations, 696
cycles, 3010
ear decomposition, 3945
interactive proof, 1407
Job first, 2840
word lengths, 50
shortest, 367
addition chain, 1118
addition/subtraction chain, 1118
alternating path, 1185
and quickest path, 2826
average length, 1497
closed walk, 1705
shortest common supersequence, 2170
problem, 2170
shortest common superstring, 2524
problem, 2524
shortest diagonal, 1827, 2426
problem, 1827
shortest
distance, 583, 965, 1137, 3425
edit script, 2023
enclosing walks, 1705
even paths, 1185
guard diagonal, 4127
Hamiltonian path, 3365
shortest lattice vector, 3468
problem, 3468
shortest
linear organization, 525
maximal cycle basis, 3048
obstacle avoiding path, 1599
odd path, 1185
odd/even path, 1185
shortest path, 367, 459, 616, 765, 905, 1013, 1121, 1137, 1262, 1364, 1546, 1614, 1835, 2142, 2182, 2248, 2311, 2602, 2629, 2701, 2761, 2893, 2940, 3272, 3382, 3576, 3691, 3761, 3780, 3874, 3950, 4054
algorithm, 367, 2761
computations, 2667
finding graph algorithms, 1860
for a ladder, 1779
length, 2936

shortest path (*cont.*)
metrics, 3431
of an object among obstacles, 1779
problem, 367, 616, 723, 724, 1275, 1603, 2575, 2667
problems under constraint, 1614
queries, 2182, 3272
routing algorithms, 4054
tree, 765, 1292, 2940
under constraint, 1614
shortest paths, 199, 249, 583, 702, 1052, 1185, 1262, 1546, 1779, 1826, 1834, 1860, 2593, 2667, 2730, 2861, 2891, 2940, 3147, 3272, 3301, 3348, 3425, 3545, 3576, 3629, 3724, 3780, 3805, 3870
in a graph, 199
problem, 2546, 3147
shortest
pattern, 3970
periodic subsequence, 265
remaining Job first, 2840
shortest routing, 3251
algorithm, 3479
shortest
spanning tree algorithm, 367
subgraph, 1823
shortest superstring, 2524
approximation, 2919
problem, 2919
shortest
tree, 2618
vector problem, 3961
vectors in a lattice, 3961
vertical segment, 1671
watchtower, 1671
Shortt, 626
Shoudai and Miyano, 2299
shouting communication mode, 3971
Shuffle, 3357
shuffle, 879, 995, 3357
shuffle closure, 879, 995, 1449, 2355
hierarchy, 2027
operator, 1577, 2027
shuffle exchange, 291, 352, 659, 1186, 1242, 1252
graph, 1252, 2475, 2599
interconnection network, 1186
network, 291, 352, 659, 1186, 2123, 2699
steps, 659
shuffle
expressions, 2027
language, 1449, 1577
network, 2724
operation, 879
operator, 1449, 1577, 2027, 2355
product, 1085
resistant coding, 2027
shuffled row major
indexing, 1177
PE indexing, 1177
SI, 428
cover, 1078
Sibeyn and Kaufmann, 3979
side effect, 191, 958, 1679
free, 972
Sieling, Detlef, 3781
sieve of Eratosthenes, 3344
sifting, 4083
sight, 1921
sigma algebra, 945
Σ_2^{P}, 1255
Σ_2^{P}, 3705
Σ_3^{P}, 3705
Σ_n-completeness, 2611
σ-transformation, 1526
sigmoid
network, 2650
neural networks, 2650
neuron, 2650
sign
detection, 2833, 2901
messages, 4042
signal, 19
signal of
request, 430
termination, 430
signal
processing, 1005, 1445, 1765, 2073, 2148
routing, 2054
signal/wait statements, 1807
signalling, 735
signature, 610, 775, 945, 1958, 2666, 3435, 3587, 3614, 3659, 3686, 3788, 3840, 4089, 4134
entropy, 4089
signature file, 3435, 3664, 4089
declustering method, 4089
method, 3664
models, 3664
signature
of operations, 370
organization, 3435
schemes, 3956
system, 610
signcryption, 3840
schemes, 3840
signed, 1055
signer, 3871
Sijtsma, 1995
Siklossy, 96
SIL, 532
Sil/2 programming language, 189
Silberschatz, 735
Silberschatz, Abraham, 3485

silent, 2295
  actions, 2295
Siler
  probability function, 1616
  recursive function, 1616
silicon
  area, 1005
  chip, 672, 2245
  compilers, 1684
Silicon Graphics challenge multiprocessor, 3410
Silvestri, Riccardo, 3469, 3571
SIMD, 2030, 2148, 2218, 2302, 2315
  architectures, 1983, 2395
  computer, 1177, 1997
SIMD hypercube, 2315
  multiprocessors, 2148
SIMD
  integer matrix multiplication algorithm, 1603
  machine, 659, 950, 1847, 2101, 2577
  manner, 1603
  matrix multiplication algorithm, 1603
  model, 1396
  parallel computation, 1603
  processor, 477
  shared memory model, 1115
Simeone, B., 665
similarity, 428, 467, 1726, 1930, 3060, 3848, 4119
  based search, 4028
  coefficients, 20
  matching, 2660
  measure, 822, 917, 1888, 1982, 2276
similarity of
  dendrograms, 822
  matrices, 1726
  polygons, 336, 451, 467
  polynomial configurations, 2691
similarity
  relation, 4094
  retrieval, 3614, 4119
similarity search, 4028
  algorithms, 4098
Simon, 767, 1007, 2671, 3252
  string searching algorithm, 2671
Simon, J., 3743
SIMPLE, 3149
simple, 3507, 3517, 3524, 3531, 3542, 3548, 3576, 3580, 3585, 3692, 3711, 3849
  algebras, 1642
  arrangement, 3797
  blocks, 5
simple circuit, 136, 1127
  in a graph, 1127
simple
  comparison model, 1045
  connected graph, 3650
simple context, 1265
  free languages, 378
simple
  cycle, 731
  cycles of length at least, 3, 731
simple deterministic, 680
  algorithm, 3328
  context free languages, 1301
  language, 680
  NTS languages, 680
simple
  duplex links, 3026
  expression grammar, 1360
  graph, 3159
  homomorphisms, 3418
  machine, 29
simple matrix
  grammar, 330, 2112
  languages, 2112, 3988
simple max partition problem, 1495
simple model, 117
  of query scheduling, 553
simple
  n-gon, 1970
  n-sided polygon, 350
  oriented polygonal curve, 1741
simple PAC, 4031
  model, 3766, 4031
simple
  parser, 263
  path, 101, 505, 1315, 1357, 1828, 1912, 2299, 2602, 2708, 2826, 4007
  Petri nets, 86
  polygon, 350, 380, 512, 677, 774, 856, 1267, 1364, 1389, 1530, 1739, 1741, 1860, 2075, 2182, 2331, 2337, 2384, 2426, 2706, 3117, 3365, 3375, 3531, 3693, 3710, 3892, 4127
  polygons in the plane, 1364, 3582
  polyline, 1389
  PRAM, 3600
simple precedence, 302
  grammars, 362
simple
  queries in chain networks, 1084
  query, 447, 1084
  roots, 2240
  rules, 2476
  star, 1722
  undirected graph, 1455, 3450, 3529, 3530, 3737
simplex
  algorithm, 1192, 3177
  method, 2771, 4044
  searching, 2638
simplicial
  vertex, 136, 4077
  vertices of a graph, 4077

simplicity, 97
simplification, 490, 1667
  of DOL systems, 313
  ordering, 514, 2068, 2771
  problem, 692
simplifier, 1667
simplifying assumptions, 746
simply typed λ-calculus, 2552
Simpson, L., 3606
SIMULA, 196
Simula, 1655
Simula^{TM}, 2180
simulate a global clock, 2204
simulated, 182
simulated annealing, 1548, 2111, 2601
  algorithm, 1548, 3370
simulating, 716, 909, 2676, 3044
simulating a
  computer system, 142
  recursion bottom up or top down, 1753
simulating
  circular attribute grammars, 1867
  hardware, 142
simulation, 47, 119, 142, 182, 211, 269, 294, 664, 696, 716, 751, 814, 818, 836, 878, 883, 894, 909, 927, 964, 1037, 1047, 1065, 1141, 1142, 1156, 1233, 1379, 1399, 1574, 1617, 1702, 1755, 1759, 1843, 1868, 1902, 1954, 2210, 2212, 2338, 2418, 2451, 2530, 2599, 2683, 2686, 2814, 2959, 2962, 3031, 3060, 3127, 3407, 3408, 3447, 3847, 3865, 3934, 3935
  algorithm, 276
  by single head tape units, 1168
  comparisons, 878
  experiment, 16, 475, 818, 4089
  maps, 307
  model, 142
simulation of
  2DPDA, 547
  2dpda(k), 909
  2npda(k), 814
  circuits, 1986
  large networks, 1651
  one-way two-head nondeterministic finite automata, 1065
  PRAMs with scan primitives, 3847
  space and reversal bounded deterministic Turing machines, 1379
  two-head finite automata, 1640
simulation
  relation, 2210
  results, 142, 691, 878, 1047, 2571, 2829
  scheme, 1596
  series, 1037
  strategies, 3044
  studies, 142
  time, 1596
  via functions, 2972
simultaneity, 1473
simultaneous, 249, 980, 1176, 1473, 1942, 2298, 3110, 3378
  access of shared resources, 1617
  accessibility, 666
  activation, 1535
  broadcast in the presence of faults, 1473
  broadcasts, 2642
  entries, 2323
  memory, 777
  passivation, 1535
  reading, 1133, 1455
  reads, 1231, 1350
  recursion, 11
  resource bounds, 1379, 1525
  subset sum problem, 2677
  updating, 300
  writes, 1231, 1350
  writing, 1133
Singh, Ambuj, 3820
single
  attribute retrieval, 221
  buffering, 1385
  character searching, 2855
single class
  closed queuing networks, 1075
  customers, 806
single
  connectedness, 4007
  entry graph, 88
  function coarsest set partition, 2389
  hashing, 373
  head tape units, 1168
  headed disks, 3492
  instruction multiple data stream, 2218
single instruction stream, 259
  computation, 259
  multiple data stream, 1603
single jog minimum area, 2682
single key
  cryptosystem, 643
  file organizations, 2080
  operation, 2080
single layer
  layout, 1161
  routing, 3320
single letter alphabet, 1139, 1866
single link
  clustering, 916
  hierarchic clustering method, 916
  method, 916

single machine
failure, 2084
problems, 1180
single machine scheduling, 3828
problem, 3416
single
most vital edge problem, 3425
node scattering, 3445
nonterminal, 683
point crossover, 3212
single probe
lookup strategy, 1196
table lookup strategies, 1196
single
process transient faults, 4034
processor, 3416, 4049
qubit gates, 4114
query environment, 553
recursive rule, 1843
single reset
language, 1277
tape, 1277
single resource, 3607
scheduling problem, 3607
task systems, 3912
single
reversal machine, 1277
round multiprover model, 3299
row routing, 1803, 2265
rule programs, 2523
server queue, 806
source shortest paths, 2575
single state, 2210
deterministic pushdown automaton, 378
single step
graph searching problem, 2306
search, 2275
searchable, 2275
single
tree languages, 4029
vertex dominators, 3013
writer register, 1858
singleton
complete set of E-unifiers, 1543
coterie, 2869
singly connected, 4007
singly linked list, 2829
representation, 972
singly rooted tree of context nodes, 139
singular matrix, 81
Sinha, Rakesh K., 3847
Sinha, Santanu, 3516
Sinharoy, Balaram, 2462
sink, 375, 1762
finding, 781
node, 2108, 2783
vertex, 3748
sinking automaton, 848
on infinite trees, 848
Sipser, 663, 967, 2776
reversed simulation, 2776
Sistla and Clarke, 4140
Sistla, Vardi, and Wolper, 2008
site, 1374, 1712, 2835, 2838, 3853
of procedure calls, 1817
site/link failures, 2838
situation, 170
Six and Wood, 774
size, 2596
bound, 1105, 1680
depth tradeoff, 2781, 3373
index computation, 1655
size of
a drawing, 3666
description, 663
domains, 1080, 1235
linear circuits, 4088
logic circuits, 751
projections, 762
resolution proofs, 1925
size of the
description of a finite automaton, 663
inaccessible set, 1302
sized subset, 1545
SJR, 742
SJRP, 1084
skeleton, 3208, 3892, 4097
$\sqrt{}$-skeleton, 3208
skeptical semantics, 2649
skew, 2455
hierarchies, 916
sort, 2129
skewed
access patterns, 1724
distributions, 1300
skewing scheme, 524, 2410
Skillicorn, D.B., 3423
skinny trees, 3992
skip
list data structure, 2230
lists, 2230
Sklansky, 380, 512
Skolem
functions, 2672
term, 1480
Skolemization, 1670
Skordev, 535
language, 535
skyline problem, 1992
Skyum and Valiant, 1693

Skyum, Sven, 3557
SL, 799
  resolution, 799
slab method, 509
Slavík, Petr, 3636
Sld
  derivation, 2443
  refutation, 2443
SLD resolution, 1557, 2269
  like inference rule, 2572
Sld tree, 2443
SLDNF, 2443
Sldnf, 2443
  derivation, 2443
  refutation, 2443
  tree deal, 2443
Sleator and Tarjan, 2164, 2195
Sleator, D.D. and R.E. Tarjan, 2129, 2558
Sleator, Tarjan, and Thurston, 1504, 1746
Sleep and Holmström proposal, 1214
slender languages, 3988
slice, 356, 950, 1654
  concept, 356
  function, 3464
slicer, 950
slicing, 950, 1654, 3215
  algorithm, 3215
slicing of
  an L-systems, 193
  derivation theorems, 201
slicing properties in K-iteration grammars, 193
sliding window, 2671
Slisenko, 1197, 1722
SLM, 1090
Sloan, Robert H., 3067
slope percentile, 250
slope selection, 2232
  problem, 2674
Slot and van Emde Boas, 1196
slotted access protocol, 2048
slow memory, 906
slowly growing function, 1401, 2388
SLR(1) parsers, 1775
SLR(k), 747
  covering, 2141, 2191
  grammar, 2141
Slutzki, Giora, 3125
sm grammar, 330
SM
  queue, 280
  SIMD computers, 2302
small
  computer, 38
  degree of nondeterminism, 2038
  depth AND-OR circuit, 3594
  diameter, 550, 2746
  universal constant, 2715
smallest
  circle, 328, 3016
  circuit, 949
  covering hypersphere, 1854
  depth formula, 435
  element, 346, 581, 617, 1685, 3907
smallest enclosing circle, 2104, 3016
  problem, 1192
smallest
  enclosing ellipses, 3811
  identity, 2035
  modulus, 4116
  overall weight, 1539
  sized subset, 2165
Smalltalk 80^{TM}, 2180
Smaltalk, 1655
smart next fit algorithm, 1773
SMART system, 61
SMCB problem, 3048
SMFA, 3195
SMG, 2806
Smid, Michiel, 3638, 3857
Smith, 3222
Smith and Lennon, 3021
  canonical form, 1726
  parallel depth first search algorithm, 1648
Smith, J.L., 280
Smith, W., 2426
SMk, 1872
SMM, 1539, 1900
smooth, 901
  curve, 66, 2853
  modular inverse, 2167
  nondecreasing integer function, 2097
smoothness, 901, 1513, 2149
  assumption, 172
  function, 2149
smoothsort, 842, 901, 2247
SMP, 1495, 3744
SMT, 1217, 2400
SMT$_d(n)$, 2400
Smullyan, 1441
snake, 2699
snake like
  order, 1893
  row major indexing, 1177
snapshot, 1413, 1813, 2150, 2458, 2547
  algorithm, 1413
  memory, 3653
  problem, 3285
Snelick, Robert, 3065
Snir, 2350
Snobol, 4, 244

SNP complete, 2088, 2809
  problems, 2809
Snyder, 2400
Snyder, Timothy Law, 2190
SOAPL, 440
social sciences, 147
soft precedence, 26
  method, 26
software, 21, 31
  control, 1874
  crisis, 1169
  data paging, 21
  design, 1642, 3027, 3935, 4070
software development, 1642, 3633
  tool, 972
software devices, 105
software engineering, 414, 1914, 1971, 2047, 2304, 2317, 2733, 3027, 3103, 3113, 3128, 3246, 3321, 3396, 3633, 3750, 4070
  tools, 454
software
  equations, 1071
  failure, 1611
  maintenance, 2774
  methodologies, 1169
software metric, 1071, 2612, 3409
  design, 3409
software modules, 1063
software packages, 142
  for data compression, 1497
software
  paging subsystem, 21
  physics, 453
  portability, 1169
  production management, 237
  products, 1071, 2846, 3677
  reliability, 105, 118, 355, 934, 1053, 1286, 1391, 1662, 2113
  science, 453
  specification, 120, 296, 1642
  systems, 251, 370, 1642, 1919, 2550, 2718
  testing, 1053, 1598, 3030, 3246, 3408
  transport system, 1169
  transportation, 1169
  validation, 1642, 1914, 2550
Soisalon-Soininen, 1198
Sokolowski, 804
  criterion for context free languages, 804
Sollin algorithm, 165
Solovay and Strassen, 767
solution, 7, 39, 96, 111, 136
  accuracy, 3225, 3833
  of equations, 46
  patterns, 1258
  quality, 2314
  space, 1355
  strategies, 754
solutions of nonconsistent systems of linear algebraic equations, 81
solvability, 30, 1609
solvability of
  deadlock, 575
  formal termination, 501
  search problems, 1197
solvability of the
  macro problem, 501
  ranking problem, 1609
solvability
  of word equations, 3020
  proof, 501
solvable, 1213, 2008
solvable in
  NC, 2299
  O(n) time, 3828
  polynomial time, 419, 478, 526, 884, 1771, 1891, 1912, 2154, 2518, 2572, 3063, 3460, 3796, 3977
solvable
  nondeterministically in polynomial time, 1887
  without conditionals, 86
solving
  a system of n linear equations in n unknowns, 623
  algebraically, 507
  crossword puzzles, 45
  linear equations in dimension two, 1240
  systems of difference equations, 48
SOM, 3783
Son et al., 3859
son trees, 521
Song, Shibin, 4073
Soo, Hak Sung, 3473, 3672, 3859
Soon, M. Chung, 3349
Sorenson and Jebelean k-ary reduction algorithms, 4015
Sorenson, Jonathan, 3344
Sorri, L., 3696
sort algorithms, 329
sort based, 1804
  algorithm, 1140
sort based join, 1804
  algorithm, 1804
sort
  expressions, 945
  key values, 2455
  operation, 137, 1140
  time, 329
sort/merge external sort, 1182
sorted
  linear array, 212
  list, 503, 566, 703, 728, 3635

sorted (*cont.*)
matrices, 1928, 3350
matrix, 3350
n-vectors of reals, 1928
point set, 1488
subsets, 1296
sorter, 715
sorting, 40, 53, 90, 91, 92, 102, 109, 137, 219, 306, 312, 431, 445, 503, 517, 552, 557, 559, 570, 580, 656, 715, 728, 757, 784, 807, 858, 860, 901, 956, 959, 1016, 1087, 1095, 1140, 1163, 1177, 1201, 1228, 1296, 1356, 1376, 1385, 1397, 1438, 1465, 1517, 1525, 1594, 1620, 1701, 1706, 1766, 1801, 1804, 1878, 1880, 1884, 1893, 1903, 1928, 1942, 1954, 1957, 2063, 2064, 2123, 2155, 2221, 2234, 2236, 2247, 2322, 2409, 2450, 2455, 2471, 2577, 2601, 2699, 3207, 3351, 3412, 3415, 3635, 3777, 3918, 3930, 4125, 4144
a linked list, 858
algorithm, 40, 102, 329, 358, 359, 487, 557, 570, 580, 638, 757, 796, 901, 1222, 1465, 1594, 1885, 1957, 2053, 2064, 2123, 2236, 2322, 2399, 2747, 3918
sorting by
comparison, 570
distribution, 570, 1801
distributive partitioning, 358
sorting in
linear expected time, 840
situ, 901
sorting integers, 2699
of polynomial magnitude, 1766
sorting
keys, 617
method of Dobosiewicz, 757
methods, 306, 329
multisets, 3777
n real numbers, 1376
network, 1095, 1177, 1465, 1594, 1814, 1880, 2856, 3207
numbers, 840, 1376
on a mesh, 2699
permutations, 3412
presorted sequences, 1885
problem, 99, 306, 358, 715, 1163, 1177, 2020, 2471
program, 715, 2129
programs, 6
roughly sorted sequences in parallel, 1903
sequences, 180
task, 1385, 2236
time, 1942, 3930
tree, 272
SOS, 2459
semantics, 3813
SOS style, 3770
Sotteau, D. and J. Rowley, 2903
sound and complete, 899, 2876, 3006, 3316
algorithm, 2521
formal system, 3825
procedure, 4076
proof systems, 2060
query evaluation, 2249
set of inference rules, 1021
sound and jointly complete, 1399
sound characterization of
safety, 2029
the liveness property, 2029
sound
derivation, 2269
formal system F, 1134
machine structure, 29
proof system, 480
solution, 1670
temporal logic, 1480
soundness, 1478, 2443, 2734, 2907, 3006, 3188, 3714
and completeness results, 2077
soundness of
reasoning, 1639
the UNITY logic, 2734
source, 230, 375, 1762
code interpreters, 1558
destination pairs, 3034
graph, 2548
information, 278, 782
node, 836, 2108, 2421, 2652, 2757, 2758, 3591, 3716, 3724, 3726
polygon, 1364
program, 202, 1169, 3201
vertex, 3748
Soyer, Refik, 3833
sp machine, 396
languages, 396
space, 259
and reversal bounded Turing machines, 1379
space and time, 117, 808, 1318
consuming, 1010
overhead, 1440
space bound
complexity classes, 4004
on the auxiliary worktape, 1657
space bounded, 205, 1866, 2752, 3031
space bounded alternating, 1866
Turing machine, 1866
space bounded
computation, 1613, 2206, 2473, 2616, 2752
environments, 2621
space bounded nondeterministic
1-inkdot Turing machines, 2752
Turing machines, 1390, 2752

space bounded
oracle models, 2206
relativizations, 1390
space
bounds, 664, 2772
classes, 2882
space complexity, 245, 246, 458, 516, 593, 740, 1216, 1251, 1262, 1264, 1378, 1491, 1550, 1702, 1866, 1871, 2096, 2230, 2261, 2262, 2399, 2833, 2927, 2996, 3413, 3937, 3975, 4004
classes, 3851
space complexity of
CVP, 526
decision problems, 2262
linear programming, 411
pebble games on trees, 563
recursive algorithms, 458
space
constructible function, 1378
declaration, 259
efficiency, 1208
space efficient
algorithm, 526, 2236
distributive sort, 2096
implementation, 458, 1056
space
measures, 1702
of functions, 266
optimality, 1373
overhead, 1257, 3435
partition algorithm, 2535
reduction method, 2174
requirement, 72, 290, 643, 760, 808, 1079, 1171, 1208, 1683, 1861, 2800, 3340, 3930
time product, 366
usage, 4004
spacefilling curves, 959
space-time, 338, 2487
complexity of unmerging, 1438
integral, 1735
model, 2487
product, 338
trade off, 407
tradeoffs, 733
spacing of a difference net, 48
span, 1164
spanner, 2922, 3529, 3530
spanners with small dilation, 3530
spanning, 1823
arborescence, 308
branching, 392
forest, 813, 1566
paths, 3855
pseudoforest, 1559
subforest, 854
subgraph, 252, 854, 2248, 2299, 3529, 3530, 3673
spanning tree, 101, 121, 138, 165, 308, 317, 367, 392, 567, 704, 765, 810, 986, 1231, 1260, 1345, 1508, 1554, 1566, 1835, 1939, 2150, 2226, 2248, 2889, 2935, 2940, 2992, 3178, 3257, 3354, 3436, 3547, 3549, 3592, 3715, 4039, 4051, 4094
algorithm, 367, 1260, 1835, 2807
generation, 4039
of a graph, 101
problem, 308, 2735, 2935, 2992, 3000, 3178, 3354, 3715
spanning trees, 138, 240, 308, 505, 704, 887, 1201, 1508, 2226, 2248, 2429, 2580, 2935, 2992, 3526, 3547, 3592, 3680, 3850, 3992, 4051
with restricted degrees, 4051
SpanP, 2870
functions, 2870
spare, 1385
augmented architecture, 2948
input buffer, 1385
sparse, 136, 422, 2975, 3182, 3245
Boolean matrices, 540
case sets, 3405
derivations, 614
sparse dominance
queries, 3642
query problem, 3642
sparse
extensions, 2754
graphs, 165, 843, 1220, 2705, 2759, 4102
maps, 853
matrices, 136, 540, 833, 852, 918, 1126, 2850
sparse matrix, 1514, 2850, 3183
multiplication, 833, 918
representation, 1126, 4079
techniques, 287
vector multiplication, 2850
sparse
near neighbours, 219
networks, 2754
sparse oracle, 1622
sets, 1877
sparse oracles, 1622
separating NP from P, 1622
sparse
permutation graphs, 2122
polynomials, 3098
sparse set, 880, 1877, 1887, 1894, 2645, 2954, 3071, 3182, 3525, 3887, 4005
in NP, 880

sparse
spanners, 2922
subgraphs, 3737
sparse symmetric
differences, 3071
matrix, 1514
sparse
system of linear equations, 504
tables, 939
sparseness, 1887, 3525, 4005
property, 4005
SPARSER, 384
sparsification, 2822
sparsity, 1082, 1632
condition, 301
spatial
addressing, 522
data structures, 1937, 2800
model, 522
spatial modelling, 522
system, 522
spatial
reasoning, 3614
regularity, 3888
relations, 2242
relationships, 2242, 3614
structure of images, 4096
special classes, 2426
special classes of
graphs, 353, 1859, 1961, 2448, 2743, 3347, 3458
matrices, 540
polygons, 2075
special
factor, 1563
functions, 1954
matrix multiplication problems, 1164
special purpose
resources, 1954
sorters, 1517
specialization, 1961, 3270
order, 1991
specializer, 2137
species, 2719
specification, 6, 278, 496, 513, 544, 560, 620, 775, 786, 787, 846, 891, 1059, 1138, 1298, 1306, 1333, 1399, 1402, 1520, 1598, 1679, 1709, 1798, 1831, 1844, 2047, 2198, 2210, 2255, 2281, 2282, 2458, 2459, 2550, 2563, 2641, 2655, 2787, 2817, 2867, 3009, 3633, 3714, 3921, 4070, 4096
and verification of concurrent systems, 2219, 2458
formalisms, 2452, 2787
language, 1461, 2001, 2100, 2120, 2294, 2304, 2326, 2459, 2653, 2787, 3002, 3036, 3050, 3099, 3138, 3316, 3353, 3390, 3586, 3873, 3880, 3921
mechanism, 157
methodology, 2029, 2281, 2282
specification of a
program, 1598
programming language, 284
query, 447
specification of abstract data types, 412
specification of database
dynamics, 787
integrity constraints, 787
specification of
distributed systems, 2029
explicit parallelism, 106
minimaxing, 1320
objects, 55
parallel problems, 430
parallely iterated processes, 995
programs, 1520
the behavior of shared objects, 1709
specification
oriented semantics, 2563
technique, 1709
specifying concurrent
processes, 995
systems, 2459
specifying programming languages, 1331
spectral, 2546
characterization, 3939, 4093
techniques, 4113
spectrum, 2136, 2456, 3449
of complexity classes, 849
speech
recognition, 1906
understanding system, 384
speed, 2476, 3056
of copying, 1868
speedup, 211, 547, 1203, 1287, 1307, 1376, 1954, 2125, 2300, 2305, 2538, 2686, 4023, 4078
algorithms, 1837
techniques, 1837
spell checking, 2844
spelling correction, 2844
Speranza, M.G., 2801, 3470
Speranza, Maria Grazia, 3687
Sperner systems, 2869
sphere, 1696
algorithm, 1854
packing, 2400
spider
factory, 466
production, 466

Spielman, D.A., 3641
Spilker, Heike, 3332
spin
  glasses, 3830
  lock, 2742
Spira, 877, 2847
spiral storage, 1658
SPJ, 3703
SPL, 237
splay trees, 1504, 2164, 2558
splaying, 2558
SPLICE/AS, 2998, 3532
splicing, 3352
  operation, 3352
  rule, 3352
  systems, 3352
spline modelling, 172
split binary semaphore, 404, 406, 1158
split graph, 1040, 1127, 1221, 1961, 2740, 3040
  recognition algorithm, 3040
split
  key, 2080
  sequence, 1112, 1714
split sequence hash
  search, 1112, 1714
  tables, 1714
splitgraph, 3090
splitmerge, 1225
splitsort, 2236
splitting
  and merging, 687
  field, 155
  in linear hashing, 1658
  irreducible graph nodes, 88
sporadic task, 1713
Spork, Maz, 3623
SPP, 2954, 3908
SPR, 1954
spread, 718, 1197, 3764
spring model, 1738
SPRT subsequence algorithms, 3960
spurious message generation, 3669
square, 442, 571, 841, 1106, 1244, 2702, 2973, 3566
square array
  inputs, 571
  languages, 571
square arrays, 1490
square containing, 1106
  strings, 1106
square free, 730, 869, 1106, 1563, 2152
  D0L language, 730
  decomposition of polynomials, 2240
  elements, 1211
  graphs, 3229
  languages, 869
  morphism, 915, 3640
  polynomial equation, 507
  words, 915, 1070, 1211, 3072
square
  grid, 953, 3566
  in a word, 699
  lower bounds, 1156
square mesh
  computers, 2727
  connected array, 1177
square
  operation, 4139
  problem, 841
  root algorithm, 3429
  rooting, 3429
  time, 1156
squared coefficient of variation, 878
squaring, 2619
SR, 264, 420, 1809
Sridharan, N.S., 149
Srikanth and Toueg, 1857
Srinivasan, Bala, 3310
SRM, 2174
SS, 2676
SSPACE, 3570
SSS*, 892, 2688
  procedure, 892
SSSP problem, 2575
stabbing, 876, 1863
  c-oriented polygons, 876
stabbing number, 876, 2960
  queries, 876
stability, 287, 545, 858, 940, 2570, 3829, 4069
  condition, 1384
stability of
  a priority queue, 1384
  faithful morphisms under pushouts, 4069
  the parallel solution, 783
stability problem, 287
stabilization, 172, 2676, 2943, 4039
stabilizer, 344, 2365
stabilizing, 1998, 3701
  observers, 2943
  phase clocks, 3084
  unison, 1998
stable, 932, 1971
  algorithm, 638
  linked list quicksort, 858
stable marriage, 881, 992, 1727
  problem, 881, 992, 1143, 1335
stable matching, 1955
  algorithm, 1955
  problem, 1955
stable merging, 638, 1225
  algorithm, 1225
stable minimum storage sorting algorithm, 102, 638

stable model, 3318
  semantics, 2269
stable property, 1413
stable rounding, 131, 158
  rule, 158
stable set, 1787, 2223, 3460
  problem, 1787
stable
  sort, 102
  sorting algorithm, 638
  storage, 4090
  unmerging, 1438
stack, 27, 28, 35, 62, 72, 96, 152, 175, 176, 230, 243, 340, 387, 539, 547, 696, 716, 803, 808, 814, 890, 955, 972, 999, 1012, 1068, 1111, 1216, 1290, 1389, 1809, 1832, 1997, 2159, 2194, 2221, 2480, 2509, 2675, 2768, 2816, 3877, 3927, 3954, 3992, 4081
  algorithms, 1276
  allocation, 1436
  automaton, 999
  bounded, 814
  configuration, 998
  data abstraction, 972
stack elimination, 547
  technique, 547
stack
  free copying, 176
  height, 539, 1499
  implementation, 500, 1012
  like container data type, 3927
  manipulating programs, 716
  motion, 1499
  of cellular arrays, 593
  permutations, 2598
  probability distribution, 890
stack size, 1832
  of an ordered tree, 1832
stack
  symbol, 112, 696, 1499
  system, 501
stacking conflict, 2675
STAD, 1654
Staiger, Ludwig, 3325
staircase
  profile, 2609
  shape, 2054
  shaped contour, 2267
standard
  algorithm, 97, 833
  characterization, 2880
  cost model, 3622
  deterministic methods, 46
  deviation, 703, 821
  form, 1777
  internal merging, 1385
  interpretation mechanism, 683
  method, 3233, 3302
  multiset ordering, 1489
  operations, 256
  problems, 2665
  procedure, 501
  representation of a tree, 62
  semantics, 2348
  Sturmian words, 3092
  texts, 1216
Stănică, Pantelimon, 3420
star, 245, 1722, 3291, 4097
  configuration, 3522
star connected, 3291
  cycles, 3291
star
  cutset lemma, 1904
  cutsets, 1904
star free, 3234
  expressions, 3704
  language, 463, 3234
star graph, 478, 1544, 1722, 2222, 2414, 2571, 2583, 2630, 2745, 2746, 2780, 3168, 3209, 3427, 3524, 3752, 3799, 3812, 3850, 4027
  interconnection network, 2745, 2780
  topology, 2414, 3738
star
  interconnection network, 3427, 3752
  network, 1706, 2602
  operation, 94, 874
  polygon, 2273
  problem, 2502
star shaped, 1267
  polygon, 1267, 3862
star structure, 3620
star subgraph, 245, 371
  rooted in T, 245
star topology, 2222
starry transduction, 1572
start
  formula, 2017
  node, 538
  permit, 430
  round of broadcasting, 2875
  state, 2017, 2279
  symbol, 438, 1988, 2512
starting string, 77
starvation, 345, 575, 1018, 1266, 2113, 2728, 2840, 3690
starvation free
  secure multiversion concurrency control, 3690
  solution, 406, 1266
starvation
  freedom, 2477
  prevention, 345

STAR-100, 214
state, 178
  change, 119
  complexity, 2466, 3307
  dependent failure mechanisms, 1662
  function, 2325, 3881
  grammars, 68
  graph, 236, 1738
  merging, 3944
  oriented program, 2585
  preservation, 4090
  signals, 19
state space, 1272, 1422, 1696, 1700, 3356, 3784, 3992
  form, 19
  model of an automaton, 19
  representation, 108
state transformations, 396
state transition, 1607
  diagrams, 554
  rule, 1788
state variables, 2787
statechart, 2120
statement, 8, 12
  coverage criteria, 1598
static
  agents, 3986
  analysis, 3142, 3750
  checking, 710
  data structure, 662
  dictionary, 3346
  filtering, 2692
  filters, 2692
  hazard, 2931
  optimality theorem, 2164
  optimization algorithm, 273
  parallel computation, 2822
  point location data structures, 2097
  problem of elasticity, 89
static program
  checking, 3921
  slicing, 3215
  testing, 1329
static
  scheduling, 3678
  scoping, 500, 2707
  semantics, 134
  to dynamic transformations, 3820
  topologies, 1617
static type
  checking, 2066, 2180
  of constraint, 1650
statically, 945, 1971, 3142
  assignable index, 5
  inferring a, 3161
  related, 5
  restricted, 710
  scoped higher order language, 2707
  structured, 679
  typed object oriented languages, 2180
stationary, 2142, 2853
  distribution, 1548, 1700
  line segment obstacles, 2142
  Markov chain, 756
  obstacles, 2142, 2853
  sphere, 22
statistical, 839, 1080, 1235, 3206
  aggregates, 984
  average, 265
  characteristics of a database, 984
  confidence, 179
  confidentiality, 3430
  database, 426, 473, 984, 993, 1302
statistical delay
  analysis, 4073
  bound, 4073
statistical estimation, 46, 1080, 2916, 3030
  for Monte Carlo inversion, 46
statistical estimation procedure, 46
  of Anderssen and Seneta, 46
statistical
  estimators, 250
  failure probability, 3030
  information, 426
  mechanics, 1890
  method, 839, 1781
  model, 146, 197, 839, 1781
  moments, 4075
  pattern recognition problems, 36
  properties, 38, 2881
  querying, 426
  screening, 3065
statistically, 1960
  independent, 1497
  significant words, 33
statistics, 250, 384, 892, 908, 1087, 1759, 2313, 3030, 3371, 3374
  of a string, 3480
status, 957
Stearns, 378
Stearns and Hartmanis, 188
Stearns, Hartmanis, and Lewis, 1550
Steel, J.M. and A.C. Yao, 2274
Steiger, William, 3028
Stein, M.L., 285
Steiner, 3658
Steiner distance, 3129
  hereditary, 3129
Steiner
  forest problem, 2843
  minimal tree, 1217, 1537

Steiner (*cont.*)
minimum trees, 3864
points, 1217, 3864, 4122
problem, 1823, 2723, 3114
Steiner problem in
directed graphs, 2723
graphs, 1537, 2172
Steiner
problem on networks, 1823
set, 2352, 3181
subsets, 2352
Steiner tree, 1345, 1537, 1675, 1823, 2095, 2172, 2264, 2618, 2735, 3114, 4122
approximation algorithm, 2172
problem, 2618, 2698, 2735, 2843, 3864
Steiner triple
covering problem, 3658
system, 2412, 3658
Steiner, George, 3458
Steinhaus problem, 860
Steinhaus, Hugo, 860
Stem, 1763
Stemann, V., 3641
stemming, 2660
stencil
path, 218
tree, 218
step counting functions, 670
stepwise
refinement, 237, 618, 2282, 2703, 3633
simulation, 1734
Sterbini, Andrea, 3173, 3561, 3794
stereo isometry, 428
stereo matching, 3554, 3615
problem, 3554, 3615
Stewart, 1014, 3570
Stewart, I.A., 3868
Stewart, Iain A., 3445
Stewart, Lorna, 3574
stiff differential equations, 287, 446, 586, 587
stiffness, 586
Stillman, 675
Stinson, 3879
Stinson, D.R., 3400, 3879
Stirk, Charles, 3401
Stirling, 2363
numbers of the second kind, 2763
stochastic
analysis, 3212
context free grammars, 3994
data acquisition systems, 52
deterministic regular tree grammars, 3848
dominance, 3265
game, 3224
grammars, 3848
location, 3289
marked graphs, 2806
optimality, 3265
Petri nets, 4138
process, 805
rule, 707
stochastic search, 416
method, 2837
stochastic
system, 1759
tree grammars, 3848
Stockman, 892
result, 892
Stockmeyer, 436
Stoer-Wagner
algorithm, 3949
min cut algorithm, 3949
Stoica, Ion, 3607
Stokes' law, 22
Stolcke, 3994
Stoller and Schneider, 3595
Stone, 141, 493, 659
stop and copy, 2646
garbage collector, 2646
stop lists, 33
stopping
criterion, 3833
times, 1415
storage, 5, 16, 27, 45, 82, 102, 103, 152, 157, 187, 1208, 1768, 3235
storage allocation, 5, 83, 152, 189, 612, 808, 1440, 1655, 2816, 3171
problem, 612
strategies, 117
storage
and retrieval of future events, 1233
area, 152, 1037
bounds, 973
capacity, 52, 546, 738, 2055
cells, 35, 1131
costs, 652, 2835
device, 31, 1037
directors, 1591
econom, 293
efficient data structure, 3310
for consecutive retrieval, 525
hierarchy, 1735
locations, 187, 536, 576, 772, 962
management, 397, 1012, 1436, 1735, 2576, 2646
method, 3737
modification machine, 1702
storage of
coefficients, 141
information, 1330
storage optimization, 224
problems, 224

storage
redundancy, 525
requirement, 14, 52, 104, 221, 309, 407, 525, 546, 803, 973, 1030, 1037, 1300, 1421, 2688
storage scheme, 427
for height balanced trees, 365
storage segments, 1440
storage size, 117, 1997
selection problem, 1031
storage space, 187, 309, 458, 772, 1030, 1126, 1232, 1460, 1915, 2161, 2687, 3031
requirement, 187, 633
storage
strategies, 687
tape alphabet size, 4004
utilisation, 1073
utilization, 1234, 1460, 1658, 2491, 3231
store, 1097
keeper, 83
requirements, 115
Storer, James A., 3358
storing, 447, 2092, 3474
a company business records, 721
storing data, 139, 1049
items, 1177
storing
information, 203
matrices on disk, 1135
Storlind, Robert, 3237
Storwick, 668
STP-MSPBEL, 3864
Strachey, 462, 710
straight insertion sort, 796, 1222
straight line, 808, 2435, 3561, 3767
algorithms, 215, 808
computer programs, 393
drawing, 3262, 4097
dual, 1431
graph, 1827
grid drawing, 3258, 3561
microcode segments, 1090
planar graph, 517
programs, 82, 445, 694, 1240
segment, 1149, 1193, 1401, 1815, 2075, 3080
straight lines, 467, 1002, 1149, 3797
of infinite length, 1149
straight
merge sorting, 617
order, 88
Strassen, 155, 283, 351, 377, 1271
algorithm, 701, 793
asymptotic result, 351
bound, 540
Strassen matrix multiplication, 793
algorithm, 15
Strassen
method, 342, 377
methods for fast matrix arithmetic, 199
result, 377, 461
strategic
knowledge, 364
placement, 170
strategy, 364, 3793
stratified
context unification, 4068
Datalog, 2662
programs, 2692
trees, 939
Straubing, 3798
stream cipher, 2881, 3473
applications, 4075
encryption, 3881
stream contraction, 2270
stream distribution, 3597
algorithm, 3597
stream enciphering, 1093
stream of
offers, 1298
pseudocodes, 495
STREAM parallel logic languages, 2431
stream processing, 1502, 1558
functions, 928
stream velocity, 22
streams of reactions, 1298
Streett, 2655
automaton, 2655
Streinu, Ileana, 3028
strength, 2790, 3655
strength of
a network, 2790
connectedness, 20
construction schemes, 1283
stretchability, 3797
strict 2-threshold, 3073
strict avalanche
characteristics, 2818
criterion, 2818, 2979, 3263, 3420, 4150
strict
combinators, 1358
final state serializability, 1456
hierarchy, 1130, 3035
interpretations, 683
reduction, 3668
SCCS process, 1678
serializability, 1456
view serializability, 1456
strictly
antitone, 1930
concave, 1206

strictly (*cont.*)
convex, 1206
fair language, 1678
rudimentary relations, 1081
second shortest paths, 3576
serial SJRP, 1084
stronger orderings on multisets, 1489
strictness, 1358, 1592, 2242, 2348, 3161
analysis, 1592, 1995, 2348, 3161
properties, 1592
Strijk, Tycho, 3860
string, 13, 77, 1194, 1982, 2341, 3128, 3518, 3614, 3767, 3844, 3899, 3931, 4087
algorithms, 3371, 3439
alignment algorithms, 3931
compaction, 1558
comparison, 576, 3412
correction, 1982
covers, 2851
division, 1950
edit distance, 3055
grammars, 989
language, 922, 1950
string matching, 182, 276, 685, 737, 1179, 1230, 1232, 1371, 1479, 1568, 1840, 1872, 2106, 2215, 2301, 2341, 2345, 2551, 2554, 2559, 2664, 2671, 2695, 2774, 2795, 3122, 3313, 3579, 3631
algorithm, 1958, 2215, 2695
methods, 2215
problem, 290, 2301, 2664
with mismatches, 3122, 3334
string matchings with gaps, 2106
string of
symbols, 12, 290
terms, 33
updates, 859
string pattern, 737, 1024
matching, 1840
string prefix matching
algorithms, 2664
problem, 2664
string processing
applications, 1988
programming languages, 737
string rewriting, 1363, 3020
system, 482, 1363, 2522, 3453
string search, 615, 1003
problem, 615
string searching, 1958, 2855, 3313, 3334, 3371
algorithms, 1024
string
selfprefix problem, 2664
similarity, 1943, 2660
superprimitivity test, 2551
text, 1024
string to string correction
problem, 671, 822, 1982
techniques, 1982
string
to string editing problem, 1943
transducers, 2078
trees, 138
without squares, 1106
strip, 3575
algorithm, 689
strip packing, 3575
problem, 3575
STRONG ASPACE, 2752
Strong, 669
strong bisimulation, 2134
equivalence, 2981
strong chains, 3488
strong component, 110, 764
decomposition tree, 764
detection, 2959
strong components, 110, 764, 929, 2959, 4081
detection, 2959
strong
connectedness, 2546
connectivity, 15, 2260
correctness, 632
digraph, 986
elimination ordering, 3661
strong equivalence, 331, 771, 2402, 2578, 3519
between, 2578
problem for monadic recursion schemes, 378
strong
fairness, 973, 3372
implementation, 406
induction, 1630, 1820
invariance, 2157
linear orderings, 425
strong LL(1)
grammar, 690
parsers, 457, 690
strong LL(k), 457
parsing, 457
strong
minimal change property, 1058
modes of space complexity, 3851
nonsingularity, 2334
normalization, 3302
strong NP
hard, 1812
hardness, 1044, 1472
STRONG NSPACE, 2752
strong NSPACE, 1871
strong order, 425
strong orientation, 986, 1115
problem, 1133

strong
perfect graph conjecture, 1904, 3045
precedence relation, 3977
strong regularity, 3911
of matrices, 719
strong
semaphore, 1280
sequentiality, 2676, 2949, 3753, 3793
strict two phase locking, 2917
tree relations, 3977
type system, 1989
strong typing, 465
languages, 465
strong upper bounds, 1905
stronger, 392, 457
strongest postcondition, 134
calculus, 846
strongest resource invariant, 1286
strongly balanced Boolean functions, 3939
strongly chordal, 2588
graph, 1221, 2484, 2588, 2766, 3661, 3697, 3870, 3928
strongly competitive
online algorithm, 3577
randomized algorithm, 3577
strongly connected, 15, 88, 374, 1133, 1651, 1725, 2260, 2571, 2806, 3584, 4027
component, 15, 101, 374, 419, 1133, 1220, 1733, 2569, 2759, 3523, 4081
components of a digraph, 15
digraph, 764, 2546, 2663
graph, 374, 1220, 2806
region, 88
strongly equivalent, 378, 771, 2578
Petri net, 2578
strongly fair
language, 1678
scheduling algorithm, 973
strongly
needed redexes, 3753
normalizing, 2552, 3916
strongly NP
complete, 2362, 3610, 3660
hard, 1602, 1760, 3610, 3678, 3748
strongly polynomial, 1338, 3625
algorithm, 1359
minimum cost flow algorithm of Tardos, 1338
time, 1783, 2698
strongly
reducible, 2258
regular, 3911
strongly sequential, 3753
term rewriting systems, 2676
TRS, 3753
strongly
space bounded, 1388
typed languages, 465
where oblivious, 977
structural analysis, 229
structural complexity, 513, 715
theory, 2882
structural
data, 2512
descriptions, 2512
engineering, 3155
structural equivalence, 3519
queries, 2512
structural
forms, 284
grammatical inference, 2512
locality of reference, 1477
membership queries, 2512
operational semantics, 2459
programming, 370
structural properties, 1894, 2546, 2954, 3493, 3894
of proofs, 1204
structural property, 2252
of categories, 4069
structural
recursion, 2867
similarity, 438
tensor, 1011
testing, 1598
tests, 2137
tolerance, 3981
transformations, 786
structure, 14, 72, 197
creation, 763
definition, 763
function, 1563
generating function, 116
generator, 123
memories, 896
of states, 2402
programming, 319
$SOI_{\#}$, 775
theory, 197
structured
algorithms, 565
CFL, 1836
cfl, 1647
context free languages, 1647
data, 100, 3848
form, 568
implementation, 134
jump, 3008
knowledge, 45
object, 830, 1197
operating system organization, 118
operational semantics, 3813

structured program, 99
  schemes, 370
structured programming, 43, 151, 464, 1197, 1258, 1419
  in system design, 43
  language, 258
structured
  programs, 535
  SIMULA programming, 134
  text, 3423
STS, 1169
STS(n), 2412
Stuckey, 4076
Sturm, 507
  method, 507
  sequence, 417, 507, 529
Sturmian words, 3092
stutter invariance, 3586
stutter invariant, 3586, 4140
  languages, 4140
  LTL, 4140
  temporal properties, 3586
stuttering, 1285
  subsequence, 1471
st-connectivity, 3759
st-numbering, 2889, 3354, 3542
subadditivity, 3356
subalgebra, 2981
subarm, 1746
subarray, 152, 290, 989, 1074, 1244, 2825, 3700
subbijection, 1932
subclass, 378, 747, 814, 1139, 1140, 1155, 1763, 2497, 2854, 3502
subclass containment, 1034
  problem, 378, 1034
subclass of
  chordal graphs, 2499, 3928
  Petri nets, 129, 2806
subcube, 1668, 1730, 2197
  allocation scheme, 2197
  identification problem, 2197
  with fault free nodes, 2197
subdivision, 979, 2221, 2536, 3801
  table, 979
subdomain, 1995
subexponential
  exact learning algorithm, 3337
  time, 3337
subexpression, 548, 2590, 3677
subfamily, 922
  of context free languages, 640
subgoal induction method, 954
subgrammar, 683
subgraph, 20, 88, 101, 110, 121, 181, 245, 299, 392, 645, 660, 736, 765, 813, 870, 1374, 1528, 1722, 2058, 2161, 2248, 2445, 2528, 2583, 2651, 2908, 2922, 3040, 3090, 3111, 3155, 3208, 3244, 3422, 3547, 3673, 3697, 3892, 3926, 3928, 3967, 3981, 4071
  homeomorphism problem, 887, 2379
  isomorphic, 1244
  isomorphism, 181, 1689
  listing algorithms, 1926
subgraph of
  an mst, 813
  the Delaunay triangulation, 1374, 2841
subgraph problem, 660, 3697
subgroup, 344, 431, 734
  relation, 1688
subhypergraph, 2368, 2518
subject
  heading, 33
  language, 544
subkeys, 615
sublanguage, 604
subliminal channel, 3514
sublinear, 1390, 2549, 3210
  alternating time bounds, 664
  size directed cycle, 2504
sublinear time, 2932
  parallel algorithm, 1799, 2932
  selection, 1685
sublinear
  workspace, 1016
  worst case bound, 3240
sublogarithmic
  space, 1866
  worst case bound, 3240
submatrix, 1718
submodular flow, 4082
  problem, 4082
submodular
  function, 3792, 4082
  maximum flow, 4082
submodule, 2550
  construction, 3784
submonoid, 637
suboptimal, 4040, 4110
  solution trees, 2688
  solutions, 187, 1090
subpattern, 3487, 3694
subprogram problem, 3409
subquadratic algorithm, 3219, 3544
subquery, 553
Subrahmanian, 2514
Subramanian, Ashok, 3081
subrecursive
  complexity classes, 1313
  hierarchies, 11
  language, 192
  programming language, 192

subregular grammar forms, 683
subroutine, 104, 211, 505, 1138, 1566, 3147, 3961
  structure, 104
subsemigroup, 1776
subsequence, 265, 315, 337, 570, 1151, 1175, 2023, 2068, 2234, 3487, 3694, 3877, 4087
  of morphisms, 780
subset, 3, 114, 268, 372, 459, 525, 622, 637, 650
  dependencies, 899
  graph, 3219
subset of a
  finite set, 271, 633, 1963
  set, 3982
subset
  of records, 649
  partial order, 3219
  product problems, 1178
  property, 1026
  relation, 3219
subset sum, 2677
  problem, 947, 1253, 2425, 2529, 4043
subspace, 267, 718, 2638, 2828
  method, 267
SUBST, 321
SUBSTAD, 321
substantiable evaluations, 442
substitution, 321, 669, 675, 900, 1330, 1665, 1681, 1927, 2771, 3521
  axiom, 2734
  boxes, 2327, 2818, 3206
  closure, 94
  composite, 1927
  existence problem, 675
  lemma, 2615
  permutation network, 2327
  preserves perfection, 1927
substitution/permutation cryptosystems, 2327
substraction, 436
substring, 13, 279, 582, 615, 737, 910, 1106, 2554, 2685, 3412, 3513, 3824
  statistics, 3480
  tests, 1024
substructure, 152, 1279
subsumption, 1330
subsystem, 1919
subtask, 838, 1239
subterm, 514, 2437
  ordering, 2648
  property, 2771
subtext, 615
subtour elimination constraints, 2016
subtraction, 215, 393, 694, 972, 1164, 2526, 2870
subtree, 164, 217, 273, 788, 892, 969, 1519, 1532, 1835, 1840, 1844, 2211, 2215, 2301, 2341, 2537, 2718, 2719, 2797, 2866, 2891, 3157, 3436, 3682, 3703, 3932, 4057
  counting, 969
  heights, 365
subtree isomorphism, 1689, 2215, 2301, 2341, 3932
  problem, 1689, 1840, 2074, 2215, 2301
subtree listing, 969
SUBTREE2, 2301
subtrees in trees, 136
subtyping, 3113, 3302
  systems, 3302
subword complexity, 730, 869, 948, 1732, 1839, 3093
  function, 730
  of a language, 869
sub-AFL, 94
succession relation, 167, 255
successive
  approximation, 2824, 3898
  multiplication, 979
successor, 1512
  relation, 3570
succinct, 663, 2161, 2865, 2921, 3366
  circuit representations, 3366
  problems, 3588
  representation, 1392, 2865
Sudakov, Benny, 3765
Sudborough, 113, 246, 664
suffix, 637, 794, 1997, 2363, 3313
  array data structure, 2106, 3313
  arrays, 2106, 3313
  automaton, 1990
  closed, 2363
  free ness, 794
  grammar, 2880
  prefix match, 2345
suffix tree, 1872, 1990, 2345, 2919, 3313, 3474
  data structure, 3313
sugared λ-calculus expression, 802
Sugihara, Kokichi, 3086
Sugimoto, Noriko, 3884
suitability, 2734
Σ_n-completeness, 2611
sum coloring, 3978
sum free, 2798
  subset, 2798
sum of
  all segments, 2079
  deviations of jobs completion times, 3416
  edge lengths, 469, 3725
  powers, 445
  squares, 155
  the distances between paired points, 689
  two squares, 761
  vertex labels, 564

summarizing information from a file, 6
summation, 347, 400, 2408, 3172
  formula, 2629
  of series, 347
Sun and Shieh, 3136
Sun, Yong, 3424
Sundaram, Ravi, 3539
Sung, Kwon Kim, 3725
Sung, Ting-Yi, 3467, 3736
Sung, Yong Shin, 3810
* recognizable, 2502
*MOD, 753
*-syntactic monoid, 2396
super primitivity, 2551
supercomputing, 3726
superconcentrator, 390, 745
supercube, 2126, 2381
  network, 2381
superexponential, 1441
  function, 1441
supergraph, 1400
superimposed
  code words, 1861
  coding, 3664
superincreasing, 924
  sequences, 924
  structure, 924
superlinear
  in program length, 1071
  space bounds, 2194
  time, 602
superpolynomial
  lower bounds, 1925
  sized, 1925
  speedup, 3759
  time algorithm, 2719
superposition, 2202
  of departure processes, 878
superprimitive, 2205, 2551, 2795
  strings, 2205
superprimitivity, 2795
superset, 3544
superterse, 3438
supervaluation, 1930
supervisory
  computer, 1611
  loop, 1611
Supowit, 1791, 2448
support, 1807, 2015, 2610, 3272
  systems, 59
supremum of a minimal pair, 1209
Suraweera, Francis, 3425
surface, 1394, 2043
  configurations, 696
surgery, 321
Suri and O'Rourke, 2075
surjective
  computation of homomorphism, 927
  linear cellular automaton, 3718
surjectivity, 2631
surrogate files, 1861
survival route graph, 2884
suspend
  mechanism, 1138
  primitive, 1138
suspended evaluation, 243
Suzuki, Ichiro, 3710
swap, 1808
sweep
  boundary, 2690
  plane, 1079
sweeping automaton, 663
sweepline algorithm, 2784
switch
  actors, 1035
  statements, 3405
switched capacitor
  circuits, 1611
  filters, 1611
switching, 817, 1466, 2724, 3463, 4024
  algorithm, 630, 665
  boxes, 2525
  class, 4052
  classes of graphs, 4052
  elements, 3580
  function, 1433, 2931
  networks, 390
  technique, 2861
symbol, 3, 7
  comparisons, 3970
  mappings, 2854
  probabilities, 173
symbol table, 8, 244, 1704, 1724
  design for a compiler, 737
  searching, 8
symbol tables for compilers, 721
symbolic
  algebraic computation, 2043
  calculus, 1188
  computation, 117, 341, 2043, 3471
  computing, 3448
  databases, 3614
  dynamics, 3072
symbolic evaluation, 314
  system, 314
symbolic execution, 134
  systems, 541
symbolic
  machine execution, 541
  manipulation, 1477

symbolic (*cont.*)
mathematical computation, 12
mathematics, 12
picture, 3614
predicate, 314
problems, 2341
processing, 1494
regression, 3749
sticks designs, 2682
testing, 314
values, 314
verification method, 3891
symmetric, 491, 540, 783, 930, 1699, 1718, 1936, 2616, 2621, 2677, 2746, 2783, 2997, 3792, 3959
algorithm, 1653
symmetric all farthest
neighbor problem, 1739
neighbors problem, 1739
symmetric binary
B-trees, 206, 521, 920
numbers, 1491
symmetric
body, 3359
Boolean functions, 1351, 1693, 3252, 3829
costs, 731
symmetric difference, 3705
hierarchy, 3705
symmetric
distance function, 1699
encryption schemes, 4091
function, 1007, 1424, 1452, 1693, 3377
group, 344, 3412
symmetric key, 2712
cryptography, 2712
symmetric
labeling, 2616
logspace, 2303
matrices, 81
symmetric matrix, 491, 1718, 2009
vector product, 2009
symmetric
min max heap, 3889
order, 62, 96, 706
ordering, 935
quotient of two relations, 1881
quotients, 1881
relaxed Monge matrix, 3791
resilient functions, 2677
transitive closure, 1803
symmetric tridiagonal
matrix, 529
systems, 783
symmetric TSP, 2016
symmetrical, 2644
cellular space, 1457
implicit double ended priority queue implementation, 1464
relation, 1085
symmetrically, 1295
symmetrizable matrix, 491, 607
symmetrizing matrices, 491
symmetry, 731, 956, 1230, 1609, 2414, 2621, 2629, 2799, 3209, 3790, 3792, 3832
breaking, 3059
groups, 2365
symmetry of
a planar point set, 1230
information, 2621
symmetry problem, 1230
symptotic expressions, 347
synchromisation, 270
synchron events, 269
synchronisation, 508, 1176, 1191, 1263, 1674, 1856, 1911
standards, 237
synchronising
interactions, 693
parallel processes, 1176
synchronizable test sequence, 2279
synchronization, 42, 43, 111, 124, 183, 235, 307, 404, 470, 566, 686, 753, 766, 837, 879, 1617, 1643, 1674, 1715, 1807, 1933, 1998, 2042, 2158, 2204, 2218, 2310, 2409, 2411, 2710, 3410, 3613
activities, 368
algorithm, 1816
anomaly, 124, 183
cost, 1897
mechanism, 345, 766, 1807, 2158
model, 470
synchronization of
concurrent processes, 124, 2113
processes, 1067
synchronization
primitive, 124, 307, 345, 470, 1280, 1305, 1808, 1833
problem, 124, 183, 236, 307, 333, 470, 2279
protocol, 1897, 3934
relations, 307
systems, 470
theory, 470
synchronized, 470, 2944
actions, 368
synchronized alternating, 2038
finite automaton, 2038
machine, 2038
synchronized
alternation, 2038
clocks, 2204
communications, 928

synchronized (*cont.*)
disk, 1663
E0L systems, 1124
shuffle, 995
synchronizing, 333, 1579, 3605
a network of digital clocks, 3084
actions, 307
concurrent processes, 307
multiple processes, 1933
periodic processes, 3613
synchronoueing, 2035
synchronous, 928, 1691, 1770, 2055, 3042, 3419
circuit complexity, 1691
circuits, 1691
communication, 735, 1295
MIMD mesh, 2699
synchronous model, 1454, 2055
with I/O ports on the border, 1454
synchronous operation, 3042
synchronous parallel
computers, 1242
processors, 1007
synchronous
processors, 1133
product operator $\times$, 1678
synchronous ring, 2035, 2799, 3563
problem, 3563
synchronous
stream ciphers, 3881
system, 928, 1998, 2788, 3974, 4049
timing model, 3613
synchronous VLSI model, 1454
of computation, 1095
synchronous way, 953
synchronously, 986, 1354, 1980
syndrome
decoding, 3076
polynomial, 3846
syntactic
algebra, 1656
algorithm, 4111
syntactic analysis, 26, 58, 154, 168, 202, 290, 747, 955, 1059, 1922
of an English sentence, 1059
syntactic category, 720
syntactic characterization, 1962
of first order temporal formulae, 1478
syntactic
congruences, 3789
domain, 1642
equivalence, 1487
syntactic error
detection, 690
recovery, 2685
syntactic error repair, 2685
model, 2685
syntactic
errors, 154, 457, 582
form, 12
ideal, 1656
level, 154
monoid, 2396
notion, 34
nuclei, 3789
nucleus, 3789
object, 159
phenomena, 1367
processing, 376
properties, 742
restrictions, 1322
rules of Montague, 1229
structure, 1229
subprograms, 2060
sugar, 1408
$*$-syntactic monoid, 2396
syntactical
analysis, 84, 747
entities, 192
optimization, 1848
syntactically
correct, 582
defined refinements, 2295
explicit, 1571
identical, 669
imposed sequentiality, 3047
specified, 700
syntax, 24, 34, 239, 284, 2060
analysis, 202, 750, 2137
and semantics of programming languages, 787, 1311
syntax directed
proof system, 2060
translation, 84, 2733
unit conversion, 84
syntax error
diagnostics, 277
repairing, 822
syntax errors, 457
syntax free, 786
semantics, 786
syntax of a
language, 24, 2198
natural language, 1059
syntax of
atoms and terms, 847
natural languages, 3162
programming languages, 1331, 1988
set expressions, 3827
syntax
rules, 1331
tree, 1311, 1318, 2519

synthesis, 49, 484, 1515, 2285, 2458, 2606, 4083, 4113
  algorithm, 3293
synthesis of
  algorithms, 1061
  an optimal algorithm, 713
  database programs, 2057
  fast algorithms, 2073
  logic programs, 2255
  scheduling algorithms, 1061
synthesis
  Petri nets, 1964
  procedure, 2458
synthesizing, 1286
  concurrent programs, 2458
  logic programs, 2255
synthetic perturbations, 3065
Syslo algorithm, 588
system, 6, 93, 142, 145
  accounting, 3744
  analyst, 6
  analysts, 6
  architecture, 326, 754
  availability, 326
  control, 1796, 1902
  crash, 652
  description, 120
  design, 6, 264
  expert, 2731
  for testing and debugging, 1654
  graph, 2679, 2692
  life cycle, 1419
system of
  algorithmic algebras, 370
  differential equations, 2457
  distinct representatives, 510
  equations, 287, 399, 1638
system of linear
  algebraic equations, 81
  equations, 136, 504
  inequalities, 3123
system of
  processes, 1180
  quorums, 4110
  sequential processes with mutual exclusion, 1180
  synchronization primitives, 470
system
  overhead, 326
  parameters, 142, 981, 1075, 1180
system performance, 2628
  measure, 553
  optimization, 553
system programming, 21, 151, 237, 1736
  language, 21, 237, 2066
  problems, 1736
system
  reliability, 1964, 4133
  states, 1425
  structure, 120, 2317
  throughput, 418, 753, 981, 1180
  with multiple users, 233
  workload, 1180
systematic
  error, 66
  initial point procedure, 1696
  programming, 617
systlic arrays, 1983
systolic, 1175, 2606
  algorithm, 1293, 3459
  architecture, 1352, 3480
  architectures methodologies, 3905
systolic array, 953, 1175, 1376, 1445, 1645, 2044, 2407, 2606, 2639, 3459, 3480
  architecture, 1352
systolic
  binary GCD chip, 1917
  computation scheme, 1376
  coprocessors, 1376, 2639
  network, 1445, 1496
  partitioning algorithms, 2606
  stack, 1175
  subroutine, 1293
  system, 1445
  tree automaton, 2986
Szelepcsényi, 1866
Szendrényi, 569
Szepietowski, Andrzej, 3364, 3851
Szilard language, 413, 960, 2061
Szwarcfiter and Lauer, 309
Szwerinski, 1457
Szymacha, Tomasz, 3376
Szymanski conjecture, 1979
Szymanski, Boleslaw K., 2462
S-boxes, 2818
s-boxes, 2327, 3206
S-expression representations, 384
S-locks, 1708
S-machine, 119
s-median problem, 2533
s-optimum spanning tree, 2992
s-partition, 3968
s-partitions of n, 3968
S-S2PL, 2917
S-stability, 586
s-t reachability problem, 2964
s-trees, 3474
S-unification, 1543

T
T0L
  grammar, 126
  language, 126, 201, 730
  languages over terminals, 126
  system, 47, 77, 126, 193, 730, 1475, 1643, 4143
t^r-FST, 1853
TAAL, 237
table
  addresses, 222
  constructor, 1144
table driven, 1308
  code generators, 1144
  program, 495
table lookup, 708, 1010
  problem, 226
table
  management, 559
  of infinite size, 226
  overflow, 373
  scanning, 1142
  search, 222
  searching, 1257
  size, 979
tableau, 742, 2420
  method, 771, 2420
tableaux, 175, 771, 2420, 3608
tabled ETOL system, 778
tablet, 972
tabular
  database model, 486
  parsing techniques, 457
  technique, 766
tabulation, 547, 716
  method, 547, 894
tactile probes, 1236
TAG, 951, 3162
tag, 1223, 4134
  bit, 35, 72, 1223
  free marking algorithms, 1223
  system, 337, 2081
Tag, Gon Kim, 3151
tagged
  architectures, 710
  tableaux, 771
tagless marking, 1519
Tai and Selkow, 671
tail recursion optimization, 1299
Takacs, 57
Takada, 2061
Takagi, Naofumi, 3429
take function, 1056
take grant
  model, 1062
  protection model, 1062
takeover time, 3212
Takeuchi, 506
  function, 506
  recursive equation, 506
taking all
  first prefixes, 640
  last prefixes, 640
  prefixes, 640
TAL, 951
tally, 4134
  encoding, 2954
  set, 1887, 2645, 3134
TAM, 3138
  language, 3138
Tamassia, Roberto, 3506
Tamminen, 1037
Tamon, Christino, 3685
tamper proof
  chip, 2991
  hardware, 2991
tamper resistant cryptographic token, 3505
tamperfree devices, 2496
tampering, 1107
  of data, 1107
Tan et al., 1637
Tan, Kian-Lee, 3146
Tanaka, Keisuke, 3377
tandem queueing networks, 2806
Tang, C.Y., 3590
Tang, Chuan Yi, 3866
Taniguchi and Kasami, 578
Tanimoto measure, 917
tape complexity, 675
tape head, 119
  movement, 119
tape
  merge, 90
  transformations, 535
tardiness, 2185
target, 940, 1979, 2754, 2936, 3352, 3386, 3961
  code, 1144, 1850
  concept, 2439
  function, 2544, 2792, 4056
  key, 855
  language, 928, 3352
  machine, 950
  polygon, 1364
  programming language, 773
  token rotation time, 3501
Tarjan, 165, 454, 597, 1745, 2518, 2878
  algorithm, 2759, 2959
Tarjan and Yannakakis, 1354
Tarjan
  result, 597
  $\Theta(n+m)$ algorithm, 3457
Tarjan, Robert Endre, 800, 1292

Tarski, 884
Tarski-Fraisse-Vaught characterizations, 1279
Tarui, 2722
task, 185
  allocation, 2069, 2515, 2748
  dependencies, 3741
  mapping, 2515
  migration, 3024, 4038
  periods, 3314
  precedence graph, 2133
  preemption, 2133
task scheduling, 1386, 2515
  heuristic, 2789
task
  system, 527, 611, 2624, 2757, 3607, 3912
  systems with resources, 527, 648
  turnaround time, 2069
  with unknown duration, 3540
tatic slice, 1654
τ-bisimulation, 2295
Tausworthe, 513
  sequence, 907
tautology, 538
Taylor, Stephen, 3447
TC, 1375
TC^0, 1836
$TC^0 = NC^1$, 1836
TC_n, 3414
TCP/IP, 4131
TD charts, 464
TDk chart, 464
teacher student interaction, 132
Technical University Munich, 620
technique, 27, 152
Tejel, Javier, 3389, 3807
telecommunication, 326, 1574
  networks, 1497
telephone
  exchange, 57
  listings, 721
template, 763, 2148, 2554, 2632
  matching, 2148
temporal, 2572, 2576, 3940
  agent model, 3138
  aggregate processing, 3984
  aggregation, 3984
  connectives, 4070
  databases, 3984
  deductions, 1480
  formalism, 2876
  forms, 2787
  formula, 1246
  Horn formula, 2572
  knowledge, 1480, 1824
temporal logic, 632, 927, 962, 1157, 1324, 1478, 1480, 1638, 2008, 2219, 2304, 2321, 2363, 2458, 2572, 2655, 2787, 2876, 3002, 3099, 3307, 3586, 3880, 3893, 4070
  of programs, 946
  programming, 2572
temporal
  operators, 632, 946, 3880
  precedence problem, 3816
  predicate, 2787
  property, 2787, 3586, 4140
  semantics, 2219
  theory, 1478
temporary storage, 52, 82, 1588
  locations, 808
Teng and Yao, 2919
tensor, 1011, 1269
  products, 3196
  rank, 155, 719, 1011
tensorial
  basis, 472
  rank, 472
tep bisimulation, 2614
Terekhov, I., 3882
term, 27, 3976
  algebra, 2219
  graph rewriting, 3404
  in a language, 4101
  reduction system, 1543
term rewriting, 514, 1101, 2545, 2648, 2676, 2949, 3017, 3424, 3753, 3760, 3793, 4022
  approach, 2001
term rewriting system, 514, 1096, 1410, 1470, 1489, 1639, 1850, 1910, 2001, 2085, 2366, 2676, 2771, 2773, 2949, 2981, 3015, 3017, 3753, 3793
  compiler, 1850
  interpreter, 1850
term transformations, 448
terminal, 126, 438, 683, 1301, 1722, 1981, 1988, 1997, 2218, 2508, 3864, 3955, 4095
  alphabet, 126, 394, 709, 1643, 3243
  balancing, 2018
  derivations, 1078
  formulae, 284
  marker, 823
  nodes, 799, 836, 2688
  productions, 4029
  string, 1308, 1988
  symbol, 202, 302, 362, 474, 683, 1308, 1981, 2541
  vertex, 167, 255
terminating
  computation, 112, 742, 1041
  concurrent histories, 554

terminating (*cont.*)
derivation, 2061
rewriting system, 514
termination, 192, 514, 962, 1096, 1124, 1191, 1281, 1410, 1413, 1470, 1489, 1547, 1637, 1653, 1756, 1770, 1910, 2033, 2085, 2545, 2648, 2676, 2771, 2944, 3017, 3453, 3477, 3760, 4021
condition, 3865
termination detection, 579, 913, 930, 985, 1247, 1411, 1413, 1566, 1716, 1770, 1813, 1949, 2757, 2758, 2944
algorithm, 913, 1281, 1653, 1862, 1949, 2015, 2794
problem, 1653
termination of
distributed protocols, 1547
protocols, 1547
Takeuchi function, 506
term rewriting systems, 1489
termination
ordering, 1489, 2437
problem, 930, 3453
proof, 3096
terminator, 169
ternary
(11, 6, 5) Golay code, 3846
Golay code, 3846
operation, 370
relations, 216
terrain, 564, 1671, 2853
graph, 564
test, 30
algorithm, 2523
and set, 1060, 1808
& set constructions, 3500
architectures, 2279
case construction method, 2049
cases, 2049, 3246
test data selection, 1053
criteria, 1053
test
data sets, 414
equivalent, 1964
test for
cycles, 1519
membership, 3063
query equivalence, 771
test
generation process, 1964
pattern generation, 2729
planning, 3775
selection criterion, 1598
test sequence, 2026, 2279, 2750, 3692
generation, 2026, 3692
test set, 1076, 1644, 3763
for morphisms, 1644
test
sets for languages of infinite words, 1644
square freeness, 2152
suite, 3408
transformation, 1763
testable, 2205, 2563, 3640
in polynomial time, 1975, 2786
tester memory requirements, 3639
testing, 9, 30, 1265, 1391, 2750
testing a
graph for n-cube, 583
simple polygon for monotonicity, 2706
testing
algorithm, 1500, 2866
congruence, 2438
digraph isomorphism, 1646
testing for
class membership, 1575
deadlock freedom, 1326
n-cube, 583
testing
integration subroutines, 1207
membership, 3063
methods, 1391, 2550
monoids for group freeness, 1763
monotonicity of polygons, 677
n-cube, 583
testing of
approximation algorithms, 2049
software, 414
testing
planar graphs for isomorphism, 9
polygon similarity, 1888
preorders, 2459
preservation, 2523
schemes, 4045
similarity of matrices, 1726
string superprimitivity, 2795
system, 2624
the universal instance assumption, 523
unboundedness, 1626
variable step size integration, 1207
Tetali and Winkler, 3900
text, 615, 3970
character, 615, 2671, 3579
compression, 2152, 3358
editing, 290
editor, 737, 1250, 1418
text processing, 2531, 2855
algorithms, 2855
text search algorithm, 615
text searching, 3996
systems, 2106

text
size, 3938
string, 2664, 2715, 2774, 2855, 3143, 3824
substitution, 3677
textual
analysis, 1367
sampling, 1391
substitution, 3358
synthesis of generation, 1367
Thatcher, 396
Thatte, 2552, 2676
partial types, 2464, 2552
transformation, 2676
Theil, 250
estimator, 250
theorem, 164, 178, 193, 200
by Ladner, 832
theorem of
Hell and Nešetřil, 2284
Spira, 877
Tutte/Nash-Williams, 887
well founded induction, 1820
theorem prover, 108, 506, 541, 2615, 3695
theorem proving, 341, 442, 675, 769, 799, 1017, 1204, 1492, 1587, 1698, 1792, 2068, 2229, 2683, 3006
programs, 675
theorem, Church-Rosser, 2615
theoretical
biology, 107
complexity, 306
computer science, 246, 399, 1887, 3400
theory, 23, 2008, 2649, 3138
composition operator, 2077
theory of
admissibility, 1995
admissible predicates, 1995
automata, 162, 399
cellular automata, 75
codes, 3538
compilation, 1736
computation, 11, 28, 119, 122, 159, 520, 675, 821, 943, 1361, 1485, 1581, 1596, 1606, 1642, 1943, 1976, 1988, 1993, 2017, 2062, 2134, 2175, 2179, 2213, 2272, 2294, 2335, 2353, 2363, 2365, 2428, 2430, 2433, 2434, 2439, 2453, 2463, 2497, 2505, 2549, 2589, 2608, 2611, 2631, 2669, 2677, 2702, 2736, 2771, 2773, 2776, 2781, 2880, 2925, 2972, 2984, 2987, 2994, 3003, 3012, 3015, 3027, 3037, 3047, 3075, 3088, 3130, 3150, 3158, 3195, 3216, 3252, 3259, 3352, 3377, 3396, 3466, 3469, 3491, 3567, 3571, 3593, 3633, 3634, 3641, 3665, 3695, 3718, 3769, 3781, 3787, 3827, 3880, 3885, 3908, 3916, 3929, 3951, 3952, 3961, 3962, 3990, 4002, 4021, 4022, 4031, 4032, 4062, 4068, 4069, 4100, 4115
concurrency semantics, 3300
databases, 771
developmental systems, 77
elasticity, 48, 89
formal languages, 77, 3568
functional dependencies, 1021
growth functions, 93
K-iteration grammars, 193
L-systems, 107, 193, 712
matching, 646
nonmonotonic inheritance, 2649
numberings, 3075
ω-languages, 922
Owicki and Gries, 3419
parsing, 640, 1078, 1088
powerlists, 3007
processes, 1639
theory of program
correctness, 1246
schemas, 95
theory of
programs, 769
real numbers under addition and order, 1109
scheduling, 80
schemes of structured algorithms, 370
set constraints, 3827
traces, 1991
theory presentations, 3633, 4069
Therrien, 267
thesaurus, 61
thick, 3245
Thierrin, 463
Thiessen tessellation, 1020
Thilikos, Dimitrios M., 3455, 3476
thinning, 2302
algorithm, 2302
third normal form, 798, 2449, 2751, 3533
Thirusangu, K., 3139
Thomas, 837
Thomason, 1404
Thomborson, C.D., 3744
Thomborson, Clark D., 3744
Thompson, 1095, 1269, 2699
Thompson and Yasuura, 1454
Thompson
I/O schedule, 977
model, 977
VLSI model, 977
thread, 397, 1290
threaded binary
search trees, 1290
tree, 1290

threaded trees, 1290
threading, 845
threat, 1921
three
  dedicated processors, 2362
  letter alphabet, 915
three-coloring, 1267, 1442
three-colourable graph, 2284
three-counter machine, 999
three-dimensional, 130, 3115
  digital structures, 1711
  grammars, 1711
  grid, 1267, 1476
  layouts, 1476
  $m \times n \times p$ mesh of trees, 1051
  orthogonal graph drawings, 3401
  routing problem, 3805
  space, 1137, 1583, 2146, 3131
  vector addition systems, 1507
  version, 2144
three-layer wirability, 3141
three-machine permutation flow shop problem, 1812
three-neighbor
  RCA, 2430
  RPCA, 2430
three-partition problem, 1472
three-sided range queries, 1435
three-term recurrence formula, 253
three-valued, 1642
  logic, 286, 2269, 3770
  stable model semantics, 2269
three-way, 858
  automaton, 578
  branch on comparison, 3776
  comparison, 3776
  key comparison, 3776
  two-dimensional finite automaton, 578
threshol network, 2650
threshold, 20, 1165, 1346, 2225, 2650, 2845, 3073, 3189, 3594, 3948, 3956
  algorithm, 3771
  circuits, 1836, 1948, 2109, 2225, 2238, 2349, 2600, 2619, 3032, 3189, 3207, 3594
  dimension 2 graph, 2, 3794
  function, 1814, 1948, 2225, 2845, 3189
  gate, 2109, 2153, 3594
  graphs, 3073, 3794, 4071
  k-function, 1015
  network, 2650, 3559
  neural networks, 2650, 3094
  number, 2, 3073
  property, 3559
  scheme, 1811, 2405, 2958, 3110, 3136, 3879, 3948
  secret sharing schemes, 3948
  signature, 3956
  structures, 3821
  value, 3189, 3716
throughput, 418, 560, 1075, 1276, 2487, 3042, 3564
  concavity, 1075
  monotonicity, 3564
  rate, 1352
Thue, 655
Thue and Morse method, 3072
Thue
  congruence, 669
  irreductible sequence, 337
  language, 712
  problem, 3072
  restriction, 869
  sequence, 655
  system, 669, 720, 1086, 1166, 1303, 1463, 1649, 1973
Thue-Morse word, 1563, 2501, 2785, 3093
Thue-Morse word on
  three symbols, 1563
  two symbols, 1563
Thuillier, H., 3537
tidy drawing
  problem, 3734
  problems of trees, 3734
tight
  bounds, 2012, 2457, 2770, 2836, 3068, 3244, 3291, 3579, 4025
  lower bound, 1469, 1479, 1599, 1608, 1959, 2020, 2584, 2664, 2721, 2730, 3244, 3484, 3960
tight upper
  and lower bounds, 539, 1712, 3766
  bound, 1737, 3101, 3579
tight worst case upper bound, 3710
tighter bounds, 2129, 3171
tightly coupled
  multiprocessors, 1769
  synchronous systems, 928
Tijdeman, 3607
  algorithm, 3607
tiling, 2876
  problem, 2876
time, 27, 182
  advancement algorithm, 269
time and cost optimal parallel heap construction algorithms, 2732
time and space
  bounds, 2119
  complexity, 407, 859, 909, 1179, 2916, 2931, 3597
  efficient algorithms, 1546
  optimal algorithm, 1079, 1373
time and storage requirements, 104, 407

time bound, 309, 342, 598, 759, 810, 841, 876, 937, 1100, 1192, 1261, 1315, 1493, 1517, 1608, 2000, 2104, 2186, 2975, 3340, 3534, 3642, 3771, 4079
time bounded, 205
environments, 2621
multitape TM, 1868
nondeterministic multitape Turing machine, 1503
time
bounds, 219, 451, 936, 1159, 1428, 2194, 2588, 2741, 3118, 3534, 3613
characteristics of program execution, 293
time complexities, 1116, 1510, 1521, 1765, 1810, 1847, 2064, 2101, 2148, 3059, 3339, 3375
of semigroup computations, 1810
time complexity, 70, 182, 212, 265, 308, 312, 357, 358, 429, 458, 487, 499, 505, 552, 588, 593, 597, 674, 675, 716, 737, 739, 740, 756, 759, 766, 814, 836, 868, 894, 936, 942, 943, 1065, 1074, 1156, 1168, 1251, 1253, 1254, 1290, 1344, 1350, 1365, 1368, 1371, 1392, 1396, 1403, 1414, 1444, 1500, 1596, 1620, 1634, 1638, 1702, 1752, 1766, 1810, 1840, 1915, 1978, 1997, 2022, 2035, 2051, 2061, 2069, 2096, 2129, 2151, 2165, 2166, 2217, 2322, 2331, 2347, 2357, 2375, 2399, 2426, 2446, 2455, 2512, 2515, 2528, 2574, 2601, 2618, 2637, 2670, 2671, 2687, 2695, 2745, 2748, 2784, 2789, 2802, 2810, 2819, 2825, 2873, 2921, 2947, 2990, 2996, 3011, 3034, 3161, 3207, 3220, 3285, 3339, 3350, 3354, 3364, 3386, 3413, 3415, 3425, 3474, 3508, 3613, 3653, 3656, 3661, 3779, 3794, 3820, 3866, 3931, 3937, 3970, 3982, 3984, 4037
classes, 3118
gaps, 3613
of algorithms, 3734
time complexity of languages, 739
recognized by two-way nondeterministic pushdown automaton, 894
time complexity of
Sakakibara algorithm, 2375
sorting, 552
the set union problem, 2061
time
constructible function, 2760
consuming, 1861
cost, 1050
time critical
process control, 868
systems, 2304
tasks, 1713
time dependence, 1238, 3660
time dependent, 754, 3066
behaviour, 818
execution times, 2757, 3066
tasks, 3660
time domain, 2487
model, 2487
time
efficient, 1352, 3882, 3931
independent properties, 190
index, 2996
instants, 1756
invariant relation, 632
time inversion
mapping, 1480
operation, 1480
time limits, 1191, 2062
time lower bounds, 715
for sorting, 1893
time mapping methods, 269
time optimal, 185, 1403, 3147, 3965
algorithm, 876, 3870
convex hull computation, 3211
scheduling, 185
short circuit evaluation, 1636
time
overhead, 1257
penalty, 3580
Petri net, 1964
points, 3984
processor product, 1396, 1683, 2494
randomness tradeoff, 2721
redundancy, 2407
time requirement, 104, 515, 784, 2053
function, 2053
time shared systems, 264
time sharing, 44, 142
computer systems, 57
operating system, 293
time speedup, 1043
time square
mode, 1975
model, 3141
time
stamps, 1816
triggered systems, 3314
unit, 2806, 3752, 3828
upper bound, 534
vs. storage tradeoffs, 1634
time warp, 3362, 3934
simulations, 3362
simulators, 3362
timed, 3126
automaton, 3699, 4105
languages, 3126
timed marked
graphs, 981
Petri net, 1472

timed
  Petri net, 981
  transition systems, 3126
timeout, 1319, 1712, 3064
timer, 3064
  management service, 3064
× operators, 1678
timestamp, 1247, 1346, 1565, 2150, 2441, 2538, 2995, 2999, 3285, 3818, 3934
  algorithm, 1565, 2150
TIMESTAMP algorithm, 3187
timestamp
  based run, 3934
  interval, 3578
  ordering, 2150
timestamped, 2204
  token message, 2944
timestamping, 1565, 2538
  algorithm, 1565
time-space, 445
  complexity of reachability queries, 2012
  optimal, 2223
  tradeoff, 445, 585, 808, 2012, 2918
timing, 14, 430
  behaviour, 1709
  characteristics, 3764
  model, 3613
  restrictions, 1609
tip
  nodes, 892
  values, 892
Tiusanen, M., 2154
Tiwari, Prasoon, 3581
TM, 535, 1550, 1868
  model of a, 119
TMPN, 1472
Toda and Ogiwara, 2722
Toeplitz, 2334
  matrix, 2334
  matrices, 2334
Toeplitz matrix, 1269, 2334
  inversion, 1154
  inversion algorithms, 2334
Toffoli, 2430, 4114
Tofte, 2907
  type discipline, 2907
token, 590, 1635, 1816, 1949, 1980, 2198, 2320, 2351, 2727, 2806, 2838, 3732
token based
  control in rings, 3732
  M.E. algorithms, 2840
  method, 1816
  strategies, 3732
  synchronization, 1816
token distribution
  algorithms, 2199
  problem, 2199
token passing, 1635, 3997
token ring, 3675, 3997
  topology, 3997
Tokuda, Takehiro, 2942, 3025
Tokunaga, Shin-ichi, 3385
tolerance, 3605, 3981
  of a geometric or combinatorial structure, 3981
  relations, 162
tolerant CRCW PRAM, 3169
Tolle, 733
Tollis, Ioannis G., 3506
tombstone, 1440
  management, 1440
  method, 1440
Tomita, 2329
  parsers, 2329
Tompa, 445
tool design, 884
Toom, A., 2516
TOP, 2007
top down, 168, 3410, 3436
  evaluation, 2679
  finite state tree transducer, 1853
  infinite tree automaton, 982
  left to right deterministic parsers, 277
  mergesort, 2747
  mode, 452
  nondeterministic tree transducers, 348
  parse order, 3095
top down parsing, 340
  strategy, 1661
top down
  program development, 464
  search structure, 1017
  skew heaps, 2129, 3484
top down tree
  transducers, 1853, 2736
  transformation languages, 200
top
  hull, 1328
  terminal, 2054
topological
  ball, 1705
  characterization, 1926
topological characterization of
  liveness, 1173
  safety, 1173
topological
  consistency, 3086
  dimension, 3525
  equivalence, 1466

topological order, 2007, 3340
of a DAG, 3301
problem, 1873
topological ordering, 2308
problem, 2308
topological
planar graphs, 1926
properties, 2126, 2828, 3026, 3291, 3738
representations, 1172
topological sort, 1873
ordering, 2895
topological sorting, 85, 110, 2007, 2291, 3301, 4144
arrangements, 99
problem, 99, 2007
topological structure, 2265
topologically
closest, 2264
consistent algorithms, 2841
equivalent, 1466, 1699, 2724
tree like, 123
topology, 1084, 1089, 1173, 1837, 1991, 2197, 2265, 2421, 2441, 2456, 2507, 2746, 2810, 2835, 3388, 3493, 3539, 4054
topology of
a distributed computing system, 3620
an FDMA network, 3801
Tor and Middleditch, 1389
Torán, Jacobo, 3887
tori, 3467, 4013, 4054
toroidal, 2482
mesh, 2738
network, 2482
Torres, Marco A., 3899
torus, 2354, 2390, 2738, 2933, 3266, 3832
algorithm, 2933
computers, 2933
networks, 4013
of processors, 3266
TOTAL, 652
total, 110
adjacency, 522
Boolean function, 4099
chromatic number, 3928
coloring, 3928
completion time, 3903, 3960
complexity, 2908
computing time, 117
correctness, 460, 776, 1306
total correctness of
a program, 1306
nondeterministic programs, 1306
programs, 460
total
deadlock, 1286
division ordering, 2068, 2545
total dominating set, 1221, 1275, 2067, 3574
of a graph, 1275, 1518
total domination, 1221, 1275, 1518, 2976, 3574
problem in interval graphs, 1221
total exchange, 2390
algorithm, 2390, 3445
total
execution time, 167, 255, 310
flow time, 3416
function, 209, 506
graphs, 3842
interval number, 3214
jogs minimization, 2054
monotonicity, 1906, 3389
number of repetitions, 187, 633
total order, 346, 1632, 1721, 2143, 2471, 2498, 2799, 3340
search, 3156
total ordering, 448, 974, 1140, 2068
relation, 1755
total
orders, 1489
path length, 164, 3257, 3436
projections, 1626
recursive functions, 3075
security, 1012
size, 612, 1438, 1448, 3484, 3687
spring energy, 1738
time minimization, 1084
turning angle, 1741
totalistic
cellular automaton, 1496
network, 1496
systolic networks, 1496
totally balanced, 2588
hypergraphs, 2766
matrix, 2588, 3697
totally
dominates, 1561
dominating set, 1561
monotone matrices, 3389
totally ordered, 1630, 1858
domain, 2871
set, 1824, 1924, 2793, 3987
totally unimodular matrices, 2448
tour, 1014, 3926, 4129
cover problems, 2698
covers, 2698
optimality, 1014
Touretzky, 2649
tournament, 617, 781, 2170
algorithms, 2170
tree, 617
Toussaint, 1739, 1777, 2273
Toussaint, G.T., 1739

towers of Antwerpen, 2159
problem, 2159
towers of Hanoi, 248, 577, 732, 827, 888, 998, 2159, 2532, 2604
problem, 248, 577, 2159, 2532, 2604
puzzle, 732, 888, 998
toy problems, 496
Toyama, 2773
TR rule, 1633
trace, 229, 366, 554, 1468, 1679, 1991, 2888, 4116
driven modeling, 142
equivalence, 2153
language, 2502, 3139, 4116
monoid, 2502, 4116
trace of
a computation, 258
finite sets, 3786
set systems, 3786
trace
semantics, 3920
specifications, 1679
systems, 2458
theory, 2153, 3360
traceable signers, 3956
tracing, 258
track, 1975, 2054, 2539, 3141, 3812
assignment, 2508
tracking, 2570
trackless
algorithms, 4066
online algorithms, 4066
tractability threshold, 2510
tractable, 2522, 3134
algorithm, 4037
satisfiability problems, 2521
tradeoff, 656, 1095, 1190, 1690, 2041, 2148, 2835, 2865
results, 877
traditional predicate calculus, 95
traffic, 2168, 2701
control, 942
load, 1089, 2861
trail, 1588
problem, 2663
train reversal problem, 2020
training, 179
digraphs, 3012
problem of a 3-neuron sigmoid network, 2650
set, 179
trajectory, 1002, 1654, 2142, 2853, 3693
path, 3693
planning, 2853
transaction, 300, 556, 787, 837, 851, 919, 1023, 1326, 1337, 1512, 1527, 1565, 1708, 2057, 2147, 2150, 2317, 2917, 3349, 3462, 3583, 3690
transaction backout, 1337
problem, 1337
transaction
based environments, 3583
concurrency, 3462
dependencies, 1565
initiation times, 1565
interference, 837
lock points, 1565
transaction management, 3349
scheme, 3349
transaction
processing, 300, 805, 837
serializability, 1565
systems, 1023
transcendental, 155
transcription errors, 325
transducer, 348, 386, 973, 1585, 1776
transduction, 94, 1572
transfer
lemma, 775, 900
of control, 1138
paths, 1591
transfinite induction, 1630, 1820
transform, 26, 295, 498
a data structure, 454
transformation, 188, 248, 955, 1331, 1420, 1753, 1844, 1930, 2255, 2391, 3574, 3747
algorithms, 969, 2880
approach, 1402
in a computer program, 1498
transformation monoid, 1763
of an automaton, 1763
transformation of
a tree, 1930
algorithms, 448, 1188
linear programs, 289
marked graphs, 67
programs, 293
regular expressions, 1753
transformation on
programs, 773
trees, 671
transformation
protocol, 4059
rules, 122, 135, 604, 773, 1848, 3498
system, 1028
technique, 2533
transformational
approach, 1028
grammars, 830
power, 1028
refinement, 3138
semantics, 604
techniques, 1320

transformed, 19, 22
grammar, 34, 1331
parser, 2883
program, 1420
transformer, 1422, 3356
transforming
a graph, 1652
algorithms, 547
transient, 1902, 2351
behavior, 1902
behaviour, 280
communication failures, 1547
edge failures, 3761
failure, 3270, 4034
fault, 3378, 4034
transition, 452, 590, 913, 981, 1018, 1144, 1411, 1635, 1964, 2210, 2279, 2320, 2578, 2671, 3873
constraints, 3390
diagram, 1179
fair languages, 1678
graph, 162, 452, 2026
mapping, 572
matrix, 52, 3031
transition probability, 1239, 2564
matrix, 2564
transition
relation, 2363, 2563
rule, 1507
sets, 554
square map, 2227
system, 554, 1638, 1687, 2363, 2459, 2550, 2700, 2972, 3773, 3920
table, 1144, 1824
transitive, 2133, 3234, 3644, 4057, 4119
and irreflexive relation, 514
transitive closure, 13, 15, 70, 128, 199, 205, 616, 636, 642, 701, 889, 1220, 1350, 1455, 1573, 1590, 1603, 1837, 1870, 1910, 2759, 2959, 3523, 3572, 4094
algorithm, 70, 701, 2745, 2759, 2959, 3572
matrix, 889
of (MIN, +) product, 616
transitive closure of a, 70
digraph, 1573
directed graph, 15, 1220, 3301
graph, 216
string, 13
transitive closure of
directed graphs, 3523
graphs, 1837
transitive closure problem, 616, 701, 3301
transitive closures, 13
of graphs, 889
transitive
completion, 65
functions, 1269
ranking, 860
redirections, 3404
reduction, 3546
transitive reflexive
closure, 669
completion, 65
transitive
relation, 197
sense of direction, 3644
subgroup, 344
term graph rewriting, 3404
tournament, 425
transitively, 3273, 3404
transitively closed
form, 642
interval dags, 642
transitivity, 216, 438, 2606
table, 1480, 1824
translating, 928, 1375
Pascal programs into Prolog, 1297
translation, 192, 336, 386, 708, 802, 830, 1099, 1114, 1229, 1375, 1392, 2162, 2227, 2342, 2649, 2691, 3138, 4140
arguments, 2626
extension mechanism, 23
translation of
intuitionistic logic, 1204
programs, 135
Turner combinators, 1099
translation
ordering, 2068
scheme, 708
translation square
arrangement, 3615
map, 2227
translation
tables, 708
vector, 467
translational implementations, 544
translator description language, 24
transmission, 188, 649, 1944, 2048, 2487, 2929, 3152, 3679, 3724, 3752
costs, 649
delay, 1084, 2204, 2806
failures, 3752
frequencies, 1009
transmission of
data packets, 3716
information, 838
transmission
paths, 2931
protocols, 2929
scheduling, 3152
session, 2048

transmitter, 371, 1128
  station, 371
transmitting
  delay, 2913
  messages, 1089
transmuter, 765
transparent, 1769, 2091, 2268
  edge, 2091
  interprocess communication, 1382
  w.r.t. resolution, 1204
transportability, 495
transportable
  code generator generator system, 495
  interpreters, 189
transportation, 1735
  network, 553
  of computer software, 1169
  problem, 3416
  service networks, 2174
transposable matrix, 607
transpose, 1056, 1633, 1724
  heuristic, 691
  of a matrix, 214
  rule, 1633
transposed, 2193
  Vandermonde system, 2193
transposition, 3412, 3428, 3844
  cipher, 3428
  encryptions, 3428
  errors, 325
  of matrices, 1581
transpositional metrics, 416
transputer, 1617, 2009
  based multiprocessor system, 1617
transshipment, 564
  problem, 564
transversal, 1745, 1863
transversal hypergraph, 4055
  problem, 4055
transverse edges, 1745
trapdoor, 938
  function, 654, 1932
  information, 1475
  knapsack, 924
  one-way function, 654, 3145
  system, 938
  techniques, 924
trapezoid, 3181, 3857
  graph, 2976, 3181, 3543, 3547
trapezoidal decomposition, 3857
Traub, J.F., 844
traveling, 3731
traveling salesman, 2111, 2698
  cycle, 870, 1374
traveling salesman problem, 130, 441, 688, 1014, 2016, 2050, 2300, 2400, 3741, 3771, 3774, 3791, 3807, 3926, 4030, 4117, 4124
  with distances 1 and 2, 3926
traveling salesperson problem, 3668
travelling salesman problem, 76, 209, 959, 1749, 2016, 3380, 3389
traversal, 35, 62, 73, 217, 1290, 1623, 2394, 3549
  of binary trees, 3257
  problems, 2151
  strategies, 2108
  with stacks, 35
  without stacks, 35, 62
traversing, 2092, 2322
  a binary tree, 96, 511
  binary trees, 62, 511
  general trees, 2151
  graphs, 2108
  trees, 35
treap, 2967, 3061
treatment, 1402
  of nondeterminism, 1402
tree, 7, 35, 44, 53, 62, 72, 79, 100, 101, 138, 153, 166, 170, 176, 206, 217, 218, 233, 245, 268, 272, 273, 295, 312, 360, 365, 371, 396, 399, 410, 424, 427, 447, 452, 459, 471, 492, 503, 505, 511, 521, 526, 542, 548, 563, 567, 592, 617, 671, 675, 678, 687, 717, 718, 733, 735, 764, 788, 791, 794, 799, 810, 813, 822, 825, 850, 854, 876, 892, 895, 926, 935, 951, 969, 982, 986, 1009, 1073, 1171, 1212, 1216, 1217, 1221, 1291, 1233, 1254, 1290, 1309, 1312, 1315, 1347, 1375, 1435, 1450, 1451, 1490, 1491, 1504, 1519, 1522, 1544, 1551, 1554, 1559, 1575, 1610, 1656, 1660, 1688, 1689, 1720, 1745, 1746, 1753, 1819, 1832, 1835, 1840, 1844, 1869, 1913, 1930, 1939, 1942, 1944, 1947, 2019, 2151, 2053, 2080, 2150, 2151, 2156, 2176, 2211, 2246, 2254, 2296, 2301, 2322, 2333, 2341, 2375, 2385, 2386, 2394, 2397, 2415, 2443, 2448, 2477, 2486, 2499, 2503, 2517, 2527, 2548, 2537, 2580, 2603, 2670, 2688, 2718, 2719, 2743, 2756, 2820, 2843, 2863, 2866, 2871, 2890, 2891, 2911, 2940, 2965, 2967, 2996, 3038, 3153, 3157, 3158, 3214, 3217, 3256, 3258, 3345, 3347, 3376, 3382, 3388, 3410, 3411, 3419, 3423, 3447, 3459, 3506, 3535, 3539, 3590, 3623, 3645, 3654, 3661, 3716, 3734, 3753, 3756, 3776, 3817, 3864, 3866, 3917, 3930, 3932, 3977, 3992, 3997, 4044, 4054, 4057, 4058, 4087, 4097
3-spanner, 3347
3-spanner problem, 3347

tree adjoining
grammars, 1922
languages, 3162
tree adjunct
grammars, 951
languages, 951
tree
algebra, 1656
algorithm, 3776
and connectivity, 3623
array, 1734
automation ineffable, 1324
automaton, 452, 1324, 2375, 2832, 2986, 3309, 4060
tree balancing, 1233
algorithms, 1344
tree based
search methods, 1658
temporal aggregation, 3984
tree
codes, 2736
construction algorithm, 1566
tree contraction, 2486, 3376, 3423
algorithm, 3376
tree
copying, 176
correction, 295, 671
tree cover, 2698
aproblem, 2698
tree
data structure, 2822
decomposition, 3809
difference, 3423
drawing, 3725
edit, 3423
tree editing, 671
operations, 671
tree
embedding, 2548
encoding, 1840
equivalence, 741
tree equivalence for
linear recursive schemes, 741
recursive schemata, 741
tree equivalence
problem, 741
relation, 741
tree
estimation, 4044
finite state transformation, 396
generation, 266
handling, 54
hierarchy, 1532
indexing, 1658
tree isomorphism, 1840, 2215, 2301
problem, 1840
tree
labeling problem, 424
language, 501, 982
tree languages recognized, 4060
by deterministic tree walking automata, 4060
tree layout, 3734, 3756
problem, 3756
tree like, 3088, 3158, 3759
cutting planes, 3759
data structures, 206
graphs, 1722
Hajós calculus, 3088
parse, 1197
parsing, 1197
tree
machine, 3169
mappings, 671
matching problems, 2211
network, 138, 3084, 3562
node, 1734, 1844, 2164, 2603, 2866
obstructions, 2433
of a recursion, 1753
tree of bounded
balance, 206
degree, 1720
tree of
depth two, 295
shortest Manhattan paths, 1052
tree pattern matching problem, 1840
tree precedence, 3977
in scheduling, 3977
relation, 3977
tree
protocol, 2310
realizability, 1720
realizable distance matrix, 1720
reconstruction, 1913, 2246
representation, 112, 1375, 2092
search, 687, 2090, 2382, 3156
searching, 892
sequence, 2890
series variety, 1656
shapes, 926
similarity measures, 822
storage, 2704
tree structure, 7, 44, 493, 556
of processes, 44
tree structured, 44, 240, 333, 1983, 3734
diagram, 3734
file, 1460
interconnection graph, 493
resources, 333
systems, 410
task system, 1602

tree
structures, 114, 249, 748, 1450, 1844, 1897, 2866
to tree correction problem, 671
tree to tree editing, 295
problem, 295
tree transducer, 348, 396, 794, 2078
tree transformation, 671, 822, 1844, 1853, 1867, 2078
algorithm, 1746
languages, 200
tree traversal, 72, 273, 511, 1623, 1913, 2151, 2322, 2393, 2394
algorithm, 35, 62, 2689
problem, 2151
tree
type algorithm, 1276
t-spanner, 3347
walking automaton, 4060
width, 3450
tree with
arbitrary weights, 53
unit length tasks, 185
treewidth, 3476
Trevisan, Luca, 3624
trial and error approach, 1024
process, 172
trial digit, 285
trial quotient, 285
digits, 285
triangle, 252, 350, 856, 989, 1159, 1193, 1448, 1562, 1908, 2010, 2264, 2380, 3090, 3311, 3797
conjecture, 801
counting problem, 1908
triangle free, 1528
graph, 1927, 3214
triangle
inequality, 2016, 3174, 3670, 4016, 4030, 4117
of a graph, 87
triangular, 1448, 2636
distribution, 1448
factor, 1514
grid, 953
range searching, 774
Toeplitz matrices, 1154
triangular Toeplitz matrix, 1269
inversion, 1154, 1353
triangularisation, 2044
triangulated, 677, 3503
graph, 3919
triangulating, 490
triangulating a set of points, 1396
in the plane, 1396
triangulating a
simple polygon, 350, 1984
subgraph of the Delaunay triangulation, 3244
triangulating simple polygons, 2706
triangulation, 350, 469, 518, 550, 856, 1193, 1267, 1345, 1374, 1412, 1431, 1768, 1888, 1901, 1937, 2097, 2182, 2264, 2380, 3244, 3262, 3531, 3917, 3981, 4041, 4097
graph, 4097
triangulation of a
point set, 550
polygon, 677
simple polygon, 856, 1901
triangulation of
point sets, 1396
polyhedra, 1746
triangulation
problem, 1396, 1431
procedure, 856
subset, 469
without separating triangles, 1901
triclique, 3426
triconnected
component separator, 2969
components, 101, 2379
trict interpretation grammars, 683
tridiagonal
linear systems, 1270
systems, 3702
tridimensional Ising spin glasses, 3830
trie, 194, 717, 1556, 1658, 1952, 2654, 2656, 3772, 3932
design heuristics, 1952
index construction, 1952
structures, 2654
trigonometric
expression, 1667
polynomial, 2240
trinity algebra, 1481
tripartite, 3426
triple, 238, 3658
exponential upper time bound, 741
indexing technique, 4096
triple of
elements, 30
vertices, 4030
triple
order, 96
star, 3680
trisort, 858
trivalent Cayleygraph, 3097, 3414, 3998
network, 3251
trivalent
Cayley networks, 3479
graphs, 1242
Trivedi, 338
trivial, 64

trivial algorithm, 947, 1915
Tromp construction of a waitfree atomic register, 3831
tropical semiring, 3213
TRS, 1910, 2085, 2676, 2771, 3753
true precondition, 2320
truncation, 3938
  rule, 2420
  technique, 2420
truth assignments, 1442, 3829
truth table, 2865
  complete, 2645
truth table minimization, 3941
  of DNF formulas, 3941
truth table
  property, 1181
  reductions, 3107
truth values, 286
Trystram, Denis, 3319
Tsakalidis, Athanasios, 3417, 3444, 3746
Tsao, 789
Tseitin, 542
  proof, 542
Tseng and Jan, 4137
Tseng and Lee, 1955
Tseng, Yuh-Min, 3428
Tseng, Yu-Chee, 3367
Tsitsiklis, John N., 3593
Tsong, Yueh Chen, 3408
Tsou and Fischer, 2449
TSP, 1014, 1749, 2016, 2372, 3926, 4030, 4117
  with triangle inequality, 2372
TSP(1, 2), 3926
Tsuchiya, Tatsuhiro, 3953
Tsudik, G., 3655
Tsukiji, Tatsuie, 3626
Tuan and Teo, 2054
Tucker, P.A., 3776
tuning, 3065
  architecture, 609
tuple, 265
Turán, György, 3373
Turakainen, 712
turbine assembly, 522
Turing, 261, 294, 535
  acceptors, 257
Turing complexity, 1283
  classes, 1283
  theory, 4005
Turing machine, 119, 182, 209, 294, 414, 535, 590, 674, 808, 964, 1232, 1283, 1313, 1378, 1390, 1550, 1576, 1581, 1607, 1625, 1657, 1702, 1866, 1868, 1871, 2258, 2473, 2574, 2601, 2704, 2752, 2760, 2859, 3364, 3767, 3905, 3990
  computations, 2986
  model, 2473, 2752
  names, 1134
  simulation, 585
  space, 1702
  tapes, 90
  variant, 119
turing machines, 535
Turing
  original model, 119
  reducibility, 1209, 1891
  reducible, 612
  selfreducibility, 3118
  transformations, 535
Turing-Church thesis, 210
turn
  angle constraints, 3805
  constraints, 3805
  penalties, 3805
Turner, 1214, 1375
  combinators, 802, 1099, 1358, 1375
  reduction machine, 1099
  translation, 1375
Turpin, Andrew, 3806
Turski, W.M., 3052, 3053, 3236, 3237, 3303, 3312, 3313, 3336, 3376, 3380, 3384, 3416, 3422, 3436, 3451, 3454, 3554, 3575, 3598, 3601, 3610, 3616, 3639, 3650, 3652, 3660, 3678, 3712, 3763, 3773, 3798, 3806, 3839, 3854, 3873, 3890, 3891
Tutte, 887
  Theorem, 2307
Tuza, Zsolt, 3687
Twente Technological University, 237
twin
  heap, 2644
  primes, 3515
twisted cubes, 3112
two
  complement, 2214
  edge disjoint, 2903
  graphs, 538
  headed disk, 3265
  letter plactic monoid, 3608
two level
  lockout, 300
  scheme, 708
two
  $n \times n$ matrices, 2568
  neighbor RCA, 2430
  paths problem, 2058
  person game, 612
  point nets, 1803
  sorted lists, 1438

two-way
finite automaton, 999
stack automaton, 999
two-agent mutual search, 3986
two-bounded circuits, 1152
two-center
decision problem, 2661
problem, 529, 2784
two-coloring, 2769
linked lists, 2769
two-cover problem, 2784
two-dimensional, 571, 578, 746, 893, 989, 1002, 1126, 1163, 1956, 2037, 2260, 2430, 2559, 2592, 2990, 3056, 3371, 3585
two-dimensional array
grammars, 210
of symbols, 290
patterns, 862
two-dimensional
arrays, 989, 1553, 1956
automata theory, 571
automaton, 71, 395, 571, 578, 722
two-dimensional bin packing, 530, 589, 2037
algorithms, 622
problem, 530
two-dimensional
binary array, 593
bounded cellular automaton, 1553
bussed meshes, 2587
closest pair problem, 1501
consecutive retrieval property, 271
two-dimensional dictionary
matching, 2531
problem, 2531
two-dimensional Euclidean space, 1620
two-dimensional finite
automaton, 318, 571, 578
point set, 499
two-dimensional
grid, 1267, 1476
indexing, 3601
information retrieval, 3474
input tape, 71
languages, 210, 318, 551, 749
linear programming, 2004
logic, 946
majority language, 1553
two-dimensional mesh, 1177, 2123
connected computers, 1847, 2101
structures, 1321
two-dimensional
meshes, 2123
nondeterministic finite acceptors, 571
orthogonal range queries problem, 2106
pattern, 395
two-dimensional pattern matching, 290, 2559, 2633
problem, 2633
two-dimensional patterns, 210, 551
in a text, 2531
two-dimensional
phrase structure grammars, 989
poset, 3546
potential problem, 195
two-dimensional processor array, 2030
with a reconfigurable bus system, 2030
two-dimensional
RCA, 2430
reconfigurable meshes, 2697
rectangular array, 578
routing problem, 3805
space, 1198, 1583, 3497
structure, 946
systolic arrays, 1645
tables, 231, 372
tape, 318, 578
temporal logic of programs, 946
texts management, 3474
transforms, 498
Turing machines, 3041
vector packing, 3643
version, 2144
two-head one-way deterministic finite automaton, 1232
two-headed disk, 886, 2373, 3149, 3254, 3265
system, 3149, 3254
two-independent set problem, 2306
two-input gates, 180
two-layer rectilinear wire, 2508
two-letter alphabets, 1686
two-level, 3512
grammar, 1059, 1069
memory model, 4125
normal forms, 2865
representations, 2865
two-level storage, 906
hierarchies, 1735
two-local random reductions, 2544
two-locally random reduction, 2544
two-machine flowshop scheduling, 3972
two-neighbor RPCA, 2430
two-party messages, 797
two-pass routing scheme, 2525
two-person
game, 2105, 2471, 3009
search game, 2105
two-phase, 1742, 2679
abstract interpretation, 2679
locking, 1565, 2150
two-point based sampling, 3400
technique, 3400

two-point boundary value problem, 1348
two-processor distributed system, 493, 1819
two-processor flow shop, 1812
  scheduling, 1812
two-processor
  module assignment problem, 546
  scheduling, 3273
  system, 167, 255, 1819
  task scheduling, 1336
two-qubit gate, 4114
two-queue machine, 3769
two-row routings, 2265
two-server balancing algorithms, 2934
two-sided, 3259
  infinite words, 3538
two-step transaction model, 1456
two-tape merging, 90
two-thirds rule, 16
two-valued logic, 2269
two-way, 999, 2038
two-way alternating
  finite automaton with one head, 2145
  k-counter machine, 1139
  TM, 1550
two-way automaton, 999, 1728, 1993, 2832
  with weak counters, 999
two-way cellular automaton, 792
two-way comparison, 3776
  search, 3776
two-way
  counter, 3990
  currency trading, 3707
two-way deterministic, 1550
  finite automaton, 663, 716
  one-counter machine, 999
  pushdown automaton, 182
  TM, 1550
two-way
  divide and conquer, 1074
  dominant sequence clustering, 2789
  finite automaton, 578, 663, 999
  flush, 1911
  globally deterministic synchronized alternating finite automaton, 2038
  heads, 696
  input tape, 1868
  key comparison, 3776
  linear array, 3415
  list, 434
  merge, 728, 2305
  multihead pushdown automaton, 113
  multiprocessor automata languages, 1433
two-way nondeterministic
  finite automaton, 663
  one-weak counter machine, 999
  pushdown automaton, 740, 814, 909
  TM, 1550
  tree automaton, 2832
two-way pointers, 532
two-way probabilistic
  automaton, 2488
  finite state automaton, 2488
two-way pushdown
  automaton, 276, 894, 909, 999, 2978
  tree automaton, 2832, 3309
two-way read
  only input tape, 2473, 2752
  write worktape, 2473, 2752
two-way
  real time cellular automaton, 792
  simulation, 2972
  traffic, 2055
  tree automaton, 2832
  Turing machines, 3851
type 0
  grammars, 68
  languages, 68
type 1
  grammars, 68
  languages, 68
type
  2 language, 3, 945
  assumptions, 3222
type checking, 151, 710, 763, 945, 2066, 2180
  overloading, 3222
type
  compatibility problems, 976
  definition facilities, 544
  derivation, 2938
  inference, 2464, 2552, 3222
  invertible grammars, 2375
type of
  identifiers, 779
  properties of programs, 962
  statistical, 1302
type
  rules, 151
  soundness proof, 3188
  structure, 1592
  system, 1919, 1989, 2552
  theory, 891, 945, 2907, 3188, 3222, 3223
typed
  programming language, 548
  tokens, 590
typing
  errors, 945
  variables and assignments, 3188
Tyszkiewicz, Jerzy, 3627
Tzeng, Wen-Guey, 3440, 3906

t-ary
ordered trees, 1832
trees, 1551
T-equivalence, 832
t-fst, 1853
T-incomparable, 832
T-join
problem, 2286
structure of a graph, 2286
t-lock, 3690
T-polynomial, 266, 1212
t-resilient consensus, 3974
t-spanner, 3530
t-tolerant implementation, 3975

U
$u \rightarrow v$ cut, 425
u.a.r., 2772
UD, 1251
UDP/IP, 4131
Uehara, Ryuhei, 3451
UET systems with resources, 527, 595
UET task system, 648
with 0-1 resources, 648
uet tasks, 504
UG, 830
UGAP, 1935
Uhlmann, Jeffrey, 3805
UIO sequences, 2026
Ukkonen algorithm, 3931
Ulam, 2105
game, 3179
Ulam-Rényi game, 4040
with lies, 4040
Ullman, 473, 648, 747, 1254
asymptotically optimal layout, 1254
ultimately periodic, 2860, 3538
properties, 193
ultralinear single tree grammars, 4029
ultrametric, 1560
partition, 1560
Umemoto, Hideki, 3710
unambiguity, 278, 836, 2018, 4029
of context free grammars, 116
requirement, 1475
unambiguous, 278, 836, 1475, 1988, 2112, 3076
CFL, 2537
computation, 4014
unambiguous context free
grammar, 847, 960, 1423, 2772
language, 640, 1931, 2537, 3078
unambiguous
decomposition of trees, 2537
description, 120, 3290
example grammars, 438
function classes, 4014
path system, 836
pushdown transducer, 386
structures, 779
unary, 476, 1657
alphabets, 1993
encoding, 1022
unary function, 727, 976, 2880, 3216, 3449
letter, 727
unary
knapsack problem, 1657
predicate, 2880
semaphore, 227
weighted perfect matching, 2286
unauthenticated Byzantine agreement protocol, 1857
unauthorized
access, 957
information, 31
unavailability of a quorum system, 3686
unavoidable set, 904
of words, 904
unavoidable sets of words, 904
unbiased random sample, 1729
unbounded error probabilistic Turing machines, 3031
unbounded fan in, 1424, 3189, 3768
Boolean circuits, 1152
circuits, 1152, 1986, 2153, 2225, 3589, 3847
gates, 3226
unbounded
function, 171, 2388
key space, 226
knapsack problem, 3527
memory, 1181, 2696
unbounded parallel
computational model, 1386
machine model, 1315
unbounded quantifiers, 430
unbounded searching, 226
problem, 226
unbounded
semaphore, 995
variables, 2376
unboundedness, 1626
detection, 971
uncapacitated plant location problem, 649
uncertainty, 338, 1697, 2646
based information measures, 1952
measure, 1952
unconditional
distribution of accesses, 691
equations, 2202
transfer, 144, 1643
unconditionally secure, 3110, 3681, 4091
secret set scheme, 4091

unconstrained minimization, 1731
uncontrolled rollback, 1439
uncoordinated checkpoints, 2849
uncountable cardinalities, 644
unctional dependencies, 871
undecidability, 572, 695, 1102, 1150, 1555, 1962, 2081, 2458, 2589, 2736, 3015, 3827, 3880, 3983
undecidability of
  a word problem, 669
  ambiguity, 1988
  selfembedding, 1096
undecidability of the
  bandwidth problem, 1886
  equality problem, 357
undecidability of the equivalence problem, 1103
  for sentential forms, 56
undecidability of
  the halting problem, 1506
  the Post correspondence problem, 2665
undecidability
  proofs, 3983
  property, 2081
  results, 572, 1843
undecidable, 47, 386, 456, 501, 514, 572, 578, 619, 669, 695, 1034, 1091, 1096, 1102, 1114, 1150, 1194, 1256, 1475, 1649, 1843, 1886, 1988, 2078, 2081, 2128, 2458, 2522, 2665, 2736, 2876, 3020, 3222, 3593, 3755, 3793, 3911, 3983, 4061
  fragment, 3827
  problem, 318, 1114, 2128, 2443, 3983
  question, 55
undefinability, 2363
undefinable, 2363
undefined, 3616
  expression values, 1372
undefinedness, 1372, 2590
undercover, 1078, 1088
  relation, 1088
underestimate, 1690
underspecification, 3616
  for S5, 3616
undetected termination, 1447
undirected
  Cayley graph, 3291
  cycle separators, 2504
  distance graph, 1537
  edge weighted graph, 308
  edges, 469, 883
  finite graphs, 252
undirected graph, 14, 101, 162, 163, 166, 299, 371, 403, 421, 441, 444, 564, 599, 660, 731, 743, 759, 765, 810, 815, 843, 873, 883, 887, 978, 986, 1040, 1115, 1121, 1212, 1243, 1354, 1514, 1573, 1613, 1718, 1738, 1799, 1828, 1835, 1842, 1912, 1935, 1939, 1944, 1965, 2034, 2058, 2200, 2201, 2209, 2239, 2241, 2339, 2361, 2377, 2379, 2482, 2504, 2518, 2540, 2577, 2602, 2616, 2741, 2822, 2843, 2857, 2887, 2889, 2935, 2940, 3010, 3040, 3081, 3338, 3341, 3425, 3477, 3490, 3715, 3761, 3995, 4071, 4072, 4116
  without loops, 266
undirected
  network, 1783, 2525
  path graph, 1221, 1288, 1822, 3661
  planar graphs, 2058, 3612
  simple graph, 668
  tree, 3158
unequal costs, 3327
unfailing completion procedure, 2202
unfair, 1158
  P and V operations, 1158
unfairness, 575
unfold/fold
  transformation rules, 3498
  transformations, 3498
Ung, Kyu Park, 3151
unicity distance, 3393
uniconnectivity, 2708
unicrossing pair of functions, 1682
unicyclic graph, 492, 505
unidirectional, 1980, 3563
  dynamic MOS shift register, 264
  links, 2868
  loop, 2168
  messages, 1831
unidirectional ring, 1607, 1712, 2009, 3701
  of identical finite state machines, 1607
unidirectional
  search, 2314
  star graphs, 2571
unifiability, 861
unifiable instances, 1774
unification, 321, 675, 847, 861, 958, 1330, 1531, 1543, 1751, 1767, 1774, 2031, 3020, 3157, 3521, 3788, 3884, 4061, 4068
  algorithm, 321, 1543
  algorithms, 341
  failure, 1767
  modulo an equational theory, 2031
unification of
  kinded finite trees, 3157
  regular trees, 3157
  terms, 958
unification theory, 3521
unification type, 1531, 2031
  zero, 1531

unified, 847, 927, 1299, 2655, 3664, 3788
  algorithm for sorting, 2123
  architecture, 3740
  framework, 3832
  linear time algorithm, 3298
  solution, 748
uniform, 2419, 3645
  algorithms, 797
  approach, 3534
  arithmetic, 1154
  Boolean circuits, 1931
  b-ary trees, 3327
  circuit, 1379
uniform code, 637
  string, 1418
uniform complexity, 3534
uniform cost, 1956, 3754
  criterion, 836, 859, 894, 909, 1065, 1956
  RAM, 2468
  random access machine, 276
uniform
  data distributions, 3867
  distribution, 303, 306, 373, 449, 557, 566, 569, 581, 703, 895, 1063, 1391, 1431, 1669, 2192, 2305, 2313, 2399, 2439, 2594, 2770, 2792, 2872, 3489
  emulations, 1651
  framework, 4022
  generation, 2866, 3645
  graphs, 4086
  guarantee, 2909
  hashing, 1750, 2094
  hypergraph, 2350, 3433
  implication problem, 2523
  inevitability, 1324
  learner, 2497
  liveness, 1173
  measure, 373
  method, 2655
  model, 3231
  morphisms, 3640
  multipaging, 3754
  multiprocessor systems, 868
  NC^1, 1836
  partition problem, 1495
  partitioning of relations, 3151
  probability distribution, 1887
  processes, 3084
uniform processors, 868, 1359, 2799, 3319
  of different speeds, 3319
uniform
  quorum sizes, 3336
  RAM time measure, 268
  random generation, 3078
uniform random number
  generator, 3508
  subroutine, 211
uniform
  random sampling, 1141
  recurrence equations, 357
  regular network, 1496
  reliable broadcast communication primitives, 4059
  request probabilities, 3265
  rings, 1980, 2799
  sort, 2096
  space measure, 1702
  TC^0, 1836
uniform termination
  is undecidable, 1096
  property, 1096
uniform
  treatment, 774
  witness, 2203
uniformity, 794, 3645, 3768
uniformly
  at random, 2772, 3609, 4033
  balanced data structure, 1953
uniformly bounded, 107
  average labor, 247
uniformly distributed, 306, 373, 431, 570, 919, 991, 1014, 1123, 1527, 1773, 1804, 1916, 2440, 3434
  arc lengths, 2629
  data, 703, 2654
  input keys, 431
  inputs, 570
  key values, 358
  keys, 187
  random permutation, 3803
  real numbers, 1801
uniformly limited ETOL systems, 3074
uniformly monotone, 1530
  polygons, 2331
unify, 1767, 3071
unify(tl, t2, env), 1299
unifying, 861
  infinite trees, 3157
  sets of terms, 861
  substitution, 675
  weak substitutions, 675
  wp and wlp, 3356
unilateral components, 205
unilaterally connected components, 205, 335
  algorithm, 335
unimodal, 46, 1676, 1777
  polygon, 1676, 1777
  subregion, 46
  vertex, 1777
unimodality, 1676, 1777
  of convex polygons, 1676

unimonotone polygon, 2426
uninterpreted, 2879
  parallel system, 575
union, 160, 271, 644, 884, 941, 996, 1079, 1124, 1410, 1795, 1845, 1910, 1963, 1981, 1988, 2140, 2290, 2342, 2355, 2466, 2526, 2665, 2835, 2877, 3396, 3414, 3691, 3703, 4056
  ambiguity, 1988
  closure, 361
  find algorithm, 240, 1052
UNION FIND
  data structure, 471
  problem, 471
union find problem, 471, 2878
union of
  disjoint cycles, 3945
  rectangles in the plane, 1373
  regular languages, 2466
  two 0L languages, 2665
Union operation, 471, 553
union
  rule, 2596
  tree recognition, 2596
  trees, 2596
union_find, 1803
uniprocessor, 2148, 3022, 3142
  machine, 808
unique
  2-satisfiability problem, 3079
  and critical SAT, 3318
unique decipherability, 1008, 1251
  problem, 1251
unique
  decompositions of trees, 2537
  factorization, 637, 801, 1973
  feasible solutions, 76
  feature, 3148
  fixed, 3022
  fixpoint solutions, 1991
  Hamiltonian cycle, 518
  Horn renaming, 3079
  HornSAT, 2716
  interpretation, 3074
  maximal solutions, 361
unique minimal
  model, 1555
  sequence of moves, 998
  solution, 361
unique
  nonterminal symbol, 399
  normal form, 1639
unique path multistage
  interconnection networks, 1769
  Omega network, 2525
unique root of smallest modulus, 4116
unique SAT, 2716
  for Horn formulas, 2716
unique satisfiability problem, 2716
unique solution, 1206, 2716
  problems, 3318
unique source, 1745
uniquely
  decipherable, 1251
  terminating, 1166, 3502
uniquely terminating code
  languages, 3943
  linear languages, 3943
uniquely terminating regular languages, 3502
uniqueness, 262, 1674, 1800, 1856
uniqueness of fixed points, 1674
  of endofunctors, 1856
uniqueness of
  irreducible ESP, 2130
  normal forms, 1652
uniqueness property, 12
unison, 1998
unit conversions, 84
unit cost, 14, 766, 2463, 3913, 4016, 4047
  measure, 2036, 2950
unit
  deductions, 1017
  delays, 19
unit execution time, 504
  scheduling problem, 642
unit interval graph, 3121, 3858
  recognition, 3121
unit
  interval model, 3121
  length independent tasks, 185
  of time, 102, 359, 638, 3388
  processing times, 3610
unit resolution, 411, 1017, 1628, 3063
  for Horn clauses, 1322
unitary, 2031
  execution time, 674
  operation, 4114
united types, 465
UNITY, 2297, 2321, 2734, 2787, 3033
unity, 3873
UNITY
  logic, 2321, 2520, 2734, 3033
  programs, 3873
Unity programs, 2703
UNITY style logic, 2700
UNIVAC 1108 computer, 496
univariate
  polynomial, 436, 2193
  polynomials with 0-1 coefficients, 436

universal
acceptance mode, 4060
algebra, 2250
automaton, 2017
universal classes, 531, 1279
of hash functions, 531, 2127
universal
computer constructor, 75
constant, 843
data types, 151
distribution, 2399
existential first order sentences, 2510
fields, 657
first order formulae, 2258, 2659
grammars, 830
hash functions, 2127
hashing, 3423
universal instance, 523
assumption, 523, 742
universal
invariants, 3902
join dependence, 2368
lower bound, 2934
one-way hash functions, 3635
optimal strategies, 3224
polynomial invariants, 3902
primitives, 183
programming languages with, 192
quantification, 2363
quantifier, 773, 795
universal relation, 523, 771, 1567, 3703
interface, 2368
join dependency, 1618
universal
scheme, 1025
selector, 1056
sequence, 1613, 2616
universal set, 1545
of gates, 4114
universal
sorting algorithm, 784
space, 259
traversal sequence, 1613, 2616
Turing machine, 2430
types, 151
upper bound on programs, 294
universality, 949, 3901
universally
hard set of formulae, 257
quantified, 1422
universe, 268, 2000
universe of
discourse, 1919
expressions consisting of functions and program forming operators, 976
objects, 976
University of Helsinki, 273
University, Carnegie-Mellon, 59
UNIX, 1382
unknown
environment, 2936
pattern, 36
value, 2249, 3845
unlabeled
hypercube, 3733
n-node hypercube, 3733
trees, 1930, 2215
unlabelled, 822, 2512
derivation trees, 2512
graphs, 1758
trees, 822
unless properties, 2703
unlimited, 3581
polynomial number of processors, 1315
unmarked
cells, 1915, 2528
node, 244
unmerge, 1438
unnegated variables, 4055
Unno, Hiroshi, 3734
unordered
currying, 3047
labeled trees, 2397, 2797
rooted trees, 2301
trees, 1840, 2296, 2397, 2797
vector grammars, 394
unpacked decimal
keys, 1037
numbers, 1037
unpebbled vertex, 563
unpredictability, 300, 2505
requirements, 4075
unpredictable, 1816, 2505, 2509
subset, 1606
unprovability, 1313
unprovable, 2046
unquantified formulas, 658
unranking, 768, 2233
algorithm, 768, 1551, 2598
unrelativized, 2560
polynomial time hierarchy, 2963
unreliable
calls, 2287
communication, 1191
components, 3500
failure detector, 4008
link, 2421, 3289
networks, 2421
node, 3289
processes, 1857
unresolved, 1779

unrestricted
access to a common memory, 342
functional dependencies, 871
selection function, 799
unrooted trees, 1840
unsatisfiability, 1017, 2098, 4003
of Horn sentences, 1017
unsatisfiable, 1670
unsaturated vertex, 245
unsolvability, 476, 754, 1483
in the presence of faults, 1483
of the consensus problem, 1483
unsolvable, 476, 1213
unsolved problems, 357
unsorted, 1376
linear lists, 1633
unsound, 1875
unstable states, 1796
unstructured
data, 100
flowgraph programs, 513
form, 513
programs, 513, 1419
unsupervised learning, 2777
untyped, 2180
lambda calculus, 2464
λ-calculus, 1592, 2366
unwanted information, 31
unweighted, 371, 873, 1757, 2278, 2352, 2575, 2635, 3178, 3637
graphs, 873, 2377, 3637
perfect domination problem, 2019
unwind property, 1181
un-Skolemization, 1670
un-Skolemizing clause sets, 1670
UP, 1495, 2954
UP ∩ co-UP, 3823
update, 256, 286, 462, 643, 652, 654, 859, 1626, 1761, 2080, 3653, 3820
algorithm, 805, 1368
anomalies, 1650
update of
an array element, 1297
data, 634
update
operation, 1037, 1297, 1506, 1633, 1786, 2950, 3474
time, 1171, 2071, 2097, 2950, 3820
update/query algorithms, 1368
updating, 6, 174, 206, 345, 3474
a minimum spanning tree, 1231
hypothetical data bases, 897
mechanism, 5
minimum spanning trees, 1231, 1544, 1554
updating of
counters, 82
pointers, 82
variables, 82
updating problem, 1544
UPGMC, 916
upper and lower bounds, 539, 733, 1392, 1608, 1682, 1695, 2384, 2806, 2868, 3114, 3147, 3364
upper bound, 53, 69, 97, 109, 163, 220, 281, 294, 349, 372, 436, 442, 463, 527, 531, 534, 539, 552, 636, 648, 649, 668, 737, 814, 831, 860, 894, 942, 947, 1006, 1051, 1053, 1105, 1167, 1196, 1210, 1226, 1270, 1280, 1340, 1359, 1392, 1504, 1534, 1552, 1620, 1712, 1718, 1730, 1746, 1790, 1791, 1890, 1948, 2020, 2025, 2041, 2051, 2103, 2106, 2135, 2160, 2178, 2183, 2253, 2358, 2384, 2422, 2426, 2466, 2468, 2472, 2476, 2586, 2591, 2616, 2619, 2687, 2721, 2767, 2831, 2845, 2979, 2987, 3011, 3101, 3252, 3266, 3277, 3369, 3393, 3471, 3540, 3551, 3599, 3651, 3666, 3672, 3698, 3748, 3772, 3900, 3968, 3971, 3986, 4024, 4030, 4041, 4140
analysis, 1552
for copying, 1868
worst case complexity, 673
upper envelope, 1882
of n line segments, 1882
upper
interface, 2279
semilattice, *see also* USL
tester, 2279
upward drawing, 2082
of AVL trees, 3596
upward funarg, 397
upward separation, 2954, 4067
technique, 2954
upwards closed, 2511
Urban, Kenneth J., 3631
Urquhart, 660, 1925
Urrutia, Jorge, 3102, 3723
use of memory, 2382, 2688, 4125
usefulness of negative data, 2231
useless value, 1456
uselessness, 1456
user authentication scheme, 654
user defined
functions, 1477
ordered set, 443
user
hierarchy, 4046
identifiers, 1416
interface, 896
perception, 990
portability, 2298
queries, 61, 1048, 2491
scheduling, 1176

Ushijima, Kazuo, 3671
USL, 1209, *see also* upper semilattice
Ustimenko, A.P., 3384, 3839
utCLL, 3943
utilization factor, 4049
U-graph, 2026
U-machine, 119
U-R systems, 3014
u-spheres, 1696
U-tree, 1764

V
V operating system, 2192
V operation, 1158, 1446
V primitive, 254
Vaandrager, Frits, 3372
Vaccaro, Ugo, 3652, 3752, 3763
Vadapalli and Srimani, 3251, 3998
Vaidya, 2915
Vaishnavi, 774
Vaishnavi and Wood, 774
Vajda quadratic entropy, 36
Vajnovszki, 3915
Vajnovszki, Vincent, 3822
Vakali, Athena, 3492
Valian, 674
Valiant, 378, 666, 725, 741, 745, 1381, 1442, 2870, 2887
  algorithm, 741
  alternate stacking method, 666
  comparison model, 1113
  learnability model, 2131
  parallel comparison decision tree model, 3509
Valiant, L.G., 651
valid
  prefix property, 3162
  schedule, 611
validation, 1150, 2047
validity, 512, 710, 841, 1019, 1102, 1306, 2336, 3616, 3861
  of a first order formula, 1306
validity of qualitative
  linear time properties, 3714
  properties of probabilistic processes, 3714
validity
  of temporal formulae, 1478
  problem, 440, 1102, 1194
Valk and Vidal, 1215
valuated graph, 1614
value
  ordering heuristic, 1940
  protection, 710
van den Broek and van der Hoeven, 1652
van den Bussche, Jan, 3392
van der Aalst, Wil, 3952
van der Sommen, F.W., 3004
van Dijk, Marten, 3551
van Emde Boas, 613
  trees, 939
van Emde Boas, P., 1159
van Gasteren and Tel, 2297
van Gasteren, A.J.M., 3004
van Gelder et al., 2269
van Glabbeek and Weijland, 3300
van Glabbeek hierarchy, 3911
van Horn, 44
van Kreveld, Marc, 3860
van Leeuwen, 201, 521, 748, 2267
van Leeuwen and Wood, 679, 2836
van Leeuwen, J., 193, 596
van Lint and Seidel, 4052
van Maaren, Hans, 3658
van Ommering, R.C., 3572
van Oudheusden, 216
van Wijngaarden grammars, 830, 847
Vandermonde
  matrices, 2193
  matrix, 2193
  system, 2193
Vapnik-Chervonenkis dimension, 2224, 3333
Varadarajan, Kasturi R., 3507
Vardi and Wolper, 4140
Vari, 283
variable, 5, 114
  abstraction, 1375
  and assignment, 3188
  binding, 139, 1665
  capture, 1665
  cost queries, 3845
  declaration blocks, 1408
  delay line, 157
  in programs, 1097
variable length
  codes theory, 794
  codeword, 383
  exponent field, 2928
  keys, 721
  prefix, 383
variable
  lengths, 21
  naming, 1482
  of a procedure, 5
variable ordering, 3370, 4083, 4113
  heuristics, 1940
variable size
  records, 16
  stacks, 2509
variable space, 1, 338
  memory management, 3577

variable step size numerical integration, 1207
  methods, 1207
variable substitution procedures, 1017
variable to
  fixed encoding, 383
  variable encoding, 383
variable
  type fonts, 59
  word size, 2411
variance, 678, 703, 3465, 3654
  deviations, 49
variant
  function, 1635, 2446, 2802
  of heapsort, 1356
variant(clause), 1299
variation distance, 1700
  of Markov chains, 1700
variational
  approach, 89
  principle, 195
variety, 1656
variety of
  languages, 3197
  ω-languages, 3197
  tree series, 1656
Varma, 2525
Varol, Yaakov, 3700
VAS, 129, 307, 1392
  languages, 3204
  slices, 307
VASS, 1507
Vassiliev, V.A., 3535
Vassiliou, 744, 771
Vatan, Farrokh, 3373
VC dimension, 3333, 3403
VDL, 1059
  specifications, 1059
VDM representation, 1567
Veanes, Margus, 3436
vector, 5, 128
  addition reachability problem, 357
vector addition system, 129, 150, 357, 584, 1392, 1507
  languages, 3204
  with states, 1507
vector
  clocks, 2441
  cross product, 198
  grammars, 394
  label, 128
  operations, 733
  order, 552
  packing, 3643
  processor, 214, 1997, 2218
  products, 198
  replacement system, 1392
  representation, 128
vector space, 472, 3821
  model, 3958
vector
  supercomputers, 3744
  time, 2441, 3818
  timestamps, 3818
  type data, 1380
vector/parallel processor, 214
vectorization, 950
Vedantham, Sundararajan, 3679
Vegas, 3059
Vegter, 2221
vehicle detector, 52
Veith, Helmut, 3588
velocity, 22, 2136
  modulus, 2142
Veloso, Paulo A.S., 3396, 3633
Veloso, Sheila R.M., 3633
Venema, Sven, 3425
Venkatesan, G., 3347, 3426
Venkatesh, S., 3819
Verbarg, Knut, 3483
Vereshchagin, 3571
Vergis et al., 2601
Verhaegh, W.F.J., 3527
Verhofstad, 652
verifiability, 4134
verifiable
  communication, 1831
  secret sharing, 1473
verification, 355, 412, 604, 780, 1019, 1360, 1372, 1492, 1607, 1742, 1911, 2057, 2485, 2550, 2655, 2729, 2730, 3113, 3145, 3418, 3516, 3714, 4070, 4113
  algorithm, 1360, 3536
  approach, 1402
  conditions of programs, 1194
  equation, 3587
  method, 1298, 3891
verification of
  behavioural equivalences, 2001
  infinite state systems, 4021
  parallel computations, 1392
  programs, 440, 1019, 1402
  the invariants, 1349
verification
  procedure, 3871
  process, 134, 1742
  techniques, 927
verifier, 1407, 1615, 2388, 2827, 3299, 3871
verify, 780, 1360, 1478, 2568, 3007, 3522, 3873
  an equivalence, 2001
verify correctness, 1246
  of programs, 2060

verify
matrix products, 2568
probabilistic process, 3714
probabilistic processes, 3714
verifying, 1798, 2844, 3692, 3920
concurrent processes, 995
matrix products, 2568
nonrigidity, 1205
observational congruence, 2001
programs, 954
Verjus, J.-P., 2015
Verma, Rakesh M., 3566
Veroy, Boris S., 1851, 1852
vertex, 14, 15, 69, 79, 101, 110, 121, 128, 136, 138, 166, 167, 170, 199, 245, 252, 255, 266, 299, 309, 328, 349, 350, 353, 367, 371, 374, 380, 392, 399, 403, 421, 425, 439, 459, 490, 492, 499, 505, 508, 515, 563, 564, 567, 583, 585, 627, 628, 642, 645, 660, 668, 677, 688, 689, 701, 731, 736, 746, 756, 759, 764, 765, 772, 781, 808, 810, 813, 815, 816, 841, 854, 856, 889, 893, 932, 937, 986, 1007, 1020, 1062, 1115, 1127, 1132, 1133, 1185, 1198, 1212, 1220, 1221, 1262, 1267, 1315, 1332, 1338, 1345, 1350, 1354, 1389, 1395, 1398, 1430, 1493, 1518, 1530, 1533, 1537, 1544, 1549, 1559, 1561, 1586, 1590, 1610, 1640, 1646, 1648, 1676, 1722, 1723, 1725, 1738, 1739, 1741, 1745, 1749, 1762, 1777, 1778, 1780, 1799, 1803, 1815, 1823, 1828, 1834, 1835, 1859, 1879, 1892, 1912, 1927, 1944, 1947, 1970, 1972, 1979, 1994, 2002, 2003, 2019, 2028, 2052, 2058, 2075, 2125, 2160, 2172, 2174, 2200, 2201, 2208, 2209, 2260, 2273, 2284, 2299, 2300, 2307, 2308, 2331, 2335, 2336, 2339, 2341, 2350, 2361, 2372, 2385, 2401, 2413, 2415, 2417, 2423, 2426, 2429, 2435, 2445, 2454, 2474, 2484, 2504, 2517, 2534, 2540, 2543, 2548, 2577, 2579, 2602, 2605, 2616, 2623, 2636, 2643, 2674, 2687, 2698, 2708, 2723, 2738, 2741, 2746, 2761, 2782, 2804, 2806, 2815, 2889, 2895, 2902, 2911, 2940, 2947, 2956, 2960, 2966, 2976, 3013, 3018, 3040, 3090, 3104, 3116, 3121, 3155, 3158, 3159, 3160, 3164, 3170, 3177, 3178, 3217, 3242, 3256, 3257, 3262, 3275, 3277, 3304, 3311, 3330, 3331, 3340, 3348, 3354, 3367, 3379, 3386, 3411, 3422, 3433, 3442, 3450, 3476, 3491, 3503, 3507, 3516, 3542, 3543, 3547, 3562, 3576, 3584, 3661, 3667, 3676, 3688, 3691, 3693, 3703, 3713, 3721, 3765, 3794, 3797, 3805, 3826, 3857, 3870, 3872, 3883, 3928, 3945, 3946, 3950, 3959, 3967, 3985, 3995, 4007, 4020, 4048, 4057, 4077, 4092, 4095, 4108, 4117, 4127, 4129, 4136
and edge disjoint paths, 3475
capacities, 510
vertex coloring, 1395
algorithms, 2534
of graphs, 3942
problem, 2941
vertex connectivity, 843, 2429, 2746, 2780, 3475
of graphs, 843
vertex costs, 371
vertex cover, 403, 478, 810, 1787, 2041, 2698, 3341, 3676, 3826
approximation, 810
in a tree, 810
problem, 371, 403, 810, 873, 1787
vertex covering, 3018
problem, 3094
vertex
covers, 3120
degree, 873, 1514, 2336, 3651
vertex deletion, 1544
problem in MST, 1544
vertex disjoint, 1835, 3442
cycles, 2222
paths, 745, 854, 1994, 2058, 2339, 2543
stars, 245
subgraphs, 3826
vertex elimination, 3183
ordering, 3104
vertex
estimation, 4044
fault, 3691
floodlights, 3164
graphs, 123, 2401
insertion, 1544
lights, 3164
vertex of a
convex polygon, 328, 354
graph, 1890, 2028, 3697, 3978
network, 170
simple polygon, 512, 2384
vertex of the hull, 1328
vertex ordering, 4020, 4136
of graphs, 4020
vertex ranking, 3217, 3836
number, 3836
of a graph, 3217
vertex search
graph algorithms, 2423
problem, 2423
vertex
selection, 1749
separation number, 2433
separators, 2401

vertex set, 166, 205, 421, 645, 764, 765, 772, 815, 873, 1115, 1745, 1879, 2087, 2248, 2484, 2922, 3200, 3426, 3476, 3542, 3661, 3691, 3703, 3928
of a simple polyhedron, 1414
vertex
subset, 2618, 4051
symmetry, 2414
transitive, 2989
weights, 2423
vertical
bounds on propagation, 1249
decomposition, 941
migration, 609
segments, 1052, 2508
vertically convex, 1896
very high level languages, 773
very large
data/knowledge bases, 1861
databases, 2491
knowledge base systems, 1861
list processing computations, 117
scale integration, 605
state sets, 2268
very
simple languages, 680
sparse sets, 880
Vesper, Tobias, 3096
veto capability, 3324
via minimization, 2245
vias in chips, 2245
video jitter, 4131
Vienna definition language, 830, 1059
Viennot factorization, 3395
view, 1679
view based
algorithms, 1786
replication control algorithms, 1786
view definition, 834, 996
Vigna, Sebastiano, 3644
Vijayan, 1869
Vinodchandran, N.V., 3107
virginity, 3921
virtual address, 933
space, 708
virtual
addresses, 708
channel, 2861, 3026
communication channels, 1967
dynamic system, 1738
generation time, 2840
hashing, 1037
links, 2168
virtual memory, 1, 229, 261, 496, 543, 708, 817, 890, 1250, 1796, 2164
concept, 1
management, 1724
oriented data type, 261
systems, 1
virtual
objects, 1708
plane waves, 3817
pyramid structure, 1421
virtual storage, 1
access method, 203
virtual tape, 498
viscous
drag, 22
flow, 22
visibility, 1267, 1755, 1921, 2273, 2939, 3039, 3164, 3693
computations, 2076
graph, 1121, 1469, 2091, 2417, 2445, 2853
visibility of
a polygon, 3693
windows, 1755
visibility
path, 3117
polygon, 1364
problem of windows, 1755
relation, 2417
representation, 2316, 3506
visibility representations of
graphs, 2316
trees, 3506
visibility tree, 1079
visible
parts, 1992
surface determination, 2359
vertices, 3217
vision, 1236, 3862, 3938
visited nodes, 2108
visual, 2120
cryptography, 4135
human computer interaction, 3755
interactive computing, 3755
language, 3755
system, 4135
visualization, 3371
Vitányi, P.M.B., 3333, 3355, 3455, 3518, 3525, 3526, 3534, 3535, 3536, 3572, 3626, 3658, 3677, 3687, 3765, 3766, 3767, 3768, 3769, 3775, 3815, 3864, 3875, 4002, 4067
Vitànyi, P.M.B., 3627
Vitter, Jeffrey Scott, 3342
Vizing, 492
theorem, 2336, 2534
total color conjecture, 3928

Vleugels, Jules, 3406
VLSI, 601, 605, 659, 988, 1005, 1051, 1226, 1252, 1254, 1269, 1316, 1445, 1502, 1515, 1596, 1912, 1917, 1975, 2248, 2508, 2548, 2673, 2812, 3211, 3459, 4113
  adder, 605
  architecture, 1321, 2673, 2812
  area time bounds, 1917
  array, 1490
  based parallel computers, 2699
  CAD, 4122
  channel routing, 2539
VLSI chip, 605, 988, 1376, 1917, 1954, 3141
  design, 1502
VLSI circuit, 1183, 1254, 1560, 2107
  for string matching, 1479
VLSI
  complexity, 1095, 1316, 2309, 2812
  conversion, 1005
  counter, 1226, 1454
VLSI design, 1149, 1161, 1170, 1226, 2682, 3320, 3864
  tools, 1161
VLSI
  devices, 1481
  fast solver, 1270
  grid model, 1596
  implementation, 1170, 2030, 2309, 2697, 2699
VLSI layout, 1170, 1254, 1282, 1434, 1764, 2054, 2135, 2208, 2448, 2469, 2548, 2579, 2623, 2673, 2697, 3141, 3812
  compaction, 1405, 2667
  design, 2135
VLSI model, 1051, 1226, 1269, 1270, 1454, 2107
  of computation, 2812
VLSI
  network, 601, 1226
  optimal convex hull computation, 3211
  optimality, 1095
  processing, 1502
  routing, 2245, 2265
  solver, 1270
  sorter, 1095
  technology, 601, 792, 1089, 1954, 2620, 2868
  wiring, 1100
VMIN, 338, 366
  algorithm, 366
vocabulary, 61
Vollmer, Heribert, 4118
voltage assignment, 4121
volume, 453, 560, 2146, 2813, 3561, 3811
  allocations, 560
volume of a
  convex body, 2813
  graph, 459
volume of
  an algorithm, 453
  reads and writes, 2835
von Braunmühl, 2752
von Braunmühl and Verbeek, 1499
von Karger, Burghard, 3495
von Neumann
  computer, 1169
  machine, 1477, 1996
  neighborhood, 2430
Voronoï diagram, 1412
Voronoi basin of a region, 3853
Voronoi diagram, 350, 354, 469, 509, 517, 550, 841, 1020, 1193, 1210, 1374, 1396, 1431, 1501, 1827, 1901, 1937, 2011, 2013, 2043, 2472, 2841, 3599, 3853
  algorithm, 1020
Voronoi diagram of
  a convex polygon, 2104
  N line segments, 517
Voronoi diagrams, 517, 870, 1827, 2043, 2277, 2472, 3853
  in 3-space, 3599
Voronoi
  dual, 870
  edges, 1020
  points, 1020
  polygon, 1020
  tessellation, 1916
  triangulation, 469
Vossen, Gottfried, 3583
vote tags, 4134
voting, 2869, 4134, 4138
  centre, 4134
  receipts, 4134
  scheme, 2869
VRS, 307, 1392
  slices, 307
VSAM, 203
VSS numerical integration methods, 1207
Vuillemin, 1269
vulnerability, 887, 3270
VW grammars, 1069
V-operation, 43, 1280
V-tape, 261

W

W_4 free graphs, 3421
Wabbi, Ahmad, 3480
Wagh, Meghanad D., 3414
Wagner, 2176
Wagner, 295
Wagner and Fischer, 1982
Wagner, Klaus W., 3705
Wai, Yin Mok, 3533, 3619
wait for graph, 2196, 3148

wait free, 1808, 2451, 3285, 3831, 3975
  atomic multiwriter variables, 2451
  n-process consensus problem, 1808
  objects, 1808
  registers, 3285
  shared data objects, 1808
wait free synchronization, 1808
  primitive, 1808
wait relations, 636
Waite, 511
waiting
  costs, 566
  list, 43
wakeup problem, 3119
Waldinger, 460
Waldmann, Uwe, 3760
walk in a generalized de Brijn graph, 2778
Walker, 279
Walker and Wood, 2254
Walsh transform, 4093
Walsh, Toby, 3689
Walsh-Hadamard transformation, 1183
Walston and Felix, 1071
Walter, Rolf, 3096, 3499
WAM, 1767
  implementation, 1767
Wand, O'Keefe and Palsberg, 3302
Wang, 749
Wang et al., 3956
Wang, Chan-Chi, 3751
Wang, Chih-Hung, 3681, 3871
Wang, Feng-Jian, 3750
Wang, G. and S. Lu, 2357
Wang, Huaxiong, 3789
Wang, Jeng-Jung, 3675
Wang, Kuei-lin, 3991
Wang, M.Z., 3465
Wang, P.S.-P., 228
Wang, S.C., 3897
Wang, Shih-Yih, 3467
Wang, Sying-Jyan, 3580
Wang, Xiaodong, 3339
Wang, Y., 4002
Wang, Yi-Min, 3861
Wang, Yongge, 3438, 3875
Wang, Yue-Li, 3348, 3547, 3876
Wang, Zheng, 3874
Ward
  method, 916
  minimum variance method, 916
Warmuth and Haussler, 2027
Warners, Joost P., 3815
Warpechowska-Gruca, Jolanta, 3900
Warren
  abstract machine, 1767, 2431
  and Friedman, 1229
Warshall, 15, 216
  algorithm, 70, 3572
Watanabe, 1066
Watanabe, Osamu, 3626, 4067
Watanabe, Yoshimichi, 2942, 3025
watchman problem, 1578
watchman route, 1578, 1921, 3365
  problem, 1921
watchtower, 1671
Wätjen, 2720
Wätjen, Dietmar, 3332
Watkins, 2058
Watson, Karan, 3346
wave mechanics, 529
wavelength, 1108
  division, 3539
wavelet transforms, 2592
WDM optimal networks, 3864
weak
  and strong space complexity, 3851
  binary semaphores, 1446
weak bisimulation, 2614, 3813
  relation, 2614
weak
  causality, 3934
  chains, 3488
  component, 110
  consistency, 3260
weak copy consistency, 1697
  constraints, 1697
weak
  correctness, 632
  counter, 999, 2776
  covering, 438
  equivalence, 331, 771
  fairness, 973, 3108, 3372
  form, 3195
  GCWA, 1962
  instance model, 1626
weak invariance, 2157
  of probability, 2157
weak key
  attack, 3505
  protected one-time password system, 3505
weak
  modes of space complexity, 3851
  NSPACE, 1871, 2752
  operator precedence grammars, 302, 362
  persistency of Petri nets, 726
weak precedence
  grammars, 302, 362
  relation, 3977
weak
  predicate, 675
  semaphore conjecture, 406

weak (*cont.*)
semaphores, 406, 1280, 1446
sense of direction, 3644, 4121
substitutions, 675
threshold networks, 3559
timestamp systems, 2451
tree relation, 3977
unification, 675
vs. strong space bounds, 1388
weakening, 809, 2578
weaker
metrics, 1991
set theory, 644
weakest, 1399, 1520, 1858, 3036
deadlock preserving congruence, 3036
equivalence, 3036
liberal precondition, 1422, 3356, 3778
postspecification, 1567
weakest precondition, 134, 1333, 1422, 1498, 1520, 1677, 2485, 3008, 3356, 3478, 3778
semantics, 2485, 2641, 3478
weakest
predicate, 1909
prespecification, 1333, 1567
weakly equivalent, 771
weakly fair
language, 1678
scheduling algorithm, 973
weakly
implemented, 406
permutable, 1732
weakly persistent, 726
net, 726
weakly
polynomial algorithm, 4082
predictable cellular automaton, 2988
space bounded, 1388
square free words, 1070
triangulated graphs, 2239
unifiable, 675
weather forecasting, 1445
web, 13
grammars, 13
Weber, 2549
GCD algorithm, 4015
Weber, Ken, 4015
Wedekind, 790
Wedekind and Härder, 790
Wegbreit, 152
algorithm, 152
compactifying GC, 312
Wegener, Ingo, 3370, 3394, 3711, 3781
Wegner, 23
Wehrheim, Heike, 3360
Wei, 3209
Wei, Li-Chiun, 3591
Wei, R., 3879
weight, 425
balanced tree, 788, 1974
function, 873, 1090, 2032, 2386, 2518
weight of a
spanning tree, 2248
vertex, 3450
weight
of sentences, 78
sequences, 3822
triangulation, 3208, 3917
weighted
3-matroid intersection problem, 130
$C_{3,1}$ problem, 3456
cactus graphs, 3985
complete graph, 1560
dictionary, 2164
digraph, 723, 1762, 2575
directed graph, 255, 2575, 3691
discrete set, 4079
domination problem, 2976
double loop network, 3691
error, 3804
feedback vertex problem, 3456
grammars, 78, 1312
graph, 756, 873, 1544, 1705, 2248, 2377, 3155, 3178, 3450, 3637, 3783, 3926, 4094
group method, 916
irredundance, 3713
k-parity matroid problems, 130
k-quorum systems, 3785
linear scheduling problems, 1038
weighted matching, 1338
problem, 660, 2444
weighted
maximum matching problem, 660
number of late jobs, 3828
outerplanar graphs, 1828
weighted path length, 53, 935
of trees, 53
weighted perfect
domination problem, 2019, 2740
matching, 2102
weighted
points, 1210, 2804
quantile, 2990
schemes, 3948
search, 3056
sum, 325, 2053, 3165
tardiness, 1772, 2032
weighted threshold
gate, 3768
scheme, 3948
weighted trees, 371

weighted undirected
graph, 2540, 3670, 3949
symmetric graph, 4094
weighted
vertex cover, 2698
visibility graphs, 2445
Voronoi diagram, 1210
voting, 2310, 2852, 3785
Weihe, 3612
Weil, P., 3798
Weiser, 1654, 3215
Weiss, 1957
Weiss, M.A., 3061
Welch, Jennifer L., 3613
well defined operations, 2628
well formed
parentheses strings, 3431, 3844
program, 1598
terms, 794
well founded, 514, 1820, 2068, 2771
induction, 1820, 2210
order, 1630
ordering, 460, 514, 826, 2648
orders, 1630
semantics, 2269
set, 1820, 2771
well
foundedness argument, 2086
ordered, 451, 1630
quasi-order, 1630, 2511
quasi-orderings, 4021
quasi-orders, 2511
well structured
complete sets, 4005
programs, 99
sets, 4005
well typed terms, 2366
Welsh and Petford, 1890
Welsh-Powell
colouring heuristics, 1743
opposition graphs, 1743
Welzl randomized method, 3811
West, Douglas B., 1627
Westbrook, Jeffery, 3398
Weyuker and Jeng, 3246
when oblivious, 977
where oblivious, 977
while
loop, 460, 3201, 3443
rule, 891
While, Lyndon, 3628
WHILE-DO-OD iterations, 258
WHILE-loop, 443
WHILE-programs, 846
WHILE-rule, 1372
white
noise components, 49
pebble, 563
Whitesides, Sue, 3401
Whitney, 87
wide diameter, 3228
WIDE internet, 2998
widest k-dense corridor problems, 3810
Widmayer, Peter, 3761
width, 3253
and depth bounded uniform circuits, 1379
width of
Boolean formulas, 2847
logic circuits, 751
matrices, 3658
Wiener
action, 1902
process, 1902
Wierum, J.-M., 3743
Wierzbowska, Izabela, 3635
Wijnands, A.I.J., 3004
Wijshoff, Harry A.G., 3326
Wilhelm, R., 1920, 2014
Wilke, 3197
Wilke, Thomas, 3586
Willard, 774, 1057
Williams, Poul Frederick, 4112
Williamson algorithm, 3822
Williamson, David P., 3338
Wilsey, Philip A., 3362
Wilson, 626, 1955, 2424
Wilson and Shortt, 626
Wilson, David K., 3685
Wilson-Shortt, 626
algorithm, 626
window, 1387, 1755, 1984, 3577
systems, 1755
visibility, 1755
windowing, 1387
problem, 1387
Winkowski, J., 322
winning strategy, 3009, 3179
Winograd, 351
result, 155
WIRE, 384
wire, 592, 1252, 1709, 2054, 2245, 2265
area, 1252
length, 1434, 1764
listing program, 384
wire routing
design, 1364
problems, 887, 3543
wire segment, 1364
wireless communications, 3864

wiring, 1975, 2054, 2561
  algorithm, 1975
  layout, 2508
  path, 2508
  problem, 2054
Wirth, 992
Wirth, Estabrook, and Rogers, 20
Wirth, Hans-Christoph, 3715
Wirth, N., 191
Wirth-Weber precedence, 302
  grammar, 955
  relations, 362
Wise, D.S., 488
witness, 2388, 3924
  graph, 3642
Woeginger, Gerhard J., 3380, 3575, 3643
Wolberg, 1071
Wolsey, 2016
Wong, 1075
Wong and Chandra, 295
Wong and Coppersmith, 573
Wong, C.K., 3836
Wood
  heuristic method, 1090
  method, 1090
Wood, D., 596
Wool, Avishai, 3686
word, 23, 33, 1462, 1959
  chain, 1959
  chains, 1462, 1686, 2501
word dimension, 1090
  reduction, 1090
word equation, 1644, 3020
Word equations, 3020
word
  frequency data, 33
  importance, 33
  length, 38, 2036
  local restriction, 1095
  minimization, 1090
  of Fibonacci, 685
  problem, 669, 1086, 1166, 1303, 1363, 1463, 2303, 4085
word problem for
  a Thue system, 669
  groups, 572
word processing, 1179
work function algorithm, 3261
work optimal, 3147, 4128
  algorithm, 4128
  parallel algorithm for finding a maximal matching, 4128
work
  preserving emulations, 3745
  tape, 1868
  variables allocation by compilers, 1131
working set
  algorithm, 3577
  theorem, 2164
working storage, 27
workload scheduling, 3146
workspace, 732, 1016, 1223
workstation, 3803
worktape, 2473, 2752
world, 2206
  problem, 1363
worlds where P = NP, 1622
WORM 2DPDA, 2930
worm routing, 3979
WORM store, 2930
wormhole routed parallel computers, 3914
wormhole routing, 2834, 2861, 4038
  communication, 2834
worst case, 40, 165, 194, 209, 306, 315, 328, 329, 342, 391, 405, 422, 432, 433, 492, 499, 539, 569, 574, 602, 615, 638, 677, 703, 781, 784, 803, 901, 1074, 1099, 1123, 1143, 1172, 1187, 1192, 1220, 1223, 1228, 1261, 1287, 1304, 1356, 1375, 1403, 1405, 1537, 1544, 1675, 1684, 1707, 1748, 1790, 1821, 1942, 1955, 2006, 2049, 2053, 2054, 2094, 2095, 2129, 2140, 2156, 2236, 2254, 2323, 2371, 2400, 2449, 2455, 2466, 2509, 2559, 2630, 2723, 2747, 2764, 2783, 2784, 2800, 2836, 2875, 2950, 3068, 3167, 3388, 3457, 3484, 3551, 3693, 3730, 3845, 3918, 3954, 3970, 3976, 3986, 4058, 4083
  adder, 2770
  analysis, 860, 1031, 1453, 2053, 2509, 2800, 3094, 3575, 3631, 3643, 3972, 4015
  behavior, 328, 573, 947, 2850
  behaviour, 102, 383, 1225, 2247
  blowup, 4140
  bound, 90, 679, 833, 1707, 1957, 2529, 2755, 2910, 3171, 3219, 3240, 3388, 3553, 3687, 3710
worst case choice, 1143, 1335, 1955
  for stable marriage, 1335
worst case
  communication complexity, 1444
  complexity, 367, 512, 569, 594, 630, 784, 1414, 1666, 1882, 2201, 2399, 2471, 2711, 2857, 3328, 3443, 3585
  cost, 427, 656
  data structures, 1748
  distribution, 515
  error bound, 2025, 3972
  execution, 1955
worst case expected
  cost, 3986
  time measure, 391

worst case
fragmentation, 1655
information rate, 3551
input, 2160
lower bound, 219, 517, 573, 3971
male optimal stable matching, 1955
minimal rectilinear Steiner tree, 2095
minimum number of comparisons, 860
number, 2471, 3443, 3501
of DPS, 432
worst case optimal, 552, 2417
deletion, 679
insertion, 679
worst case optimization algorithm, 273
worst case performance, 194, 328, 422, 527, 648, 689, 1020, 1261, 1675, 1773, 2723, 3094, 3687
bound, 3171
ratio, 1323, 3864
worst case
processing time, 268
range queries, 939
ratio, 1131, 1184, 1201, 1453, 2425, 2755, 2910, 3171, 3458, 3461
reduction, 3925
request sequences, 3187
result, 219
running time, 220, 433, 539, 715, 1400, 1898, 1957, 2023, 2919, 3177, 3544
worst case space
and time, 2535
complexity, 458, 2800
worst case
speed, 715
stabilizing time, 3701
storage usage ratio, 1655
worst case time, 503, 538, 784, 829, 859, 893, 959, 1227, 1594, 1748, 2680, 2711, 2715, 3011, 3219, 3334, 3457
algorithm, 2312
bound, 757, 893
complexity, 306, 328, 552, 557, 570, 1201, 2784, 2819, 2878
worst case
update time, 2950
upper bound, 3544, 3710, 4140
worst possible pair of strings, 494
worstcase storage usage ratio, 1655
WPGMC, 916
WPRAM computational model, 3741
WRAM, 1152
wrap around
butterflies, 4104
butterfly graphs, 4010
connections, 1177
k-ary butterflies, 4104
wreath product, 2268, 3798
principle, 3798
Wright and Felleisen, 2907
write, 159
write all
algorithm, 2530
building blocks, 2530
write conflict, 1060, 3159
resolution, 1942
write conflicts, 986, 1007, 1115, 1396, 1522, 1753
in parallel computations, 2537
write
heads, 157
once read many, 2930
quorum, 2310
transaction, 556
write conflict, 837
Wronskians, 334
WSS, 1787
Wu, 3922
Wu, B.Y., 3590
Wu, Bang Ye, 3866
Wu, Chou and Wu, 3922
Wu, Hsiao-Peng, 2983
Wu, I-Chen, 3779
Wu, Q.S., 3668
WVC, 1787
WVD, 1210
WW grammar, 955

X

x^2 mod p orbits, 4001
X3C, 478
Xaa, 3371
XCRIBL system, 59
Xiang, Limin, 3671
XOR, 3059, 3206, 3581
CNF formula, 3829
XTIME, 1887
Xu, Yinfeng, 3878
Xue and Gries, 2356
Xue, Guoliang, 3724, 3864
Xue, Qingbo, 3229
x-fast trie, 939
X-locks, 1708
x-monotone concave polygonal chains, 2290
x-relations, 1237
X-total projection, 1626

Y

YACC, 779
Yajima, Shuzo, 3429
Yaku, Takeo, 3734

Yamada, 2873
Yamasaki and Doshita, 1322, 1664
Yamasaki, Hideki, 3357
Yamashita, Masafumi, 3710
Yamazaki, Koichi, 3455
Yan, Huat Tan, 3700
Yan, K.Q., 3897
Yan, Wen-Ming, 3850
Yan, Xudong, 3809
Yanbe, Akio, 3224
Yang, 3399
Yang and Lee, 490
Yang, Bi-Yen, 3614
Yang, C.-H. and M.-S. Yu, 3537
Yang, Chang-Biau, 2656, 3399, 3702
Yang, Ching-Nung, 3514
Yang, Dai, 3637
Yang, Tae-Cheon, 4026
Yang, Wuu, 3756
Yao, 475, 537, 552, 673, 717, 919, 921, 1057, 1467, 2175, 2544, 2658, 3207
Yao and Yao, 303, 4109
Yao
  block access estimation problem, 839
  formula, 1616
  method, 475
  result, 2175
  theorem, 1467
  upper bound, 1196
Yao, A.C., 1196
YCN cryptographic key assignment scheme in a hierarchy, 4046
Yeh, Chi-Hsiang, 3812
Yeh, Yi-Shiung, 3751
Yen, 2369
Yen, Hsu-Chun, 3204
Yen, Sung-Ming, 3505
Yeom, Heon Y., 3841
Yeung characteristic inequality, 3014
yield languages, 3309
Yodogawa and Honda, 989
Yoeli, 162
Yoeli and Ablow, 162
Yoeli and Ginzburg, 162
Yokomori, Takashi, 1148
Yokoyama, Mitsuo, 3737
Yookun, Cho, 3577
Yoon, Joon Lee, 3297
Young, 175
young, 2607
Young, Christopher H., 3362
Young, Neal E., 3584
Yousif and Evans, 1296
Yu and Johnson, 372
Yu et al., 839
Yu, Wenci, 3903
Yum, 707
Yuval, 301, 702
Yuval and Romani, 702
Yuval, G., 461
Y-combinator, 397
y-fast trie, 939

Z

Z language, 1520, 3138
Z specifications, 1520
Z_m, 222, 390
Zachos and Heller, 2722
Zaks, 234, 1551
  sequence, 1840
Zaks, S., 3322, 3328, 3345, 3358, 3385, 3386, 3468, 3474, 3486, 3489, 3532, 3555, 3557, 3559, 3560, 3644, 3646, 3653, 3703, 3704, 3761, 3774, 3786, 3794, 3834, 3844, 3845, 3907
Zalcstein, 307
Zaniolo, 528, 1021
Zarankiewicz, 3711
Zaremba, Marek B., 3813
Zariski closed sets, 657
Zehavi and Itai, 2429
Zelinka, 162
Zemanek, 278
Zemlyachenko linear time algorithm, 3932
zero, 7, 274, 344
  divisors, 472, 2457
  error, 1613
  knowledge, 2298, 2388, 2827, 2997
zero knowledge interactive
  proof system, 1473, 3890
  proofs, 3890
zero
  knowledge proof, 2298, 2388, 2827
  one law, 3757
zero reversible
  languages, 2061
  regular languages, 2061
zero
  testing, 1889, 3448
  weights, 53
zeros of polynomials, 507
zeta function, 3515
Zhang and Zheng, 3859
Zhao, Peiyi, 4080
Zhao, Wei, 4073
Zheng, Yuliang, 3840
Zhu, Binhai, 3683, 3878
Zhu, Xuding, 3450
zigzag
  path, 3494
  permutations, 1174
  relations, 2363

Zimand, Marius, 3518, 3869
Zipf law, 449
Zippel, Richard, 3448
Zito, Michele, 3651
Zobrist, 550
zooming, 1387
  problem, 1387
ZPLP, 2616
ZPP, 2954, 3885
Zuckerman amplification technique, 3885
Zwick, Uri, 3335
z-buffering, 3115

ELSEVIER

Information Processing Letters 78 (2001) 337–448 www.elsevier.com/locate/ipl

Information Processing Letters

Reference List of Indexed Articles

This Reference List of Indexed Articles belongs to the Subject Index Volumes 1–75 (pp. 5–336 of this issue).

1. G.M. Stacey, The role of virtual memory in the handling of application files **1** (1) (1971) 1–3
2. F.G. Duncan and D. Zissos, Programmed simulation of sequential circuits **1** (1) (1971) 4–6
3. H.A. Maurer, The solution of a problem by Ginsburg **1** (1) (1971) 7–10
4. D. Zissos and F.G. Duncan, Programmed simulation of race hazards in sequential circuits **1** (1) (1971) 11–13
5. W. Henhapl and C.B. Jones, A run-time mechanism for referencing variables **1** (1) (1971) 14–16
6. T.H. Merrett, General programs for management systems **1** (1) (1971) 17–20
7. H. Karlgren, Stacking without really stacking when reducing categorical expressions **1** (1) (1971) 21–22
8. D.E. Knuth and R.W. Floyd, Notes on avoiding "go to" statements **1** (1) (1971) 23–31
9. J. Hopcroft and R. Tarjan, A V^2 algorithm for determining isomorphism of planar graphs **1** (1) (1971) 32–34
10. G. Salton, The performance of interactive information retrieval **1** (2) (1971) 35–41
11. D. Tsichritzis, A note on comparison of subrecursive hierarchies **1** (2) (1971) 42–44
12. B.F. Caviness, P.L. Pollack and C.M. Rubald, An existence lemma for canonical forms in symbolic mathematics **1** (2) (1971) 45–46
13. D.L. Milgram and A. Rosenfeld, A note on scattered context grammars **1** (2) (1971) 47–50
14. D.G. Corneil, An n^2 algorithm for determining the bridges of a graph **1** (2) (1971) 51–55
15. I. Munro, Efficient determination of the transitive closure of a directed graph **1** (2) (1971) 56–58
16. E. Gelenbe, The two-thirds rule for dynamic storage allocation under equilibrium **1** (2) (1971) 59–60
17. H. Scheidig, Representation and equality of modes **1** (2) (1971) 61–65
18. A. Borodin and I. Munro, Evaluating polynomials at many points **1** (2) (1971) 66–68
19. S.G. Tzafestas, Input–output modeling and identification of linear automata **1** (3) (1972) 69–75
20. J.C. Ogilvie and C.L. Olson, On the use of complete subgraphs in cluster analysis **1** (3) (1972) 76–79
21. A. van Dam and F.Wm. Tompa, Software data paging and segmentation for complex systems **1** (3) (1972) 80–86
22. J.F. Whale, The critical value of the basic parameter of a nonlinear differential equation **1** (3) (1972) 87–90
23. N. Solntseff, A classification of extensible programming languages **1** (3) (1972) 91–96
24. N. Solntseff and A. Yezerski, ECT – An extensible-contractable translator system **1** (3) (1972) 97–99
25. D. Gries, Programming by induction **1** (3) (1972) 100–107
26. R. Zimmer, Soft precedence **1** (3) (1972) 108–110
27. G. Chroust, Expression evaluation with minimum average working storage **1** (3) (1972) 111–114
28. B.H. Mayoh, Recursion and stacks **1** (3) (1972) 115–116
29. C. Bron, Outline of a machine without branch instructions **1** (3) (1972) 117–119
30. R.E. Tarjan, Determining whether a groupoid is a group **1** (3) (1972) 120–124
31. D. Tsichritzis, Protection in operating systems **1** (4) (1972) 127–131

0020-0190/2001 Published by Elsevier Science B.V.
PII: S0020-0190(01)00177-6

32. R.L. Graham, An efficient algorithm for determining the convex hull of a finite planar set **1** (4) (1972) 132–133
33. J.M. Carroll, W. Fraser and G. Gill, Automatic content analysis in an on-line environment **1** (4) (1972) 134–140
34. P. Branquart, J.P. Cardinael, J.P. Delescaille and J. Lewi, A context-free syntax of ALGOL 68 **1** (4) (1972) 141–148
35. L. Siklóssy, Fast and read-only algorithms for traversing trees without an auxiliary stack **1** (4) (1972) 149–152
36. G.T. Toussaint, Feature evaluation with quadratic mutual information **1** (4) (1972) 153–156
37. E. Horowitz, A fast method for interpolation using preconditioning **1** (4) (1972) 157–163
38. J. Král, A new additive pseudorandom number generator for extremely short word-lengths **1** (4) (1972) 164–167
39. I.N. Molchanov and L.D. Nikolenko, On an approach to integrating boundary problems with a non-unique solution **1** (4) (1972) 168–172
40. D.E. Knuth and E.B. Kaehler, An experiment in optimal sorting **1** (4) (1972) 173–176
41. D.E. Knuth and R.W. Floyd, Notes on avoiding "go to" statements (*Erratum*) **1** (4) (1972) 177
42. E.W. Dijkstra, Information streams sharing a finite buffer **1** (5) (1972) 179–180
43. H. Vantilborgh and A. van Lamsweerde, On an extension of Dijkstra's semaphore primitives **1** (5) (1972) 181–186
44. R.C. Varney, Priority processes used for scheduling within a tree structured operating system **1** (5) (1972) 187–190
45. N.V. Findler, Short note on a heuristic search strategy in long-term memory networks **1** (5) (1972) 191–196
46. R.S. Anderssen, A refinement procedure for pure random search **1** (5) (1972) 197–200
47. G. Rozenberg, The equivalence problem for deterministic T0L-systems is undecidable **1** (5) (1972) 201–204
48. I.N. Molchanov and N.I. Stepanets, Iterative methods for solving difference equations of the theory of elasticity not depending on the spacing of the difference net **1** (5) (1972) 205–210
49. G.B. Krepyshev and Ya.A. Pollack, Synthesis of a discrete-time optimal filter algorithm with reduced sensitivity to deviations of a priori statistics **1** (5) (1972) 211–215
50. J. Král, A new pseudorandom number generator for extremely short word-lengths (*Erratum*) **1** (5) (1972) 216
51. E. Horowitz, A fast method for interpolation with preconditioning (*Erratum*) **1** (5) (1972) 216
52. A. Brandstetter, Storage requirements in stochastic data acquisition systems **1** (6) (1972) 217–219
53. J. Nievergelt, J. Pradels, C.K. Wong and P.C. Yue, Bounds on the weighted path length of binary trees **1** (6) (1972) 220–225
54. R. Bayer, Oriented balanced trees and equivalence relations **1** (6) (1972) 226–228
55. J. Engelfriet, A note on infinite trees **1** (6) (1972) 229–232
56. G. Rozenberg, Direct proofs of the undecidability of the equivalence problem for sentential forms of linear context-free grammars and the equivalence problem for 0L systems **1** (6) (1972) 233–235
57. S.G. Tzafestas, Design parameters for a multiserver computer processing buffering system with feedback **1** (6) (1972) 236–243
58. J.L. Baker, An unintentional omission from ALGOL 68 **1** (6) (1972) 244–245
59. R. Reddy, W. Broadley, L. Erman, R. Johnsson, J. Newcomer, G. Robertson and J. Wright, XCRIBL – A hardcopy scan line graphics system for document generation **1** (6) (1972) 246–251
60. N. Minsky, Representation of binary trees on associative memories **2** (1) (1973) 1–5
61. G. Salton, Experiments in multi-lingual information retrieval **2** (1) (1973) 6–11
62. J.M. Robson, An improved algorithm for traversing binary trees without auxiliary stack **2** (1) (1973) 12–14
63. E.G. Coffman Jr. and C.J.M. Turnbull, A note on the relative performance of two disk scanning policies **2** (1) (1973) 15–17
64. R.A. Jarvis, On the identification of the convex hull of a finite set of points in the plane **2** (1) (1973) 18–21
65. J. Král and J. Demner, A note on the number of states of the De Remer's recognizer **2** (1) (1973) 22–23
66. G. Várhegyi, Numerical differentiation of experimental data **2** (1) (1973) 24–25

67. W. Henhapl, A transformation of marked graphs **2** (1) (1973) 26–29
68. A.B. Cremers, H.A. Maurer and O. Mayer, A note on leftmost restricted random context grammars **2** (2) (1973) 31–33
69. S.I. Roschke and A.L. Furtado, An algorithm for obtaining the chromatic number and an optimal coloring of a graph **2** (2) (1973) 34–38
70. J. Coffy, On computing the time complexity of transitive closure algorithms **2** (2) (1973) 39–42
71. A. Rosenfeld and D.L. Milgram, Parallel/sequential array automata **2** (2) (1973) 43–46
72. G. Lindstrom, Scanning list structures without stacks or tag bits **2** (2) (1973) 47–51
73. E.N. Adams III, Another representation of binary tree traversal **2** (2) (1973) 52–54
74. D. Holnapy, M. Szöts and A. Botár, A generalization of the method of finite differences **2** (2) (1973) 55–59
75. G.T. Herman, On universal computer-constructors **2** (3) (1973) 61–64
76. D.T. Tang and C.K. Wong, A modified branch-and-bound strategy **2** (3) (1973) 65–69
77. A. Ehrenfeucht and G. Rozenberg, A limit theorem for sets of subwords in deterministic T0L languages **2** (3) (1973) 70–73
78. M. Mizumoto, J. Toyoda and K. Tanaka, Examples of formal grammars with weights **2** (3) (1973) 74–78
79. T.B. Boffey, Applying the minimax rule over graphs which are not trees **2** (3) (1973) 79–81
80. C.A.R. Hoare, A general conservation law for queueing disciplines **2** (3) (1973) 82–85
81. I.N. Molchanov and M.F. Iakovlev, On one class of iterative methods for obtaining the generalized solution of non-consistent systems of linear algebraic equations **2** (3) (1973) 86–90
82. R. Sethi, A note on implementing parallel assignment instructions **2** (4) (1973) 91–95
83. S. Krogdahl, A dynamic storage allocation problem **2** (4) (1973) 96–99
84. J. Cohen, Syntax-directed unit conversion **2** (4) (1973) 100–102
85. G. Yuval, On a problem connected with topological sorting **2** (4) (1973) 103–104
86. R. Devillers and G. Louchard, Realization of Petri nets without conditional statements **2** (4) (1973) 105–107
87. N.D. Roussopoulos, A $\max\{m, n\}$ algorithm for determining the graph H from its line graph G **2** (4) (1973) 108–112
88. V.N. Kasyanov, Some properties of fully reducible graphs **2** (4) (1973) 113–117
89. I.N. Molchanov and E.F. Galba, On the convergence of difference schemes approximating a plane static problem of the theory of elasticity with mixed boundary conditions **2** (4) (1973) 118–122
90. R.W. Floyd and A.J. Smith, A linear time two tape merge **2** (5) (1973) 123–125
91. J.K.R. Barnett, A technique for reducing comparison times in certain applications of the merging method of sorting **2** (5) (1973) 127–128
92. H.S. Warren Jr., Minimal comparison sorting by choosing most efficient comparisons **2** (5) (1973) 129–130
93. J. Karhumäki, An example of a PD2L-system with the growth type $2\frac{1}{2}$ **2** (5) (1973) 131–134
94. L. Boasson, The inclusion of the substitution closure of linear and one-counter languages in the largest sub-AFL of the family of algebraic languages is proper **2** (5) (1973) 135–140
95. N. Francez and G. Slutzky, On the non-compactness of the class of program schemas **2** (5) (1973) 141–142
96. B. Dwyer, Simple algorithms for traversing a tree without an auxiliary stack **2** (5) (1973) 143–145
97. H.T. Kung, A new upper bound on the complexity of derivative evaluation **2** (5) (1973) 146–147
98. H. Heuer and I.N. Molchanov, Numerical solution of a boundary problem for equations of elastic equilibrium of bodies in transferences **2** (5) (1973) 148–151
99. D.E. Knuth and J.L. Szwarcfiter, A structured program to generate all topological sorting arrangements **2** (6) (1974) 153–157
100. N. Solntseff, On a notational device for the description of pointer-free operations on structured data **2** (6) (1974) 158–159
101. R.E. Tarjan, A note on finding the bridges of a graph **2** (6) (1974) 160–161
102. R.B.K. Dewar, A stable minimum storage sorting algorithm **2** (6) (1974) 162–164
103. C.A.R. Hoare, Optimization of store size for garbage collection **2** (6) (1974) 165–166
104. A.G. Middleton, Cost-oriented program optimisation **2** (6) (1974) 167–170
105. A. Hansal, "Software devices" for processing graphs using PL/I compile time facilities **2** (6) (1974) 171–179

106. L.W. Jackson and S. Dasgupta, The identification of parallel micro-operations **2** (6) (1974) 180–184
107. K.P. Lee and G. Rozenberg, The length sets of D0L languages are uniformly bounded **2** (6) (1974) 185–188
108. J. Minker and G.J. VanderBrug, The Earley algorithm as a problem representation **3** (1) (1974) 1–7
109. K. Noshita, Median selection of 9 elements in 14 comparisons **3** (1) (1974) 8–12
110. R.E. Tarjan, A new algorithm for finding weak components **3** (1) (1974) 13–15
111. L.W. Cooprider, F. Heymans, P.J. Courtois and D.L. Parnas, Information streams sharing a finite buffer: Other solutions **3** (1) (1974) 16–21
112. J. van Leeuwen and C.H. Smith, An improved bound for detecting looping configurations in deterministic DPA's **3** (1) (1974) 22–24
113. O.H. Ibarra, A note on semilinear sets and bounded-reversal multihead pushdown automata **3** (1) (1974) 25–28
114. D.A. Fisher, Bounded workspace garbage collection in an address-order preserving list processing environment **3** (1) (1974) 29–32
115. A.D. Jovanovich, Note on a modification of the fundamental cycles finding algorithm **3** (1) (1974) 33
116. T. Takaoka, A note on the ambiguity of context-free grammars **3** (2) (1974) 35–36
117. J.A. Campbell, Optimal use of storage in a simple model of garbage collection **3** (2) (1974) 37–38
118. M.V. Zelkowitz, Structured operating system organization **3** (2) (1974) 39–42
119. L.E. Deimel Jr., Remark on the computational power of a Turing machine variant **3** (2) (1974) 43–45
120. S. Arnborg, Abstract computation model used for a production compiler **3** (2) (1974) 46–50
121. R.E. Tarjan, A good algorithm for edge-disjoint branching **3** (2) (1974) 51–53
122. K. Kobayashi, A note on extending equivalence theories of algorithms **3** (2) (1974) 54–56
123. N.S. Sridharan, Computer generation of vertex graphs **3** (2) (1974) 57–63
124. R.J. Lipton and R.W. Tuttle, A synchronization anomaly **3** (3) (1975) 65–66
125. C. Hosono, On the cardinality of some lattices **3** (3) (1975) 67–68
126. S.H. von Solms, On T0L languages over terminals **3** (3) (1975) 69–70
127. S. Dasgupta and J. Tartar, On the minimization of control memories **3** (3) (1975) 71–74
128. T. Kameda, On the vector representation of the reachability in planar directed graphs **3** (3) (1975) 75–77
129. S. Crespi-Reghizzi and D. Mandrioli, A decidability theorem for a class of vector-addition systems **3** (3) (1975) 78–80
130. P.M. Camerini and F. Maffioli, Bounds for 3-matroid intersection problems **3** (3) (1975) 81–83
131. J.F. Reiser and D.E. Knuth, Evading the drift in floating-point addition **3** (3) (1975) 84–87
132. I. Dal Bono, M. Diligenti, C. Mosca, A. Ricci and A. Villani, A simple FORTRAN support for computer-assisted instruction **3** (3) (1975) 88–90
133. K. Weihrauch, Program schemata with polynomial bounded counters **3** (3) (1975) 91–96
134. S. Galand and G. Loncour, Structured implementation of symbolic execution: A first part in a program verifier **3** (4) (1975) 97–103
135. J. Cohen, Interpretation of non-deterministic algorithms in higher-level languages **3** (4) (1975) 104–109
136. F. Gavril, An algorithm for testing chordality of graphs **3** (4) (1975) 110–112
137. G. Yuval, Finding near neighbours in K-dimensional space **3** (4) (1975) 113–114
138. I. Cahit and R. Cahit, On the graceful numbering of spanning trees **3** (4) (1975) 115–118
139. B. Wegbreit, Retrieval from context trees **3** (4) (1975) 119–120
140. S. De Wolf and G. De Mey, Numerical methods for solving integral equations of potential problems **3** (4) (1975) 121–124
141. J.M. Robson, A simple solution to the interleaved memory bandwidth problem **3** (4) (1975) 125–126
142. C. Lazos, A comparison of simulation results and a mathematical model of a multiprogramming system **3** (5) (1975) 127–134
143. J. Kittler, On the divergence and the Joshi dependence measure in feature selection **3** (5) (1975) 135–137
144. J. van Leeuwen, The membership question for ET0L-languages is polynomially complete **3** (5) (1975) 138–143
145. F.P. Preparata and D.E. Muller, The time required to evaluate division-free arithmetic expressions **3** (5) (1975) 144–146
146. H. Asai and S.C. Lee, Design of queuing buffer register size **3** (5) (1975) 147–152
147. A. Stevens, An elementary computer algorithm for the calculation of the coefficient of inbreeding **3** (5) (1975) 153–163

148. D.E. Knuth and J. Reiser, Evading the drift in floating-point addition (*Erratum*) **3** (5) (1975) 164
149. N.S. Sridharan, Computer generation of vertex graphs (*Erratum*) **3** (5) (1975) 164
150. S. Crespi-Reghizzi and D. Mandrioli, A decidability theorem for a class of vector addition systems (*Erratum*) **3** (5) (1975) 164
151. P. Brinch Hansen, Universal types in Concurrent Pascal **3** (6) (1975) 165–166
152. D.A. Zave, A fast compacting garbage collector **3** (6) (1975) 167–169
153. J.L. Bently and D.F. Stanat, Analysis of range searches in quad trees **3** (6) (1975) 170–173
154. C. Ghezzi, LL(1) grammars supporting an efficient error handling **3** (6) (1975) 174–176
155. H.F. de Groote, On the complexity of quaternion multiplication **3** (6) (1975) 177–179
156. S. Pleszczyński, On the generation of permutations **3** (6) (1975) 180–183
157. M. Rem, On the programming of elastic stores **3** (6) (1975) 184–187
158. R.A. Keir, Should the stable rounding rule be radix-dependent? **3** (6) (1975) 188–189
159. G. Germano and A. Maggiolo-Schettini, Sequence-to-sequence recursiveness **4** (1) (1975) 1–6
160. K. Ruohonen, Three results of comparison between L languages with and without interaction **4** (1) (1975) 7–10
161. M. Penttonen, ET0L-grammars and N-grammars **4** (1) (1975) 11–13
162. J. Nieminen, On homomorphic images of transition graphs **4** (1) (1975) 14–15
163. J. Nieminen, Some observations on the determination of an upper bound for the clique number of a graph **4** (1) (1975) 16–17
164. A.N.C. Kang and D.A. Ault, Some properties of a centroid of a free tree **4** (1) (1975) 18–20
165. A.C.-C. Yao, An $O(|E| \log\log |V|)$ algorithm for finding minimum spanning trees **4** (1) (1975) 21–23
166. J. Misra and R.E. Tarjan, Optimal chain partitions of trees **4** (1) (1975) 24–26
167. A. Rowicki, A note on optimal scheduling for two-processor systems **4** (2) (1975) 27–30
168. S. Jarzabek and T. Krawczyk, LL-regular grammars **4** (2) (1975) 31–37
169. M.R. Levy, Complete operator precedence **4** (2) (1975) 38–40
170. E. Cockayne, S. Goodman and S. Hedetniemi, A linear algorithm for the domination number of a tree **4** (2) (1975) 41–44
171. L. Hyafil and J.P. Van de Wiele, On the additive complexity of specific polynomials **4** (2) (1975) 45–47
172. R.S. Anderssen and A.J. Guttmann, A rationale for the numerical differentiation of experimental data **4** (2) (1975) 48–50
173. A.A. Sekey, A generating function for entropy **4** (2) (1975) 51
174. D.B. Johnson, Priority queues with update and finding minimum spanning trees **4** (3) (1975) 53–57
175. D. Rotem, On a correspondence between binary trees and a certain type of permutation **4** (3) (1975) 58–61
176. D.W. Clark, A fast algorithm for copying binary trees **4** (3) (1975) 62–63
177. J. Banerjee and V. Rajaraman, A dual link data structure for random file organization **4** (3) (1975) 64–69
178. A.G. Duncan and L. Yelowitz, Loop unravelling: A practical tool in proving program correctness **4** (3) (1975) 70–72
179. R. Christensen, Crossvalidation: Minimizing the entropy of the future **4** (3) (1975) 73–76
180. J. Pearl, On the complexity of inexact computations **4** (3) (1975) 77–81
181. H.G. Barrow and R.M. Burstall, Subgraph isomorphism, matching relational structures and maximal cliques **4** (4) (1976) 83–84
182. Z. Galil, Two fast simulations which imply some fast string matching and palindrome-recognition algorithms **4** (4) (1976) 85–87
183. L. Lamport, Comments on "A synchronization anomaly" **4** (4) (1976) 88–89
184. R.L. Wessner, Optimal alphabetic search trees with restricted maximal height **4** (4) (1976) 90–94
185. T. Lang and E.B. Fernández, Scheduling of unit-length independent tasks with execution constraints **4** (4) (1976) 95–98
186. M.S. Krishnamurthy and H.R. Ramesha Chandra, A note on precedence functions **4** (4) (1976) 99–100
187. H.-D. Ehrich and W. Lipski Jr., On the storage space requirement of consecutive retrieval with redundancy **4** (4) (1976) 101–104
188. S. Feyock, Noiselike transforms of ω-events **4** (4) (1976) 105–108
189. D.R. Hanson, A simple variant of the boundary-tag algorithm for the allocation of coroutine environments **4** (4) (1976) 109–112

190. S. Chrobot, Layer – a language construction for concurrent structural program design **4** (5) (1976) 113–117
191. R.J. Cunningham and M.E.J. Gilford, A note on the semantic definition of side effects **4** (5) (1976) 118–120
192. W. Coy, The logical meaning of programs of a subrecursive language **4** (5) (1976) 121–126
193. G. Rozenberg, On slicing of K-iteration grammars **4** (5) (1976) 127–131
194. J.L. Bentley and W.A. Burkhard, Heuristics for partial-match retrieval data base design **4** (5) (1976) 132–135
195. S. De Wolf and G. De Mey, Numerical solution of integral equations for potential problems by a variational principle **4** (5) (1976) 136–139
196. P.A. Pritchard, A proof rule for multiple coroutine systems **4** (6) (1976) 141–143
197. P.J.A. Reusch, Generalized lattices applicable in retrieval models **4** (6) (1976) 144–148
198. D. Dobkin and J. van Leeuwen, The complexity of vector-products **4** (6) (1976) 149–154
199. G. Yuval, An algorithm for finding all shortest paths using $N^{2.81}$ infinite-precision multiplications **4** (6) (1976) 155–156
200. J. Engelfriet and S. Skyum, Copying theorems **4** (6) (1976) 157–161
201. G. Rozenberg and D. Wood, A note on K-iteration grammars **4** (6) (1976) 162–164
202. R. Krzemień and A. Łukasiewicz, Automatic generation of lexical analyzers in a compiler–compiler **4** (6) (1976) 165–168
203. B.K. Gairola and V. Rajaraman, A distributed index sequential access method **5** (1) (1976) 1–5
204. G. Manacher, An application of pattern matching to a problem in geometrical complexity **5** (1) (1976) 6–7
205. E. Arjomandi, On finding all unilaterally connected components of a digraph **5** (1) (1976) 8–10
206. H.A. Maurer, Th. Ottmann and H.-W. Six, Implementing dictionaries using binary trees of very small height **5** (1) (1976) 11–14
207. L. Hyafil and R.L. Rivest, Constructing optimal binary decision trees is NP-complete **5** (1) (1976) 15–17
208. A.B. Barak, On the parallel evaluation of division-free arithmetic expressions with fan-in of three **5** (1) (1976) 18–19
209. L.G. Valiant, Relative complexity of checking and evaluating **5** (1) (1976) 20–23
210. P.S.-P. Wang, Recursiveness of monotonic array grammars and a hierarchy of array languages **5** (1) (1976) 24–26
211. G. Marsaglia, K. Ananthanarayanan and N.J. Paul, Improvements on fast methods for generating normal random variables **5** (2) (1976) 27–30
212. M. Sassa and E. Goto, A hashing method for fast set operations **5** (2) (1976) 31–34
213. C.J. Lucena and D.D. Cowan, Toward a system's environment for computer assisted programming **5** (2) (1976) 35–40
214. N.K. Madsen, G.H. Rodrigue and J.I. Karush, Matrix multiplication by diagonals on a vector/parallel processor **5** (2) (1976) 41–45
215. R.L. Probert, Commutativity, non-commutativity, and bilinearity **5** (2) (1976) 46–49
216. P. Hansen, A cascade algorithm for the logical closure of a set of binary relations **5** (2) (1976) 50–54
217. S. Kundu, A linear algorithm for the hamiltonian completion number of a tree **5** (2) (1976) 55–57
218. D. Mandrioli, n-reconstructability of context-free grammars **5** (2) (1976) 58–62
219. G. Yuval, Finding nearest neighbours **5** (3) (1976) 63–65
220. E.L. Lawler, A note on the complexity of the chromatic number problem **5** (3) (1976) 66–67
221. F. Luccio and F.P. Preparata, Storage for consecutive retrieval **5** (3) (1976) 68–71
222. N. Santoro, Full table search by polynomial functions **5** (3) (1976) 72–74
223. D.A. Zave, A series expansion involving the harmonic numbers **5** (3) (1976) 75–77
224. E.L. Lozinskii, On a problem in storage optimization **5** (3) (1976) 78–80
225. R.K. Shyamasundar, A note on linear precedence functions **5** (3) (1976) 81
226. J.L. Bentley and A.C.-C. Yao, An almost optimal algorithm for unbounded searching **5** (3) (1976) 82–87
227. K.S. Trivedi, On a semaphore anomaly **5** (3) (1976) 88–89
228. P.S.-P. Wang, Recursiveness of monotonic array grammars and a hierarchy of array languages (*Erratum*) **5** (3) (1976) 90
229. D.R. Innes and S. Tsur, Interval analysis, pagination and program locality **5** (4) (1976) 91–96
230. L. Meertens, A space-saving technique for assigning ALGOL 68 multiple values **5** (4) (1976) 97–99

231. C.T. Yu and D.T. Johnson, On the complexity of finding the set of candidate keys for a given set of functional dependencies **5** (4) (1976) 100–101
232. G. Rozenberg, More on ET0L systems versus random context grammars **5** (4) (1976) 102–106
233. B. Samadi, B-trees in a system with multiple users **5** (4) (1976) 107–112
234. H.N. Gabow, Some improved bounds on the number of 1-factors of n-connected graphs **5** (4) (1976) 113–115
235. G.V. Bochmann, Comments on monitor definition and implementation **5** (4) (1976) 116–117
236. M. Boari and A. Natali, Some properties of deadlock detection and recovery in readers and writers problems **5** (4) (1976) 118–123
237. K. Delcour and A.J.W. Duijvestein, Enclosures: An access control mechanism with applications in parallel programming and other areas of system programming **5** (5) (1976) 125–135
238. M.A. Hennell, M.R. Woodward and D. Hedley, On program analysis **5** (5) (1976) 136–140
239. G. Guida and M. Somalvico, Semantics in problem representation and search **5** (5) (1976) 141–145
240. J. Doyle and R.L. Rivest, Linear expected time of a simple Union-Find algorithm **5** (5) (1976) 146–148
241. M. Linna, The D0L-ness for context-free languages is decidable **5** (5) (1976) 149–151
242. J. Duske, R. Parchmann and H. Schumacher, A pattern representation of indexed languages **5** (5) (1976) 152–154
243. D.P. Friedman and D.S. Wise, Output driven interpretation of recursive programs, or writing creates and destroys data structures **5** (6) (1976) 155–160
244. D.P. Friedman and D.S. Wise, Garbage collecting a heap which includes a scatter table **5** (6) (1976) 161–164
245. H.N. Gabow, A note on degree-constrained star subgraphs of bipartite graphs **5** (6) (1976) 165–167
246. K. Mehlhorn, Bracket-languages are recognizable in logarithmic space **5** (6) (1976) 168–170
247. R. Kaye, A Gray Code for set partitions **5** (6) (1976) 171–173
248. H. Partsch and P. Pepper, A family of rules for recursion removal **5** (6) (1976) 174–177
249. D.E. Knuth, A generalization of Dijkstra's algorithm **6** (1) (1977) 1–5
250. G. Yuval, Theil's estimator **6** (1) (1977) 6–7
251. E. Goto, T. Ida and T. Gunji, Parallel hashing algorithms **6** (1) (1977) 8–13
252. N. Deo, M.S. Krishnamoorthy and A.B. Pai, Generalizations of line graphs and applications **6** (1) (1977) 14–17
253. F. Chin and K. Steiglitz, A fast error evaluation algorithm for polynomial approximation **6** (1) (1977) 18–21
254. S.S. Reddi, Alternate solutions to the Cigarette Smokers' Problem without conditionals **6** (1) (1977) 22–24
255. A. Rowicki, A note on optimal preemptive scheduling for two-processor systems **6** (1) (1977) 25–28
256. T.H. Merrett, Relations as programming language elements **6** (1) (1977) 29–33
257. C.P. Schnorr and H. Klupp, A universally hard set of formulae with respect to non-deterministic Turing acceptors **6** (2) (1977) 35–37
258. A.P. Ershov, On the partial computation principle **6** (2) (1977) 38–41
259. R. Zuczek, The universal space for parallel computation **6** (2) (1977) 42–45
260. A. Endres and H.-G. Stork, FIFO-optimal placement on pages of independently referenced sectors **6** (2) (1977) 46–49
261. M. Sassa and E. Goto, "V-tape", a virtual memory oriented data type, and its resource requirements **6** (2) (1977) 50–55
262. J.P. Banatre, Producing optimised code for coercions **6** (2) (1977) 56–59
263. M.H. Williams, Complete operator precedence conditions **6** (2) (1977) 60–62
264. V. Rajaraman and O. Vikas, A first-in-first-out buffered cyclic memory **6** (2) (1977) 63–68
265. T. Hikita and E. Goto, An O(N) algorithm for finding periodicity of a sequence using hash coding **6** (2) (1977) 69–71
266. E.A. Dinic, A.K. Kelmans and M.A. Zaitsev, Nonisomorphic trees with the same T-polynomial **6** (3) (1977) 73–76
267. J. Kittler, A method for determining class subspaces **6** (3) (1977) 77–79
268. P. van Emde Boas, Preserving order in a forest in less than logarithmic time and linear space **6** (3) (1977) 80–82
269. A. Jávor, An adaptive time advancement algorithm for discrete simulation **6** (3) (1977) 83–86

270. H. Würges, Comments on 'Error resynchronisation in producer consumer systems' **6** (3) (1977) 87–90
271. W. Lipski Jr., One more polynomial complete consecutive retrieval problem **6** (3) (1977) 91–93
272. S. Kundu, Sorting tree, nestling tree and inverse permutation **6** (3) (1977) 94–96
273. K.-J. Räihä and M. Saarinen, An optimization of the alternating semantic evaluator **6** (3) (1977) 97–100
274. J. Cohen and J. Katcoff, Automatic solution of a certain class of combinatorial problems **6** (4) (1977) 101–104
275. J. Winkowski, An algebraic characterization of the behaviour of non-sequential systems **6** (4) (1977) 105–109
276. N.D. Jones, A note on linear time simulation of deterministic two-way pushdown automata **6** (4) (1977) 110–112
277. D.A. Turner, Error diagnosis and recovery in one pass compilers **6** (4) (1977) 113–115
278. S.H. Talbert, On the formal specification of the semantics of processed information **6** (4) (1977) 116–119
279. Y. Kobuchi, Two characterization theorems of locally catenative developmental systems **6** (4) (1977) 120–124
280. A. Brandwajn and B. Mouneix, A study of a page-on-demand system **6** (4) (1977) 125–132
281. V.V. Raghavan and C.T. Yu, A note on a multidimensional searching problem **6** (4) (1977) 133–135
282. G.H. Gonnet and L.D. Rogers, The interpolation-sequential search algorithm **6** (4) (1977) 136–139
283. M. Shaw and J.F. Traub, Selection of good algorithms from a family of algorithms for polynomial derivative evaluations **6** (5) (1977) 141–145
284. L. Łukaszewicz, Functional grammars **6** (5) (1977) 146–150
285. G.E. Collins and D.R. Musser, Analysis of the Pope-Stein division algorithm **6** (5) (1977) 151–155
286. J. Grant, Null values in a relational data base **6** (5) (1977) 156–157
287. T.D. Bui, On an L-stable method for stiff differential equations **6** (5) (1977) 158–161
288. J. Błażewicz, Simple algorithms for multiprocessor scheduling to meet deadlines **6** (5) (1977) 162–164
289. S. Matwin, On the completeness of a set of transformations optimizing linear programs **6** (5) (1977) 165–167
290. R.S. Bird, Two dimensional pattern matching **6** (5) (1977) 168–170
291. I. Cahit, Realization of graceful permutation by a shuffle-exchange network **6** (5) (1977) 171–173
292. P.W. Grant, Recognition of EOL languages in less than quartic time **6** (5) (1977) 174–175
293. S. Matwin, An experimental investigation of Geschke's method of global program optimization **6** (6) (1977) 177–179
294. J.M. Steckelberg and S.C. Seth, On a relation between algebraic programs and Turing machines **6** (6) (1977) 180–183
295. S.M. Selkow, The tree-to-tree editing problem **6** (6) (1977) 184–186
296. J. Madsen, An experiment in formal definition of operating system facilities **6** (6) (1977) 187–189
297. J. Albert and H.A. Maurer, The class of context-free languages is not an EOL family **6** (6) (1977) 190–195
298. N. Francez, A case for a forward predicate transformer **6** (6) (1977) 196–198
299. F. Gavril, Testing for equality between maximum matching and minimum node covering **6** (6) (1977) 199–202
300. I.S. Herschberg and J.C.A. Boekhorst, Concurrent file access under unpredictability **6** (6) (1977) 203–208
301. J.L. Bentley, D.F. Stanat and E.H. Williams Jr., The complexity of finding fixed-radius near neighbors **6** (6) (1977) 209–212
302. I.H. Sudborough, A note on weak operator precedence grammars **6** (6) (1977) 213–218
303. Y. Perl and E.M. Reingold, Understanding the complexity of interpolation search **6** (6) (1977) 219–222
304. L. Ramshaw, Binomial coefficients with non-integral lower index **6** (6) (1977) 223–226
305. P.W. Grant, Recognition of EOL languages in less than quartic time (*Addendum*) **6** (6) (1977) 228
306. W. Dobosiewicz, Sorting by distributive partitioning **7** (1) (1978) 1–6
307. D. Dolev and E. Shamir, Commutation relations of slices characterize some synchronization primitives **7** (1) (1978) 7–9
308. P.M. Camerini, The min-max spanning tree problem and some extensions **7** (1) (1978) 10–14
309. A. Karayiannis and G. Loizou, Cycle detection in critical path networks **7** (1) (1978) 15–19
310. S. Tsur, Analysis of queuing networks in which processes exhibit locality-transition behaviour **7** (1) (1978) 20–23

311. S. Crespi-Reghizzi and D. Mandrioli, A class of grammar generating non-counting languages **7** (1) (1978) 24–26
312. M. Terashima and E. Goto, Genetic order and compactifying garbage collectors **7** (1) (1978) 27–32
313. K. Culik II, The decidability of v-local catenativity and of other properties of DOL systems **7** (1) (1978) 33–35
314. W.E. Howden, Lindenmayer grammars and symbolic testing **7** (1) (1978) 36–39
315. D.S. Hirschberg, An information-theoretic lower bound for the longest common subsequence problem **7** (1) (1978) 40–41
316. J. Bergstra, What is an abstract datatype? **7** (1) (1978) 42–43
317. F.J. Rohlf, A probabilistic minimum spanning tree algorithm **7** (1) (1978) 44–48
318. K. Inoue, I. Takanami and A. Nakamura, A note on two-dimensional finite automata **7** (1) (1978) 49–52
319. K.R. Anderson, A reevaluation of an efficient algorithm for determining the convex hull of a finite planar set **7** (1) (1978) 53–55
320. J. Koplowitz and D. Jouppi, A more efficient convex hull algorithm **7** (1) (1978) 56–57
321. D. de Champeaux, SUBSTAD: For fast substitution in LISP, with an application on unification **7** (1) (1978) 58–62
322. J. Winkowski, An algebraic characterization of the behaviour of non-sequential systems (*Erratum*) **7** (1) (1978) 63
323. W.F. McColl, The maximum depth of monotone formulae **7** (2) (1978) 65
324. Y. Kambayashi, T. Hayashi, Y. Tanaka and S. Yajima, A linear storage space algorithm for a reference structure index **7** (2) (1978) 66–71
325. A.S. Sethi, V. Rajaraman and P.S. Kenjale, An error-correcting coding scheme for alphanumeric data **7** (2) (1978) 72–77
326. A. Brandwajn, Ph. Kruchten and J.A. Hernandez, ARCADE — A system for research and education in computer architecture **7** (2) (1978) 78–85
327. S.G. Akl, Comments on: G. Manacher, An application of pattern matching to a problem in geometrical complexity **7** (2) (1978) 86
328. J.L. Bentley and M.I. Shamos, Divide and conquer for linear expected time **7** (2) (1978) 87–91
329. E. Peltola and H. Erkiö, Insertion merge sorting **7** (2) (1978) 92–99
330. G. Păun, On the generative capacity of simple matrix grammars of finite index **7** (2) (1978) 100–102
331. H. Samet, A canonical form algorithm for proving equivalence of conditional forms **7** (2) (1978) 103–106
332. J. Paredaens, On the expressive power of the relational algebra **7** (2) (1978) 107–111
333. M. Boari and A. Natali, Multiple access to a tree in the context of readers and writers problem **7** (2) (1978) 112–121
334. B.F. Caviness and H.I. Epstein, A note on the complexity of algebraic differentiation **7** (2) (1978) 122–124
335. G.A. Cheston, A correction to a unilaterally connected components algorithm **7** (2) (1978) 125
336. S.G. Akl and G.T. Toussaint, An improved algorithm to check for polygon similarity **7** (3) (1978) 127–128
337. S. Istrail, Tag systems generating Thue irreductible sequences **7** (3) (1978) 129–131
338. R.K. Arora and R.K. Subramanian, An optimal demand prepaging algorithm **7** (3) (1978) 132–136
339. W.J. Hansen, A predecessor algorithm for ordered lists **7** (3) (1978) 137–138
340. L. Allison, Phrase structures, non-determinism and backtracking **7** (3) (1978) 139–143
341. G. Huet, An algorithm to generate the basis of solutions to homogeneous linear diophantine equations **7** (3) (1978) 144–147
342. F.P. Preparata and D.V. Sarwate, An improved parallel processor bound in fast matrix inversion **7** (3) (1978) 148–150
343. S. Sokolowski, A method for proving programming languages non context-free **7** (3) (1978) 151–153
344. N. Illies, A counterexample to the generalized Aanderaa–Rosenberg conjecture **7** (3) (1978) 154–155
345. R.E. Devillers and P.E. Lauer, A general mechanism for avoiding starvation with distributed control **7** (3) (1978) 156–158
346. A. Reiser, A linear selection algorithm for sets of elements with weights **7** (3) (1978) 159–162
347. G.H. Gonnet, Notes on the derivation of asymptotic expressions from summations **7** (4) (1978) 165–169
348. J. Engelfriet, On tree transducers for partial functions **7** (4) (1978) 170–172
349. S.M. Selkow, Hew bounds for the clique number of a graph **7** (4) (1978) 173–174

350. M.R. Garey, D.S. Johnson, F.P. Preparata and R.E. Tarjan, Triangulating a simple polygon **7** (4) (1978) 175–179
351. G. Schachtel, A noncommutative algorithm for multiplying 5×5 matrices using 103 multiplications **7** (4) (1978) 180–182
352. G. Bongiovanni and F. Luccio, On Cahit's result on graceful permutations **7** (4) (1978) 183–184
353. R.J. Lipton and R.E. Miller, A batching method for coloring planar graphs **7** (4) (1978) 185–188
354. D.T. Lee and F.P. Preparata, The all nearest-neighbor problem for convex polygons **7** (4) (1978) 189–192
355. R.A. Demillo and R.J. Lipton, A probabilistic remark on algebraic program testing **7** (4) (1978) 193–195
356. J. Jaffe, Counting productions in context-free derivations **7** (4) (1978) 196–200
357. C.E. Hughes, The equivalence of vector addition systems to a subclass of post canonical systems **7** (4) (1978) 201–204
358. W. Burton, Comments on: Sorting by distributive partitioning **7** (4) (1978) 205
359. W. Dobosiewicz, Author's reply to Warren Burton's comments on distributive partitioning sorting **7** (4) (1978) 206
360. M. Boari and A. Natali, Multiple access to a tree in the context of readers and writers problem (*Erratum*) **7** (4) (1978) 207
361. K. Ruohonen, A note on language equations involving morphisms **7** (5) (1978) 209–212
362. I.H. Sudborough, A note on weak operator precedence grammars **7** (5) (1978) 213–218
363. S.G. Akl and G.T. Toussaint, A fast convex hull algorithm **7** (5) (1978) 219–222
364. I. Bratko, Proving correctness of strategies in the AL1 assertional language **7** (5) (1978) 223–230
365. M.R. Brown, A storage scheme for height-balanced trees **7** (5) (1978) 231–232
366. R.K. Arora and R.K. Subramanian, Exploiting the optimal paging algorithms **7** (5) (1978) 233–236
367. K. Noshita, E. Masuda and H. Machida, On the expected behaviors of the Dijkstra's shortest path algorithm for complete graphs **7** (5) (1978) 237–243
368. L. Czaja, Implementation approach to parallel systems **7** (5) (1978) 244–249
369. T.H. Merrett, QT logic: Simpler and more expressive than predicate calculus **7** (6) (1978) 251–255
370. V.M. Glushkov, G.E. Tseytlin and E.L. Yushchenko, Certain problems of the theory of structured programs schemes **7** (6) (1978) 256–260
371. K.S. Natarajan and L.J. White, Optimum domination in weighted trees **7** (6) (1978) 261–265
372. J. Demetrovics, On the number of candidate keys **7** (6) (1978) 266–269
373. M. Ajtai, J. Komlós and E. Szemerédi, There is no fast single hashing algorithm **7** (6) (1978) 270–273
374. M.R. Garey and R.E. Tarjan, A linear-time algorithm for finding all feedback vertices **7** (6) (1978) 274–276
375. V.M. Malhotra, M.P. Kumar and S.N. Maheshwari, An $O(|V|^3)$ algorithm for finding maximum flows in networks **7** (6) (1978) 277–278
376. R. Giegerich and R. Wilhelm, Counter-one-pass features in one-pass compilation: A formalization using attribute grammars **7** (6) (1978) 279–284
377. G. Yuval, A simple proof of Strassen's result **7** (6) (1978) 285–286
378. E.P. Friedman and S.A. Greibach, On equivalence and subclass containment problems for deterministic context-free languages **7** (6) (1978) 287–290
379. L. Czaja, Parallel implementation of path expressions **7** (6) (1978) 291–295
380. A. Bykat, Convex hull of a finite set of points in two dimensions **7** (6) (1978) 296–298
381. J. Shortt, An interative program to calculate Fibonacci numbers in $O(\log n)$ arithmetic operations **7** (6) (1978) 299–303
382. M. Jakobsson, Huffman coding in bit-vector compression **7** (6) (1978) 304–307
383. J. Teuhola, A compression method for clustered bit-vectors **7** (6) (1978) 308–311
384. D.W. Clark and C.C. Green, A note on shared list structure in LISP **7** (6) (1978) 312–314
385. C.H. Papadimitriou, Efficient search for rationals **8** (1) (1979) 1–4
386. K. Culik II, Some decidability results about regular and pushdown translations **8** (1) (1979) 5–8
387. A.S. Fraenkel, Paired sequential lists in a memory interval **8** (1) (1979) 9–10
388. S.L. Osborn, Testing for existence of a covering Boyce–Codd normal form **8** (1) (1979) 11–14
389. K. Inoue and I. Takanami, A note on cyclic closure operations **8** (1) (1979) 15–16
390. D. Angluin, A note on a construction of Margulis **8** (1) (1979) 17–19
391. S. Fortune and J. Hopcroft, A note on Rabin's nearest-neighbor algorithm **8** (1) (1979) 20–23
392. Y. Shiloach, Edge-disjoint branching in directed multigraphs **8** (1) (1978) 24–27

393. A. Shamir, Factoring numbers in O(log n) arithmetic steps **8** (1) (1979) 28–31
394. M. Jantzen, A note on vector grammars **8** (1) (1979) 32–33
395. K. Inoue and I. Takanami, A nnote on bottom-up pyramid acceptors **8** (1) (1979) 34–37
396. A. Buda, Generalized^{1,5} sequential machine maps **8** (1) (1979) 38–40
397. D.P. Friedman and D.S. Wise, Reference counting can manage the circular environments of mutual recursion **8** (1) (1979) 41–45
398. O.M. Makarov, Using duality to compute the pair of matrix products QY and $Y^{\mathrm{T}}Q$ over a commutative ring **8** (1) (1979) 46–49
399. A. Bertoni, G. Mauri and M. Torelli, Three efficient algorithms for counting problems **8** (1) (1979) 50–53
400. G.H. Gonnet, Notes on the derivation of asymptotic expressions from summations (*Erratum*) **8** (1) (1979) 54
401. G. Lyon, Batch scheduling from short lists **8** (2) (1979) 57–59
402. J. Błażewicz, Deadline scheduling of tasks with ready times and resource constraints **8** (2) (1979) 60–63
403. D.A. Simovici and Gh. Grigoras, Even initial feedback vertex set problems is NP-complete **8** (2) (1979) 64–66
404. J.L.W. Kessels and A.J. Martin, Two implementations of the conditional critical region using a split binary semaphore **8** (2) (1979) 67–71
405. M. van der Nat, Binary merging by partitioning **8** (2) (1979) 72–75
406. J.M. Morris, A starvation-free solution to the mutual exclusion problem **8** (2) (1979) 76–80
407. J. Misra, Space-time trade off in implementing certain set operations **8** (2) (1979) 81–85
408. H.W. Lenstra Jr., Miller's primality test **8** (2) (1979) 86–88
409. S.P. Reiss, Rational search **8** (2) (1979) 89–90
410. H.S.M. Kruijer, Self-stabilization (in spite of distributed control) in tree-structured systems **8** (2) (1979) 91–95
411. D. Dobkin, R.J. Lipton and S. Reiss, Linear programming is log-space hard for P **8** (2) (1979) 96–97
412. T.H. Pequeno and C.J. Lucena, An approach for data type specification and its use in program verification **8** (2) (1979) 98–103
413. G. Păun, On Szilard's languages associated to a matrix grammar **8** (2) (1979) 104–105
414. J.C. Cherniavsky, On finding test data sets for loop free programs **8** (2) (1979) 106–107
415. S.G. Akl, Two remarks on a convex hull algorithm **8** (2) (1979) 108–109
416. Yu.G. Stoyan and V.Z. Socolovsky, The minimization method for some permutation functionals **8** (2) (1979) 110–111
417. C.C. Rick and D.J. Evans, An improved bisection algorithm **8** (2) (1979) 112–113
418. W. Cellary, A new safety test for deadlock avoidance **8** (3) (1979) 115–120
419. B. Aspvall, M.F. Plass and R.E. Tarjan, A linear-time algorithm for testing the truth of certain quantified Boolean formulas **8** (3) (1979) 121–123
420. O. Vikas, Analysis of a periodically inspected buffer **8** (3) (1979) 124–130
421. R. Mathon, A note on the graph isomorphism counting problem **8** (3) (1979) 131–132
422. J.L. Bentley and H.A. Maurer, A note of Euclidean near neighbor searching in the plane **8** (3) (1979) 133–136
423. G.J.M. Sang Ajang and F. Teer, An efficient algo.ithm for detection of combined occurrences **8** (3) (1979) 137–140
424. S. Kundu, An intermediate-value theorem for optimum tree valuation **8** (3) (1979) 141–145
425. Y. Shiloach, Strong linear orderings of a directed network **8** (3) (1979) 146–148
426. J. van Leeuwen, On compromising statistical data-bases with a few known elements **8** (3) (1979) 149–153
427. M.R. Brown, Addendum to "A storage scheme for height-balanced trees" **8** (3) (1979) 154–156
428. S.G. Akl and G.T. Toussaint, Addendum to "An improved algorithm to check for polygon similarity" **8** (3) (1979) 157–158
429. M.A. Bonuccelli and D.P. Bovet, Minimum node disjoint path covering for circular-arc graphs **8** (4) (1979) 159–161
430. L. Czaja, A specification of parallel problems **8** (4) (1979) 162–167
431. M. Huits and V. Kumar, The practical significance of Distributive Partitioning Sort **8** (4) (1979) 168–169
432. W. Dobosiewicz, The practical significance of D.P. Sort revisited **8** (4) (1979) 170–172
433. A. Fournier, Comments on "Convex hull of a finite set of points in two dimensions" **8** (4) (1979) 173

434. H. Hitotumatu and K. Noshita, A technique for implementing backtrack algorithms and its application **8** (4) (1979) 174–175
435. J. Henno, The depth of monotone functions in multivalued logic **8** (4) (1979) 176–177
436. R.L. Rivest and J.-P. van de Wiele, An $\Omega((n/\lg n)^{1/2})$ lower bound on the number of additions necessary to compute 0-1 polynomials over the ring of integer polynomials **8** (4) (1979) 178–180
437. K. Culik II and H.A. Maurer, Secure information storage and retrieval using new results in cryptography **8** (4) (1979) 181–186
438. E. Ukkonen, The nonexistence of some covering context-free grammars **8** (4) (1979) 187–192
439. C.C. Yang and D.T. Lee, A note on the all nearest-neighbor problem for convex polygons **8** (4) (1979) 193–194
440. D. Harel, Two results on process logic **8** (4) (1979) 195–198
441. J. Plesńik, The NP-completeness of the Hamiltonian cycle problem in planar digraphs with degree bound two **8** (4) (1979) 199–201
442. P.S. Pankov and S.L. Dolmatov, Substantiable evaluations by electronic computers and their application to one problem in combinatorial geometry **8** (4) (1979) 202–203
443. F.J. Fridman, G.H. Holloway, N.H. Minsky and J. Stein, Abstract FOR-loops over several aggregates **8** (4) (1979) 204–206
444. J. Mühlbacher, F-factors of graphs: A generalized matching problem **8** (4) (1979) 207–214
445. H. Abelson, A note on time-space tradeoffs for computing continuous functions **8** (4) (1979) 215–217
446. T.D. Bui, On an L-stable method for stiff differential equations (*Erratum*) **8** (4) (1979) 218
447. Y.V. Silva-Filho, Average case analysis of region search in balanced k-d trees **8** (5) (1979) 219–223
448. M. Broy, M. Wirsing, J.P. Finance, A. Quéré and J.L. Remy, Methodical solution of the problem of ascending subsequences of maximum length within a given sequence **8** (5) (1979) 224–229
449. T. Leipälä, On a generalization of binary search **8** (5) (1979) 230–233
450. D. Bini, M. Capovani, F. Romani and G. Lotti, $O(n^{2.7799})$ complexity for $n \times n$ approximate matrix multiplication **8** (5) (1979) 234–235
451. Y. Shiloach, A fast equivalence-checking algorithm for circular lists **8** (5) (1979) 236–238
452. W. Reisig, A note on the representation of finite tree automata **8** (5) (1979) 239–240
453. D. van der Knijff and J.-L. Lassez, A clarification of the comparison between some measures of software science **8** (5) (1979) 241–243
454. J.L. Bentley, Decomposable searching problems **8** (5) (1979) 244–251
455. G. Loizou, Mathematical solution for a data processing system **8** (5) (1979) 252–256
456. K. Ruohonen, The decidability of the F0L-D0L equivalence problem **8** (5) (1979) 257–260
457. C.N. Fischer, K.C. Tai and D.R. Milton, Immediate error detection in strong LL(1) parsers **8** (5) (1979) 261–266
458. E.M. Gurari and O.H. Ibarra, On the space complexity of recursive algorithms **8** (5) (1979) 267–271
459. A.L. Rosenberg, A note on paths embedded in trees **8** (5) (1979) 272–273
460. N. Soundararajan, Axiomatic proofs of total correctness of programs **8** (5) (1979) 274–277
461. G. Yuval, A simple proof of Strassen's result (*Corrigendum*) **8** (5) (1979) 278
462. H.I.E. Gunn and R. Morrison, On the implementation of constants **9** (1) (1979) 1–4
463. P.A.S. Veloso, Characterizing the regular prefix codes and right power-bounded languages **9** (1) (1979) 5–7
464. J.C. Cherniavsky, J. Keohane and P.B. Henderson, A note concerning top down program development and restricted exit control structures **9** (1) (1979) 8–12
465. D.M. Berry and R.L. Schwartz, United and discriminated record types in strongly typed languages **9** (1) (1979) 13–18
466. P.J. Eberlein, A note on median selection and spider production **9** (1) (1979) 19–22
467. A. Bykat, On polygon similarity **9** (1) (1979) 23–25
468. H.B.M. Jonkers, A fast garbage compaction algorithm **9** (1) (1979) 26–30
469. G.K. Manacher and A.L. Zobrist, Neither the greedy nor the Delaunay triangulation of a planar point set approximates the optimal triangulation **9** (1) (1979) 31–34
470. R.A. De Millo and R.E. Miller, Implicit computation of synchronization primitives **9** (1) (1979) 35–38
471. M.J. Lao, A new data structure for the UNION-FIND problem **9** (1) (1979) 39–45
472. D. Bini and M. Capovani, Lower bounds of the complexity of linear algebras **9** (1) (1979) 46–47
473. A.C. Yao, A note on a conjecture of Kam and Ullman concerning statistical databases **9** (1) (1979) 48–50

474. A. Nijholt, From left-regular to Greibach normal form grammars **9** (1) (1979) 51–55
475. M.R. Brown, Some observations on random 2-3 trees **9** (2) (1979) 57–59
476. J. Grabowski, The unsolvability of some Petri net language problems **9** (2) (1979) 60–63
477. F.N. Teskey, Document retrieval using associative processors **9** (2) (1979) 64–67
478. F.F. Yao, Graph 2-isomorphism is NP-complete **9** (2) (1979) 68–72
479. A. Nozaki, A note on the complexity of approximative evaluation of polynomials **9** (2) (1979) 73–75
480. R.L. Schwartz, Aliasing among pointers in EUCLID **9** (2) (1979) 76–79
481. W.S. Luk, 'Possible' membership of a multivalued dependency in a relational database **9** (2) (1979) 80–83
482. A. Ehrenfeucht and G. Rozenberg, An observation on scattered grammars **9** (2) (1979) 84–85
483. A. Ehrenfreucht and G. Rozenberg, Finding a homomorphism between two words is NP-complete **9** (2) (1979) 86–88
484. B. Srinivasan and V. Rajaraman, On the normalization of relational databases **9** (2) (1979) 89–92
485. A. Sengupta, S. Bandyopadhyay and P.K. Srimani, On identification of CR property in file organisation **9** (2) (1979) 93–96
486. J. Grant, Partial values in a tabular database model **9** (2) (1979) 97–99
487. B.L. Jackowski, R. Kubiak and S. Sokolowski, Complexity of sorting by distributive partitioning **9** (2) (1979) 100
488. D.P. Friedman and D.S. Wise, Output driven interpretation of recursive programs, or writing creates and destroys data structures (*Erratum*) **9** (2) (1979) 101
489. E. Best, A note on the proof of a concurrent program **9** (3) (1979) 103–104
490. A. Fournier and Z. Kedem, Comments on the all nearest-neighbor problem for convex polygons **9** (3) (1979) 105–107
491. C.J. Colbourn, The complexity of symmetrizing matrices **9** (3) (1979) 108–109
492. S. Mitchell and S. Hedetniemi, Linear algorithms for edge-coloring trees and unicyclic graphs **9** (3) (1979) 110–112
493. R.K. Arora and S.P. Rana, On module assignment in two-processor distributed systems **9** (3) (1979) 113–117
494. A. Itai, A randomized algorithm for checking equivalence of circular lists **9** (3) (1979) 118–121
495. M.H. Williams and A.R. Bulmer, A transportable code generator generator system **9** (3) (1979) 122–125
496. M. Ferrari and G. Guida, DB: A LISP-type data base system **9** (3) (1979) 126–134
497. A. Yehudai, A note on the pumping lemma for regular languages **9** (3) (1979) 135–136
498. K. Itano, Reduction of page swaps on the two dimensional transforms in a paging environment **9** (3) (1979) 137–140
499. F. Dévai and T. Szendrényi, Comments on "Convex hull of a finite set of points in two dimensions" **9** (3) (1979) 141–142
500. G. Prini, Stack implementation of shallow binding in languages with mixed scoping **9** (3) (1979) 143–154
501. H. Langmaack, W. Lippe and F. Wagner, The formal termination problem for programs with finite ALGOL 68-modes **9** (3) (1979) 155–159
502. D. Harel, Two results on process logic (*Erratum*) **9** (3) (1979) 160
503. W.R. Franklin, Padded lists: Set operations in expected $\theta(\log\log N)$ time **9** (4) (1979) 161–166
504. J.Y.-T. Leung, Bounds on list scheduling of UET tasks with restricted resource constraints **9** (4) (1979) 167–170
505. E.J. Cockayne, F. Ruskey and A.G. Thomason, An algorithm for the most economic link addition in a tree communications network **9** (4) (1979) 171–175
506. J.S. Moore, A mechanical proof of the termination of Takeuchi's function **9** (4) (1979) 176–181
507. A.G. Akritas, On the solution of polynomial equations using continued fractions **9** (4) (1979) 182–184
508. K.M. Chandy and J. Misra, Deadlock absence proofs for networks of communicating processes **9** (4) (1979) 185–189
509. D.T. Lee and C.C. Yang, Location of multiple points in a planar subdivision **9** (4) (1979) 190–193
510. J.L. Szwarcfiter, Systems of distinct representatives for k families of sets **9** (5) (1979) 195–196
511. J.M. Morris, Traversing binary trees simply and cheaply **9** (5) (1979) 197–200
512. D. McCallum and D. Avis, A linear algorithm for finding the convex hull of a simple polygon **9** (5) (1979) 201–206

513. G. Oulsnam, Cyclomatic numbers do not measure complexity of unstructured programs **9** (5) (1979) 207–211
514. N. Dershowitz, A note on simplification orderings **9** (5) (1979) 212–215
515. A.M. Andrew, Another efficient algorithm for convex hulls in two dimensions **9** (5) (1979) 216–219
516. J.M. Robson, The emptiness of complement problem for semi extended regular expressions requires c^n space **9** (5) (1979) 220–222
517. K.Q. Brown, Voronoi diagrams from convex hulls **9** (5) (1979) 223–228
518. S.L. Mitchell, Linear algorithms to recognize outerplanar and maximal outerplanar graphs **9** (5) (1979) 229–232
519. R. Słowiński, Cost-minimal preemptive scheduling of independent jobs with release and due dates on open shop under resource constraints **9** (5) (1979) 233–237
520. M.J.C. Gordon, The denotational semantics of sequential machines **10** (1) (1980) 1–3
521. H. Olivié, On the relationship between son-trees and symmetric binary B-trees **10** (1) (1980) 4–8
522. V.J. Rayward-Smith and R.N. Rolph, Finding linear and circular sequences of minimal and maximal total adjacency **10** (1) (1980) 9–13
523. P. Honeyman, R.E. Ladner and M. Yannakakis, Testing the universal instance assumption **10** (1) (1980) 14–19
524. A. Deb, Conflict-free access of arrays – A counter example **10** (1) (1980) 20
525. M. Truszczyński, Once more on storage for consecutive retrieval **10** (1) (1980) 21–24
526. L.M. Goldschlager, A space efficient algorithm for the monotone planar circuit value problem **10** (1) (1980) 25–27
527. E.L. Lloyd, List scheduling bounds for UET systems with resources **10** (1) (1980) 28–31
528. C. Zaniolo, Mixed transitivity for functional and multivalued dependencies in database relations **10** (1) (1980) 32–34
529. T. Bui, A note on an improved bisection algorithm **10** (1) (1980) 35–36
530. D.D.K.D.B. Sleator, A 2.5 times optimal algorithm for packing in two dimensions **10** (1) (1980) 37–40
531. D.V. Sarwate, A note on universal classes of hash functions **10** (1) (1980) 41–45
532. B. Anderson, Encoded pointers – An interesting data-structure for modern SIL's **10** (2) (1980) 47–50
533. J. van Leeuwen and D. Wood, Dynamization of decomposable searching problems **10** (2) (1980) 51–56
534. V.K. Sabelfeld, The logic-termal equivalence is polynomial-time decidable **10** (2) (1980) 57–62
535. S. Passy, Structured programs for Turing machines **10** (2) (1980) 63–67
536. T.C. Wilson and J. Shortt, An $O(\log n)$ algorithm for computing general order-k Fibonacci numbers **10** (2) (1980) 68–75
537. F.M. Liang, A lower bound for on-line bin packing **10** (2) (1980) 76–79
538. M. Blum, A.K. Chandra and M.N. Wegman, Equivalence of free Boolean graphs can be decided probabilistically in polynomial time **10** (2) (1980) 80–82
539. P.M.B. Vitányi, Achievable high scores of ε-moves and running times in DPDA computations **10** (2) (1980) 83–86
540. N. Santoro, Extending the four Russians' bound to general matrix multiplication **10** (2) (1980) 87–88
541. H. Samet and L. Marcus, Purging in an equality data base **10** (2) (1980) 89–95
542. M. Ben-Ari, A simplified proof that regular resolution is exponential **10** (2) (1980) 96–98
543. A. Brandwajn and R. Joly, A scheme for a fault-tolerant virtual memory **10** (2) (1980) 99–103
544. F.G. Pagan, On the generation of compilers from language definitions **10** (2) (1980) 104–107
545. M. Jazayeri, An improvement in the iterative data flow analysis algorithm **10** (2) (1980) 108–110
546. R.K. Arora and S.P. Rana, Analysis of the module assignment problem in distributed computing systems with limited storage **10** (3) (1980) 111–115
547. O. Watanabe, Another application of recursion introduction **10** (3) (1980) 116–119
548. P.J.L. Wallis and B.W. Silverman, Efficient implementation of the Ada overloading rules **10** (3) (1980) 120–123
549. C. Hemerik, Formal derivation of a list processing program **10** (3) (1980) 124–126
550. D.G. Kirkpatrick, A note on Delaunay and optimal triangulations **10** (3) (1980) 127–128
551. P.S.-P. Wang, Some new results on isotonic array grammars **10** (3) (1980) 129–131
552. P. van Emde Boas, On the $\Omega(n \log n)$ lower bound for convex hull and maximal vector determination **10** (3) (1980) 132–136

553. W. Cellary and D. Mayer, A simple model of query scheduling in distributed data base systems **10** (3) (1980) 137–147
554. J.A. Barnden, A characterization of systems derived from terminating concurrent histories **10** (3) (1980) 148–152
555. L. Czaja, Parallel system schemas and their relation to automata **10** (3) (1980) 153–158
556. J.L.W. Kessels, The readers and writers problem avoided **10** (3) (1980) 159–162
557. M. van der Nat, A fast sorting algorithm, a hybrid of distributive and merge sorting **10** (3) (1980) 163–167
558. A.M. Andrew, Corrigendum on convex hull algorithms **10** (3) (1980) 168
559. R. Melville and D. Gries, Controlled density sorting **10** (4–5) (1980) 169–172
560. A.A. Bertossi, On the complexity of scheduling jobs on dedicated resources to minimize set-up costs **10** (4–5) (1980) 173–177
561. A.S. Fraenkel and Y. Yesha, Complexity of solving algebraic equations **10** (4–5) (1980) 178–179
562. F. Luccio and S. Mazzone, A cryptosystem for multiple communication **10** (4–5) (1980) 180–183
563. T. Lengauer and R.E. Tarjan, The space complexity of pebble games on trees **10** (4–5) (1980) 184–188
564. A.M. Farley, Levelling terrain trees: a transshipment problem **10** (4–5) (1980) 189–192
565. M. Broy and M. Wirsing, Program development: from enumeration to backtracking **10** (4–5) (1980) 193–197
566. F.W. Burton and G.N. Lewis, A robust variation of interpolation search **10** (4–5) (1980) 198–201
567. C. Savage, Maximum matchings and trees **10** (4–5) (1980) 202–205
568. R.W. Doran and L.K. Thomas, Variants of the software solution to mutual exclusion **10** (4–5) (1980) 206–208
569. M.H. Overmars and J. van Leeuwen, Further comments on Bykat's convex hull algorithm **10** (4–5) (1980) 209–212
570. H. Meijer and S.G. Akl, The design and analysis of a new hybrid sorting algorithm **10** (4–5) (1980) 213–218
571. A. Nakamura and K. Inoue, A remark on two-dimensional finite automata **10** (4–5) (1980) 219–222
572. A. Ehrenfeucht and G. Rozenberg, On the emptiness of the intersection of two D0S languages problem **10** (4–5) (1980) 223–225
573. K.M. Chung, F. Luccio and C.K. Wong, A new permutation algorithm for bubble memories **10** (4–5) (1980) 226–230
574. C. Böhm, A. Machi and G. Sontacchi, Complexity bounds for equivalence and isomorphism of latin squares **10** (4–5) (1980) 231–233
575. L. Czaja, Deadlock and fairness in parallel schemas: A set-theoretic characterization and decision problems **10** (4–5) (1980) 234–239
576. K.S. Booth, Lexicographically least circular substrings **10** (4–5) (1980) 240–242
577. P. Buneman and L. Levy, The Towers of Hanoi Problem **10** (4–5) (1980) 243–244
578. K. Inoue and I. Takanami, A note on decision problems for three-way two-dimensional finite automata **10** (4–5) (1980) 245–248
579. E.W. Dijkstra and C.S. Scholten, Termination detection for diffusing computations **11** (1) (1980) 1–4
580. W. Dobosiewicz, An efficient variation of bubble sort **11** (1) (1980) 5–6
581. D.C.S. Allison and M.T. Noga, Selection by distributive partitioning **11** (1) (1980) 7–8
582. T. Krawczyk, Error correction by mutational grammars **11** (1) (1980) 9–15
583. K.V.S. Bhat, On the complexity of testing a graph for n-cube **11** (1) (1980) 16–19
584. J. Grabowski, The decidability of persistence for vector addition systems **11** (1) (1980) 20–23
585. M.C. Loui, A note on the pebble game **11** (1) (1980) 24–26
586. J.D. Day, On the internal S-stability of Rosenbrock methods **11** (1) (1980) 27–30
587. J.D. Day, Comments on: T.D. Bui, "On an L-stable method for stiff differential equations" **11** (1) (1980) 31–32
588. G. Loizou, On a cycle finding algorithm **11** (1) (1980) 33–36
589. D.J. Brown, An improved BL lower bound **11** (1) (1980) 37–39
590. J.L. Peterson, A note on colored Petri nets **11** (1) (1980) 40–43
591. L.G. Valiant, Computing multivariate polynomials in parallel **11** (1) (1980) 44–45
592. R.P. Brent and H.T. Kung, On the area of binary tree layouts **11** (1) (1980) 46–48
593. C.R. Dyer, A fast parallel algorithm for the closest pair problem **11** (1) (1980) 49–52
594. L. Devroye, A note on finding convex hulls via maximal vectors **11** (1) (1980) 53–56

595. E.L. Lloyd, List scheduling bounds for UET systems with resources (*Erratum*) **11** (1) (1980) 57
596. J. van Leeuwen and D. Wood, Dynamization of decomposable searching problems (*Erratum*) **11** (1) (1980) 57
597. L. Banachowski, A complement to Tarjan's result about the lower bound on the complexity of the set union problem **11** (2) (1980) 59–65
598. D. Gries and G. Levin, Computing Fibonacci numbers (and similarly defined functions) in log time **11** (2) (1980) 68–69
599. J. Ebert, A note on odd and even factors of undirected graphs **11** (2) (1980) 70–72
600. L. Liu and A. Demers, An algorithm for testing lossless join property in relational databases **11** (2) (1980) 73–76
601. F.P. Preparata and J.E. Vuillemin, Area-time optimal VLSI networks for multiplying matrices **11** (2) (1980) 77–80
602. K.M. Chung, F. Luccio and C.K. Wong, Minimum number of steps for permutation in a bubble memory **11** (2) (1980) 81–83
603. A.C. Yao, A note on the analysis of extendible hashing **11** (2) (1980) 84–86
604. M. Broy, Transformational semantics for concurrent programs **11** (2) (1980) 87–91
605. R.B. Johnson Jr., The complexity of a VLSI adder **11** (2) (1980) 92–93
606. J. Calmet and R. Loos, An improvement of Rabin's probabilistic algorithm for generating irreducible polynomials over GF(p) **11** (2) (1980) 94–95
607. C.J. Colbourn and B.D. McKay, A correction to Colbourn's paper on the complexity of matrix symmetrizability **11** (2) (1980) 96–97
608. P.C. Kanellakis, On the computational complexity of cardinality constraints in relational databases **11** (2) (1980) 98–101
609. E. Luque and A. Ripoll, Tuning architecture via microprogramming **11** (2) (1980) 102–109
610. E. Leiss, A note on a signature system based on probabilistic logic **11** (2) (1980) 110–113
611. J.Y.-T. Leung and M.L. Merrill, A note on preemptive scheduling of periodic, real-time tasks **11** (3) (1980) 115–118
612. J.M. Robson, Storage allocation is NP-hard **11** (3) (1980) 119–125
613. D. Avis, Comments on a lower bound for convex hull determination **11** (3) (1980) 126
614. A. Moura, A note on grammatical covers **11** (3) (1980) 127–129
615. T.A. Bailey and R.G. Dromey, Fast string searching by finding subkeys in subtext **11** (3) (1980) 130–133
616. F. Romani, Shortest-path problem is not harder than matrix multiplication **11** (3) (1980) 134–136
617. H. Erkiö, Internal merge sorting with delayed selection **11** (3) (1980) 137–140
618. N. Dershowitz, The Schorr–Waite marking algorithm revisited **11** (3) (1980) 141–143
619. E.B. Kinber, On inclusion problem for deterministic multitape automata **11** (3) (1980) 144–146
620. A. Laut, Safe procedural implementations of algebraic types **11** (4–5) (1980) 147–151
621. J. Paredaens and F. Ponsaert, Grant levels in an authorization mechanism **11** (4–5) (1980) 152–155
622. G.N. Frederickson, Probabilistic analysis for simple one- and two-dimensional bin packing algorithms **11** (4–5) (1980) 156–161
623. O.H. Ibarra, S. Moran and L.E. Rosier, A note on the parallel complexity of computing the rank of order n matrices **11** (4–5) (1980) 162
624. D.R. Hanson, Code improvement via lazy evaluation **11** (4–5) (1980) 163–167
625. J.H. ter Bekke, Convertibility in databases **11** (4–5) (1980) 168–171
626. A. Pettorossi, Derivation of an $O(k^2 \log n)$ algorithm for computing order-k Fibonacci numbers from the $O(k^2 \log n)$ matrix multiplication method **11** (4–5) (1980) 172–179
627. M.H. Williams, Cubic map configurations **11** (4–5) (1980) 180–185
628. M.H. Williams, Batch sizes for the batching method of colouring planar maps **11** (4–5) (1980) 186–189
629. M.E. Majster-Cederbaum, A simple relation between relational and predicate transformer semantics for nondeterministic programs **11** (4–5) (1980) 190–192
630. R. Petreschi and B. Simeone, A switching algorithm for the solution of quadratic boolean equations **11** (4–5) (1980) 193–198
631. R.K. Arora and S.P. Rana, Heuristic algorithms for process assignment in distributed computing systems **11** (4–5) (1980) 199–203
632. H. Kawai, A formal system for parallel programs in discrete time and space **11** (4–5) (1980) 204–210

633. J. ten Hoopen, Consecutive retrieval with redundancy: An optimal linear and an optimal cyclic arrangement and their storage space requirements **11** (4–5) (1980) 211–217
634. P. Kandzia and M. Mangelmann, On covering Boyce–Codd normal forms **11** (4–5) (1980) 218–223
635. S. Pajunen, On two theorems of Lenstra **11** (4–5) (1980) 224–228
636. A.J. Jammel and H.G. Stiegler, On expected costs of deadlock detection **11** (4–5) (1980) 229–231
637. S. Mauceri and A. Restivo, A family of codes commutatively equivalent to prefix codes **12** (1) (1981) 1–4
638. K. Dudziński and A. Dydek, On a stable minimum storage merging algorithm **12** (1) (1981) 5–8
639. E.L. Lawler and C.U. Martel, Scheduling periodically occurring tasks on multiple processors **12** (1) (1981) 9–12
640. C. Choffrut, A closure property of deterministic context-free languages **12** (1) (1981) 13–16
641. N.-K. Tsao, The numerical instability of Bini's algorithm **12** (1) (1981) 17–19
642. H.N. Gabow, A linear-time recognition algorithm for interval dags **12** (1) (1981) 20–22
643. D.E. Denning and F.B. Schneider, Master keys for group sharing **12** (1) (1981) 23–25
644. E.C.R. Hehner, Bunch Theory: A simple Set Theory for Computer Science **12** (1) (1981) 26–30
645. S.H. Whitesides, An algorithm for finding clique cut-sets **12** (1) (1981) 31–32
646. P. Hell and D.G. Kirkpatrick, On generalized matching problems **12** (1) (1981) 33–35
647. M. Bruynooghe, Solving combinatorial search problems by intelligent backtracking **12** (1) (1981) 36–39
648. E.L. Lloyd, Coffman–Graham scheduling of UET task systems with 0–1 resources **12** (1) (1981) 40–45
649. S. Ceri and G. Pelagatti, An upper bound on the number of execution nodes for a distributed join **12** (1) (1981) 46–48
650. M.H. Overmars and J. van Leeuwen, Some principles for dynamizing decomposable searching problems **12** (1) (1981) 49–53
651. L.G. Valiant, Computing multivariate polynomials in parallel (*Addendum*) **12** (1) (1981) 54
652. M. Hatzopoulos and J.G. Kollias, Optimal policy for database backup and recovery **12** (2) (1981) 55–58
653. D.M. Harland, Concurrency in a language employing messages **12** (2) (1981) 59–62
654. I. Ingemarsson and C.K. Wong, A user authentication scheme for shared data based on a trap-door one-way function **12** (2) (1981) 63–67
655. J.J. Pansiot, The Morse sequence and iterated morphisms **12** (2) (1981) 68–70
656. A. Borodin, L.J. Guibas, N.A. Lynch and A.C. Yao, Efficient searching using partial ordering **12** (2) (1981) 71–75
657. C.P. Schnorr, How many polynomials can be approximated faster than they can be evaluated? **12** (2) (1981) 76–78
658. J. Jaffar, Presburger arithmetic with array segments **12** (2) (1981) 79–82
659. D. Steinberg and M. Rodeh, A layout for the shuffle-exchange network with $\Theta(N^2/\log N)$ area **12** (2) (1981) 83–88
660. Y. Shiloach, Another look at the degree constrained subgraph problem **12** (2) (1981) 89–92
661. K. Mehlhorn and M.H. Overmars, Optimal dynamization of decomposable searching problems **12** (2) (1981) 93–98
662. M.H. Overmars, General methods for 'all elements' and 'all pairs' problems **12** (2) (1981) 99–102
663. S. Micali, Two-way deterministic finite automata are exponentially more succinct than sweeping automata **12** (2) (1981) 103–105
664. M. Tompa, An extension of Savitch's theorem to small space bounds **12** (2) (1981) 106–108
665. R. Petreschi and B. Simeone, A switching algorithm for the solution of quadratic boolean equations (*Erratum*) **12** (2) (1981) 109
666. B. Courcelle, The simultaneous accessibility of two configurations of two equivalent DPDA's **12** (3) (1981) 111–114
667. G.L. Peterson, Myths about the mutual exclusion problem **12** (3) (1981) 115–116
668. W. Leland, R. Finkel, L. Qiao, M. Solomon and L. Uhr, High density graphs for processor interconnection **12** (3) (1981) 117–120
669. R.V. Book, The undecidability of a word problem: On a conjecture of Strong, Maggiolo-Schettini and Rosen **12** (3) (1981) 121–122
670. G. Lischke, Two types of properties for complexity measures **12** (3) (1981) 123–126
671. R. Wilhelm, A modified tree-to-tree correction problem **12** (3) (1981) 127–132

672. R.J. Fowler, M.S. Paterson and S.L. Tanimoto, Optimal packing and covering in the plane are NP-complete **12** (3) (1981) 133–137
673. J.W. Jaromczyk, Linear decision trees are too weak for convex hull problem **12** (3) (1981) 138–141
674. A. Bertoni and G. Mauri, On efficient computation of the coefficients of some polynomials with applications to some enumeration problems **12** (3) (1981) 142–145
675. W. Erni and R. Lapsien, On the time and tape complexity of weak unification **12** (3) (1981) 146–150
676. P. Ancilotti and M. Boari, Information streams sharing a finite buffer: Protection problems **12** (3) (1981) 151–159
677. F.P. Preparata and K.J. Supowit, Testing a simple polygon for monotonicity **12** (4) (1981) 161–164
678. C.M. Eastman, Optimal bucket size for nearest neighbor searching in *k-d* trees **12** (4) (1981) 165–167
679. M.H. Overmars and J. van Leeuwen, Worst-case optimal insertion and deletion methods for decomposable searching problems **12** (4) (1981) 168–173
680. Ch. Frougny, Simple deterministic NTS languages **12** (4) (1981) 174–178
681. H. Meijer, A note on "A cryptosystem for multiple communication" **12** (4) (1981) 179–181
682. M.E. Hellman, Another cryptanalytic attack on "A cryptosystem for multiple communication" **12** (4) (1981) 182–183
683. Th. Ottmann, A. Salomaa and D. Wood, Sub-regular grammar forms **12** (4) (1981) 184–187
684. I. Semba, Generation of all the balanced parenthesis strings in lexicographical order **12** (4) (1981) 188–192
685. A. De Luca, A combinatorial property of the Fibonacci words **12** (4) (1981) 193–195
686. E.C.R. Hehner and R.K. Shyamasundar, An implementation of *P* and *V* **12** (4) (1981) 196–198
687. D. Maier and S.C. Salveter, Hysterical B-trees **12** (4) (1981) 199–202
688. C.H. Papadimitriou and M. Yannakakis, On minimal Eulerian graphs **12** (4) (1981) 203–205
689. M. Iri, K. Murota and S. Matsui, Linear-time approximation algorithms for finding the minimum-weight perfect matching on a plane **12** (4) (1981) 206–209
690. J. Mauney and C.N. Fischer, An improvement to immediate error detection in strong LL(1) parsers **12** (5) (1981) 211–212
691. L.K. Konneker and Y.L. Varol, A note on heuristics for dynamic organization of data structures **12** (5) (1981) 213–216
692. M. Snir, On the complexity of simplifying quadratic forms **12** (5) (1981) 217–220
693. D.M. Harland, On facilities for interprocess communication **12** (5) (1981) 221–226
694. O.H. Ibarra, S. Moran and L.E. Rosier, Probabilistic algorithms and straight-line programs for some rank decision problems **12** (5) (1981) 227–232
695. J.J. Pansiot, A note on Post's Correspondence Problem **12** (5) (1981) 233
696. W. Rytter, An effective simulation of deterministic pushdown automata with many two-way and one-way heads **12** (5) (1981) 234–236
697. B.-C. Huang, An algorithm for inverting a permutation **12** (5) (1981) 237–238
698. J. Winkowski, Protocols of accessing overlapping sets of resources **12** (5) (1981) 239–243
699. M. Crochemore, An optimal algorithm for computing the repetitions in a word **12** (5) (1981) 244–250
700. M.Y. Vardi, The decision problem for database dependencies **12** (5) (1981) 251–254
701. J. Ebert, A sensitive transitive closure algorithm **12** (5) (1981) 255–258
702. O. Watanabe, A fast algorithm for finding all shortest paths **13** (1) (1981) 1–3
703. G.N. Lewis, N.J. Boynton and F.W. Burton, Expected complexity of fast search with uniformly distributed data **13** (1) (1981) 4–7
704. J.A. Storer, Constructing full spanning trees for cubic graphs **13** (1) (1981) 8–11
705. O.H. Ibarra and S. Moran, Deterministic and probabilistic algorithms for maximum bipartite matching via fast matrix multiplication **13** (1) (1981) 12–15
706. J.F. Korsh, Greedy binary search trees are nearly optimal **13** (1) (1981) 16–19
707. A.K. Agrawala and S.K. Tripathi, On the optimality of semidynamic routing schemes **13** (1) (1981) 20–22
708. K. Ramamohanarao and R. Sacks-Davis, Harware address translation for machines with a large virtual memory **13** (1) (1981) 23–29
709. G. Senizergues, A new class of C.F.L. for which the equivalence is decidable **13** (1) (1981) 30–34
710. H.I.E. Gunn and D.M. Harland, Degrees of constancy in programming languages **13** (1) (1981) 35–38

711. Yu.G. Stoyan and S.V. Smelyakov, An approach to the problems of routing optimization in the regions of intricate shape **13** (1) (1981) 39–43
712. M. Clerbout and M. Latteux, The inclusion of D0L in MULTI-RESET **13** (2) (1981) 45–47
713. O.M. Makarov, Using duality for the synthesis of an optimal algorithm involving matrix multiplication **13** (2) (1981) 48–49
714. R. Hood and R. Melville, Real-time queue operations in Pure LISP **13** (2) (1981) 50–54
715. M.J. Atallah and S.R. Kosaraju, An adversary-based lower bound for sorting **13** (2) (1981) 55–57
716. W. Rytter, The dynamic simulation of recursive and stack manipulating programs **13** (2) (1981) 58–63
717. M. Regnier, On the average height of trees in digital search and dynamic hashing **13** (2) (1981) 64–66
718. Y.V. Silva Filho, Optimal choice of discriminators in a balanced k-d binary search tree **13** (2) (1981) 67–70
719. V.Ya. Pan, The lower bounds on the additive complexity of bilinear problems in terms of some algebraic quantities **13** (2) (1981) 71–72
720. R.V. Book, NTS grammars and Church–Rosser systems **13** (2) (1981) 73–76
721. J.S. Vitter, A shared-memory scheme for coalesced hashing **13** (2) (1981) 77–79
722. A. Nakamura, Some remarks on one-pebble rectangular array acceptors **13** (2) (1981) 80–84
723. S. Moran, A note on 'Is shortest path problem not harder than matrix multiplication?' **13** (2) (1981) 85–86
724. F. Romani, Author's reply to S. Moran's note on the shortest path problem **13** (2) (1981) 87
725. O.H. Ibarra and L.E. Rosier, On the decidability of equivalence for deterministic pushdown transducers **13** (3) (1981) 89–93
726. H. Yamasaki, On weak persistency of Petri nets **13** (3) (1981) 94–97
727. T.-H. Chan, Deciding freeness for program schemes with a single unary function **13** (3) (1981) 98–102
728. R.H. Barlow, D.J. Evans and J. Shanehchi, A parallel merging algorithm **13** (3) (1981) 103–106
729. R. Hassin, Maximum flow in (s, t) planar networks **13** (3) (1981) 107
730. A. Ehrenfeucht and G. Rozenberg, On the subword complexity of D0L languages with a constant distribution **13** (3) (1981) 108–113
731. R.S. Bird, The jogger's problem **13** (3) (1981) 114–117
732. M.D. Atkinson, The cyclic Towers of Hanoi **13** (3) (1981) 118–119
733. D. MacDavid Tolle and W.E. Siddall, On the complexity of vector computations in binary tree machines **13** (3) (1981) 120–124
734. D.E. Denning, H. Meijer and F.B. Schneider, More on master keys for group sharing **13** (3) (1981) 125–126
735. J.L.A. van de Snepscheut, Synchronous communication between asynchronous components **13** (3) (1981) 127–130
736. C.H. Papadimitriou and M. Yannakakis, The clique problem for planar graphs **13** (4–5) (1981) 131–133
737. G. Barth, An alternative for the implementation of the Knuth–Morris–Pratt algorithm **13** (4–5) (1981) 134–137
738. R.H. Davis, C. Rinaldi and C.J. Trebilcock, Data compression in limited capacity microcomputer systems **13** (4–5) (1981) 138–141
739. W. Rytter, Time complexity of languages recognized by one-way multihead pushdown automata **13** (4–5) (1981) 142–144
740. W. Rytter, A hardest language recognized by two-way nondeterministic pushdown automata **13** (4–5) (1981) 145–146
741. V.K. Sabelfeld, Tree equivalence of linear recursive schemata is polynomial-time decidable **13** (4–5) (1981) 147–153
742. N. Goodman and O. Shmueli, Limitations of the chase **13** (4–5) (1981) 154–156
743. A.A. Bertossi, The edge Hamiltonian path problem is NP-complete **13** (4–5) (1981) 157–159
744. L. Siklóssy, Efficient query evaluation in relational data bases with missing values **13** (4–5) (1981) 160–163
745. M. Blum, R.M. Karp, O. Vornberger, C.H. Papadimitriou and M. Yannakakis, The complexity of testing whether a graph is a superconcentrator **13** (4–5) (1981) 164–167
746. J.T. Schwartz, Finding the minimum distance between two convex polygons **13** (4–5) (1981) 168–170
747. M. Ancona and V. Gianuzzi, A new method for implementing LR(k) tables **13** (4–5) (1981) 171–176
748. H. Edelsbrunner and H.A. Maurer, On the intersection of orthogonal objects **13** (4–5) (1981) 177–181

749. A. Nakamura and K. Aizawa, Acceptors for isometric parallel context-free array languages **13** (4–5) (1981) 182–186
750. M.H. Williams, A systematic test for extended operator precedence **13** (4–5) (1981) 187–190
751. H. Yasuura, Width and depth of combinational logic circuits **13** (4–5) (1981) 191–194
752. R. Freivalds, Projections of languages recognizable by probabilistic and alternating finite multitape automata **13** (4–5) (1981) 195–198
753. R.K. Arora and N.K. Sharma, Guarded procedure: A distributed programming concept **13** (4–5) (1981) 199–203
754. G. Guida and M. Somalvico, Multi-problem-solving: Knowledge representation and system architecture **13** (4–5) (1981) 204–214
755. H.S. Warren Jr., A.S. Fox and P.W. Markstein, Modulus division on a two's complement machine **13** (4–5) (1981) 215–217
756. J.M. Troya and A. Vaquero, An approximation algorithm for reducing expected head movement in linear storage devices **13** (4–5) (1981) 218–220
757. A. Schmitt, On the computational power of the floor function **14** (1) (1982) 1–3
758. B.-Z. Chor, Arithmetic of finite fields **14** (1) (1982) 4–6
759. D. Nath and S.N. Maheshwari, Parallel algorithms for the connected components and minimal spanning tree problems **14** (1) (1982) 7–11
760. A.E. Brouwer and P. van Emde Boas, A note on 'Master keys for group sharing' **14** (1) (1982) 12–14
761. R. Backhouse, Writing a number as the sum of two squares: A new solution **14** (1) (1982) 15–17
762. E. Gelenbe and D. Gardy, On the size of projections: I **14** (1) (1982) 18–21
763. H.I.E. Gunn, Compile time type checking of structure field accessing **14** (1) (1982) 22–25
764. R.E. Tarjan, A hierarchical clustering algorithm using strong components **14** (1) (1982) 26–29
765. R.E. Tarjan, Sensitivity analysis of minimum spanning trees and shortest path trees **14** (1) (1982) 30–33
766. J. van Leeuwen and M. Nivat, Efficient recognition of rational relations **14** (1) (1982) 34–38
767. K.-I. Ko, Some observations on the probabilistic algorithms and NP-hard problems **14** (1) (1982) 39–43
768. S. Zaks, Generation and ranking of k-ary trees **14** (1) (1982) 44–48
769. L. Fariñas del Cerro, A simple deduction method for modal logic **14** (2) (1982) 49–51
770. A.O. Slisenko, Context-free grammars as a tool for describing polynomial-time subclasses of hard problems **14** (2) (1982) 52–56
771. M.H. Graham and A.O. Mendelzon, Strong equivalence of relational expressions under dependencies **14** (2) (1982) 57–62
772. J.C. Lagarias and D.E. Swartwout, Minimal storage representations for binary relations **14** (2) (1982) 63–66
773. G. Gini, The automatic synthesis of iterative programs **14** (2) (1982) 67–73
774. H. Edelsbrunner, H.A. Maurer and D.G. Kirkpatrick, Polygonal intersection searching **14** (2) (1982) 74–79
775. J.A. Bergstra and J.-J.Ch. Meyer, A simple transfer lemma for algebraic specifications **14** (2) (1982) 80–85
776. E. Upfal, Formal correctness proofs of a nondeterministic program **14** (2) (1982) 86–92
777. L. Kučera, Parallel computation and conflicts in memory access **14** (2) (1982) 93–96
778. T. Yokomori, D. Wood and K.-J. Lange, A three-restricted normal form theorem for ETOL languages **14** (3) (1982) 97–100
779. J. Tarhio, LR parsing of some ambiguous grammars **14** (3) (1982) 101–103
780. D. Wätjen and W. Struckmann, An algorithm for verifying equations of morphisms in a category **14** (3) (1982) 104–108
781. K.N. King and B. Smith-Thomas, An optimal algorithm for sink-finding **14** (3) (1982) 109–111
782. J.-L. Lassez, V.L. Nguyen and E.A. Sonenberg, Fixed point theorems and semantics: A folk tale **14** (3) (1982) 112–116
783. R.H. Barlow, D.J. Evans and J. Shanehchi, Parallel multisection for the determination of the eigenvalues of symmetric quindiagonal matrices **14** (3) (1982) 117–118
784. J. Röhrich, A hybrid of Quicksort with $O(n \log n)$ worst case complexity **14** (3) (1982) 119–123
785. H. Edelsbrunner and M.H. Overmars, On the equivalence of some rectangle problems **14** (3) (1982) 124–127

786. C.C. Elgot, A.J. Perlis and L. Snyder, A syntax-free semantics for the APL operators **14** (3) (1982) 128–131
787. D. Ridjanovic and M.L. Brodie, Defining database dynamics with attribute grammars **14** (3) (1982) 132–138
788. J.F. Korsh, Growing nearly optimal binary search trees **14** (3) (1982) 139–143
789. D. Bini, Reply to the paper "The numerical instability of Bini's algorithm" **14** (3) (1982) 144–145
790. M. Jakobsson, Evaluation of a hierarchical bit-vector compression technique **14** (4) (1982) 147–149
791. J.A. Orenstein, Multidimensional tries used for associative searching **14** (4) (1982) 150–157
792. H. Umeo, K. Morita and K. Sugata, Deterministic one-way simulation of two-way real-time cellular automata and its related problems **14** (4) (1982) 158–161
793. G. Beretta, Monte Carlo estimation of numerical stability in fast algorithms for systems of bilinear forms **14** (4) (1982) 162–167
794. P. Franchi-Zannettacci, An extension to trees of the Sardinas and Patterson algorithm **14** (4) (1982) 168–173
795. R. Demolombe, Generalized division for relational algebraic language **14** (4) (1982) 174–178
796. E.E. Doberkat, Asymptotic estimates for the higher moments of the expected behavior of straight insertion sort **14** (4) (1982) 179–182
797. M.J. Fischer and N.A. Lynch, A lower bound for the time to assure interactive consistency **14** (4) (1982) 183–186
798. J.H. Jou and P.C. Fischer, The complexity of recognizing 3NF relation schemes **14** (4) (1982) 187–190
799. J. Minker and G. Zanon, An extension to linear resolution with selection function **14** (4) (1982) 191–194
800. B. Aspvall, M.F. Plass and R.E. Tarjan, A linear-time algorithm for testing the truth of certain quantified Boolean formulas (*Erratum*) **14** (4) (1982) 195
801. C. De Felice, On the triangle conjecture **14** (5) (1982) 197–200
802. F.W. Burton, A linear space translation of functional programs to Turner combinators **14** (5) (1982) 201–204
803. F.W. Burton, An efficient functional implementation of FIFO queues **14** (5) (1982) 205–206
804. A. Nijholt, A note on the sufficiency of Sokolowski's criterion for context-free languages **14** (5) (1982) 207
805. P.G. Reddy, S. Bhalla and B.E. Prasad, A model of concurrency control in distributed database systems **14** (5) (1982) 208–213
806. J.G. Shanthikumar, A recursive algorithm to generate joint probability distribution of arrivals from exponential sources during a random time interval **14** (5) (1982) 214–217
807. J.M. Hart, Permutation inversions and multidimensional cumulative distribution functions **14** (5) (1982) 218–222
808. D.A. Carlson and J.E. Savage, Extreme time-space tradeoffs for graphs with small space requirements **14** (5) (1982) 223–227
809. R. Bar-Yehuda and U. Vishkin, Complexity of finding k-path-free dominating sets in graphs **14** (5) (1982) 228–232
810. C. Savage, Depth-first search and the vertex cover problem **14** (5) (1982) 233–235
811. H. Zemanek, Obituary Victor Mikhaylovich Glushkov (1923–1982) **14** (5) (1982) 236–237
812. R.E. Krichevsky, Letter to the Editor **14** (5) (1982) 238
813. F. Luccio and L. Pagli, A linear algorithm to determine minimal spanning forests in chain graphs **15** (1) (1982) 1–4
814. W. Rytter, A note on two-way nondeterministic pushdown automata **15** (1) (1982) 5–9
815. J.-C. Bermond, C. Delorme and J.-J. Quisquater, Tables of large graphs with given degree and diameter **15** (1) (1982) 10–13
816. L.J. Stockmeyer and V.V. Vazirani, NP-completeness of some generalizations of the maximum matching problem **15** (1) (1982) 14–19
817. C. Bron, E.J. Dijkstra and S.D. Swierstra, A memory-management unit for the optimal exploitation of a small address space **15** (1) (1982) 20–22
818. C.H.C. Leung, Optimal database reorganisation: Some practical difficulties **15** (1) (1982) 23–27
819. M.M. Sysło, A labeling algorithm to recognize a line digraph and output its root graph **15** (1) (1982) 28–30

820. A.C. Greenberg, R.E. Ladner, M.S. Paterson and Z. Galil, Efficient parallel algorithms for linear recurrence computation **15** (1) (1982) 31–35
821. P.M. Winkler, On computability of the mean deviation **15** (1) (1982) 36–38
822. K. Culik II and D. Wood, A note on some tree similarity measures **15** (1) (1982) 39–42
823. L.S. Levy, An improved list-searching algorithm **15** (1) (1982) 43–45
824. G.K. Manacher, Steady-paced-output and fractional-on-line algorithms on a RAM **15** (2) (1982) 47–52
825. C.M. Eastman and M. Zemankova, Partially specified nearest neighbor searches using *k-d* trees **15** (2) (1982) 53–56
826. J.-P. Jouannaud and P. Lescanne, On multiset orderings **15** (2) (1982) 57–63
827. T.R. Walsh, The Towers of Hanoi revisited: Moving the rings by counting the moves **15** (2) (1982) 64–67
828. M.G. Main, Permutations are not context-free: An application of the Interchange Lemma **15** (2) (1982) 68–71
829. A. Goldberg, P. Purdom and C. Brown, Average time analyses of simplified Davis–Putnam procedures **15** (2) (1982) 72–75
830. L. Łukaszewicz, Universal grammars **15** (2) (1982) 76–80
831. I. Wegener, Best possible asymptotic bounds on the depth of monotone functions in multivalued logic **15** (2) (1982) 81–83
832. J.L. Balcazar and J. Diaz, A note on a theorem by Ladner **15** (2) (1982) 84–86
833. A. Schoor, Fast algorithm for sparse matrix multiplication **15** (2) (1982) 87–89
834. M. Spyratos, A homomorphism theorem for data base mappings **15** (3) (1982) 91–96
835. A. Nijholt, On the relationship between the LL(k) and LR(k) grammars **15** (3) (1982) 97–101
836. W. Rytter, Time complexity of unambiguous path systems **15** (3) (1982) 102–104
837. P.G. Reddy, S. Bhalla and B.E. Prasad, Robust, centralized certifier based concurrency control for distributed databases **15** (3) (1982) 105–110
838. W. Korczyński and J. Winkowski, A communication concept for distributed systems **15** (3) (1982) 111–114
839. T.-Y. Cheung, A statistical model for estimating the number of records in a relational database **15** (3) (1982) 115–118
840. T.F. Gonzalez and D.B. Johnson, Sorting numbers in linear expected time and optimal extra space **15** (3) (1982) 119–124
841. H. Imai, Finding connected components of an intersection graph of squares in the Euclidean plane **15** (3) (1982) 125–128
842. E.W. Dijkstra and A.J.M. van Gasteren, An introduction to three algorithms for sorting in situ **15** (3) (1982) 129–134
843. M. Becker, W. Degenhardt, J. Doenhardt, S. Hertel, G. Kaninke, W. Keber, K. Mehlhorn, S. Näher, H. Rohnert and T. Winter, A probabilistic algorithm for vertex connectivity of graphs **15** (3) (1982) 135–136
845. F.L. Morris, Another compacting garbage collector **15** (4) (1982) 139–142
846. J.A. Bergstra and J.V. Tucker, Two theorems about the completeness of Hoare's logic **15** (4) (1982) 143–149
847. J. Małuszyński and J.F. Nilsson, Grammatical unification **15** (4) (1982) 150–158
848. A.W. Mostowski, Determinancy of sinking automata on infinite trees and inequalities between various Rabin's pair indices **15** (4) (1982) 159–163
849. K. Inoue, I. Takanami and H. Taniguchi, A note on alternating on-line Turing machines **15** (4) (1982) 164–168
850. M. Hoshi and T. Yuba, A counter example to a monotonicity property of *k-d* trees **15** (4) (1982) 169–173
851. S. Ceri and G. Pelagatti, A solution method for the non-additive resource allocation problem in distributed system design **15** (4) (1982) 174–178
852. L. Goh and D. Rotem, Recognition of perfect elimination bipartite graphs **15** (4) (1982) 179–182
853. M. Sharir, Fast composition of sparse maps **15** (4) (1982) 183–185
854. P.J. Slater, A linear algorithm for the number of degree constrained subforests of a tree **15** (4) (1982) 186–189
855. T. Leipälä, On optimal multilevel indexed sequential files **15** (5) (1982) 191–195
856. P.T. Highnam, The ears of a polygon **15** (5) (1982) 196–198
857. A. Szepietowski, A finite 5-pebble-automaton can search every maze **15** (5) (1982) 199–204

858. L.M. Wegner, Sorting a linked list with equal keys **15** (5) (1982) 205–208
859. G.S. Lueker and D.E. Willard, A data structure for dynamic range queries **15** (5) (1982) 209–213
860. T. Motoki, A note on upper bounds for the selection problem **15** (5) (1982) 214–219
861. H.R. Lewis and R. Statman, Unifiability is complete for co-NLogSpace **15** (5) (1982) 220–222
862. P.S.-P. Wang, A new hierarchy of two-dimensional array languages **15** (5) (1982) 223–226
863. M. Tamminen, Extendible hashing with overflow **15** (5) (1982) 227–232
864. Q.F. Stout, Drawing straight lines with a pyramid cellular automaton **15** (5) (1982) 233–237
865. A.M. Farley and A. Proskurowski, Directed maximal-cut problems **15** (5) (1982) 238–241
866. G.M. Levin, Letter to the Editor **15** (5) (1982) 242
867. F. Meyer auf der Heide, Infinite cube-connected cycles **16** (1) (1983) 1–2
868. A.A. Bertossi and M.A. Bonuccelli, Preemptive scheduling of periodic jobs in uniform multiprocessor systems **16** (1) (1983) 3–6
869. A. Ehrenfeucht and G. Rozenberg, On the subword complexity of locally catenative DOL languages **16** (1) (1983) 7–9
870. V. Kantabutra, Traveling salesman cycles are not always subgraphs of Voronoi duals **16** (1) (1983) 11–12
871. R. Fagin and M.Y. Vardi, Armstrong databases for functional and inclusion dependencies **16** (1) (1983) 13–19
872. A. Perko, A representation of disjoint sets with fast initialization **16** (1) (1983) 21
873. K.L. Clarkson, A modification of the greedy algorithm for vertex cover **16** (1) (1983) 23–25
874. M. Latteux, On a language without star **16** (1) (1983) 27–30
875. Y. Metivier, About the rewriting systems produced by the Knuth–Bendix completion algorithm **16** (1) (1983) 31–34
876. R.H. Güting, Stabbing C-oriented polygons **16** (1) (1983) 35–40
877. I. Wegener, Relating monotone formula size and monotone depth of Boolean functions **16** (1) (1983) 41–42
878. L.N. Lester, Accuracy of approximating queueing network departure processes with independent renewal processes **16** (1) (1983) 43–48
879. J. Jędrzejowicz, On the enlargement of the class of regular languages by the shuffle closure **16** (2) (1983) 51–54
880. J. Hartmanis, On sparse sets in NP − P **16** (2) (1983) 55–60
881. L. Allison, Stable marriages by coroutines **16** (2) (1983) 61–65
882. C.W. Fraser, A generalization of two code ordering optimizations **16** (2) (1983) 67–70
883. S. Eichholz, Optimal networks for distributing nonsequential programs **16** (2) (1983) 71–74
884. B. Chazelle, A decision procedure for optimal polyhedron partitioning **16** (2) (1983) 75–78
885. B. Alpern and F.B. Schneider, Key exchange using 'keyless cryptography' **16** (2) (1983) 79–81
886. M. Hofri, Should the two-headed disk be greedy? – Yes, it should **16** (2) (1983) 83–85
887. D. Gusfield, Connectivity and edge-disjoint spanning trees **16** (2) (1983) 87–89
888. T.R. Walsh, Iteration strikes back – At the cyclic Towers of Hanoi **16** (2) (1983) 91–93
889. T. Ibaraki and N. Katoh, On-line computation of transitive closures of graphs **16** (2) (1983) 95–97
890. C. Wood, E.B. Fernandez and T. Lang, Minimization of demand paging for the LRU stack model of program behavior **16** (2) (1983) 99–104
891. R.L. Constable, Programs as proofs: A synopsis **16** (3) (1983) 105–112
892. R.J. McGlinn, Is SSS* better than alpha–beta? **16** (3) (1983) 113–120
893. E. Soisalon-Soininen, On computing approximate convex hulls **16** (3) (1983) 121–126
894. W. Rytter, Time complexity of loop-free two-way pushdown automata **16** (3) (1983) 127–129
895. M. Tamminen, Analysis of N-trees **16** (3) (1983) 131–137
896. T. Yuba, Y. Yamaguchi and T. Shimada, A control mechanism of a Lisp-based data-driven machine **16** (3) (1983) 139–143
897. R. Agrawal and D.J. DeWitt, Updating hypothetical data bases **16** (3) (1983) 145–146
898. I.K. Rystsov, Polynomial complete problems in automata theory **16** (3) (1983) 147–151
899. M.A. Casanova, The theory of functional and subset dependencies over relational expressions **16** (3) (1983) 153–160
900. J.L. Deléage, An application of a transfer lemma **16** (4) (1983) 161–163
901. S. Hertel, Smoothsort's behavior on presorted sequences **16** (4) (1983) 165–170

902. G.N. Frederickson, Scheduling unit-time tasks with integer release times and deadlines **16** (4) (1983) 171–173
903. E.L. Lloyd, On a simple deadlock recovery problem **16** (4) (1983) 175–178
904. M. Crochemore, M. Le Rest and P. Wender, An optimal test on finite unavoidable sets of words **16** (4) (1983) 179–180
905. C.K. Yap, A hybrid algorithm for the shortest path between two nodes in the presence of few negative arcs **16** (4) (1983) 181–182
906. T. Tsuda, T. Sato and T. Tatsumi, Generalization of Floyd's model on permuting information in idealized two-level storage **16** (4) (1983) 183–188
907. M. Fushimi, Increasing the orders of equidistribution of the leading bits of the Tausworthe sequence **16** (4) (1983) 189–192
908. B. Chazelle, An improved algorithm for the fixed-radius neighbor problem **16** (4) (1983) 193–198
909. W. Rytter, A simulation result for two-way pushdown automata **16** (4) (1983) 199–202
910. A. Bossi, N. Cocco and L. Colussi, A divide-and-conquer approach to general context-free parsing **16** (4) (1983) 203–208
911. U. Schöning, On the structure of Δ_2^p **16** (4) (1983) 209–211
912. F. Lockwood Morris, Letter to the Editor **16** (4) (1983) 215
913. E.W. Dijkstra, W.H.J. Feijen and A.J.M. van Gasteren, Derivation of a termination detection algorithm for distributed computations **16** (5) (1983) 217–219
914. A. Duda, The effects of checkpointing on program execution time **16** (5) (1983) 221–229
915. A. Carpi, On the size of a square-free morphism on a three letter alphabet **16** (5) (1983) 231–235
916. F. Murtagh, Expected-time complexity results for hierarchic clustering algorithms which use cluster centres **16** (5) (1983) 237–241
917. K. Ozawa, Considerations on the similarity measures between index terms **16** (5) (1983) 243–246
918. J. Cohen, A note on a fast algorithm for sparse matrix multiplication **16** (5) (1983) 247–248
919. J. Zahorjan, B.J. Bell and K.C. Sevcik, Estimating block transfers when record access probabilities are non-uniform **16** (5) (1983) 249–252
920. R.E. Tarjan, Updating a balanced search tree in O(1) rotations **16** (5) (1983) 253–257
921. H.P. Kriegel and Y.S. Kwong, Insertion-safeness in balanced trees **16** (5) (1983) 259–264
922. R. Freund, Init and Anf operating on ω-languages **16** (5) (1983) 265–269
923. M.C. Er, Computing sums of order-k Fibonacci numbers in log time **17** (1) (1983) 1–5
924. M. Willett, Trapdoor knapsacks without superincreasing structure **17** (1) (1983) 7–11
925. F. Cesarini and G. Soda, An algorithm to construct a compact B-tree in case of ordered keys **17** (1) (1983) 13–16
926. R.C. Richards, Shape distribution of height-balanced trees **17** (1) (1983) 17–20
927. H.R. Tirri, Simulation, reduction and preservation of correctness properties of parallel systems **17** (1) (1983) 21–27
928. M. Broy, Denotational semantics of communicating processes based on a language for applicative multiprogramming **17** (1) (1983) 29–35
929. R.E. Tarjan, An improved algorithm for hierarchical clustering using strong components **17** (1) (1983) 37–41
930. S.P. Rana, A distributed solution of the distributed termination problem **17** (1) (1983) 43–46
931. M.H. Williams, Is an exit statement sufficient? **17** (1) (1983) 47–51
932. C. Croitoru and E. Suditu, Perfect stables in graphs **17** (1) (1983) 53–56
933. J.R. Nawrocki, Contiguous segmentation with limited compacting **17** (2) (1983) 57–62
934. M.J. Magazine, Optimality of intuitive checkpointing policies **17** (2) (1983) 63–66
935. M.-T. Shing, Optimum ordered bi-weighted binary trees **17** (2) (1983) 67–70
936. J. Vyskoč, A note on the power of integer division **17** (2) (1983) 71–72
937. P. Tong and E.L. Lawler, A faster algorithm for finding edge-disjoint branchings **17** (2) (1983) 73–76
938. A. Shamir, Embedding cryptographic trapdoors in arbitrary knapsack systems **17** (2) (1983) 77–79
939. D.E. Willard, Log-logarithmic worst-case range queries are possible in space $\Theta(N)$ **17** (2) (1983) 81–84
940. Y. Kobuchi, Stability of desynchronized 0L systems **17** (2) (1983) 85–90
941. P. De Bra and J. Paredaens, An algorithm for horizontal decompositions **17** (2) (1983) 91–95
942. A.A. Bertossi, Finding Hamiltonian circuits in proper interval graphs **17** (2) (1983) 97–101
943. A. Schorr, Physical parallel devices are not much faster than sequential ones **17** (2) (1983) 103–106

944. L. Kučera, Erratum and Addendum to: Parallel computation and conflicts in memory access (*Erratum*) **17** (2) (1983) 107
945. J.J. Martin, Precise typing and filters **17** (3) (1983) 109–112
946. L. Fariñas, Space as time **17** (3) (1983) 113–115
947. V. Lifschitz and L. Pesotchinsky, A note on the complexity of a partition algorithm **17** (3) (1983) 117–120
948. A. Ehrenfeucht and G. Rozenberg, On the subword complexity of m-free D0L languages **17** (3) (1983) 121–124
949. S. Skyum, A measure in which Boolean negation is exponentially powerful **17** (3) (1983) 125–128
950. M. Weiser, Reconstructing sequential behavior from parallel behavior projections **17** (3) (1983) 129–135
951. T. Yokomori and A.K. Joshi, Semi-linearity, Parikh-boundedness and tree adjunct languages **17** (3) (1983) 137–143
952. G. Seroussi and F. Ma, On the arithmetic complexity of matrix Kronecker powers **17** (3) (1983) 145–148
953. C. Choffrut and K. Culik II, Folding of the plane and the design of systolic arrays **17** (3) (1983) 149–153
954. A. Mili, Verifying programs by induction on their data structure: General format and applications **17** (3) (1983) 155–160
955. P. Wyrostek, On the 'correct prefix property' in precedence parsers **17** (3) (1983) 161–165
956. Z.-J. Zheng, The DuoDirun Merging Algorithm: A new fast algorithm for parallel merging **17** (3) (1983) 167–168
957. M.H. Williams, The problem of absolute privacy **17** (3) (1983) 169–171
958. W.F. Clocksin, Real-time functional queue operations using the logical variable **17** (4) (1983) 173–175
959. J.J. Bartholdi III and L.K. Platzman, A fast heuristic based on spacefilling curves for minimum-weight matching in the plane **17** (4) (1983) 177–180
960. E. Mäkinen, Boundedness testing for unambiguous context-free grammars **17** (4) (1983) 181–183
961. O. Shmueli, Dynamic cycle detection **17** (4) (1983) 185–188
962. S. Ramesh and S.L. Mehndiratta, The liveness property of on-the-fly garbage collector—A proof **17** (4) (1983) 189–195
963. A.R. Gangolli and S.L. Tanimoto, Two pyramid machine algorithms for edge detection in noisy binary images **17** (4) (1983) 197–202
964. N. Blum, A note on the 'parallel computation thesis' **17** (4) (1983) 203–205
965. M.J. Atallah, A linear time algorithm for the Hausdorff distance between convex polygons **17** (4) (1983) 207–209
966. B.H. Mayoh, Models of programs and processes **17** (4) (1983) 211–214
967. C. Lautemann, BPP and the polynomial hierarchy **17** (4) (1983) 215–217
968. L.J. Guibas and J. Stolfi, On computing all north–east nearest neighbors in the L_1 metric **17** (4) (1983) 219–223
969. T. Hikita, Listing and counting subtrees of equal size of a binary tree **17** (4) (1983) 225–229
970. J.S. Rohl, A faster lexicographical N queens algorithm **17** (5) (1983) 231–233
971. Y.-T. Yu and M.G. Gouda, Unboundedness detection for a class of communicating finite-state machines **17** (5) (1983) 235–240
972. E.W. Myers, An applicative random-access stack **17** (5) (1983) 241–248
973. M.J. Fischer and M.S. Paterson, Storage requirements for fair scheduling **17** (5) (1983) 249–250
974. S. Nishihara and K. Ikeda, Address calculation algorithms for ordered sets of combinations **17** (5) (1983) 251–253
975. D.T. Barnard, Recursive descent parsing using implementation languages requiring definition before use **17** (5) (1983) 255–258
976. T. Ida, Some FP algebra with Currying operation **17** (5) (1983) 259–261
977. R. Kolla, Where-oblivious is not sufficient **17** (5) (1983) 263–268
978. Y.H. Tsin and F.Y. Chin, A general program scheme for finding bridges **17** (5) (1983) 269–272
979. H. Asai, A consideration of a practical implementation for a new convergence division **17** (5) (1983) 273–281
980. V.N. Kasyanov, Loop cleaning **18** (1) (1984) 1–6
981. J. Magott, Performance evaluation of concurrent systems using Petri nets **18** (1) (1984) 7–13
982. A. Saoudi, Infinitary tree languages recognized by ω-automata **18** (1) (1984) 15–19
983. H.-J. Kreowski and G. Rozenberg, Note on node-rewriting graph grammars **18** (1) (1984) 21–24

984. N.C. Rowe, Diophantine inference on a statistical database **18** (1) (1984) 25–31
985. R.W. Topor, Termination detection for distributed computations **18** (1) (1984) 33–36
986. M.J. Atallah, Parallel strong orientation of an undirected graph **18** (1) (1984) 37–39
987. F. Chin and C.A. Wang, Minimum vertex distance between separable convex polygons **18** (1) (1984) 41–45
988. X. Jin, Large processors are good in VLSI chips **18** (1) (1984) 47–49
989. E. Yodogawa, A note on array grammars **18** (1) (1984) 51–54
990. R. Geist, Perception-based configuration design of computer systems **18** (1) (1984) 55–57
991. M.E. Dyer and A.M. Frieze, A partitioning algorithm for minimum weighted Euclidean matching **18** (2) (1984) 59–62
992. M.E.C. Hull, A parallel view of stable marriages **18** (2) (1984) 63–66
993. J. Schlörer, Insecurity of set controls for statistical databases **18** (2) (1984) 67–71
994. R. Turpin and B.A. Coan, Extending binary Byzantine agreement to multivalued Byzantine agreement **18** (2) (1984) 73–76
995. L. Holenderski, A note on specifying and verifying concurrent processes **18** (2) (1984) 77–85
996. H. Katsuno, When do non-conflict-free multivalued dependency sets appear? **18** (2) (1984) 87–92
997. H.-S. Ihm and S.C. Ntafos, On legal path problems in digraphs **18** (2) (1984) 93–98
998. F. Scarioni and H.G. Speranza, A probabilistic analysis of an error-correcting algorithm for the Towers of Hanoi puzzle **18** (2) (1984) 99–103
999. S. Miyano, Remarks on two-way automata with weak-counters **18** (2) (1984) 105–107
1000. C.C. Lee and D.T. Lee, On a circle-cover minimization problem **18** (2) (1984) 109–115
1001. H.S. Wilf, Backtrack: An O(1) expected time algorithm for the graph coloring problem **18** (3) (1984) 119–121
1002. E. Zemel, An O(n) algorithm for the linear multiple choice knapsack problem and related problems **18** (3) (1984) 123–128
1003. P. Møller-Nielsen and J. Staunstrup, Experiments with a fast string searching algorithm **18** (3) (1984) 129–135
1004. J.H. Remmers, A technique for developing loop invariants **18** (3) (1984) 137–139
1005. G. Alia, F. Barsi and E. Martinelli, A fast VLSI conversion between binary and residue systems **18** (3) (1984) 141–145
1006. S.J. Berkowitz, On computing the determinant in small parallel time using a small number of processors **18** (3) (1984) 147–150
1007. G. Turán, The critical complexity of graph properties **18** (3) (1984) 151–153
1008. A. Apostolico and R. Giancarlo, Pattern matching machine implementation of a fast test for unique decipherability **18** (3) (1984) 155–158
1009. G.V. Cormack and R.N. Horspool, Algorithms for adaptive Huffman codes **18** (3) (1984) 159–165
1010. A. Miola, Algebraic approach to p-adic conversion of rational numbers **18** (3) (1984) 167–171
1011. T. Lickteig, A note on border rank **18** (3) (1984) 173–178
1012. G. Cioni and A. Kreczmar, Programmed deallocation without dangling reference **18** (4) (1984) 179–187
1013. A. Moffat and T. Takaoka, A priority queue for the all pairs shortest path problem **18** (4) (1984) 189–193
1014. D.C.S. Allison and M.T. Noga, The L_1 traveling salesman problem **18** (4) (1984) 195–199
1015. J. Tiekenheinrich, A $4n$-lower bound on the monotone network complexity of a one-output Boolean function **18** (4) (1984) 201–202
1016. H. Mannila and E. Ukkonen, A simple linear-time algorithm for in situ merging **18** (4) (1984) 203–208
1017. S. Yamasaki, M. Yoshida, S. Doshita and M. Hirata, A new combination of input and unit deductions for Horn sentences **18** (4) (1984) 209–213
1018. E. Best, Fairness and conspiracies **18** (4) (1984) 215–220
1019. V. Lifschitz, On verification of programs with goto statements **18** (4) (1984) 221–225
1020. T. Ohya, M. Iri and K. Murota, A fast Voronoi-diagram algorithm with quaternary tree bucketing **18** (4) (1984) 227–231
1021. P. Atzeni and N.M. Morfuni, Functional dependencies in relations with null values **18** (4) (1984) 233–238
1022. B. Monien, Deterministic two-way one-head pushdown automata are very powerful **18** (5) (1984) 239–242
1023. M.P. Fle and G. Roucairol, Multiserialization of iterated transactions **18** (5) (1984) 243–247
1024. G. Barth, An analytical comparison of two string searching algorithms **18** (5) (1984) 249–256

1025. M.Y. Vardi, A note on lossless database decompositions **18** (5) (1984) 257–260
1026. N. Goodman and Y.C. Tay, A characterization of multivalued dependencies equivalent to a join dependency **18** (5) (1984) 261–266
1027. J. Błażewicz, J. Weglarz and M. Drabowski, Scheduling independent 2-processor tasks to minimize schedule length **18** (5) (1984) 267–273
1028. M.B. Trakhtenbrot, Some equivalent transformations of recursive programs based on their schematic properties **18** (5) (1984) 275–283
1029. B. Courcelle, Some negative results concerning DPDA's **18** (5) (1984) 285–289
1030. S. Tazawa, On the consecutive retrieval property for generalized binary queries **18** (5) (1984) 291–293
1031. D.K. Friesen and M.A. Langston, A storage-size selection problem **18** (5) (1984) 295–296
1032. S. Žak, Letter to the Editor **18** (5) (1984) 297–298
1033. H. Madduri and R. Finkel, Extension of the Banker's algorithm for resource allocation in a distributed operating system **19** (1) (1984) 1–8
1034. M. Oyamaguchi, Some remarks on subclass containment problems for several classes of dpda's **19** (1) (1984) 9–12
1035. N.S. Woo, C.H. Smith and A. Agrawala, A proof of the determinacy property of the data flow schema **19** (1) (1984) 13–16
1036. J.R. Parker, On converting character strings to integers **19** (1) (1984) 17–19
1037. U. Bechtold and K. Küspert, On the use of EXTENDIBLE HASHING without hashing **19** (1) (1984) 21–26
1038. U. Faigle and R. Schrader, Minimizing completion time for a class of scheduling problems **19** (1) (1984) 27–29
1039. W.J. Savitch and P.M.B. Vitányi, On the power of real-time two-way multihead finite automata with jumps **19** (1) (1984) 31–35
1040. A.A. Bertossi, Dominating sets for split and bipartite graphs **19** (1) (1984) 37–40
1041. P.A. Subrahmanyam and J.-H. You, On embedding functions in logic **19** (1) (1984) 41–46
1042. S.G. Akl, An optimal algorithm for parallel selection **19** (1) (1984) 47–50
1043. U. Manber, A probabilistic lower bound for checking disjointness of sets **19** (1) (1984) 51–53
1044. P. Spirakis and C.K. Yap, Strong NP-hardness of moving many discs **19** (1) (1984) 55–59
1045. H. Alt, K. Mehlhorn and J.I. Munro, Partial match retrieval in implicit data structures **19** (2) (1984) 61–65
1046. A.J. Martin and M. Rem, A presentation of the Fibonacci algorithm **19** (2) (1984) 67–68
1047. G.P. McKeown and V.J. Rayward-Smith, Communication problems on MIMD parallel computers **19** (2) (1984) 69–73
1048. P. Palvia and S.T. March, Approximating block accesses in database organizations **19** (2) (1984) 75–79
1049. E. Luque and A. Ripoll, Integer linear programming for microprograms register allocation **19** (2) (1984) 81–85
1050. E. Klupsz, A linear algorithm of a deadlock avoidance for nonpreemptible resources **19** (2) (1984) 87–94
1051. G. Lotti, Area-time tradeoff for rectangular matrix multiplication in VLSI models **19** (2) (1984) 95–98
1052. W. Lipski Jr., An $O(n \log n)$ Manhattan path algorithm **19** (2) (1984) 99–102
1053. E.J. Weyuker, The complexity of data flow criteria for test data selection **19** (2) (1984) 103–109
1054. P. Wyrostek, On the 'correct prefix property' in precedence parsers (*Erratum*) **19** (2) (1984) 111
1055. A. Shamir and C.P. Schnorr, Cryptanalysis of certain variants of Rabin's signature scheme **19** (3) (1984) 113–115
1056. J.M. Treat and T.A. Budd, Extensions to grid selector composition and compilation in APL **19** (3) (1984) 117–123
1057. D. Avis, Non-partitionable point sets **19** (3) (1984) 125–129
1058. P. Eades and B. McKay, An algorithm for generating subsets of fixed size with a strong minimal change property **19** (3) (1984) 131–133
1059. D. Johnson and B.R. Bryant, Formal syntax methods for natural language **19** (3) (1984) 135–143
1060. T. Kowaltowski and A. Palma, Another solution of the mutual exclusion problem **19** (3) (1984) 145–146
1061. R.G. Gupta and V.S.P. Srivastava, On synthesis of scheduling algorithms **19** (3) (1984) 147–150
1062. J. Biskup, Some variants of the take-grant protection model **19** (3) (1984) 151–156
1063. D. Maio, M.R. Scalas and P. Tiberio, On estimating access costs in relational databases **19** (3) (1984) 157–161
1064. E. Best, Fairness and conspiracies (*Erratum*) **19** (3) (1984) 162
1065. W. Rytter, On linear context-free languages and one-way multihead automata **19** (4) (1984) 163–166

1066. M. Chrobak and B.S. Chlebus, Probabilistic Turing machines and recursively enumerable Dedekind cuts **19** (4) (1984) 167–171
1067. Ph. Darondeau and L. Kott, Towards a formal proof system for ω-rational expressions **19** (4) (1984) 173–177
1068. M. Chrobak, A note on bounded-reversal multipushdown machines **19** (4) (1984) 179–180
1069. D. Grune, How to produce all sentences from a two-level grammar **19** (4) (1984) 181–185
1070. A. Carpi, On the centers of the set of weakly square-free words on a two letter alphabet **19** (4) (1984) 187–190
1071. J. Král, On software equations **19** (4) (1984) 191–196
1072. M. Kallay, The complexity of incremental convex hull algorithms in R^d **19** (4) (1984) 197
1073. C.H.C. Leung, Approximate storage utilisation of B-trees: A simple derivation and generalisations **19** (4) (1984) 199–201
1074. T.R. Walsh, How evenly should one divide to conquer quickly? **19** (4) (1984) 203–208
1075. L.W. Dowdy, D.L. Eager, K.D. Gordon and L.V. Saxton, Throughput concavity and response time convexity **19** (4) (1984) 209–212
1076. J. Karhumäki and D. Wood, Inverse morphic equivalence on languages **19** (5) (1984) 213–218
1077. G.N. Frederickson, On linear-time algorithms for five-coloring planar graphs **19** (5) (1984) 219–224
1078. E. Mäkinen, On derivation preservation **19** (5) (1984) 225–228
1079. D. Wood, The contour problem for rectilinear polygons **19** (5) (1984) 229–236
1080. P. Bourret, How to estimate the sizes of domains **19** (5) (1984) 237–243
1081. G. Tourlakis, An inductive number-theoretic characterization of NP **19** (5) (1984) 245–247
1082. J. Vyskoč, A note on Boolean matrix multiplication **19** (5) (1984) 249–251
1083. P. McKenzie, Permutations of bounded degree generate groups of polynomial diameter **19** (5) (1984) 253–254
1084. G. Gursel and P. Scheuermann, Asserting the optimality of serial SJRPs processing simple queries in chain networks **19** (5) (1984) 255–260
1085. C. Duboc, Some properties of commutation in free partially commutative monoids **20** (1) (1985) 1–4
1086. R.V. Book and F. Otto, Cancellation rules and extended word problems **20** (1) (1985) 5–11
1087. A. Mirzaian and E. Arjomandi, Selection in $X + Y$ and matrices with sorted rows and columns **20** (1) (1985) 13–17
1088. E. Mäkinen, A note on undercover relation **20** (1) (1985) 19–21
1089. G.P. McKeown, A special purpose MIMD parallel processor **20** (1) (1985) 23–27
1090. S. Upendra Rao and A.K. Majumdar, An algorithm for local compaction of horizontal microprograms **20** (1) (1985) 29–33
1091. S. Passy and T. Tinchev, PDL with data constants **20** (1) (1985) 35–41
1092. S.L. Meira, A linear applicative solution for the Set Union Problem **20** (1) (1985) 43–45
1093. A.C. Bounas, Direct determination of a 'seed' binary matrix **20** (1) (1985) 47–50
1094. S. Jajodia, On equivalence of relational and network database models **20** (1) (1985) 51–54
1095. G. Bilardi and F.P. Preparata, The VLSI optimality of the AKS sorting network **20** (2) (1985) 55–59
1096. D.A. Plaisted, The undecidability of self-embedding for term rewriting systems **20** (2) (1985) 61–64
1097. J.L.A. van de Snepscheut, Evaluating expressions with a queue **20** (2) (1985) 65–66
1098. J. McLean, A comment on the 'Basic Security Theorem' of Bell and LaPadula **20** (2) (1985) 67–70
1099. K. Noshita, Translation of turner combinators in $O(n \log n)$ space **20** (2) (1985) 71–74
1100. P. Widmayer and C.K. Wong, An optimal algorithm for the maximum alignment of terminals **20** (2) (1985) 75–82
1101. S.R. Thatte, On the correspondence between two classes of reduction systems **20** (2) (1985) 83–85
1102. D. Harel and D. Peleg, More on looping vs. repeating in dynamic logic **20** (2) (1985) 87–90
1103. A.J. Auzins and E.B. Kinber, On separation of the emptiness and equivalence problems for program schemes **20** (2) (1985) 91–93
1104. D. Beauquier and D. Perrin, Codeterministic automata on infinite words **20** (2) (1985) 95–98
1105. E. Ukkonen, Upper bounds on the size of LR(k) parsers **20** (2) (1985) 99–103
1106. M.G. Main, An infinite square-free co-CFL **20** (2) (1985) 105–107
1107. S.C. Kak, How to detect tampering of data **20** (2) (1985) 109–110
1108. E.C. Njau, Details of distortions in the computed Fourier transforms of signals. Part I: Short periodic signals **20** (3) (1985) 111–113

1109. E.D. Sontag, Real addition and the polynomial hierarchy **20** (3) (1985) 115–120
1110. M.Y. Chan, A note on redundant Disk Modulo allocation **20** (3) (1985) 121–123
1111. A.J. Martin, The probe: An addition to communication primitives **20** (3) (1985) 125–130
1112. E. Lodi and F. Luccio, Split sequence hash search **20** (3) (1985) 131–136
1113. R. Cole and C.K. Yap, A parallel median algorithm **20** (3) (1985) 137–139
1114. E. Mäkinen, An undecidable problem for context-free grammars **20** (3) (1985) 141–142
1115. Y.H. Tsin, An optimal parallel processor bound in strong orientation of an undirected graph **20** (3) (1985) 143–146
1116. B. Awerbuch, A new distributed depth-first-search algorithm **20** (3) (1985) 147–150
1117. J. Shallit and A. Shamir, Number-theoretic functions which are equivalent to number of divisors **20** (3) (1985) 151–153
1118. H. Volger, Some results on addition/subtraction chains **20** (3) (1985) 155–160
1119. W.M. Beynon and C.S. Iliopoulos, Computing a basis for a finite abelian p-group **20** (3) (1985) 161–163
1120. P.K. Srimani, Comments on "Another solution of the mutual exclusion problem" (*Letter to the Editor*) **20** (3) (1985) 165
1121. E. Welzl, Constructing the visibility graph for n-line segments in $O(n^2)$ time **20** (4) (1985) 167–171
1122. M. Joseph, On a problem in real-time computing **20** (4) (1985) 173–177
1123. N. Santoro and J.B. Sidney, Interpolation-binary search **20** (4) (1985) 179–181
1124. K. Rangarajan and S. Arun-Kumar, Fair derivations in E0L systems **20** (4) (1985) 183–188
1125. C. Morgan, Global and logical time in distributed algorithms **20** (4) (1985) 189–194
1126. D.S. Wise, Representing matrices as quadtrees for parallel processors **20** (4) (1985) 195–199
1127. J.M. Keil, Finding Hamiltonian circuits in interval graphs **20** (4) (1985) 201–206
1128. W.J. van Gils, How to cope with faulty processors in a completely connected network of communicating processors **20** (4) (1985) 207–213
1129. C.S. Iliopoulos, Analysis of algorithms on problems in general abelian groups **20** (4) (1985) 215–220
1130. A. Yehudai, A note on chains of deterministic pushdown transducers **20** (4) (1985) 221–222
1131. M. Ślusarek, A note on the dynamic storage allocation problem **20** (5) (1985) 223–227
1132. J.H. Reif, Depth-first search is inherently sequential **20** (5) (1985) 229–234
1133. U. Vishkin, On efficient parallel strong orientation **20** (5) (1985) 235–240
1134. J. Hartmanis, Independence results about context-free languages and lower bounds **20** (5) (1985) 241–248
1135. J.R. Bitner, Storing matrices on disk for efficient row and column retrieval **20** (5) (1985) 249–254
1136. L. Devroye, A note on the expected time required to construct the outer layer **20** (5) (1985) 255–257
1137. C.H. Papadimitriou, An algorithm for shortest-path motion in three dimensions **20** (5) (1985) 259–263
1138. H. Samet, Bidirectional coroutines **21** (1) (1985) 1–6
1139. J. Hromkovič, Alternating multicounter machines with constant number of reversals **21** (1) (1985) 7–9
1140. M. Negri and G. Pelagatti, Join during merge: An improved sort based algorithm **21** (1) (1985) 11–16
1141. G. Guralnik, C. Zemach and T. Warnock, An algorithm for uniform random sampling of points in and on a hypersphere **21** (1) (1985) 17–21
1142. L. Pagli, Self-adjusting hash tables **21** (1) (1985) 23–25
1143. D. Kapur and M.S. Krishnamoorthy, Worst-case choice for the stable marriage problem **21** (1) (1985) 27–30
1144. S.M. Oh and J.C.H. Park, A note on removing loops from table-driven code generators **21** (1) (1985) 31–34
1145. M.M. Yung, A secure and useful "keyless cryptosystem" **21** (1) (1985) 35–38
1146. H. Edelsbrunner and H.A. Maurer, Finding extreme points in three dimensions and solving the post-office problem in the plane **21** (1) (1985) 39–47
1147. I. Wegener, Optimal search with positive switch cost is NP-hard **21** (1) (1985) 49–52
1148. T. Yokomori, D. Wood and K.-J. Lange, A three-restricted normal form theorem for ETOL languages (*Erratum*) **21** (1) (1985) 53
1149. V.J. Lumelsky, On fast computation of distance between line segments **21** (2) (1985) 55–61
1150. T. Räuchle and S. Toueg, Exposure to deadlock for communicating processes is hard to detect **21** (2) (1985) 63–68
1151. A. Kaldewaij, On the decomposition of sequences into ascending subsequences **21** (2) (1985) 69
1152. J. Hromkovič, Linear lower bounds on unbounded fan-in Boolean circuits **21** (2) (1985) 71–74

1153. L. Janiga and V. Koubek, A note on finding minimum cuts in directed planar networks by parallel computations **21** (2) (1985) 75–78
1154. D. Bini and V.Ya. Pan, Fast parallel polynomial division via reduction to triangular Toeplitz matrix inversion and to polynomial inversion modulo a power **21** (2) (1985) 79–81
1155. D. Wätjen, Feedback automata and their languages **21** (2) (1985) 83–86
1156. P.M.B. Vitányi, Square time is optimal for simulation of one pushdown store or one queue by an oblivious one-head tape unit **21** (2) (1985) 87–91
1157. V. Nguyen, The incompleteness of Misra and Chandy's proof systems **21** (2) (1985) 93–96
1158. A.J. Martin and J.R. Burch, Fair mutual exclusion with unfair P and V operations **21** (2) (1985) 97–100
1159. C. Lautemann and F. Meyer auf der Heide, Lower time bounds for integer programming with two variables **21** (2) (1985) 101–105
1160. A.J. Martin, The probe: An addition to communication primitives (*Erratum*) **21** (2) (1985) 107
1161. C.D. Thompson, VLSI design with multiple active layers **21** (3) (1985) 109–111
1162. S.C. Kothari and K.V.S. Ramarao, General algorithms for the address calculation of lexicographically ordered tuples **21** (3) (1985) 113–116
1163. D.T. Lee and Y.T. Ching, The power of geometric duality revisited **21** (3) (1985) 117–122
1164. J. Ja'Ja' and J. Takche, Improved lower bounds for some matrix multiplication problems **21** (3) (1985) 123–127
1165. T. Herman and K.M. Chandy, On distributed search **21** (3) (1985) 129–133
1166. M. Jantzen, A note on a special one-rule semi-Thue system **21** (3) (1985) 135–140
1167. T.A. Budd, Creation and reflexive rights in grammatical protection systems **21** (3) (1985) 141–145
1168. P.M.B. Vitányi, An $n^{1.618}$ lower bound on the time to simulate one queue or two pushdown stores by one tape **21** (3) (1985) 147–152
1169. C.W. Yoo, An approach to the transportation of computer software **21** (3) (1985) 153–157
1170. B. Codenotti, F. Romani and G. Lotti, VLSI implementation of fast solvers for band linear systems with constant coefficient matrix **21** (3) (1985) 159–163
1171. R.H. Güting, Fast dynamic intersection searching in a set of isothetic line segments **21** (4) (1985) 165–171
1172. J.-P. Laumond, Enumeration of articulation pairs of a planar graph **21** (4) (1985) 173–179
1173. B. Alpern and F.B. Schneider, Defining liveness **21** (4) (1985) 181–185
1174. M.D. Atkinson, On zigzag permutations and comparisons of adjacent elements **21** (4) (1985) 187–189
1175. Y. Robert and M. Tchuente, A systolic array for the longest common subsequence problem **21** (4) (1985) 191–198
1176. J.L. Keedy and B. Freisleben, On the efficient use of semaphore primitives **21** (4) (1985) 199–205
1177. C.C. Hsiao and N.-T. Shen, k-fold bitonic sort on a mesh-connected parallel computer **21** (4) (1985) 207–212
1178. A. Marchetti-Spaccamela and G. Romano, On different approximation criteria for subset product problems **21** (4) (1985) 213–218
1179. B. Meyer, Incremental string matching **21** (5) (1985) 219–227
1180. J. Magott, Performance evaluation of systems of cyclic sequential processes with mutual exclusion using Petri nets **21** (5) (1985) 229–232
1181. A.J. Kfoury, The unwind property for programs with bounded memory **21** (5) (1985) 233–238
1182. W. Dobosiewicz, A note on natural selection **21** (5) (1985) 239–243
1183. P. Ďuriš, O. Sýkora, I. Vrt'o and C.D. Thompson, Tight chip area lower bounds for discrete Fourier and Walsh–Hadamard transformations **21** (5) (1985) 245–247
1184. K.J. Supowit, Decomposing a set of points into chains, with applications to permutation and circle graphs **21** (5) (1985) 249–252
1185. U. Derigs, An efficient Dijkstra-like labeling method for computing shortest odd/even paths **21** (5) (1985) 253–258
1186. I.J.M. Birkhoff, A direct routing algorithm for the bit-reversal permutation on a shuffle-exchange network **21** (5) (1985) 259–268
1187. H. Mannila and K. Mehlhorn, A fast algorithm for renaming a set of clauses as a Horn set **21** (5) (1985) 269–272
1188. P. Chatelin, On transformations of algorithms to multiply 2×2 matrices **22** (1) (1986) 1–5
1189. J. Berstel, Every iterated morphism yields a co-CFL **22** (1) (1986) 7–9

1190. V.Ya. Pan, The trade-off between the additive complexity and the asynchronicity of linear and bilinear algorithms **22** (1) (1986) 11–14
1191. B. Baumgarten and P. Ochsenschläger, On termination and phase changes in the presence of unreliable communication **22** (1) (1986) 15–20
1192. K.L. Clarkson, Linear programming in $O(n \times 3^{d^2})$ time **22** (1) (1986) 21–24
1193. A. Lingas, The Greedy and Delauney triangulations are not bad in the average case **22** (1) (1986) 25–31
1194. L.E. Rosier, A note on Presburger arithmetic with array segments, permutation and equality **22** (1) (1986) 33–35
1195. M. Křivánek, Hexagonal unit network—a tool for proving the NP-completeness results of geometric problems **22** (1) (1986) 37–41
1196. C.T.M. Jacobs and P. van Emde Boas, Two results on tables **22** (1) (1986) 43–48
1197. V. Kriaučiukas, Tree-like parse and polynomial subclasses of search problems **22** (1) (1986) 49–54
1198. I. Stojmenović and E. Soisalon-Soininen, A note on approximate convex hulls **22** (2) (1986) 55–56
1199. A. Israeli and Y. Shiloach, An improved parallel algorithm for maximal matching **22** (2) (1986) 57–60
1200. K.-C. Dai, EDISON-80, A language for modular programming of parallel processes **22** (2) (1986) 61–72
1201. M.D. Grigoriadis and B. Kalantari, A lower bound to the complexity of Euclidean and rectilinear matching algorithms **22** (2) (1986) 73–76
1202. A. Israeli and A. Itai, A fast and simple randomized parallel algorithm for maximal matching **22** (2) (1986) 77–80
1203. C.U. Martel, Lower bounds on parallel algorithms for finding the first maximal independent set **22** (2) (1986) 81–85
1204. M. Cialdea, Some remarks on the possibility of extending resolution proof procedures to intuitionistic logic **22** (2) (1986) 87–90
1205. P. Goralčík and V. Koubek, Verifying nonrigidity **22** (2) (1986) 91–95
1206. M. Snir, Exact balancing is not always good **22** (2) (1986) 97–102
1207. M.B. Webster and P.W. Baker, A class of differential equations for testing variable step-size integration **22** (2) (1986) 103–107
1208. P. Srinivas Kumar and M. Manohar, On probability of forest of quadtrees reducing to quadtrees **22** (3) (1986) 109–111
1209. K. Ambos-Spies, Inhomogeneities in the polynomial-time degrees: The degrees of super sparse sets **22** (3) (1986) 113–117
1210. F. Aurenhammer, The one-dimensional weighted Voronoi diagram **22** (3) (1986) 119–123
1211. A. Carpi and A. De Luca, Square-free words on partially commutative free monoids **22** (3) (1986) 125–131
1212. Y. Hattori, Nonisomorphic graphs with the same T-polynomial **22** (3) (1986) 133–134
1213. F. Gire, Two decidability problems for infinite words **22** (3) (1986) 135–140
1214. R.J.M. Hughes, A novel representation of lists and its application to the function "reverse" **22** (3) (1986) 141–144
1215. S.R. Schwer, On the rationality of Petri net languages **22** (3) (1986) 145–146
1216. L. Chen, O(1) space complexity deletion for AVL trees **22** (3) (1986) 147–149
1217. E.J. Cockayne and D.E. Hewgill, Exact computation of Steiner minimal trees in the plane **22** (3) (1986) 151–156
1218. R.C. Shock, Computing the minimum cover of functional dependencies **22** (3) (1986) 157–159
1219. M. Kallay, Convex hull made easy **22** (3) (1986) 161
1220. B. Jaumard and M. Minoux, An efficient algorithm for the transitive closure and a linear worst-case complexity result for a class of sparse graphs **22** (4) (1986) 163–169
1221. J.M. Keil, Total domination in interval graphs **22** (4) (1986) 171–174
1222. W. Panny, A note on the higher moments of the expected behavior of straight insertion sort **22** (4) (1986) 175–177
1223. M.C. Hamburg, Two tagless variations on the Deutsch–Schorr–Waite algorithm **22** (4) (1986) 179–183
1224. M.C. Loui, T.A. Matsushita and D.B. West, Election in a complete network with a sense of direction **22** (4) (1986) 185–187
1225. S. Carlsson, Splitmerge—A fast stable merging algorithm **22** (4) (1986) 189–192
1226. B. Codenotti and G. Lotti, A note on the VLSI counter **22** (4) (1986) 193–195
1227. H. Gajewska and R.E. Tarjan, Deques with heap order **22** (4) (1986) 197–200

1228. D. Richards, Data compression and Gray-code sorting **22** (4) (1986) 201–205
1229. K.-S. Choi and G.C. Kim, A controlled quantification in parsing of Montague grammar **22** (4) (1986) 207–216
1230. P.T. Highnam, Optimal algorithms for finding the symmetries of a planar point set **22** (5) (1986) 219–222
1231. S. Pawagi and I.V. Ramakrishnan, An O(log n) algorithm for parallel update of minimum spanning trees **22** (5) (1986) 223–229
1232. M. Li and Y. Yesha, String-matching cannot be done by a two-head one-way deterministic finite automaton **22** (5) (1986) 231–235
1233. J.B. Evans, Experiments with trees for the storage and retrieval of future events **22** (5) (1986) 237–242
1234. G.K. Gupta and B. Srinivasan, Approximate storage utilization of B-trees **22** (5) (1986) 243–246
1235. P. Bourret and R. Souza de Oliveira, Lower and upper bounds of the sizes of domains: Estimates and experiments **22** (5) (1986) 247–253
1236. H.J. Bernstein, Determining the shape of a convex n-sided polygon by using $2n + k$ tactile probes **22** (5) (1986) 255–260
1237. A.M. Keller, Set-theoretic problems of null completion in relational databases **22** (5) (1986) 261–266
1238. Y. Manolopoulos, Batched search of index sequential files **22** (5) (1986) 267–272
1239. T.O. Alanko and R.L. Smelianski, On the calculation of control transition probabilities in a program **22** (5) (1986) 273–276
1240. T. Lickteig, Gaussian elimination is optimal for solving linear equations in dimension two **22** (6) (1986) 277–279
1241. Y. Hanatani and R. Fagin, A simple characterization of database dependency implication **22** (6) (1986) 281–283
1242. I. Parberry, On recurrent and recursive interconnection patterns **22** (6) (1986) 285–289
1243. D. Gusfield and L. Pitt, Equivalent approximation algorithms for node cover **22** (6) (1986) 291–294
1244. K. Aizawa and A. Nakamura, Direction-independent application of productions on two-dimensional arrays **22** (6) (1986) 295–301
1245. F. Dehne, $O(n^{1/2})$ algorithms for the maximal elements and ECDF searching problem on a mesh-connected parallel computer **22** (6) (1986) 303–306
1246. K.R. Apt and D.C. Kozen, Limits for automatic verification of finite-state concurrent systems **22** (6) (1986) 307–309
1247. R.K. Arora, S.P. Rana and M.N. Gupta, Distributed termination detection algorithm for distributed computations **22** (6) (1986) 311–314
1248. S. Sattolo, An algorithm to generate a random cyclic permutation **22** (6) (1986) 315–317
1249. E.L. Leiss and C. Jitmedha, Horizontally and vertically bounded propagation of privileges **22** (6) (1986) 319–327
1250. T. Takaoka, An on-line pattern matching algorithm **22** (6) (1986) 329–330
1251. W. Rytter, The space complexity of the unique decipherability problem **23** (1) (1986) 1–3
1252. F.-C. Lin and W.-K. Shih, Long edges in the layouts of shuffle-exchange and cube-connected cycles graphs **23** (1) (1986) 5–9
1253. G. Tinhofer and H. Schreck, The bounded subset sum problem is almost everywhere randomly decidable in O(n) **23** (1) (1986) 11–17
1254. H. Schmeck, On the maximum edge length in VLSI layouts of complete binary trees **23** (1) (1986) 19–23
1255. J.L. Balcázar, On Δ_2^P- immunity **23** (1) (1986) 25–28
1256. K. Culik II and J. Karhumäki, A note on the equivalence problem of rational formal power series **23** (1) (1986) 29–31
1257. K. Kakuta, H. Nakamura and S. Iida, A parallel reference counting algorithm **23** (1) (1986) 33–37
1258. B.-J. Falkowski and L. Schmitz, A note on the queens' problem **23** (1) (1986) 39–46
1259. O.M. Vikas and S.K. Basandra, Data algebra and its application in database design **23** (1) (1986) 47–54
1260. I. Lavallee and G. Roucairol, A fully distributed (minimal) spanning tree algorithm **23** (2) (1986) 55–62
1261. A. Apostolico, Improving the worst-case performance of the Hunt–Szymanski strategy for the longest common subsequence of two strings **23** (2) (1986) 63–69
1262. H. Rohnert, Shortest paths in the plane with convex polygonal obstacles **23** (2) (1986) 71–76
1263. R.R. Hoogerwoord, An implementation of mutual inclusion **23** (2) (1986) 77–80
1264. W. Rytter, An application of Mehlhorn's algorithm for bracket languages to log(n) space recognition of input-driven languages **23** (2) (1986) 81–84

1265. J. Laski, An algorithm for the derivation of codefinitions in computer programs **23** (2) (1986) 85–90
1266. J.K. Annot, M.D. Janssens and A.J. van de Goor, Comments on Morris's starvation-free solution to the mutual exclusion problem **23** (2) (1986) 91–97
1267. S. Ntafos, On gallery watchmen in grids **23** (2) (1986) 99–102
1268. J. Franco, On the probabilistic performance of algorithms for the satisfiability problem **23** (2) (1986) 103–106
1269. B. Codenotti and G. Lotti, Area-time tradeoffs for bilinear forms computations in VLSI **23** (2) (1986) 107–109
1270. B. Codenotti and G. Lotti, A VLSI fast solver for tridiagonal linear systems **23** (3) (1986) 111–114
1271. O.M. Makarov, A noncommutative algorithm for multiplying 5×5 matrices using 102 multiplications **23** (3) (1986) 115–117
1272. T.-H. Lai and A. Sprague, A note on anomalies in parallel branch-and-bound algorithms with one-to-one bounding functions **23** (3) (1986) 119–122
1273. J. Cooper and S.G. Akl, Efficient selection on a binary tree **23** (3) (1986) 123–126
1274. P.V. Poblete, Approximating functions by their Poisson transform **23** (3) (1986) 127–130
1275. A.A. Bertossi, Total domination in interval graphs **23** (3) (1986) 131–134
1276. W. Szpankowski, On an asymptotic analysis of a tree-type algorithm for broadcast communications **23** (3) (1986) 135–142
1277. K.W. Wagner, On the intersection of the class of linear context-free languages and the class of single-reset languages **23** (3) (1986) 143–146
1278. G. Mints and E. Tyugu, Semantics of a declarative language **23** (3) (1986) 147–151
1279. K. Taghva, Some characterizations of finitely specifiable implicational dependency families **23** (3) (1986) 153–158
1280. J.T. Udding, Absence of individual starvation using weak semaphores **23** (3) (1986) 159–162
1281. R.B. Tan, G. Tel and J. van Leeuwen, Comments on "Distributed termination detection algorithm for distributed computations" (*Letter to the Editor*) **23** (3) (1986) 163
1282. H. Schmeck, On the maximum edge length in VLSI layouts of complete binary trees (*Corrigendum*) **23** (3) (1986) 165
1283. P. Dehornoy, Turing complexity on the ordinals **23** (4) (1986) 167–170
1284. M. Latteux and E. Timmerman, Finitely generated ω-languages **23** (4) (1986) 171–175
1285. B. Alpern, A.J. Demers and F.B. Schneider, Safety without stuttering **23** (4) (1986) 177–180
1286. D.R. O'Hallaron and P.F. Reynolds Jr., A generalized deadlock predicate **23** (4) (1986) 181–188
1287. L. Blum, Towards an asymptotic analysis of Karmarkar's algorithm **23** (4) (1986) 189–194
1288. A.A. Bertossi and M.A. Bonuccelli, Hamiltonian circuits in interval graph generalizations **23** (4) (1986) 195–200
1289. S. Yamasaki and S. Doshita, Resolution deduction to detect satisfiability for another class including non-Horn sentences in propositional logic **23** (4) (1986) 201–207
1290. D. Gordon, Eliminating the flag in threaded binary search trees **23** (4) (1986) 209–214
1291. O.J. Murphy and S.M. Selkow, The efficiency of using k-d trees for finding nearest neighbors in discrete space **23** (4) (1986) 215–218
1292. R.E. Tarjan, Sensitivity analysis of minimum spanning trees and shortest path trees (*Corrigendum*) **23** (4) (1986) 219
1293. R. Sommerhalder and S.C. van Westrhenen, A parallel $O(\log n)$ algorithm for the drawing of algebraic curves in an $n \times n$ square **23** (5) (1986) 221–226
1294. K. Ambos-Spies, A note on complete problems for complexity classes **23** (5) (1986) 227–230
1295. J.L.A. van de Snepscheut and J.T. Udding, An alternative implementation of communication primitives **23** (5) (1986) 231–238
1296. D.J. Evans and N.Y. Yousif, Merging by the parallel jump searching algorithm **23** (5) (1986) 239–246
1297. G. Chen and M.H. Williams, The value of an array facility in Prolog **23** (5) (1986) 247–251
1298. M. Broy, Denotational semantics of communicating sequential programs **23** (5) (1986) 253–259
1299. J. Stojanovski, A note on implementing Prolog in Lisp **23** (5) (1986) 261–264
1300. C.C. Handley, An in situ distributive sort **23** (5) (1986) 265–270
1301. E. Mäkinen, A note on pure grammars **23** (5) (1986) 271–274
1302. E.L. Leiss, The inaccessible set: A classification by query type of security risks in statistical databases **23** (6) (1986) 275–279

1303. M. Benois and J. Sakarovitch, On the complexity of some extended word problems defined by cancellation rules **23** (6) (1986) 281–287
1304. H. Edelsbrunner and E. Welzl, Halfplanar range search in linear space and $O(n^{0.695})$ query time **23** (6) (1986) 289–293
1305. A.J. Martin, A new generalization of Dekker's algorithm for mutual exclusion **23** (6) (1986) 295–297
1306. L. Holenderski, The correctness of nondeterministic programs revisited **23** (6) (1986) 299–303
1307. L. Allison and T.I. Dix, A bit-string longest-common-subsequence algorithm **23** (6) (1986) 305–310
1308. K.-M. Choe and C.-H. Chang, Efficient computation of the locally least-cost insertion string for the LR error repair **23** (6) (1986) 311–316
1309. F. Harary and P.J. Slater, A linear algorithm for the cutting center of a tree **23** (6) (1986) 317–319
1310. R.B. Kieburtz, When chasing your tail saves time **23** (6) (1986) 321–324
1311. I. Nakata and M. Sassa, L-attributed LL(1)-grammars are LR-attributed **23** (6) (1986) 325–328
1312. A. Alexandrakis and S. Bozapalidis, Weighted grammars and Kleene's theorem **24** (1) (1987) 1–4
1313. S.A. Kurtz, M.J. O'Donnell and J.S. Royer, How to prove representation-independent independence results **24** (1) (1987) 5–10
1314. W.H.J. Feijen, A.J.M. van Gasteren and D. Gries, In-situ inversion of a cyclic permutation **24** (1) (1987) 11–14
1315. T. Kim and K.-Y. Chwa, An $O(n \log n \log \log n)$ parallel maximum matching algorithm for bipartite graphs **24** (1) (1987) 15–17
1316. P. Hochschild, Multiple cuts, input repetition, and VLSI complexity **24** (1) (1987) 19–24
1317. R. Finkel and H.H. Madduri, An efficient deadlock avoidance algorithm **24** (1) (1987) 25–30
1318. M. Sassa, H. Ishizuka and I. Nakata, ECLR-attributed grammars: A practical class of LR-attributed grammars **24** (1) (1987) 31–41
1319. A.J. Bernstein, Predicate transfer and timeout in message passing systems **24** (1) (1987) 43–52
1320. R.S. Bird and J. Hughes, The alpha–beta algorithm: An exercise in program transformation **24** (1) (1987) 53–57
1321. T. Yuba and M. Hoshi, Binary search networks: A new method for key searching **24** (1) (1987) 59–65
1322. V. Arvind and S. Biswas, An $O(n^2)$ algorithm for the satisfiability problem of a subset of propositional sentences in CNF that includes all Horn sentences **24** (1) (1987) 67–69
1323. M. Ślusarek, An off-line storage allocation algorithm **24** (2) (1987) 71–75
1324. E.A. Emerson, Uniform inevitability is tree automation ineffable **24** (2) (1987) 77–79
1325. A. Grazon, An infinite word language which is not co-CFL **24** (2) (1987) 81–85
1326. O. Wolfson, Concurrent execution of transaction copies **24** (2) (1987) 87–93
1327. D. Field, A note on a new data structure for in-the-past queries **24** (2) (1987) 95–96
1328. C. Rey and R. Ward, On determining the on-line minimax linear fit to a discrete point set in the plane **24** (2) (1987) 97–101
1329. B. Korel, The program dependence graph in static program testing **24** (2) (1987) 103–108
1330. G. Gottlob, Subsumption and implication **24** (2) (1987) 109–111
1331. M. Sassa and I. Nakata, A simple realization of LR-parsers for regular right part grammars **24** (2) (1987) 113–120
1332. R. Anderson and E.W. Mayr, Parallelism and the maximal path problem **24** (2) (1987) 121–126
1333. C.A.R. Hoare and J. He, The weakest prespecification **24** (2) (1987) 127–132
1334. M. Yannakakis and F. Gavril, The maximum k-colorable subgraph problem for chordal graphs **24** (2) (1987) 133–137
1335. A.K. Pujari and S. Gupta, Comment on "Worst-case choice for the stable marriage problem" (*Letter to the Editor*) **24** (2) (1987) 139
1336. M. Kubale, The complexity of scheduling independent two-processor tasks on dedicated processors **24** (3) (1987) 141–147
1337. M.W. Krentel, A note on the transaction backout problem **24** (3) (1987) 149–152
1338. R.P. Anstee, A polynomial algorithm for b-matchings: An alternative approach **24** (3) (1987) 153–157
1339. M. Roussille and P. Dufour, Generation of convex polygons with individual angular constraints **24** (3) (1987) 159–164
1340. W.F. McColl and M.S. Paterson, The planar realization of Boolean functions **24** (3) (1987) 165–170
1341. D.T. Huynh, On solving hard problems by polynomial-size circuits **24** (3) (1987) 171–176
1342. D. Grune, How to compare the incomparable **24** (3) (1987) 177–181

1343. M. Castan, M.-H. Durand and M. Lemaître, A set of combinators for abstraction in linear space **24** (3) (1987) 183–188
1344. D.C. van Leijenhorst and Th.P. van der Weide, On a recursion connected with tree balancing algorithms **24** (3) (1987) 189–192
1345. V. Akman, An algorithm for determining an opaque minimal forest of a convex polygon **24** (3) (1987) 193–198
1346. M. Raynal, A distributed algorithm to prevent mutual drift between n logical clocks **24** (3) (1987) 199–202
1347. L. Pitt, A note on extending Knuth's tree estimator to directed acyclic graphs **24** (3) (1987) 203–206
1348. D.J. Evans and W.S. Yousif, Explicit solution of block tridiagonal systems of linear equations **24** (3) (1987) 207–209
1349. J.L.A. van de Snepscheut, "Algorithms for on-the-fly garbage collection" revisited **24** (4) (1987) 211–216
1350. S.R. Pawagi, P.S. Gopalakrishnan and I.V. Ramakrishnan, Computing dominators in parallel **24** (4) (1987) 217–221
1351. D.C. van Leijenhorst, A note on the formula size of the "mod k" functions **24** (4) (1987) 223–224
1352. M. Zubair and B.B. Madan, Time efficient systolic architecture for matrix $*$ vector multiplication **24** (4) (1987) 225–231
1353. D. Bini and V.Ya. Pan, A logarithmic Boolean time algorithm for parallel polynomial division **24** (4) (1987) 233–237
1354. A. Edenbrandt, Chordal graph recognition is in NC **24** (4) (1987) 239–241
1355. P. Ramanan, Obtaining lower bounds using artificial components **24** (4) (1987) 243–246
1356. S. Carlsson, A variant of Heapsort with almost optimal number of comparisons **24** (4) (1987) 247–250
1357. M.C. Golumbic, A general method for avoiding cycling in a network **24** (4) (1987) 251–253
1358. S.R.L. Meira, Strict combinators **24** (4) (1987) 255–258
1359. J. Błażewicz and G. Finke, Minimizing mean weighted execution time loss on identical and uniform processors **24** (4) (1987) 259–263
1360. R.N. Horspool and M.R. Levy, Correctness of an extended operator-precedence parsing algorithm **24** (4) (1987) 265–273
1361. J. Ruby, A liveness property of a parallel algorithm **24** (4) (1987) 275–277
1362. J.L. Szwarcfiter, A note on the computation of the k-closure of a graph **24** (4) (1987) 279–280
1363. K. Madlener and F. Otto, Using string-rewriting for solving the word problem for finitely presented groups **24** (5) (1987) 281–284
1364. T. Asano, T. Asano and H. Imai, Shortest path between two simple polygons **24** (5) (1987) 285–288
1365. M.D. Atkinson and H.W. Chang, Computing the number of mergings with constraints **24** (5) (1987) 289–292
1366. C. Hazari and H. Zedan, A distributed algorithm for distributed termination **24** (5) (1987) 293–297
1367. G. Koch, Automating the semantic component **24** (5) (1987) 299–305
1368. D.S. Hirschberg and D.J. Volper, Improved update/query algorithms for the interval valuation problem **24** (5) (1987) 307–310
1369. E.J.H. Chang, G.H. Gonnet and D. Rotem, On the costs of self-stabilization **24** (5) (1987) 311–316
1370. M. Valentine and R.H. Davis, The automated solution of logic puzzles **24** (5) (1987) 317–324
1371. M. Chrobak and W. Rytter, Remarks on string-matching and one-way multihead automata **24** (5) (1987) 325–329
1372. R.D. Tennent, A note on undefined expression values in programming logics **24** (5) (1987) 331–333
1373. P. Widmayer and D. Wood, Time- and space-optimal contour computation for a set of rectangles **24** (5) (1987) 335–338
1374. M.B. Dillencourt, Traveling salesman cycles are not always subgraphs of Delaunay triangulations or of minimum weight triangulations **24** (5) (1987) 339–342
1375. J.R. Kennaway and M.R. Sleep, Variable abstraction in $O(n \log n)$ space **24** (5) (1987) 343–349
1376. H. Müller, Sorting numbers using limited systolic coprocessors **24** (6) (1987) 351–354
1377. G. Gottlob, On the size of nonredundant FD-covers **24** (6) (1987) 355–360
1378. A. Szepietowski, There are no fully space constructible functions between $\log\log n$ and $\log n$ **24** (6) (1987) 361–362
1379. I. Parberry, An improved simulation of space and reversal bounded deterministic Turing machines by width and depth bounded uniform circuits **24** (6) (1987) 363–367

1380. H. Samet, C.A. Shaffer and R.E. Webber, Digitizing the plane with cells of nonuniform size **24** (6) (1987) 369–375
1381. A. Blumer, A. Ehrenfeucht, D. Haussler and M.K. Warmuth, Occam's Razor **24** (6) (1987) 377–380
1382. M. Bajantri and D.B. Skillicorn, A fast multiprocessor message passing implementation **24** (6) (1987) 381–389
1383. C.W. Fraser and D.R. Hanson, Optimization of argument evaluation order **24** (6) (1987) 391–395
1384. R. Marie and K.S. Trivedi, A note on the effect of preemptive policies on the stability of a priority queue **24** (6) (1987) 397–401
1385. W.E. Wright, A note on external sorting using almost single input buffering **24** (6) (1987) 403–405
1386. M.K. Sridhar, A new algorithm for parallel solution of linear equations **24** (6) (1987) 407–412
1387. H. Edelsbrunner and M.H. Overmars, Zooming by repeated range detection **24** (6) (1987) 413–417
1388. J.H. Chang, O.H. Ibarra, B. Ravikumar and L. Berman, Some observations concerning alternating Turing machines using small space **25** (1) (1987) 1–9
1389. A.A. Melkman, On-line construction of the convex hull of a simple polyline **25** (1) (1987) 11–12
1390. B. Kirsig and K.-J. Lange, Separation with the Ruzzo, Simon, and Tompa relativization implies DSPACE($\log n$) $\neq$ NSPACE($\log n$) **25** (1) (1987) 13–15
1391. R.G. Hamlet, Probable correctness theory **25** (1) (1987) 17–25
1392. R.R. Howell, L.E. Rosier and H.-C. Yen, An O($n^{1.5}$) algorithm to decide boundedness for conflict-free vector replacement systems **25** (1) (1987) 27–33
1393. G. Cybenko, D.W. Krumme and K.N. Venkataraman, Fixed hypercube embedding **25** (1) (1987) 35–39
1394. J.-P. Laumond, Obstacle growing in a nonpolygonal world **25** (1) (1987) 41–50
1395. J. Naor, A fast parallel coloring of planar graphs with five colors **25** (1) (1987) 51–53
1396. C.A. Wang and Y.H. Tsin, An O($\log n$) time parallel algorithm for triangulating a set of points in the plane **25** (1) (1987) 55–60
1397. G.A. Hyslop and E.A. Lamagna, Performance of distributive partitioned sort in a demand paging environment **25** (1) (1987) 61–64
1398. J.H. Reif, A topological approach to dynamic graph connectivity **25** (1) (1987) 65–70
1399. C.A.R. Hoare, J. He and J.W. Sanders, Prespecification in data refinement **25** (2) (1987) 71–76
1400. J. Katajainen, O. Nevalainen and J. Teuhola, A linear expected-time algorithm for computing planar relative neighbourhood graphs **25** (2) (1987) 77–86
1401. M. Atallah and C. Bajaj, Efficient algorithms for common transversals **25** (2) (1987) 87–91
1402. M. Broy, Predicative specifications for functional programs describing communicating networks **25** (2) (1987) 93–101
1403. K.B. Lakshmanan, N. Meenakshi and K. Thulasiraman, A time-optimal message-efficient distributed algorithm for depth-first-search **25** (2) (1987) 103–109
1404. A.M. Frieze, Parallel algorithms for finding hamilton cycles in random graphs **25** (2) (1987) 111–117
1405. F.M. Maley, An observation concerning constraint-based compaction **25** (2) (1987) 119–122
1406. V.J. Rayward-Smith, The complexity of preemptive scheduling given interprocessor communication delays **25** (2) (1987) 123–125
1407. R.B. Boppana, J. Hastad and S. Zachos, Does co-NP have short interactive proofs? **25** (2) (1987) 127–132
1408. R.D. Tennent, Quantification in Algol-like languages **25** (2) (1987) 133–137
1409. G. Mints and E. Tyugu, Semantics of a declarative language (*Corrigendum*) **25** (2) (1987) 139
1410. Y. Toyama, Counterexamples to termination for the direct sum of term rewriting systems **25** (3) (1987) 141–143
1411. J.P. Verjus, On the proof of a distributed algorithm **25** (3) (1987) 145–147
1412. M.B. Dillencourt, A non-Hamiltonian, nondegenerate Delaunay triangulation **25** (3) (1987) 149–151
1413. T.H. Lai and T.H. Yang, On distributed snapshots **25** (3) (1987) 153–158
1414. A. Klapper, A lower bound on the complexity of the convex hull problem for simple polyhedra **25** (3) (1987) 159–161
1415. Ö. Babaoğlu, Stopping times of distributed consensus protocols: A probabilistic analysis **25** (3) (1987) 163–169
1416. S. Kawai, Local authentication in insecure environments **25** (3) (1987) 171–174
1417. M.J. Fischer and N. Immerman, Interpreting logics of knowledge in propositional dynamic logic with converse **25** (3) (1987) 175–181
1418. T.-C. Chung and J.-W. Cho, History sensitive string for multiple alphabets **25** (3) (1987) 183–188

1419. T.H. Tse, On the detection of unstructuredness in flowgraphs **25** (3) (1987) 189–193
1420. D. Zöbel, Transformations for communication fairness in CSP **25** (3) (1987) 195–198
1421. N.A. Alexandridis and P.D. Tsanakas, An encoding scheme for the efficient representation of hierarchical image structures **25** (3) (1987) 199–206
1422. J.M. Morris, Varieties of weakest liberal preconditions **25** (3) (1987) 207–210
1423. J.-M. Autebert, P. Flajolet and J. Gabarro, Prefixes of infinite words and ambiguous context-free languages **25** (4) (1987) 211–216
1424. B. Brustmann and I. Wegener, The complexity of symmetric functions in bounded-depth circuits **25** (4) (1987) 217–219
1425. E. Ochmański, Inevitability in concurrent systems **25** (4) (1987) 221–225
1426. R. Kemp, A note on the number of leftist trees **25** (4) (1987) 227–232
1427. J.G. Wiltink, A deficiency of natural deduction **25** (4) (1987) 233–234
1428. A. Apostolico, Remark on the Hsu–Du new algorithm for the longest common subsequence problem **25** (4) (1987) 235–236
1429. D. Gries, A. Pascoletti and L. Sbriz, Horner's rule and the computation of linear recurrences **25** (4) (1987) 237–240
1430. A.V. Goldberg and S.A. Plotkin, Parallel $(\Delta + 1)$-coloring of constant-degree graphs **25** (4) (1987) 241–245
1431. C. Levcopoulos, An $\Omega(\sqrt{n})$ lower bound for the nonoptimality of the greedy triangulation **25** (4) (1987) 247–251
1432. M. Reichling, A simplified solution of the n queens' problem **25** (4) (1987) 253–255
1433. A.O. Buda, Multiprocessor automata **25** (4) (1987) 257—261
1434. S.N. Bhatt and S.S. Cosmadakis, The complexity of minimizing wire lengths in VLSI layouts **25** (4) (1987) 263–267
1435. O. Fries, K. Mehlhorn, S. Näher and A. Tsakalidis, A $\log \log n$ data structure for three-sided range queries **25** (4) (1987) 269–273
1436. A.W. Appel, Garbage collection can be faster than stack allocation **25** (4) (1987) 275–279
1437. V. Raghavan and S.M. Venkatesan, On bounds for a board covering problem **25** (5) (1987) 281–284
1438. J.S. Salowe and W.L. Steiger, Stable unmerging in linear time and constant space **25** (5) (1987) 285–294
1439. K. Venkatesh, T. Radhakrishnan and H.F. Li, Optimal checkpointing and local recording for domino-free rollback recovery **25** (5) (1987) 295–303
1440. J.R. Nawrocki and J. Martinek, A storage allocation method with invalidating dangling references **25** (5) (1987) 305–310
1441. C. Calude, Super-exponentials nonprimitive recursive, but rudimentary **25** (5) (1987) 311–315
1442. S.S. Ravi and H.B. Hunt III, An application of the Planar Separator Theorem to counting problems **25** (5) (1987) 317–321
1443. D. Gries and I. Stojmenović, A note on Graham's convex hull algorithm **25** (5) (1987) 323–327
1444. Y. Zhu and T.-Y. Cheung, A new distributed breadth-first-search algorithm **25** (5) (1987) 329–333
1445. R. Surós and E. Montagne, Fitted diagonals for reducing I/O bandwidth in systolic systems **25** (5) (1987) 335–341
1446. S.A. Friedberg and G.L. Peterson, An efficient solution to the mutual exclusion problem using weak semaphores **25** (5) (1987) 343–347
1447. G. Tel and J. van Leeuwen, Comments on "A distributed algorithm for distributed termination" (*Letter to the Editor*) **25** (5) (1987) 349
1448. K. Krause, L.L. Larmore and D.J. Volper, Packing items from a triangular distribution **25** (6) (1987) 351–361
1449. J. Jędrzejowicz, Nesting of shuffle closure is important **25** (6) (1987) 363–367
1450. J. Pallo, On the rotation distance in the lattice of binary trees **25** (6) (1987) 369–373
1451. R.A. Baeza-Yates, Some average measures in m-ary search trees **25** (6) (1987) 375–381
1452. S. Moran, Generalized lower bounds derived from Hastad's main lemma **25** (6) (1987) 383–388
1453. M. Kunde and H. Steppat, On the worst-case ratio of a compound multiprocessor scheduling algorithm **25** (6) (1987) 389–396
1454. I. Vřto, The area-time complexity of the VLSI counter **25** (6) (1987) 397–400
1455. F. Peper, Determining connected components in linear time by a linear number of processors **25** (6) (1987) 401–406

1456. U. Kelter, The complexity of strict serializability revisited **25** (6) (1987) 407–411
1457. Y. Kobuchi, A note on symmetrical cellular spaces **25** (6) (1987) 413–415
1458. S.R. Pawagi, I.V. Ramakrishnan and P.S. Gopalakrishnan, Computing dominators in parallel (*Corrigendum*) **25** (6) (1987) 417
1459. B. Jaumard and B. Simeone, On the complexity of the maximum satisfiability problem for Horn formulas **26** (1) (1987) 1–4
1460. J.R. Driscoll, S.-D. Lang and L.A. Franklin, Modeling B-tree insertion activity **26** (1) (1987) 5–18
1461. A.T. Berztiss, A notation for distributed operations **26** (1) (1987) 19–21
1462. J. Berstel and S. Brlek, On the length of word chains **26** (1) (1987) 23–28
1463. R.V. Book and H.-N. Liu, Rewriting systems and word problems in a free partially commutative monoid **26** (1) (1987) 29–32
1464. S. Carlsson, The Deap — A double-ended heap to implement double-ended priority queues **26** (1) (1987) 33–36
1465. J. Incerpi and R. Sedgewick, Practical variations of Shellsort **26** (1) (1987) 37–43
1466. J.C. Bermond, J.M. Fourneau and A. Jean-Marie, Equivalence of multistage interconnection networks **26** (1) (1987) 45–50
1467. L. Babai, Random oracles separate *PSPACE* from the polynomial-time hierarchy **26** (1) (1987) 51–53
1468. Y. Métivier and E. Ochmanski, On lexicographic semi-commutations **26** (2) (1987) 55–59
1469. X. Shen and H. Edelsbrunner, A tight lower bound on the size of visibility graphs **26** (2) (1987) 61–64
1470. M. Rusinowitch, On termination of the direct sum of term-rewriting systems **26** (2) (1987) 65–70
1471. A. Mirzaian, A halving technique for the longest stuttering subsequence problem **26** (2) (1987) 71–75
1472. J. Magott, Performance evaluation of concurrent systems using conflict-free and persistent Petri nets **26** (2) (1987) 77–80
1473. Z. Galil and M. Yung, Partitioned encryption and achieving simultaneity by partitioning **26** (2) (1987) 81–88
1474. C. Mathieu, C. Puech and H. Yahia, Average efficiency of data structures for binary image processing **26** (2) (1987) 89–93
1475. K.G. Subramanian, R. Siromoney and P.J. Abisha, A D0L–T0L public key cryptosystem **26** (2) (1987) 95–97
1476. A.K. Gupta and S.E. Hambrusch, Optimal three-dimensional layouts of complete binary trees **26** (2) (1987) 99–104
1477. M.J. Thazhuthaveetil and A.R. Pleszkun, On the structural locality of reference in LISP list access streams **26** (2) (1987) 105–110
1478. A. Szalas, Arithmetical axiomatization of first-order temporal logic **26** (3) (1987) 111–116
1479. O. Sýkora and I. Vřto, Tight chip area lower bounds for string matching **26** (3) (1987) 117–119
1480. M. Zhu, N.K. Loh and P. Siy, Towards the minimum set of primitive relations in temporal logic **26** (3) (1987) 121–126
1481. Y. Hou, Trinity algebra and its application to machine decompositions **26** (3) (1987) 127–134
1482. A.S.M. Sajeev and J. Olszewski, Manipulation of data structures without pointers **26** (3) (1987) 135–143
1483. S. Moran and Y. Wolfstahl, Extended impossibility results for asynchronous complete networks **26** (3) (1987) 145–151
1484. J. Hastad, One-way permutations in NC^0 **26** (3) (1987) 153–155
1485. M.R. Fellows and M.A. Langston, Nonconstructive advances in polynomial-time complexity **26** (3) (1987) 157–162
1486. H. Balsters, Comments on "A deficiency of natural deduction" (*Letter to the Editor*) **26** (3) (1987) 163–164
1487. K.R. Apt, L. Bougé and Ph. Clermont, Two normal form theorems for CSP programs **26** (4) (1987) 165–171
1488. M.T. Goodrich, Finding the convex hull of a sorted point set in parallel **26** (4) (1987) 173–179
1489. U. Martin, Extension functions for multiset orderings **26** (4) (1987) 181–186
1490. S.S. Pinter and Y. Wolfstahl, Embedding ternary trees in VLSI arrays **26** (4) (1987) 187–191
1491. U. Güntzer and M. Paul, Jump interpolation search trees and symmetric binary numbers **26** (4) (1987) 193–204
1492. T. Takaoka, A decomposition rule for the Hoare logic **26** (4) (1987) 205–208

1493. A. Apostolico and S.E. Hambrusch, Finding maximum cliques on circular-arc graphs **26** (4) (1987) 209–215
1494. C. Băleanu and D. Tomescu, An architecture for symbolic processing **26** (4) (1987) 217–222
1495. C. Arbib, A polynomial characterization of some graph partitioning problems **26** (5) (1988) 223–230
1496. K. Culik II and J. Karhumäki, On totalistic systolic networks **26** (5) (1988) 231–236
1497. A. Siemiński, Fast decoding of the Huffman codes **26** (5) (1988) 237–241
1498. C.C. Morgan, Data refinement by miracles **26** (5) (1988) 243–246
1499. P.W. Dymond, Input-driven languages are in $\log n$ depth **26** (5) (1988) 247–250
1500. E. Soisalon-Soininen and J. Tarhio, Looping LR parsers **26** (5) (1988) 251–253
1501. K. Hinrichs, J. Nievergelt and P. Schorn, Plane-sweep solves the closest pair problem elegantly **26** (5) (1988) 255–261
1502. O.Y. De Vel and E.V. Krishnamurthy, An iterative pipelined array architecture for the generalized matrix inversion **26** (5) (1988) 263–267
1503. S.A. Cook, Short propositional formulas represent nondeterministic computations (*Note*) **26** (5) (1988) 269–270
1504. E. Mäkinen, On the rotation distance of binary trees (*Note*) **26** (5) (1988) 271–272
1505. J. Seiferas, A variant of Ben-Or's lower bound for algebraic decision trees (*Note*) **26** (5) (1988) 273–276
1506. G.C. Gopalakrishnan and M.K. Srivas, Implementing functional programs using mutable abstract data types **26** (6) (1988) 277–286
1507. T.-H. Chan, The boundedness problem for three-dimensional vector addition systems with states **26** (6) (1988) 287–289
1508. B.M. Maggs and S.A. Plotkin, Minimum-cost spanning tree as a path-finding problem **26** (6) (1988) 291–293
1509. R.J. Cole, An optimally efficient selection algorithm **26** (6) (1988) 295–299
1510. I. Cidon, Yet another distributed depth-first-search algorithm **26** (6) (1988) 301–305
1511. R.G. Karlsson and M.H. Overmars, Normalized divide-and-conquer: A scaling technique for solving multi-dimensional problems **26** (6) (1988) 307–312
1512. L. Czaja, Cause-effect structures **26** (6) (1988) 313–319
1513. M. Bezem and J. van Leeuwen, On estimating the complexity of logarithmic decompositions **26** (6) (1988) 321–324
1514. J.R. Gilbert, Some nested dissection order is nearly optimal **26** (6) (1988) 325–328
1515. M. Balakrishnan, S. Sutarwala, A.K. Majumdar, D.K. Banerji, J.G. Linders and J.C. Majithia, A semantic approach for modular synthesis of VLSI systems **27** (1) (1988) 1–7
1516. M. Li, A separator theorem for one-dimensional graphs under linear mapping **27** (1) (1988) 9–11
1517. M.J. Atallah, G.N. Frederickson and S.R. Kosaraju, Sorting with efficient use of special-purpose sorters **27** (1) (1988) 13–15
1518. G. Ramalingam and C. Pandu Rangan, Total domination in interval graphs revisited **27** (1) (1988) 17–21
1519. G. Lyon, A tagless marking that is linear over subtrees **27** (1) (1988) 23–28
1520. M.B. Josephs, The date refinement calculator for Z specifications **27** (1) (1988) 29–33
1521. D. Lea, Digital and Hilbert k-d trees **27** (1) (1988) 35–41
1522. A.M. Gibbons, A. Israeli and W. Rytter, Parallel O($\log n$) time edge-colouring of trees and Halin graphs **27** (1) (1988) 43–51
1523. J.H. Chang, O.H. Ibarra, B. Ravikumar and L. Berman, Some observations concerning alternating Turing machines using small space (*Erratum*) **27** (1) (1988) 53
1525. B.S. Chlebus, A parallel bucket sort **27** (2) (1988) 57–61
1526. J. Witaszek, A practical method for finding the optimum postponement transformation for LR(k) parsers **27** (2) (1988) 63–67
1527. M. Singhal and Y. Yesha, A polynomial algorithm for computation of the probability of conflicts in a database under arbitrary data access distribution **27** (2) (1988) 69–74
1528. S. Miyano, A parallelizable lexicographically first maximal edge-induced subgraph problem **27** (2) (1988) 75–78
1529. C.C. Chang and C.H. Chang, An ordered minimal perfect hashing scheme with single parameter **27** (2) (1988) 79–83
1530. R. Liu and S. Ntafos, On decomposing polygons into uniformly monotone parts **27** (2) (1988) 85–89
1531. F. Baader, A note on unification type zero **27** (2) (1988) 91–93

1532. R.S. Sandhu, Cryptographic implementation of a tree hierarchy for access control **27** (2) (1988) 95–98
1533. N.J. Patterson and K.J. Supowit, Finding the vertices nearest to a point in a hypercube **27** (2) (1988) 99–102
1534. A.M. Frieze, On the random construction of heaps **27** (2) (1988) 103–109
1535. L. Holenderski and A. Szalas, Propositional description of finite cause-effect structures **27** (3) (1988) 111–117
1536. D.S. Johnson, M. Yannakakis and C.H. Papadimitriou, On generating all maximal independent sets **27** (3) (1988) 119–123
1537. K. Mehlhorn, A faster approximation algorithm for the Steiner problem in graphs **27** (3) (1988) 125–128
1538. S. Chandran and A. Rosenfeld, Order statistics on a hypercube **27** (3) (1988) 129–132
1539. A.A. Bertossi, Parallel circle-cover algorithms **27** (3) (1988) 133–139
1540. S.A. Cook and M. Luby, A simple parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula **27** (3) (1988) 141–145
1541. J. Berman and W.J. Blok, Positive Boolean dependencies **27** (3) (1988) 147–150
1542. O. Watanabe, On hardness of one-way functions **27** (3) (1988) 151–157
1543. J. Leszczylowski, S. Bonnier and J. Maluszyński, Logic programming with external procedures: Introducing S-unification **27** (3) (1988) 159–165
1544. Y.H. Tsin, On handling vertex deletion in updating minimum spanning trees **27** (4) (1988) 167–168
1545. K.V.S. Ramarao, R. Daley and R. Melhem, Message complexity of the set intersection problem **27** (4) (1988) 169–174
1546. H. Rohnert, Time and space efficient algorithms for shortest paths between convex polygons **27** (4) (1988) 175–179
1547. R. Koo and S. Toueg, Effects of message loss on the termination of distributed protocols **27** (4) (1988) 181–188
1548. U. Faigle and R. Schrader, On the convergence of stationary distributions in simulated annealing algorithms **27** (4) (1988) 189–194
1549. A.-H. Esfahanian and S.L. Hakimi, On computing a conditional edge-connectivity of a graph **27** (4) (1988) 195–199
1550. A. Szepietowski, Remarks on languages acceptable in $\log\log n$ space **27** (4) (1988) 201–203
1551. D. Roelants van Baronaigien and F. Ruskey, Generating t-ary trees in A-order **27** (4) (1988) 205–213
1552. K.M. Bugrara and P.W. Purdom, An exponential lower bound for the pure literal rule **27** (4) (1988) 215–219
1553. C. Savage, Recognizing majority on a one-way mesh **27** (5) (1988) 221–225
1554. H. Jung and K. Mehlhorn, Parallel algorithms for computing maximal independent sets in trees and for updating minimum spanning trees **27** (5) (1988) 227–236
1555. T. Krishnaprasad, On the computability of circumscription **27** (5) (1988) 237–243
1556. B.P. Weems, A study of page arrangements for extendible hashing **27** (5) (1988) 245–248
1557. A. Kumar and V.M. Malhotra, A new computation rule for Prolog **27** (5) (1988) 249–252
1558. K. Itano, Y. Sato, H. Hirai and T. Yamagata, An incremental pattern matching algorithm for the pipelined lexical scanner **27** (5) (1988) 253–258
1559. H.N. Gabow and R.E. Tarjan, A linear-time algorithm for finding a minimum spanning pseudoforest **27** (5) (1988) 259–263
1560. M. Křivánek, The complexity of ultrametric partitions on graphs **27** (5) (1988) 265–270
1561. G. Ramalingam and C. Pandu Rangan, A unified approach to domination problems on interval graphs **27** (5) (1988) 271–274
1562. J. Matoušek, Line arrangements and range search **27** (6) (1988) 275–280
1563. A. De Luca and S. Varricchio, On the factors of the Thue–Morse word on three symbols **27** (6) (1988) 281–285
1564. H.L. Bodlaender, A better lower bound for distributed leader finding in bidirectional asynchronous rings of processors **27** (6) (1988) 287–290
1565. M. Hsu and S.E. Madnick, Shifting timestamps for concurrency control in an information hierarchy **27** (6) (1988) 291–297
1566. S. Kutten, Optimal fault-tolerant distributed construction of a spanning forest **27** (6) (1988) 299–307
1567. E. Orlowska, Proof system for weakest prespecification **27** (6) (1988) 309–313
1568. M.A. Sridhar, On the connectivity of the De Bruijn graph **27** (6) (1988) 315–318

1569. X. Huang, A lower bound for the edit-distance problem under an arbitrary cost function **27** (6) (1988) 319–321
1570. D. Fernández-Baca, Nonserial dynamic programming formulations of satisfiability **27** (6) (1988) 323–326
1571. M. Sakkinen, Comments on "Manipulation of data structures without pointers" (*Letter to the Editor*) **27** (6) (1988) 327–328
1572. M. Latteux and E. Timmerman, Bifaithful starry transductions **28** (1) (1988) 1–4
1573. G.F. Italiano, Finding paths and deleting edges in directed acyclic graphs **28** (1) (1988) 5–11
1574. W. Szpankowski, The evaluation of an alternative sum with applications to the analysis of some data structures **28** (1) (1988) 13–19
1575. D.A. Lamb and R. Dawes, Testing for class membership in multi-parent hierarchies **28** (1) (1988) 21–25
1576. J.D.P. Rolim and S.A. Greibach, On the IO-complexity and approximation languages **28** (1) (1988) 27–31
1577. J. Jędrzejowicz, Infinite hierarchy of expressions containing shuffle closure operator **28** (1) (1988) 33–37
1578. W.-P. Chin and S. Ntafos, Optimum watchman routes **28** (1) (1988) 39–44
1579. A. Dwelly, Synchronizing the I/O behavior of functional programs with feedback **28** (1) (1988) 45–51
1580. S. Olariu, Paw-free graphs (*Short Note*) **28** (1) (1988) 53–54
1581. W.W. Kirchherr, Transposition of an $l \times l$ matrix requires $\Omega(\log l)$ reversals on conservative Turing machines **28** (2) (1988) 55–59
1582. H. Gazit and G.L. Miller, An improved parallel algorithm that computes the BFS numbering of a directed graph **28** (2) (1988) 61–65
1583. F. Dehne and I. Stojmenovic, An $O(\sqrt{n})$ time algorithm for the ECDF searching problem for arbitrary dimensions on a mesh-of-processors **28** (2) (1988) 67–70
1584. V. Pan, Computing the determinant and the characteristic polynomial of a matrix via solving linear systems of equations **28** (2) (1988) 71–75
1585. J. Engelfriet and H.J. Hoogeboom, Prefix and equality languages of rational functions are co-context-free **28** (2) (1988) 77–79
1586. D.P. Bovet, S. De Agostino and R. Petreschi, Parallelism and the feedback vertex set problem **28** (2) (1988) 81–85
1587. Y. Auffray, Linear strategy for propositional modal resolution **28** (2) (1988) 87–92
1588. J. Ebert, Computing Eulerian trails **28** (2) (1988) 93–97
1589. J.H. Anderson and M.G. Gouda, Atomic semantics of nonatomic programs **28** (2) (1988) 99–103
1590. C.A. Schevon and J.S. Vitter, A parallel algorithm for recognizing unordered depth-first search **28** (2) (1988) 105–110
1591. A. Brandwajn, Load imbalance in DASD dynamic reconnection **28** (3) (1988) 111–119
1592. P. Mishra, Strictness analysis of the untyped λ-calculus **28** (3) (1988) 121–125
1593. J. Aguilar-Martin and C. Alsina, Characterizations of some rescaling functions **28** (3) (1988) 127–132
1594. M.A. Weiss and R. Sedgewick, Bad cases for Shaker-sort **28** (3) (1988) 133–136
1595. J.F. Morrison, Parallel p-adic computation **28** (3) (1988) 137–140
1596. F. Luccio, A. Pietracaprina and G. Pucci, A probabilistic simulation of PRAMs on a bounded degree network **28** (3) (1988) 141–147
1597. M.Y. Chan and W.L. Chung, Optimal multidisk partial match file designs **28** (3) (1988) 149–155
1598. H. Ural and B. Yang, A structural test selection criterion **28** (3) (1988) 157–163
1599. C. Ó'Dúnlaing, A tight lower bound for the complexity of path-planning for a disc **28** (4) (1988) 165–170
1600. M. Imase and Y. Manabe, Fault-tolerant routings in a κ-connected network **28** (4) (1988) 171–175
1601. M.J. Chung and M.S. Krishnamoorthy, Algorithms of placing recovery points **28** (4) (1988) 177–181
1602. J. Du and J.Y.-T. Leung, Scheduling tree-structured tasks with restricted execution times **28** (4) (1988) 183–188
1603. D.J. Rosenkrantz and H.B. Hunt III, Matrix multiplication for finite algebraic systems **28** (4) (1988) 189–192
1604. Y. Takada, Grammatical inference for even linear languages based on control sets **28** (4) (1988) 193–199
1605. G.-I. Chen and T.-H. Lai, Preemptive scheduling of independent jobs on a hypercube **28** (4) (1988) 201–206
1606. G. Brassard and S. Kannan, The generation of random permutations on the fly **28** (4) (1988) 207–212
1607. I. Suzuki, Proving properties of a ring of finite-state machines **28** (4) (1988) 213–214

1608. K. Inoue and I. Takanami, Some considerations about NPRIORITY(1) without ROM **28** (4) (1988) 215–219
1609. A. Mazurkiewicz, Solvability of the asynchronous ranking problem **28** (5) (1988) 221–224
1610. A.V. Iyer, H.D. Ratliff and G. Vijayan, Optimal node ranking of trees **28** (5) (1988) 225–229
1611. D. Platt and M.A. Magdy, Adaptive control using switched capacitor filters **28** (5) (1988) 231–234
1612. R.L. Shuo-Yen, Reconstruction of polygons from projections **28** (5) (1988) 235–240
1613. H.J. Karloff, R. Paturi and J. Simon, Universal traversal sequences of length $n^{O(\log n)}$ for cliques **28** (5) (1988) 241–243
1614. J.-F. Romeuf, Shortest path under rational constraint **28** (5) (1988) 245–248
1615. L. Fortnow and M. Sipser, Are there interactive protocols for co-NP languages? **28** (5) (1988) 249–251
1616. P. Ciaccia, D. Maio and P. Tiberio, A unifying approach to evaluating block accesses in database organizations **28** (5) (1988) 253–257
1617. P.K. Das and D.Q.M. Fay, Fault-tolerant and flexible interconnection of multiple processors **28** (5) (1988) 259–268
1618. L.L. Miller, S.K. Gadia, S. Kothari and K.C. Liu, Completeness issues for join dependencies derived from the universal relation join dependency **28** (5) (1988) 269–274
1619. A.A. Bertossi, On the domatic number of interval graphs **28** (6) (1988) 275–280
1620. D.W. Wang and Y.-S. Kuo, A study on two geometric location problems **28** (6) (1988) 281–286
1621. K. Vidyasankar, Converting Lamport's regular register to atomic register **28** (6) (1988) 287–290
1622. J. Hartmanis and L. Hemachandra, On sparse oracles separating feasible complexity classes **28** (6) (1988) 291–295
1623. G.-H. Chen, M.S. Yu and L.T. Liu, Two algorithms for constructing a binary tree from its traversals **28** (6) (1988) 297–299
1624. C.-W. Ho and R.C.T. Lee, Efficient parallel algorithms for finding maximal cliques, clique trees, and minimum coloring on chordal graphs **28** (6) (1988) 301–309
1625. M. Liśkiewicz and K. Loryś, Alternating real-time computations **28** (6) (1988) 311–316
1626. E.P.F. Chan and H.J. Hernández, Testing unboundedness of database schemes and functional dependencies **28** (6) (1988) 317–326
1627. M.C. Loui, T.A. Matsushita and D.B. West, Election in a complete network with a sense of direction (*Corrigendum*) **28** (6) (1988) 327
1628. M. Minoux, LTUR: A simplified linear-time unit resolution algorithm for Horn formulae and computer implementation **29** (1) (1988) 1–12
1629. S.-T. Huang, A fully distributed termination detection scheme **29** (1) (1988) 13–18
1630. J.-C. Raoult, Proving open properties by induction **29** (1) (1988) 19–23
1631. M. Reichling, On the detection of a common intersection of k convex objects in the plane **29** (1) (1988) 25–29
1632. F.W. Burton, G.P. McKeown and V.J. Rayward-Smith, On process assignment in parallel computing **29** (1) (1988) 31–34
1633. E. Mäkinen, On linear search heuristics **29** (1) (1988) 35–36
1634. M.D. Atkinson and N. Santoro, A practical algorithm for Boolean matrix multiplication **29** (1) (1988) 37–38
1635. J.L.W. Kessels, An exercise in proving self-stabilization with a variant function **29** (1) (1988) 39–42
1636. M. Sassa and I. Nakata, Time-optimal short-circuit evaluation of Boolean expressions **29** (1) (1988) 43–51
1637. R.K. Arora and M.N. Gupta, More comments on "Distributed termination detection algorithm for distributed computations" (*Letter to the Editor*) **29** (1) (1988) 53–55
1638. A. Arnold and P. Crubille, A linear algorithm to solve fixed-point equations on transition systems **29** (2) (1988) 57–66
1639. A. Szalas, An incompleteness result in Process Algebra **29** (2) (1988) 67–70
1640. W. Rytter, On efficient parallel computations of costs of paths on a grid graph **29** (2) (1988) 71–74
1641. F. Hoffmann and K. Kriegel, Embedding rectilinear graphs in linear time **29** (2) (1988) 75–79
1642. A. Blikle, A guided tour of the mathematics of MetaSoft'88 **29** (2) (1988) 81–86
1643. D. Wätjen and E. Unruh, On the degree of synchronization of k1T0L and k1ET0L systems **29** (2) (1988) 87–89
1644. A. De Luca, M. Pelagalli and S. Varricchio, Test sets for languages of infinite words **29** (2) (1988) 91–95

1645. B. Louka and M. Tchuente, Dynamic programming on two-dimensional systolic arrays **29** (2) (1988) 97–104
1646. H.B. Mittal, A fast backtrack algorithm for graph isomorphism **29** (2) (1988) 105–110
1647. O.H. Ibarra, T. Jiang and B. Ravikumar, Some subclasses of context-free languages in NC^1 **29** (3) (1988) 111–117
1648. G.E. Shannon, A linear-processor algorithm for depth-first search in planar graphs **29** (3) (1988) 119–123
1649. P. Narendran and F. Otto, Preperfectness is undecidable for Thue systems containing only length-reducing rules and a single commutation rule **29** (3) (1988) 125–130
1650. G. Vossen, A new characterization of FD implication with an application to update anomalies **29** (3) (1988) 131–135
1651. H.L. Bodlaender, The complexity of finding uniform emulations on fixed graphs **29** (3) (1988) 137–141
1652. P.M. van den Broek, Confluence of indirection reductions in graph rewrite systems **29** (3) (1988) 143–148
1653. S. Haldar and D.K. Subramanian, Ring based termination detection algorithm for distributed computations **29** (3) (1988) 149–153
1654. B. Korel and J. Laski, Dynamic program slicing **29** (3) (1988) 155–163
1655. J.R. Nawrocki and A. Urbański, Fixed-sized blocks optimization **29** (4) (1988) 165–169
1656. S. Bozapalidis and S. Ioulidis, Varieties of formal series on trees and Eilenberg's theorem **29** (4) (1988) 171–175
1657. S. Cho and D.T. Huynh, On a complexity hierarchy between L and NL **29** (4) (1988) 177–182
1658. M. Ouksel and P. Scheuermann, Implicit data structures for linear hashing schemes **29** (4) (1988) 183–189
1659. C.-I. Park, K.H. Park and M. Kim, Efficient backward execution in AND/OR process model **29** (4) (1988) 191–198
1660. E.L. Leiss, On the degree of dominator trees **29** (4) (1988) 199–200
1661. F.E.J. Kruseman Aretz, On a recursive ascent parser **29** (4) (1988) 201–206
1662. F.A. Schreiber and G. Rosolini, An algebraic description of some state-dependent failure mechanisms **29** (4) (1988) 207–211
1663. S. Pramanik and M.H. Kim, HCB_tree: A height compressed B_tree for parallel processing **29** (4) (1988) 213–220
1664. G. Gallo and M.G. Scutellà, Polynomially solvable satisfiability problems **29** (5) (1988) 221–227
1665. H.J. Boom, Lazy variable-renumbering makes substitution cheap **29** (5) (1988) 229–232
1666. B.S. Veroy, Optimal search algorithm for a minimum of a discrete periodic bimodal function **29** (5) (1988) 233–239
1667. P. Schorn, A canonical simplifier for trigonometric expressions in the kinematic equation **29** (5) (1988) 241–246
1668. F. Özgüner and C. Aykanat, A reconfiguration algorithm for fault tolerance in a hypercube multiprocessor **29** (5) (1988) 247–254
1669. M. Chrobak and R. Harter, A note on random sampling **29** (5) (1988) 255–256
1670. W.W. McCune, Un-Skolemizing clause sets **29** (5) (1988) 257–263
1671. M. Sharir, The shortest watchtower and related problems for polyhedral terrains **29** (5) (1988) 265–270
1672. A. D'Atri and M. Moscarini, On hypergraph acyclicity and graph chordality **29** (5) (1988) 271–274
1673. P. Dublish, An $O(n^3)$ algorithm for finding the minimal opaque forest of a convex polygon **29** (5) (1988) 275–276
1674. M.E. Majster-Cederbaum, On the uniqueness of fixed points of endofunctors in a category of complete metric spaces **29** (6) (1988) 277–281
1675. B.M. Waxman and M. Imase, Worst-case performance of Rayward-Smith's Steiner tree heuristic **29** (6) (1988) 283–287
1676. S. Olariu, On the unimodality of convex polygons **29** (6) (1988) 289–292
1677. C. Morgan, Auxiliary variables in data refinement **29** (6) (1988) 293–296
1678. I. Guessarian and L. Priese, On the minimal number of $\times$ operators to model regularity in fair SCCS **29** (6) (1988) 297–300
1679. D.A. Lamb, Benign side effects **29** (6) (1988) 301–305
1680. N. Shankar and V. Ramachandran, Efficient parallel circuits and algorithms for division **29** (6) (1988) 307–313

1681. T. Moriya, Closure property of principal cones under substitution **29** (6) (1988) 315–317
1682. B.S. Veroy, Average complexity of divide-and-conquer algorithms **29** (6) (1988) 319–326
1683. T. Hagerup, On saving space in parallel computation (*Note*) **29** (6) (1988) 327–329
1684. M.J. Foster and R.I. Greenberg, Lower bounds on the area of finite-state machines **30** (1) (1989) 1–7
1685. J.S. Salowe, L-infinity interdistance selection by parametric search **30** (1) (1989) 9–14
1686. P. Roth, A note on word chains and regular languages **30** (1) (1989) 15–18
1687. Ph. Darondeau, Bisimulation and effectiveness **30** (1) (1989) 19–20
1688. R.S. Sandhu, The reflected tree hierarchy for protection and sharing **30** (1) (1989) 21–26
1689. A. Lingas and M. Karpinski, Subtree isomorphism is NC reducible to bipartite perfect matching **30** (1) (1989) 27–32
1690. P.P. Chakrabarti, S. Ghose, A. Pandey and S.C. De Sarkar, Increasing search efficiency using multiple heuristics **30** (1) (1989) 33–36
1691. G. Turán, Lower bounds for synchronous circuits and planar circuits **30** (1) (1989) 37–40
1692. Z. Galil and V. Pan, Parallel evaluation of the determinant and of the inverse of a matrix **30** (1) (1989) 41–45
1693. M. Geréb-Graus, R. Paturi and E. Szemerédi, There are no p-complete families of symmetric Boolean functions **30** (1) (1989) 47–49
1694. E.C.R. Hehner, Real-time programming **30** (1) (1989) 51–56
1695. R. Fleischer, Communication complexity of multi-processor systems **30** (2) (1989) 57–65
1696. W.S. Wong and R.J.T. Morris, A new approach to choosing initial points in local search **30** (2) (1989) 67–72
1697. J.H. Kim, K.H. Park and M. Kim, A model of distributed control: Dependency and uncertainty **30** (2) (1989) 73–77
1698. C. Consel and O. Danvy, Partial evaluation of pattern matching in strings **30** (2) (1989) 79–86
1699. R. Shonkwiler, An image algorithm for computing the Hausdorff distance efficiently in linear time **30** (2) (1989) 87–89
1700. M. Mihail, On coupling and the approximation of the permanent **30** (2) (1989) 91–95
1701. C.U. Martel and D. Gusfield, A fast parallel quicksort algorithm **30** (2) (1989) 97–102
1702. P. van Emde Boas, Space measures for storage modification machines **30** (2) (1989) 103–110
1703. T. Itoh and S. Tsujii, An efficient algorithm for deciding quadratic residuosity in finite fields GF(p^m) **30** (3) (1989) 111–114
1704. M.O. Jokinen, Customizable garbage collectors **30** (3) (1989) 115–118
1705. J.S. Provan, Shortest enclosing walks and cycles in embedded graphs **30** (3) (1989) 119–125
1706. O. Gerstel, Y. Mansour and S. Zaks, Bit complexity of order statistics on a distributed star network **30** (3) (1989) 127–132
1707. J.D.P. Rolim and S.A. Greibach, A note on the best-case complexity **30** (3) (1989) 133–138
1708. U. Kelter, The pitfall paradox and its solution with virtual objects **30** (3) (1989) 139–143
1709. J. Staunstrup and J. Nievergelt, The behavior of shared objects: Concepts, pitfalls, and a new model **30** (3) (1989) 145–151
1710. K. Culik II, Variations of the firing squad problem and applications **30** (3) (1989) 153–157
1711. E.M. Ehlers and S.H. von Solms, Using random context structure grammars to represent chemical structures **30** (3) (1989) 159–166
1712. C. Lavault, Average number of messages for distributed leader-finding in rings of processors **30** (4) (1989) 167–176
1713. H. Chetto and M. Chetto, Scheduling periodic and sporadic tasks in a real-time system **30** (4) (1989) 177–184
1714. J. Wogulis, Self-adjusting and split sequence hash tables **30** (4) (1989) 185–188
1715. K. Raymond, A distributed algorithm for multiple entries to a critical section **30** (4) (1989) 189–193
1716. F. Mattern, Global quiescence detection based on credit distribution and recovery **30** (4) (1989) 195–200
1717. R.E. Barkley and T.P. Lee, Point representation and hashing of an interval **30** (4) (1989) 201–203
1718. A. Aggarwal, D. Coppersmith and D. Kleitman, A generalized model for understanding evasiveness **30** (4) (1989) 205–208
1719. J.M. Robson, Separating strings with small automata **30** (4) (1989) 209–214
1720. J.C. Culberson and P. Rudnicki, A fast algorithm for constructing trees from distance matrices **30** (4) (1989) 215–220

1721. K. Vidyasankar, An elegant 1-writer multireader multivalued atomic register **30** (5) (1989) 221–223
1722. W. Rytter and T. Szymacha, Parallel algorithms for a class of graphs generated recursively **30** (5) (1989) 225–231
1723. L. Kučera, Graphs with small chromatic numbers are easy to color **30** (5) (1989) 233–236
1724. H.T. Ch'ng, B. Srinivasan and B.C. Ooi, Study of selforganizing heuristics for skewed access patterns **30** (5) (1989) 237–244
1725. G. Song, D. Park, D. Lee, K.H. Park and M. Kim, A distributed deadlock detection algorithm: Distributed graph reconstruction algorithm **30** (5) (1989) 245–252
1726. Y. Zalcstein and M. Garzon, An NC^2 algorithm for testing similarity of matrices **30** (5) (1989) 253–254
1727. D. Gusfield and R.W. Irving, Parametric stable marriage and minimum cuts **30** (5) (1989) 255–259
1728. M.Y. Vardi, A note on the reduction of two-way automata to one-way automata **30** (5) (1989) 261–264
1729. V. Rajan, R.K. Ghosh and P. Gupta, An efficient parallel algorithm for random sampling **30** (5) (1989) 265–268
1730. E. Omiecinski and E. Tien, A hash-based join algorithm for a cube-connected parallel computer **30** (5) (1989) 269–275
1731. J.L. Nazareth and K.A. Ariyawansa, On accelerating Newton's method based on a conic model **30** (6) (1989) 277–281
1732. A. De Luca and S. Varricchio, Factorial languages whose growth function is quadratically upper bounded **30** (6) (1989) 283–288
1733. G. Lindhorst and F. Shahrokhi, On renaming a set of clauses as a Horn set **30** (6) (1989) 289–293
1734. O.H. Ibarra and T. Jiang, Optimal simulation of tree arrays by linear arrays **30** (6) (1989) 295–302
1735. C. Vogt, A new approach to optimal cache scheduling **30** (6) (1989) 303–310
1736. V. Kotov, Andrei P. Ershov (1931–1988) **31** (1) (1989) 1–2
1737. D. Ginat, D.D. Sleator and R.E. Tarjan, A tight amortized bound for path reversal **31** (1) (1989) 3–5
1738. T. Kamada and S. Kawai, An algorithm for drawing general undirected graphs **31** (1) (1989) 7–15
1739. A. Aggarwal and D. Kravets, A linear time algorithm for finding all farthest neighbors in a convex polygon **31** (1) (1989) 17–20
1740. Y. Robert, B. Tourancheau and G. Villard, Data allocation strategies for the Gauss and Jordan algorithms on a ring of processors **31** (1) (1989) 21–29
1741. R.I. Hartley, Drawing polygons given angle sequences **31** (1) (1989) 31–33
1742. V. Kumar, Concurrency control on extendible hashing **31** (1) (1989) 35–41
1743. S. Olariu and J. Randall, Welsh–Powell opposition graphs **31** (1) (1989) 43–46
1744. S. Yu, A pumping lemma for deterministic context-free languages **31** (1) (1989) 47–51
1745. H. de Fraysseix and H. Imai, Notes on oriented depth-first search and longest paths **31** (1) (1989) 53–56
1746. F. Luccio and L. Pagli, On the upper bound on the rotation distance of binary trees **31** (2) (1989) 57–60
1747. C.-W. Ho and R.C.T. Lee, Counting clique trees and computing perfect elimination schemes in parallel **31** (2) (1989) 61–68
1748. R. Sundar, Worst-case data structures for the priority queue with attrition **31** (2) (1989) 69–75
1749. J.M. Basart and L. Huguet, An approximation algorithm for the TSP **31** (2) (1989) 77–81
1750. M.V. Ramakrishna, Analysis of random probing hashing **31** (2) (1989) 83–90
1751. F.W. Burton, A note on higher-order functions versus logical variables **31** (2) (1989) 91–95
1752. I.A. Stewart, An algorithm for colouring perfect planar graphs **31** (2) (1989) 97–101
1753. W. Rytter, A note on optimal parallel transformations of regular expressions to nondeterministic finite automata **31** (2) (1989) 103–109
1754. D.B. Skillicorn and D.T. Barnard, Parallel parsing on the Connection Machine **31** (3) (1989) 111–117
1755. S. Matsuoka, T. Kamada and S. Kawai, Asymptotic evaluation of window visibility **31** (3) (1989) 119–126
1756. G. Tel and F. Mattern, Comments on "Ring based termination detection algorithm for distributed computations" **31** (3) (1989) 127–128
1757. W.-K. Shih and W.-L. Hsu, An $O(n \log n + m \log\log n)$ maximum weight clique algorithm for circular-arc graphs **31** (3) (1989) 129–134
1758. H.L. Bodlaender, Achromatic number is NP-complete for cographs and interval graphs **31** (3) (1989) 135–138
1759. J.N. Tsitsiklis, On the use of random numbers in asynchronous simulation via rollback **31** (3) (1989) 139–144

1760. J.Y.-T. Leung, Bin packing with restricted piece sizes **31** (3) (1989) 145–149
1761. P. Lentfert and M.H. Overmars, Data structures in a real-time environment **31** (3) (1989) 151–155
1762. J. Cheriyan and S.N. Maheshwari, The parallel complexity of finding a blocking flow in a 3-layer network **31** (3) (1989) 157–161
1763. M. Beaudry, Characterization of idempotent transformation monoids **31** (3) (1989) 163–166
1764. A. Gregori, Unit-length embedding of binary trees on a square grid **31** (4) (1989) 167–173
1765. X. Wu, Fast approximations to discrete optimal quantization **31** (4) (1989) 175–179
1766. B.S. Chlebus, Parallel iterated bucket sort **31** (4) (1989) 181–183
1767. V.M. Malhotra, T.V. To and K. Kanchanasut, An improved data-dependency-based backtracking scheme for Prolog **31** (4) (1989) 185–189
1768. S.A. Goldman, A space efficient greedy triangulation algorithm **31** (4) (1989) 191–196
1769. A. Varma, Fault-tolerant routing in unique-path multistage interconnection networks **31** (4) (1989) 197–201
1770. F. Mattern, An efficient distributed termination test **31** (4) (1989) 203–208
1771. S.D. Carson and P. Vongsathorn, Error bounds on disk arrangement using frequency information **31** (4) (1989) 209–213
1772. D.S. Hochbaum and R. Shamir, An $O(n \log^2 n)$ algorithm for the maximum weighted tardiness problem **31** (4) (1989) 215–219
1773. P. Ramanan, Average-case analysis of the Smart Next Fit algorithm **31** (5) (1989) 221–225
1774. R. Casas, J. Díaz and J.M. Steyaert, Average-case analysis of Robinson's unification algorithm with two different variables **31** (5) (1989) 227–232
1775. M.E. Bermudez and G. Logothetis, Simple computation of LALR(1) lookahead sets **31** (5) (1989) 233–238
1776. T. Head, Deciding the immutability of regular codes and languages under finite transductions **31** (5) (1989) 239–241
1777. S. Olariu, A simple linear-time algorithm for computing the RNG and MST of unimodal polygons **31** (5) (1989) 243–247
1778. S. Khuller, On computing graph closures **31** (5) (1989) 249–255
1779. E.B. Feinberg, Characterizing the shortest path of an object among obstacles **31** (5) (1989) 257–264
1780. A.V. Goldberg and R.E. Tarjan, A parallel algorithm for finding a blocking flow in an acyclic network **31** (5) (1989) 265–271
1781. B.-J. Falkowski, A self-optimizing Prolog program and the underlying statistical model **31** (5) (1989) 273–276
1782. G. Stålmarck, A note on the computational complexity of the pure classical implication calculus **31** (6) (1989) 277–278
1783. H. Nagamochi and T. Ibaraki, On max-flow min-cut and integral flow properties for multicommodity flows in directed networks **31** (6) (1989) 279–285
1784. D.P. Foster and R.V. Vohra, Probabilistic analysis of a heuristics for the dual bin packing problem **31** (6) (1989) 287–290
1785. S. Yoccoz, Recursive ω-rule for proof systems **31** (6) (1989) 291–294
1786. R. Mukkamala, Some properties of view-based replication control algorithms for distributed systems **31** (6) (1989) 295–298
1787. P. Bertolazzi and A. Sassano, A decomposition strategy for the vertex cover problem **31** (6) (1989) 299–304
1788. L. Czaja, Finite processes in cause–effect structures and their composition **31** (6) (1989) 305–310
1789. A. Aggarwal and M. Hawrylycz, On computing the closest boundary point on the convex hull **31** (6) (1989) 311–314
1790. S. Carlsson, J. Chen and T. Strothotte, A note on the construction of the data structure "deap" **31** (6) (1989) 315–317
1791. P.A. Bloniarz and S.S. Ravi, An $\Omega(n \log n)$ lower bound for decomposing a set of points into chains **31** (6) (1989) 319–322
1792. N. Eisinger, A note on the completeness of resolution without self-resolution **31** (6) (1989) 323–326
1793. L. Allison, Direct semantics and exceptions define jumps and coroutines **31** (6) (1989) 327–330
1794. P. Damaschke, The Hamiltonian circuit problem for circle graphs is NP-complete **32** (1) (1989) 1–2
1795. D. Sarkar and I. Stojmenović, An optimal parallel circle-cover algorithm **32** (1) (1989) 3–6

1796. N. Gunther, Path integral methods for computer performance analysis **32** (1) (1989) 7–13
1797. J. Matoušek, On-line computation of convolutions **32** (1) (1989) 15–16
1798. A.P. Sistla, On verifying that a concurrent program satisfies a nondeterministic specification **32** (1) (1989) 17–23
1799. K. Iwano, An improvement of Goldberg, Plotkin and Vaidya's maximal node-disjoint paths algorithm **32** (1) (1989) 25–27
1800. J. Biskup, Boyce–Codd normal form and object normal forms **32** (1) (1989) 29–33
1801. T. Hagerup, Hybridsort revisited and parallelized **32** (1) (1989) 35–39
1802. A. Blass and Y. Gurevich, On Matijasevitch's nontraditional approach to search problems **32** (1) (1989) 41–45
1803. E.L. Lloyd, A fast algorithm for finding interlocking sets **32** (1) (1989) 47–50
1804. H.K. Choi and M. Kim, Hybrid join: An improved sort-based join algorithm **32** (2) (1989) 51–56
1805. L. Boxer and R. Miller, A parallel circle-cover minimization algorithm **32** (2) (1989) 57–60
1806. M.-S. Chern, G.H. Chen and P. Liu, An LC branch-and-bound algorithm for the module assignment problem **32** (2) (1989) 61–71
1807. Y.J. Kim and G.C. Kim, Coordinator: A modification to the monitor concept **32** (2) (1989) 73–80
1808. D.G. Feitelson and L. Rudolph, Implementation of a wait-free synchronization primitive that solves n-process consensus **32** (2) (1989) 81–83
1809. D.A. Wolfram, Forward checking and intelligent backtracking **32** (2) (1989) 85–87
1810. Y.C. Chen, Z.C. Yeh and G.H. Chen, Using fewer processors to reduce time complexities of semigroup computations **32** (2) (1989) 89–93
1811. C.S. Laih, J.Y. Lee and L. Harn, A new threshold scheme and its application in designing the conference key distribution cryptosystem **32** (3) (1989) 95–99
1812. A. Janiak, Minimization of resource consumption under a given deadline in the two-processor flow-shop scheduling problem **32** (3) (1989) 101–112
1813. S.-T. Huang, Termination detection by using distributed snapshots **32** (3) (1989) 113–119
1814. M. Kochol, Efficient monotone circuits for threshold functions **32** (3) (1989) 121–122
1815. S.S. Skiena, Reconstructing graphs from cut-set sizes **32** (3) (1989) 123–127
1816. A. Goscinski, A synchronization algorithm for processes with dynamic priorities in computer networks with node failures **32** (3) (1989) 129–136
1817. S. Richardson and M. Ganapathi, Interprocedural analysis vs. procedure integration **32** (3) (1989) 137–142
1818. P. Cull and J.L. Holloway, Computing Fibonacci numbers quickly **32** (3) (1989) 143–149
1819. G. Sagar, A.K. Sarje and K.U. Ahmed, On module assignment in two-processor distributed systems: A modified algorithm **32** (3) (1989) 151–153
1820. J.M. Morris, Well-founded induction and the invariance theorem for loops **32** (3) (1989) 155–158
1821. M.J. Atallah and D.Z. Chen, An optimal parallel algorithm for the minimum circle-cover problem **32** (4) (1989) 159–165
1822. G. Narasimhan, A note on the Hamiltonian Circuit Problem on directed path graphs **32** (4) (1989) 167–170
1823. M. Bern and P. Plassmann, The Steiner problem with edge lengths 1 and 2 **32** (4) (1989) 171–176
1824. G. Ligozat and H. Bestougeff, On relations between intervals **32** (4) (1989) 177–182
1825. M.B. Sharma, S.S. Iyengar and N.K. Mandyam, An efficient distributed depth-first-search algorithm **32** (4) (1989) 183–186
1826. M. Sharir, A note on the Papadimitriou–Silverberg algorithm for planning optimal piecewise-linear motion of a ladder **32** (4) (1989) 187–190
1827. A. Lingas, Voronoi diagrams with barriers and the shortest diagonal problem **32** (4) (1989) 191–198
1828. J.A. Ellis, M. Mata and G. MacGillivray, A linear time algorithm for longest (s,t)-paths in weighted outerplanar graphs **32** (4) (1989) 199–204
1829. Ö. Eğecioğlu and B. Kalantari, Approximating the diameter of a set of points in the Euclidean space **32** (4) (1989) 205–211
1830. R.S. Sandhu, The demand operation in the schematic protection model **32** (4) (1989) 213–219
1831. J. van den Bos, PROCOL: A protocol-constrained concurrent object-oriented language **32** (5) (1989) 221–227
1832. R. Kemp, A one-to-one correspondence between two classes of ordered trees **32** (5) (1989) 229–234

1833. N. Francez, Cooperating proofs for distributed programs with multiparty interactions **32** (5) (1989) 235–242
1834. H. Everett and A. Gupta, Acyclic directed hypercubes may have exponential diameter **32** (5) (1989) 243–245
1835. G.A. Cheston, A. Farley, S.T. Hedetniemi and A. Proskurowski, Centering a spanning tree of a biconnected graph **32** (5) (1989) 247–250
1836. D.A.M. Barrington and J. Corbett, On the relative complexity of some languages in NC^1 **32** (5) (1989) 251–256
1837. A. Clouâtre, N. Laliberté and T.H. Merrett, A general implementation of relational recursion with speedup techniques for programmers **32** (5) (1989) 257–262
1838. G.H. Roberts, Another note on recursive ascent **32** (5) (1989) 263–266
1839. G. Baron and F. Urbanek, Factorial languages with quadratically upper bounded growth functions and nonlinearly upper bounded subword complexities **32** (5) (1989) 267–269
1840. E. Mäkinen, On the subtree isomorphism problem for ordered trees **32** (5) (1989) 271–273
1841. P.P. Chakrabarti, S. Ghose, A. Pandey and S.C. De Sarkar, Increasing search efficiency using multiple heuristics (*Corrigendum*) **32** (5) (1989) 275
1842. S. Shiraishi, A parallel algorithm for the maximum 2-chain edge packing problem **32** (6) (1989) 277–279
1843. S. Abiteboul, Boundedness is undecidable for Datalog programs with a single recursive rule **32** (6) (1989) 281–287
1844. H. Alblas, Optimal incremental simple multi-pass attribute evaluation **32** (6) (1989) 289–295
1845. M. Padberg and A. Sassano, The complexity of matching with bonds **32** (6) (1989) 297–300
1846. R.L. Drysdale III and J.W. Jaromczyk, A note on lower bounds for the maximum area and maximum perimeter k-gon problems **32** (6) (1989) 301–303
1847. A.M. Gibbons and Y.N. Srikant, A class of problems efficiently solvable on mesh-connected computers including dynamic expression evaluation **32** (6) (1989) 305–311
1848. R. Demolombe and A. Illarramendi, Heuristics for syntactical optimization of relational queries **32** (6) (1989) 313–316
1849. S. Abiteboul, M. Gyssens and D. van Gucht, An alternative way to represent the cogroup of a relation in the context of nested databases **32** (6) (1989) 317–324
1850. Y. Toyama, Fast Knuth–Bendix completion with a term rewriting system compiler **32** (6) (1989) 325–328
1851. B.S. Veroy, Optimal search algorithm for a minimum of a discrete periodic bimodal function (*Corrigendum*) **32** (6) (1989) 329
1852. B.S. Veroy, Average complexity of divide-and-conquer algorithms (*Corrigendum*) **32** (6) (1989) 329
1853. Z. Fülöp and S. Vágvölgyi, Top-down tree transducers with deterministic top-down look-ahead **33** (1) (1989) 3–5
1854. S.J. Wan and S.K.M. Wong, An adaptive algorithm for finding a covering hypersphere **33** (1) (1989) 7–10
1855. D.-L. Lee, On access and alignment of data in a parallel processor **33** (1) (1989) 11–14
1856. M.E. Majster-Cederbaum, The contraction property is sufficient to guarantee the uniqueness of fixed points of endofunctors in a category of complete metric spaces **33** (1) (1989) 15–19
1857. J. Misra, A simple proof of a simple consensus algorithm **33** (1) (1989) 21–24
1858. G. Taubenfeld, Leader election in the presence of $n-1$ initial failures **33** (1) (1989) 25–28
1859. A. Srinivasa Rao and C. Pandu Rangan, Linear algorithm for domatic number problem in interval graphs **33** (1) (1989) 29–33
1860. B. Dasgupta and C.E. Veni Madhavan, An approximate algorithm for the minimal vertex nested polygon problem **33** (1) (1989) 35–44
1861. K.-F. Wong, Comments on "A comparison of concatenated and superimposed code word surrogate files for very large data/knowledge bases" **33** (1) (1989) 45–52
1862. M. Raynal, Prime numbers as a tool to design distributed algorithms **33** (1) (1989) 53–58
1863. D. Avis, J.M. Robert and R. Wenger, Lower bounds for line stabbing **33** (2) (1989) 59–62
1864. C. Buchta, On the average number of maxima in a set of vectors **33** (2) (1989) 63–65
1865. K.-L. Chung, W.-C. Chen and F.-C. Lin, Fast computation of periodic continued fractions **33** (2) (1989) 67–72
1866. A. Szepietowski, Some remarks on the alternating hierarchy and closure under complement for sublogarithmic space **33** (2) (1989) 73–78

1867. W. Thome and R. Wilhelm, Simulating circular attribute grammars through attribute reevaluation **33** (2) (1989) 79–81
1868. M. Dietzfelbinger, The speed of copying on one-tape off-line Turing machines **33** (2) (1989) 83–89
1869. A.A. Schäffer, Optimal node ranking of trees in linear time **33** (2) (1989) 91–96
1870. S. Ceri, G. Gottlob, L. Tanca and G. Wiederhold, Magic semi-joins **33** (2) (1989) 97–107
1871. A. Szepietowski, Some notes on strong and weak $\log\log n$ space complexity **33** (2) (1989) 109–112
1872. R. Grossi and F. Luccio, Simple and efficient string matching with k mismatches **33** (3) (1989) 113–120
1873. T. Shoudai, The lexicographically first topological order problem is NLOG-complete **33** (3) (1989) 121–124
1874. L. Lopriore, Software-controlled cache coherence protocol for multicache systems **33** (3) (1989) 125–130
1875. E.R. McCurley, Auxiliary variables in partial correctness programming logics **33** (3) (1989) 131–133
1876. S.G. Akl, D. Gries and I. Stojmenović, An optimal parallel algorithm for generating combinations **33** (3) (1989) 135–139
1877. R.V. Book and S. Tang, A note on sparse sets and the polynomial-time hierarchy **33** (3) (1989) 141–143
1878. R.B. Boppana, The average-case parallel complexity of sorting **33** (3) (1989) 145–146
1879. A. Srinivasa Rao and C. Pandu Rangan, Optimal parallel algorithms on circular-arc graphs **33** (3) (1989) 147–156
1880. B. Parker and I. Parberry, Constructing sorting networks from k-sorters **33** (3) (1989) 157–162
1881. R. Berghammer, G. Schmidt and H. Zierer, Symmetric quotients and domain constructions **33** (3) (1989) 163–168
1882. J. Hershberger, Finding the upper envelope of n line segments in $O(n \log n)$ time **33** (4) (1989) 169–174
1883. D.T. Lee and F.P. Preparata, Parallel batched planar point location on the CCC **33** (4) (1989) 175–179
1884. T. Hagerup and C. Rüb, Optimal merging and sorting on the EREW PRAM **33** (4) (1989) 181–185
1885. C. Levcopoulos and O. Petersson, A note on adaptive parallel sorting **33** (4) (1989) 187–191
1886. E. Wanke and M. Wiegers, Undecidability of the bandwidth problem on linear graph languages **33** (4) (1989) 193–197
1887. J.D.P. Rolim, On the polynomial IO-complexity **33** (4) (1989) 199–204
1888. J. Boreddy and R.N. Mukherjee, An algorithm to find polygon similarity **33** (4) (1989) 205–206
1889. R. Zippel, An explicit separation of relativised random polynomial time and relativised deterministic polynomial time **33** (4) (1989) 207–212
1890. J. Žerovnik, A randomised heuristical algorithm for estimating the chromatic number of a graph **33** (4) (1989) 213–219
1891. P. Crescenzi and R. Silvestri, Relative complexity of evaluating the optimum cost and constructing the optimum for maximization problems **33** (5) (1990) 221–226
1892. H. Suzuki, N. Takahashi and T. Nishizeki, A linear algorithm for bipartition of biconnected graphs **33** (5) (1990) 227–231
1893. Y. Han and Y. Igarashi, Time lower bounds for sorting on multi-dimensional mesh-connected processor arrays **33** (5) (1990) 233–238
1894. J. Kämper, A result relating disjunctive self-reducibility to P-immunity **33** (5) (1990) 239–242
1895. C.S. Kannan and H.Y.H. Chuang, Fast Hough transform on a mesh connected processor array **33** (5) (1990) 243–248
1896. L. Boxer and R. Miller, Common intersections of polygons **33** (5) (1990) 249–254
1897. D. Agrawal and A. El Abbadi, Exploiting logical structures in replicated databases **33** (5) (1990) 255–260
1898. V. Shoup, On the deterministic complexity of factoring polynomials over finite fields **33** (5) (1990) 261–267
1899. R.J. Anderson and G.L. Miller, A simple randomized parallel algorithm for list-ranking **33** (5) (1990) 269–273
1900. A.A. Bertossi and S. Moretti, Parallel algorithms on circular-arc graphs **33** (6) (1990) 275–281
1901. M.B. Dillencourt, Realizability of Delaunay triangulations **33** (6) (1990) 283–287
1902. N.J. Gunther and J.G. Shaw, Path integral evaluation of ALOHA network transients **33** (6) (1990) 289–295
1903. T. Altman and B.S. Chlebus, Sorting roughly sorted sequences in parallel **33** (6) (1990) 297–300
1904. S. Olariu, A generalization of Chvátal's Star-Cutset Lemma **33** (6) (1990) 301–303
1905. T. Hagerup and C. Rüb, A guided tour of Chernoff bounds **33** (6) (1990) 305–308

1906. Z. Galil and K. Park, A linear-time algorithm for concave one-dimensional dynamic programming **33** (6) (1990) 309–311
1907. P. Hingston and R. Wilkinson, A distributed join algorithm **33** (6) (1990) 313–317
1908. S. Khuller and J.S.B. Mitchell, On a triangle counting problem **33** (6) (1990) 319–321
1909. E. Knapp, A predicate transformer for progress **33** (6) (1990) 323–330
1910. M. Kurihara and I. Kaji, Modular term rewriting systems and the termination **34** (1) (1990) 1–4
1911. M. Ahuja, *Flush* primitives for asynchronous distributed systems **34** (1) (1990) 5–12
1912. S. Simonson, Routing with critical paths **34** (1) (1990) 13–19
1913. A. Andersson and S. Carlsson, Construction of a tree from its traversals in optimal time and space **34** (1) (1990) 21–25
1914. J. Jacob, Separability and the detection of hidden channels **34** (1) (1990) 27–29
1915. A.D. Martínez, R. Wachenchauzer and R.D. Lins, Cyclic reference counting with local mark-scan **34** (1) (1990) 31–35
1916. O.J. Murphy and S.M. Selkow, Finding nearest neighbors with Voronoi tessellations **34** (1) (1990) 37–41
1917. C. Neaderhouser Purdy and G.B. Purdy, The area-time complexity of the greatest common divisor problem: A lower bound **34** (1) (1990) 43–46
1918. J.Y.-T. Leung and G.H. Young, Preemptive scheduling to minimize mean weighted flow time **34** (1) (1990) 47–50
1919. R. Morrison, M.P. Atkinson, A.L. Brown and A. Dearle, On the classification of binding mechanisms **34** (1) (1990) 51–55
1920. N. Francez, Cooperating proofs for distributed programs with multiparty interactions (*Corrigendum*) **34** (1) (1990) 57
1921. S. Ntafos, The robber route problem **34** (2) (1990) 59–63
1922. P. Dey, B.R. Bryant and T. Takaoka, Lexical ambiguity in tree adjoining grammars **34** (2) (1990) 65–69
1923. Y.C. Wee, S. Chaiken and D.E. Willard, On the angle restricted nearest neighbor problem **34** (2) (1990) 71–76
1924. S. Sen, Finding an approximate median with high probability in constant parallel time **34** (2) (1990) 77–80
1925. S. Cook and T. Pitassi, A feasibly constructive lower bound for resolution proofs **34** (2) (1990) 81–85
1926. J.-P. Laumond, Connectivity of plane triangulations **34** (2) (1990) 87–96
1927. S. Olariu, On the closure of triangle-free graphs under substitution **34** (2) (1990) 97–101
1928. M. Cosnard, J. Duprat and A.G. Ferreira, The complexity of searching in $X + Y$ and other multisets **34** (2) (1990) 103–109
1929. C.A.R. Hoare, Fixed points of increasing functions **34** (3) (1990) 111–112
1930. J.M. Pallo, A distance metric on binary trees using lattice-theoretic measures **34** (3) (1990) 111–112
1931. A. Bertoni, M. Goldwurm and P. Massazza, Counting problems and algebraic formal power series in noncommuting variables **34** (3) (1990) 117–121
1932. L. Harn and T. Kiesler, An efficient probabilistic encryption scheme **34** (3) (1990) 123–129
1933. M.H. Park and M. Kim, A distributed synchronization scheme for fair multi-process handshakes **34** (3) (1990) 131–138
1934. H. Goeman, Towards a theory of (self) applicative communicating processes: A short note **34** (3) (1990) 139–142
1935. C. Meinel, Logic vs. complexity theoretic properties of the graph accessibility problem for directed graphs of bounded degree **34** (3) (1990) 143–146
1936. S.-H. Teng, Space efficient processor identity protocol **34** (3) (1990) 147–154
1937. J.C. Tipper, A straightforward iterative algorithm for the planar Voronoi diagram **34** (3) (1990) 155–160
1938. J. Plehn, Preemptive scheduling of independent jobs with release times and deadlines on a hypercube **34** (3) (1990) 161–166
1939. U. Manber, Recognizing breadth-first search trees in linear time **34** (4) (1990) 167–171
1940. L.V. Kalé, An almost perfect heuristic for the N nonattacking queens problem **34** (4) (1990) 173–178
1941. E. Lutz, Some proofs of data refinement **34** (4) (1990) 179–185
1942. B.-F. Wang, G.-H. Chen and F.-C. Lin, Constant time sorting on a processor array with a reconfigurable bus system **34** (4) (1990) 187–192
1943. J.H. Bradford, Sequence matching with binary codes **34** (4) (1990) 193–196

1944. A. Bagchi, S.L. Hakimi, J. Mitchem and E. Schmeichel, Parallel algorithms for gossiping by mail **34** (4) (1990) 197–202
1945. S. Khuller, Coloring algorithms for K_5-minor free graphs **34** (4) (1990) 203–208
1946. J. Cooper and L. Kitchen, CASOP: A fast algorithm for computing the n-ary composition of a binary associative operator **34** (4) (1990) 209–213
1947. G. Ramalingam and C. Pandu Rangan, New sequential and parallel algorithms for interval graph recognition **34** (4) (1990) 215–219
1948. P.E. Dunne, Comment on Kochol's paper "Efficient monotone circuits for threshold functions" **34** (5) (1990) 221–222
1949. S. Rönn and H. Saikkonen, Distributed termination detection with counters **34** (5) (1990) 223–227
1950. Zs. Tuza, Periodic string division generated by deterministic L systems **34** (5) (1990) 229–234
1951. S.K. Kim, A parallel algorithm for finding a maximum clique of a set of circular arcs of a circle **34** (5) (1990) 235–241
1952. O. Murphy, A unifying framework for trie design heuristics **34** (5) (1990) 243–249
1953. W. Pugh, Slow optimally balanced search strategies vs. cached fast uniformly balanced search strategies **34** (5) (1990) 251–254
1954. A. Pombortsis, Sharing special purpose resources in a multiprocessor environment **34** (5) (1990) 255–260
1955. R.T. Kuo and S.S. Tseng, The necessary and sufficient condition for the worst-case male optimal stable matching **34** (5) (1990) 261–263
1956. J.M. Robson, Random access machines with multi-dimensional memories **34** (5) (1990) 265–266
1957. M.A. Weiss and R. Sedgewick, More on Shellsort increment sequences **34** (5) (1990) 267–270
1958. G.H. Gonnet and R.A. Baeza-Yates, An analysis of the Karp–Rabin string matching algorithm **34** (5) (1990) 271–274
1959. I. Althöfer, Tight lower bounds on the length of word chains **34** (5) (1990) 275–276
1960. O. Goldreich, A note on computational indistinguishability **34** (6) (1990) 277–281
1961. N. Chandrasekharan, Isomorphism testing of k-trees is in NC, for fixed k **34** (6) (1990) 283–287
1962. J. Chomicki and V.S. Subrahmanian, Generalized closed world assumption is Π_2^0-complete **34** (6) (1990) 289–291
1963. L.S. Heath, Covering a set with arithmetic progressions is NP-complete **34** (6) (1990) 293–298
1964. M.R. Zargham and K.J. Danhof, Toward a definition of fault analysis for Petri nets models **34** (6) (1990) 299–305
1965. P. Klein and C. Stein, A parallel algorithm for eliminating cycles in undirected graphs **34** (6) (1990) 307–312
1966. G. Matsliach and O. Shmueli, Distributing a B^+-tree in a loosely coupled environment **34** (6) (1990) 313–321
1967. A. Sengupta and S. Bandyopadhyay, Deadlock-free routing in k-ary hypercube network in presence of processor failures **34** (6) (1990) 323–328
1968. M. Wand, A short proof of the lexical addressing algorithm **35** (1) (1990) 1–5
1969. M. Ahuja and Y. Zhu, An $O(n \log n)$ feasibility algorithm for preemptive scheduling of n independent jobs on a hypercube **35** (1) (1990) 7–11
1970. A. Aggarwal and S. Suri, Computing the longest diagonal of a simple polygon **35** (1) (1990) 13–18
1971. J. Jacob, A model of reconfiguration in communicating sequential processes **35** (1) (1990) 19–22
1972. C.L. Bajaj and T. Dey, Polygon nesting and robustness **35** (1) (1990) 23–32
1973. R. Siromoney and L. Mathew, A public key cryptosystem based on Lyndon words **35** (1) (1990) 33–36
1974. Y.-T. Ching, K. Mehlhorn and M.H.M. Smid, Dynamic deferred data structuring **35** (1) (1990) 37–40
1975. E. Lodi, F. Luccio and L. Pagli, Routing in times square mode **35** (1) (1990) 41–48
1976. R. Rubinfeld, The cover time of a regular expander is $O(n \log n)$ **35** (1) (1990) 49–51
1977. L. Boxer and R. Miller, Common intersections of polygons (*Corrigendum*) **35** (1) (1990) 53
1978. D. Kumar, S.S. Iyengar and M.B. Sharma, Corrections to a distributed depth-first search algorithm (*Corrigendum*) **35** (1) (1990) 55–56
1979. A. Lubiw, Counterexample to a conjecture of Szymanski on hypercube routing **35** (2) (1990) 57–61
1980. T. Herman, Probabilistic self-stabilization **35** (2) (1990) 63–67
1981. G.R. Guenther, Efficient expansion of factored expressions **35** (2) (1990) 69–72
1982. M. Maes, On a cyclic string-to-string correction problem **35** (2) (1990) 73–78

1983. D.T. Barnard and D.B. Skillicorn, Pipelining tree-structured algorithms on SIMD architectures **35** (2) (1990) 79–84
1984. K.Y. Fung, T.M. Nicholl, R.E. Tarjan and C.J. Van Wyk, Simplified linear-time Jordan sorting and polygon clipping **35** (2) (1990) 85–92
1985. C.-L. Wang, Obtaining lazy evaluation with continuations in scheme **35** (2) (1990) 93–97
1986. I. Wegener, Efficient simulation of circuits by EREW PRAMs **35** (2) (1990) 99–102
1987. M. Sideris, On attribute grammars without attribute synthesis **35** (2) (1990) 103–109
1988. T. Altman and G. Logothetis, A note on ambiguity in context-free grammars **35** (3) (1990) 111–114
1989. E. Lambrichts, P. Nees, J. Paredaens, P. Peelman and L. Tanca, Checking functional consistency in deductive databases **35** (3) (1990) 115–120
1990. M. Crochemore and W. Rytter, Parallel construction of minimal suffix and factor automata **35** (3) (1990) 121–128
1991. M.Z. Kwiatkowska, A metric for traces **35** (3) (1990) 129–135
1992. K. Mehlhorn, S. Näher and C. Uhrig, Hidden line elimination for isooriented rectangles **35** (3) (1990) 137–143
1993. M.Y. Vardi, Endmarkers can make a difference **35** (3) (1990) 145–148
1994. S. Rao Arikati and C. Pandu Rangan, Linear algorithm for optimal path cover problem on interval graphs **35** (3) (1990) 149–153
1995. J. Launchbury, Strictness analysis aids inductive proofs **35** (3) (1990) 155–159
1996. J.A. Piotrowski, A functional model of a simplified sequential machine **35** (3) (1990) 161–166
1997. C.-J. Lin, Parallel algorithm for generating permutations on linear array **35** (4) (1990) 167–170
1998. M.G. Gouda and T. Herman, Stabilizing unison **35** (4) (1990) 171–175
1999. S.-M. Yuan, The communication complexity for decentralized evaluation of functions **35** (4) (1990) 177–182
2000. K. Mehlhorn and S. Näher, Bounded ordered dictionaries in O(loglog$N$) time and O(n) space **35** (4) (1990) 183–189
2001. P. Inverardi and M. Nesi, A rewriting strategy to verify observational congruence **35** (4) (1990) 191–199
2002. N. Alon, Generating pseudo-random permutations and maximum flow algorithms **35** (4) (1990) 201–204
2003. G.K. Manacher, T.A. Mankus and C.J. Smith, An optimum $\Theta(n \log n)$ algorithm for finding a canonical Hamiltonian path and a canonical Hamiltonian circuit in a set of intervals **35** (4) (1990) 205–211
2004. X. Deng, An optimal parallel algorithm for linear programming in the plane **35** (4) (1990) 213–217
2005. K. Block and T.-K. Woo, A more efficient generalization of Peterson's mutual exclusion algorithm **35** (5) (1990) 219–222
2006. M.C. Loui and M.A. Sohoni, An algorithm for load balancing in multiprocessor systems **35** (5) (1990) 223–228
2007. S. Toda, On the complexity of topological sorting **35** (5) (1990) 229–233
2008. E. Grädel, Simple interpretations among complicated theories **35** (5) (1990) 235–238
2009. K. Grigg, S. Miguet and Y. Robert, Symmetric matrix-vector product on a ring of processors **35** (5) (1990) 239–248
2010. R.J. Cimikowski, Finding Hamiltonian cycles in certain planar graphs **35** (5) (1990) 249–254
2011. M.S. Chang, N.-F. Huang and C.-Y. Tang, An optimal algorithm for constructing oriented Voronoi diagrams and geographic neighborhood graphs **35** (5) (1990) 255–260
2012. L. Hellerstein, P. Klein and R. Wilber, On the time-space complexity of reachability queries for preprocessed graphs **35** (5) (1990) 261–267
2013. M.T. Dickerson and R.L. Drysdale, Fixed-radius near neighbors search algorithms for points and segments **35** (5) (1990) 269–273
2014. N. Francez, Cooperating proofs for distributed programs with multiparty interactions (*Corrigendum*) **35** (5) (1990) 275
2015. A.J.M. van Gasteren and G. Tel, Comments on "On the proof of a distributed algorithm": Always-true is not invariant (*Letter to the Editor*) **35** (6) (1990) 277–279
2016. D.B. Shmoys and D.P. Williamson, Analyzing the Held–Karp TSP bound: A monotonicity property with application **35** (6) (1990) 281–285
2017. A.W. Mostowski, Alternating automata with start formulas **35** (6) (1990) 287–290
2018. G. Karner, A note on terminal balancing of algebraic systems **35** (6) (1990) 291–293
2019. C.-C. Yen and R.C.T. Lee, The weighted perfect domination problem **35** (6) (1990) 295–299

2020. A. Aggarwal and T. Leighton, A tight lower bound for the train reversal problem **35** (6) (1990) 301–304
2021. C.-H. Wu, C.-J. Wang and H.-M. Tai, Application of exponential hetero-associative memory on frequency classifier **35** (6) (1990) 305–311
2022. J.-P. Sheu and J.-S. Tang, Efficient parallel k selection algorithm **35** (6) (1990) 313–316
2023. S. Wu, U. Manber, G. Myers and W. Miller, An O(NP) sequence comparison algorithm **35** (6) (1990) 317–323
2024. A. Chin, On the depth complexity of the counting functions **35** (6) (1990) 325–328
2025. Z. Liu, A note on Graham's bound **36** (1) (1990) 1–5
2026. W.-H. Chen, C.-S. Lu, E.R. Brozovsky and J.-T. Wang, An optimization technique for protocol conformance testing using multiple UIO sequences **36** (1) (1990) 7–11
2027. J. Jędrzejowicz, Infinite hierarchy of shuffle expressions over a finite alphabet **36** (1) (1990) 13–17
2028. H. Kim, Finding a maximum independent set in a permutation graph **36** (1) (1990) 19–23
2029. F. Dederichs and R. Weber, Safety and liveness from a methodological point of view **36** (1) (1990) 25–30
2030. B.-F. Wang and G.-H. Chen, Two-dimensional processor array with a reconfigurable bus system is at least as powerful as CRCW model **36** (1) (1990) 31–36
2031. S. Burris and J. Lawrence, Unification in commutative rings is not finitary **36** (1) (1990) 37–38
2032. M.C. Fields and G.N. Frederickson, A faster algorithm for the maximum weighted tardiness problem **36** (1) (1990) 39–44
2033. O. Goldreich and E. Petrank, The best of both worlds: Guaranteeing termination in fast randomized Byzantine Agreement protocols **36** (1) (1990) 45–49
2034. K. Qiu and H. Meijer, A note on diameter of acyclic directed hypercubes **36** (1) (1990) 51–52
2035. H.L. Bodlaender and G. Tel, Bit-optimal election in synchronous rings **36** (1) (1990) 53–56
2036. T. Hagerup and H. Shen, Improved nonconservative sequential and parallel integer sorting **36** (2) (1990) 57–63
2037. M. Biró, Object-oriented interaction in resource constrained scheduling **36** (2) (1990) 65–67
2038. A. Slobodová, One-way globally deterministic synchronized alternating finite automata recognize exactly deterministic context-sensitive languages **36** (2) (1990) 69–72
2039. S.A. Vavasis, Quadratic programming is in NP **36** (2) (1990) 73–77
2040. J.-Y. Cai, Lower bounds for constant-depth circuits in the presence of help bits **36** (2) (1990) 79–83
2041. J.M. Lee, J.S. Park and M. Kim, An upper bound on buffer size for join operation using nonclustered indexes **36** (2) (1990) 85–90
2042. R.J. Lipton and A. Park, The Processor Identity Problem **36** (2) (1990) 91–94
2043. C. Haldar and L.M. Patnaik, Oracle complexities for computational geometry of semi-algebraic sets and Voronoi diagrams **36** (2) (1990) 95–102
2044. G.M. Megson and F.M.F. Gaston, Improved matrix triangularisation using a double pipeline systolic array **36** (2) (1990) 103–109
2045. D.-L. Lee, Efficient address generation in a parallel processor **36** (3) (1990) 111–116
2046. J. Cheng, An algebraic semantics of notional entailment logic Cn **36** (3) (1990) 117–121
2047. A. Tsalgatidou, Modelling and animating information systems dynamics **36** (3) (1990) 123–127
2048. S.-Y.R. Li, On full utilization of multi-channel capacity with priority protocol **36** (3) (1990) 129–133
2049. L.A. Sanchis, On the complexity of test case generation for NP-hard problems **36** (3) (1990) 135–140
2050. J.G. Kollias, Y. Manolopoulos and C.H. Papadimitriou, The optimum execution order of queries in linear storage **36** (3) (1990) 141–145
2051. L.L. Larmore, An optimal algorithm with unknown time complexity for convex matrix searching **36** (3) (1990) 147–151
2052. R. Lin and S. Olariu, A fast parallel algorithm to recognize partitionable graphs **36** (3) (1990) 153–157
2053. A. Paulik, Worst-case analysis of a generalized heapsort algorithm **36** (3) (1990) 159–165
2054. K.-H. Teo and T.-C. Tuan, Performance analysis of greedy heuristic to find a minimum total-jogs layout for river routing **36** (3) (1990) 167–170
2055. V.C. Barbosa, Blocking versus nonblocking interprocess communication: A note on the effect on concurrency **36** (4) (1990) 171–175
2056. H. Kleine Büning, Existence of simple propositional formulas **36** (4) (1990) 177–182
2057. X. Qian, An axiom system for database transactions **36** (4) (1990) 183–189
2058. G. Woeginger, A simple solution to the two paths problem in planar graphs **36** (4) (1990) 191–192
2059. E.W. Dijkstra, Making a fair roulette from a possibly biased coin **36** (4) (1990) 193

2060. S. Ramesh, On the completeness of modular proof systems **36** (4) (1990) 195–201
2061. E. Mäkinen, The grammatical inference problem for the Szilard languages of linear grammars **36** (4) (1990) 203–206
2062. B.-J. Falkowski, Perceptrons revisited **36** (4) (1990) 207–213
2063. M. Kutyłowski, Remarks on sorting and one-way multihead finite automata **36** (4) (1990) 215–218
2064. J. Vyskoč, Making bubblesort recursive (*Note*) **36** (4) (1990) 219–220
2065. H.J. Kim and J.G. Lee, Partial sum problem mapping into a hypercube **36** (5) (1990) 221–224
2066. J.H. Hur and K. Chon, Self and selftype **36** (5) (1990) 225–230
2067. P. Damaschke, H. Müller and D. Kratsch, Domination in convex and chordal bipartite graphs **36** (5) (1990) 231–236
2068. U. Martin, A note on division orderings on strings **36** (5) (1990) 237–240
2069. J.-P. Sheu and Z.-F. Chiang, Efficient allocation of chain-like task on chain-like network computers **36** (5) (1990) 241–245
2070. C. Damm, Problems complete for $\oplus$L **36** (5) (1990) 247–250
2071. S.W. Cheng and R. Janardan, Efficient dynamic algorithms for some geometric intersection problems **36** (5) (1990) 251–258
2072. M. Gyssens, J. Paredaens and D. van Gucht, On a hierarchy of classes for nested databases **36** (5) (1990) 259–266
2073. O.M. Makarov, On the synthesis of fast algorithms for signal processing **36** (5) (1990) 267–272
2074. P. Dublish, Some comments on the subtree isomorphism problem for ordered trees (*Comment*) **36** (5) (1990) 273–275
2075. S.K. Ghosh and A. Maheshwari, An optimal algorithm for computing a minimum nested nonconvex polygon **36** (6) (1990) 277–280
2076. F. Kocsis and J.F. Böhme, Rotation-based computations for ray-tracing second-order surfaces and curves **36** (6) (1990) 281–283
2077. A. Brogi, E. Lamma and P. Mello, Hypothetical reasoning in logic programming: A semantic approach **36** (6) (1990) 285–291
2078. Z. Fülöp and S. Vágvölgyi, The emptiness problem is undecidable for domains of partial monadic 2-modular tree transformations **36** (6) (1990) 293–296
2079. R.R. Hoogerwoord, A calculational derivation of the CASOP algorithm **36** (6) (1990) 297–299
2080. G. Matsliach, Performance analysis of file organizations that use multi-bucket data leaves **36** (6) (1990) 301–310
2081. K. Salomaa and S. Yu, The immortality problem for Lag systems **36** (6) (1990) 311–315
2082. G. Di Battista, W.-P. Liu and I. Rival, Bipartite graphs, upward drawings, and planarity **36** (6) (1990) 317–322
2083. S.K. Kim, Parallel algorithms for the segment dragging problem **36** (6) (1990) 323–327
2084. C.-K. Chang and M.G. Gouda, On the minimum requirements for independent recovery in distributed systems **37** (1) (1991) 1–7
2085. X. Zhang, Overlap closures do not suffice for termination of general term rewriting systems **37** (1) (1991) 9–11
2086. S. Chaudhuri and R.E. Ladner, Safety and liveness of ω-context-free languages **37** (1) (1991) 13–20
2087. S. Olariu, An optimal greedy heuristic to color interval graphs **37** (1) (1991) 21–25
2088. V. Kann, Maximum bounded 3-dimensional matching is MAX SNP-complete **37** (1) (1991) 27–35
2089. Y. Manolopoulos and A. Vakali, Seek distances in disks with two independent heads per surface **37** (1) (1991) 37–42
2090. U.K. Sarkar, P.P. Chakrabarti, S. Ghose and S.C. De Sarkar, Multiple stack branch and bound **37** (1) (1991) 43–48
2091. D. Campbell and J. Higgins, Minimal visibility graphs **37** (1) (1991) 49–53
2092. B. Yu, X. Lin and Y. Wu, The tree representation of the graph used in binary image processing **37** (1) (1991) 55–59
2093. I. Litovsky, Prefix-free languages as ω-generators **37** (2) (1991) 61–65
2094. F. Luccio, A. Pietracaprina and G. Pucci, Analysis of parallel uniform hashing **37** (2) (1991) 67–69
2095. T.L. Snyder, Lower bounds for rectilinear Steiner trees in bounded space **37** (2) (1991) 71–74
2096. C.C. Handley, A space efficient distributive sort **37** (2) (1991) 75–78

2097. R. Tamassia, An incremental reconstruction method for dynamic planar point location **37** (2) (1991) 79–83
2098. Y. Tanaka, A dual algorithm for the satisfiability problem **37** (2) (1991) 85–89
2099. R. Beigel, L.A. Hemachandra and G. Wechsung, Probabilistic polynomial time is closed under parity reductions **37** (2) (1991) 91–94
2100. J. von Wright, Program inversion in the refinement calculus **37** (2) (1991) 95–100
2101. A. Gibbons and R. Ziani, The balanced binary tree technique on mesh-connected computers **37** (2) (1991) 101–109
2102. X. He, An efficient parallel algorithm for finding minimum weight matching for points on a convex polygon **37** (2) (1991) 111–116
2103. S. Carlsson, An optimal algorithm for deleting the root of a heap **37** (2) (1991) 117–120
2104. S. Skyum, A simple algorithm for computing the smallest enclosing circle **37** (3) (1991) 121–125
2105. J. Czyzowicz, K.B. Lakshmanan and A. Pelc, Searching with a forbidden lie pattern in responses **37** (3) (1991) 127–132
2106. U. Manber and R. Baeza-Yates, An algorithm for string matching with a sequence of don't cares **37** (3) (1991) 133–136
2107. P. Ďuriš and I. Vrťo, Semelectivity is not sufficient **37** (3) (1991) 137–141
2108. B. Jiang, Traversing graphs in a paging environment, BFS or DFS? **37** (3) (1991) 143–147
2109. F. Green, An oracle separating $\oplus$P from $\mathrm{PP}^{\mathrm{PH}}$ **37** (3) (1991) 149–153
2110. A.J.E.M. Janssen, An optimization problem related to neural networks **37** (3) (1991) 155–157
2111. G. Sasaki, The effect of the density of states on the Metropolis algorithm **37** (3) (1991) 159–163
2112. D.T. Huynh, The effective entropies of some extensions of context-free languages **37** (3) (1991) 165–169
2113. W.M. Turski, On starvation and some related issues **37** (3) (1991) 171–174
2114. M. Hofri and H. Shachnai, On the optimality of the counter scheme for dynamic linear lists **37** (3) (1991) 175–179
2115. Z. Wen, Parallel multiple search **37** (4) (1991) 181–186
2116. D.P. Jacobs, Probabilistic checking of associativity in algebras **37** (4) (1991) 187–191
2117. X. Deng and S. Mahajan, Server problems and resistive spaces **37** (4) (1991) 193–196
2118. R.W. Irving, On approximating the minimum independent dominating set **37** (4) (1991) 197–200
2119. X.-H. Tan, T. Hirata and Y. Inagaki, The intersection searching problem for c-oriented polygons **37** (4) (1991) 201–204
2120. C. Huizing and W.P. de Roever, Introduction to design choices in the semantics of Statecharts **37** (4) (1991) 205–213
2121. U. Zwick, An extension of Khrapchenko's theorem **37** (4) (1991) 215–217
2122. Y. Liang, C. Rhee, S.K. Dhall and S. Lakshmivarahan, A new approach for the domination problem on permutation graphs **37** (4) (1991) 219–224
2123. P.F. Corbett and I.D. Scherson, A unified algorithm for sorting on multidimensional mesh-connected processors **37** (4) (1991) 225–231
2124. M. Serna, Approximating linear programming is log-space complete for P **37** (4) (1991) 233–236
2125. H. Alt, N. Blum, K. Mehlhorn and M. Paul, Computing a maximum cardinality matching in a bipartite graph in time $O(n^{1.5}\sqrt{m/\log n})$ **37** (4) (1991) 237–240
2126. S.-M. Yuan, Topological properties of supercube **37** (5) (1991) 241–245
2127. J.K. Mullin, A caution on universal classes of hash functions **37** (5) (1991) 247–256
2128. D. Beauquier, An undecidable problem about rational sets and contour words of polyominoes **37** (5) (1991) 257–263
2129. A. Kaldewaij and B. Schoenmakers, The derivation of a tighter bound for top-down skew heaps **37** (5) (1991) 265–271
2130. T. Itoh, Characterization for a family of infinitely many irreducible equally spaced polynomials **37** (5) (1991) 273–277
2131. Y. Sakakibara, On learning from queries and counterexamples in the presence of noise **37** (5) (1991) 279–284
2132. G. Taubenfeld, On the nonexistence of resilient consensus protocols **37** (5) (1991) 285–289
2133. Q. Wang and K.H. Cheng, List scheduling of parallel tasks **37** (5) (1991) 291–297
2134. D. Taubner, A note on the notation of recursion in process algebras **37** (6) (1991) 299–303

2135. K.-H. Teo and T.-C. Tuan, An improved upper bound on the number of intersections between two rectangular paths **37** (6) (1991) 305–309
2136. S.A. Mahmoud, Motion estimation based on modified Fourier spectrum **37** (6) (1991) 311–313
2137. O. Danvy, Semantics-directed compilation of nonlinear patterns **37** (6) (1991) 315–322
2138. K. Vidyasankar, A very simple construction of 1-writer multireader multivalued atomic variable **37** (6) (1991) 323–326
2139. B.-F. Wang, C.-L. Chen and G.-H. Chen, A simple approach to implementing multiplication with small tables **37** (6) (1991) 327–329
2140. Z. Galil and G.F. Italiano, A note on set union with arbitrary deunions **37** (6) (1991) 331–335
2141. M.-J. Lee and K.-M. Choe, SLR(k) covering for LR(k) grammars **37** (6) (1991) 337–347
2142. R. Srikant and K. Krithivasan, Fastest path across constrained moving rectilinear obstacles **37** (6) (1991) 349–353
2143. N.S.V. Rao and W. Zhang, Building heaps in parallel **37** (6) (1991) 355–358
2144. V.J. Dielissen and A. Kaldewaij, Rectangular partition is polynomial in two dimensions but NP-complete in three **38** (1) (1991) 1–6
2145. P. Goralčík, A. Goralčíková and V. Koubek, Alternation with a pebble **38** (1) (1991) 7–13
2146. I. Stojmenović, Bisections and ham-sandwich cuts of convex polygons and polyhedra **38** (1) (1991) 15–21
2147. A.K. Elmagarmid and W. Du, Integrity aspects of quasi serializability **38** (1) (1991) 23–28
2148. S.-J. Horng, W.-T. Chen and M.-Y. Fang, Optimal speed-up algorithms for template matching on SIMD hypercube multiprocessors with restricted local memory **38** (1) (1991) 29–37
2149. V. Shoup, Smoothness and factoring polynomials over finite fields **38** (1) (1991) 39–42
2150. X. Cheng, A graph transformation algorithm for concurrency control in a partitioned database **38** (1) (1991) 43–48
2151. C.C.-Y. Chen, S.K. Das and S.G. Akl, A unified approach to parallel depth-first traversals of general trees **38** (1) (1991) 49–55
2152. M. Crochemore and W. Rytter, Efficient parallel algorithms to test square-freeness and factorize strings **38** (2) (1991) 57–60
2153. C. Àlvarez and J. Gabarró, The parallel complexity of two problems on concurrency **38** (2) (1991) 61–70
2154. H.-C. Yen, A polynomial time algorithm to decide pairwise concurrency of transitions for 1-bounded conflict-free Petri nets **38** (2) (1991) 71–76
2155. G. Manzini, Radix sort on the hypercube **38** (2) (1991) 77–81
2156. J. Meidânis, Lower bounds for arithmetic problems **38** (2) (1991) 83–87
2157. X. Messeguer, Dynamic behaviour in updating process over BST of size two with probabilistic deletion algorithms **38** (2) (1991) 89–100
2158. J. Misra, Phase synchronization **38** (2) (1991) 101–105
2159. S. Minsker, The Towers of Antwerpen problem **38** (2) (1991) 107–111
2160. M.-Y. Kao and S.R. Tate, Online matching with blocked input **38** (3) (1991) 113–116
2161. D. Fernández-Baca and M.A. Williams, On matroids and hierarchical graphs **38** (3) (1991) 117–121
2162. G. Rote, Computing the minimum Hausdorff distance between two point sets on a line under translation **38** (3) (1991) 123–127
2163. L. Langemyr, Circuits for computing the GCD of two polynomials over an algebraic number field **38** (3) (1991) 129–134
2164. C. Martel, Self-adjusting multi-way search trees **38** (3) (1991) 135–141
2165. S. Rajanarayanan and S.S. Iyengar, A new optimal distributed algorithm for the set intersection problem **38** (3) (1991) 143–148
2166. G. Rote, G. Woeginger, B. Zhu and Z. Wang, Counting k-subsets and convex k-gons in the plane **38** (3) (1991) 149–151
2167. M. Mňuk, A div(n) depth Boolean circuit for smooth modular inverse **38** (3) (1991) 153–156
2168. P. Pramanik, P.K. Das, A.K. Bandyopadhyay and D.Q.M. Fay, A deadlock-free communication kernel for loop architecture **38** (3) (1991) 157–161
2169. D.M. Acketa and J.D. Žunić, On the number of linear partitions of the (m, n)-grid **38** (3) (1991) 163–168
2170. J.H. Bradford and T.A. Jenkyns, On the inadequacy of tournament algorithms for the N-SCS problem **38** (4) (1991) 169–171

2171. M. Chrobak and L.L. Larmore, A note on the server problem and a benevolent adversary **38** (4) (1991) 173–175
2172. R. Floren, A note on "A faster approximation algorithm for the Steiner problem in graphs" **38** (4) (1991) 177–178
2173. A.V. Goldberg, Processor-efficient implementation of a maximum flow algorithm **38** (4) (1991) 179–185
2174. L. Siklóssy and E. Tulp, The Space Reduction Method: A method to reduce the size of search spaces **38** (4) (1991) 187–192
2175. W.I. Gasarch, On selecting the k largest with restricted quadratic queries **38** (4) (1991) 193–195
2176. E.L. Leiss and H.N. Reddy, Embedding complete binary trees into hypercubes **38** (4) (1991) 197–199
2177. R. Shonkwiler, Computing the Hausdorff set distance in linear time for any L_p point distance **38** (4) (1991) 201–207
2178. J.M. Basart, Some upper bounds for minimal trees **38** (4) (1991) 209–213
2179. J.-Y. Cai and L.A. Hemachandra, A note on enumerative counting **38** (4) (1991) 215–219
2180. M. Sakkinen, Selftype is a special case (*Comment*) **38** (4) (1991) 221–224
2181. W. Rytter and A. Saoudi, On the complexity of the recognition of parallel 2D-image languages **38** (5) (1991) 225–229
2182. J. Hershberger, A new data structure for shortest path queries in a simple polygon **38** (5) (1991) 231–235
2183. A. Lingas, Bit complexity of matrix products **38** (5) (1991) 237–242
2184. M.H. Kim and S. Pramanik, The FX distribution method for parallel processing of partial match queries **38** (5) (1991) 243–252
2185. G. Woeginger, On minimizing the sum of k tardinesses **38** (5) (1991) 253–256
2186. S. Hambrusch and M. Luby, Parallel asynchronous connected components in a mesh **38** (5) (1991) 257–263
2187. T.Z. Kalamboukis and S.L. Mantzaris, Towards optimal distributed election on chordal rings **38** (5) (1991) 265–270
2188. F. Fotouhi and S. Pramanik, Problem of optimizing the number of block accesses in performing relational join is NP-hard **38** (5) (1991) 271–275
2189. J. Matoušek, Computing dominances in E^n (*Short Communication*) **38** (5) (1991) 277–278
2190. T.L. Snyder, Lower bounds for rectilinear Steiner trees (*Corrigendum*) **38** (5) (1991) 279
2191. M.-J. Lee and K.-M. Choe, SLR(k) covering for LR(k) grammars (*Corrigendum*) **38** (5) (1991) 281
2192. P.B. Danzig, A cooperative game with applications to computer networks **38** (6) (1991) 283–289
2193. F.P. Preparata, Inverting a Vandermonde matrix in minimum parallel time **38** (6) (1991) 291–294
2194. R. Kennedy, Parallel cardinality stacks and an application **38** (6) (1991) 295–299
2195. S. Irani, Two results on the list update problem **38** (6) (1991) 301–306
2196. K. Luo, W. Klostermeyer, Y.-C. Chow and R. Newman-Wolfe, Optimal deadlock resolutions in edge-disjoint reducible wait-for graphs **38** (6) (1991) 307–313
2197. S. Latifi, Distributed subcube identification algorithms for reliable hypercubes **38** (6) (1991) 315–321
2198. J.R. Nawrocki, Conflict detection and resolution in a lexical analyzer generator **38** (6) (1991) 323–328
2199. K.T. Herley, A note on the Token Distribution Problem **38** (6) (1991) 329–324
2200. D. Zuckerman, On the time to traverse all edges of a graph **38** (6) (1991) 335–337
2201. D. Zivkovic, A fast algorithm for finding the compact sets **38** (6) (1991) 339–342
2202. R. Nieuwenhuis and P. Nivela, Efficient deduction in equality Horn logic by Horn-completion **39** (1) (1991) 1–6
2203. R.V. Book, On random oracle separations **39** (1) (1991) 7–10
2204. B. Charron-Bost, Concerning the size of logical clocks in distributed systems **39** (1) (1991) 11–16
2205. A. Apostolico, M. Farach and C.S. Iliopoulos, Optimal superprimitivity testing for strings **39** (1) (1991) 17–20
2206. J. Chen, J. Cox and B. Mishra, An NL hierarchy **39** (1) (1991) 21–26
2207. R.A. Olsson and D.T. Huang, Axiomatic semantics for "escape" statements **39** (1) (1991) 27–33
2208. R. Tamassia, I.G. Tollis and J.S. Vitter, Lower bounds for planar orthogonal drawings of graphs **39** (1) (1991) 35–40
2209. E. Stöhr, Broadcasting in the Butterfly network **39** (1) (1991) 41–43
2210. A.P. Sistla, Proving correctness with respect to nondeterministic safety specifications **39** (1) (1991) 45–49
2211. F. Luccio and L. Pagli, An efficient algorithm for some tree matching problems **39** (1) (1991) 51–57

2212. A.A. Shvartsman, Achieving optimal CRCW PRAM fault-tolerance **39** (2) (1991) 59–66
2213. I. Newman, Private vs. common random bits in communication complexity **39** (2) (1991) 67–71
2214. A. Omondi, Fast one's-complement multiplication **39** (2) (1991) 73–79
2215. R. Grossi, A note on the subtree isomorphism for ordered trees and related problems **39** (2) (1991) 81–84
2216. S. Irani and R. Rubinfeld, A competitive 2-server algorithm **39** (2) (1991) 85–91
2217. J.-P. Sheu, Fault-tolerant parallel k selection algorithm in n-cube networks **39** (2) (1991) 93–97
2218. A. Bataineh, F. Özgüner and A. Sarwal, Parallel Boolean operations for information retrieval **39** (2) (1991) 99–108
2219. A. Fantechi, S. Gnesi and G. Ristori, Compositionality and bisimulation: A negative result **39** (2) (1991) 109–114
2220. P. Fraigniaud and C. Peyrat, Broadcasting in a hypercube when some calls fail **39** (3) (1991) 115–119
2221. M. Keil, A simple algorithm for determining the envelope of a set of lines **39** (3) (1991) 121–124
2222. K. Qiu, H. Meijer and S.G. Akl, Decomposing a star graph into disjoint cycles **39** (3) (1991) 125–129
2223. B.-C. Huang and M.A. Langston, Stable set and multiset operations in optimal time and space **39** (3) (1991) 131–136
2224. H.U. Simon, The Vapnik–Chervonenkis dimension of decision trees with bounded rank **39** (3) (1991) 137–141
2225. P. Ragde and A. Wigderson, Linear-size constant-depth polylog-threshold circuits **39** (3) (1991) 143–146
2226. N.-S. Chen, H.-P. Yu and S.-T. Huang, A self-stabilizing algorithm for constructing spanning trees **39** (3) (1991) 147–151
2227. P.J. Heffernan, The translation square map and approximate congruence **39** (3) (1991) 153–159
2228. J. Jeffs, Order independent NCE grammars recognized in polynomial time **39** (3) (1991) 161–164
2229. M.L. Garg, S.I. Ahson and P.V. Gupta, A Fuzzy Petri Net for knowledge representation and reasoning **39** (3) (1991) 165–171
2230. S. Sen, Some observations on skip-lists **39** (4) (1991) 173–176
2231. T. Motoki, Inductive inference from all positive and some negative data **39** (4) (1991) 177–182
2232. J. Matoušek, Randomized optimal algorithm for slope selection **39** (4) (1991) 183–187
2233. D. Roelants van Baronaigien, A loopless algorithm for generating binary tree sequences **39** (4) (1991) 189–194
2234. S. Carlsson and J. Chen, An optimal parallel adaptive sorting algorithm **39** (4) (1991) 195–200
2235. V. Turau, Fixed-radius near neighbors search **39** (4) (1991) 201–203
2236. C. Levcopoulos and O. Petersson, Splitsort—An adaptive sorting algorithm **39** (4) (1991) 205–211
2237. R.J.T. Morris and W.S. Wong, Systematic choice of initial points in local search: Extensions and application to Neural Networks **39** (4) (1991) 213–217
2238. T. Hofmeister, W. Hohberg and S. Köhling, Some notes on threshold circuits, and multiplication in depth 4 **39** (4) (1991) 219–225
2239. J.P. Spinrad, Finding large holes **39** (4) (1991) 227–229
2240. A. Schweikard, Trigonometric polynomials with simple roots **39** (5) (1991) 231–236
2241. A.K. Parekh, Analysis of a greedy heuristic for finding small dominating sets in graphs **39** (5) (1991) 237–240
2242. M. Tucci, G. Costagliola and S.-K. Chang, A remark on NP-completeness of picture matching **39** (5) (1991) 241–243
2243. D. Kavadias, L.M. Kirousis and P. Spirakis, The complexity of the Reliable Connectivity Problem **39** (5) (1991) 245–252
2244. P. Ragde, Analysis of an asynchronous PRAM algorithm **39** (5) (1991) 253–256
2245. D. Sreenivasa Rao and J.D. Provence, An integrated approach to routing and via minimization **39** (5) (1991) 257–263
2246. J.L.A. van de Snepscheut, Inversion of a recursive tree traversal **39** (5) (1991) 265–267
2247. C. Bron and W.H. Hesselink, Smoothsort revisited **39** (5) (1991) 269–276
2248. L.-H. Hsu, R.-H. Jan, Y.-C. Lee, C.-N. Hung and M.-S. Chern, Finding the most vital edge with respect to minimum spanning tree in weighted graphs **39** (5) (1991) 277–281
2249. J.D. Yang and Y.J. Lee, A sound and complete query evaluation for Implicit Predicate which is a semantic descriptor of unknown values **39** (5) (1991) 283–289
2250. B. von Stengel, An algebraic characterization of semantic independence **39** (6) (1991) 291–296
2251. D. Crippa, A special case of the dynamization problem for least cost paths **39** (6) (1991) 297–302

2252. J. Chen, Characterizing parallel hierarchies by reducibilities **39** (6) (1991) 303–307
2253. R.R. Howell, The complexity of problems involving structurally bounded and conservative Petri nets **39** (6) (1991) 309–315
2254. R.A. Baeza-Yates, Height balance distribution of search trees **39** (6) (1991) 317–324
2255. A. Bijlsma, Derivation of logic programs by functional methods **39** (6) (1991) 325–332
2256. J.F. Myoupo, Dynamic programming on linear pipelines **39** (6) (1991) 333–341
2257. M. Raynal, A. Schiper and S. Toueg, The causal ordering abstraction and a simple way to implement it **39** (6) (1991) 343–350
2258. P. Crescenzi, C. Fiorini and R. Silvestri, A note on the approximation of the MAX CLIQUE problem **40** (1) (1991) 1–5
2259. R. Heckmann, Lower and upper power domain constructions commute on all cpos **40** (1) (1991) 7–11
2260. N.-F. Huang and C.-H. Huang, Complexity of the repeaters allocating problem **40** (1) (1991) 13–20
2261. V. Diekert and R.V. Book, On "inherently context-sensitive" languages – An application of complexity cores **40** (1) (1991) 21–23
2262. T. Jiang and B. Ravikumar, A note on the space complexity of some decision problems for finite automata **40** (1) (1991) 25–31
2263. M.C. Pinotti and G. Pucci, Parallel Priority Queues **40** (1) (1991) 33–40
2264. T. Shermer, A counterexample to the algorithms for determining opaque minimal forests **40** (1) (1991) 41–42
2265. J.R.S. Blair and E.L. Lloyd, The benefits of external wires in single row routing **40** (1) (1991) 43–49
2266. W.H. Hesselink, Repetitions, known or unknown? **40** (1) (1991) 51–57
2267. R. Janardan, On the dynamic maintenance of maximal points in the plane **40** (2) (1991) 59–64
2268. V. Yodaiken, Modal functions for concise definition of state machines and products **40** (2) (1991) 65–72
2269. S. Bonnier, U. Nilsson and T. Näslund, A simple fixed point characterization of three-valued stable model semantics **40** (2) (1991) 73–78
2270. V. Pan and J. Reif, The parallel computation of minimum cost paths in graphs by stream contraction **40** (2) (1991) 79–83
2271. Y.X. Yang, New enumeration results about the optical orthogonal codes **40** (2) (1991) 85–87
2272. E. Allender and V. Gore, Rudimentary reductions revisited **40** (2) (1991) 89–95
2273. R.V. Subramaniyam and A.A. Diwan, A counterexample for the sufficiency of edge guards in star polygons **40** (2) (1991) 97–99
2274. X. Wang, On the complexity of the extreme points decision problem **40** (2) (1991) 101–106
2275. R.S. Chang, Single step graph search problem **40** (2) (1991) 107–111
2276. J. Brandt, C. Cabrelli and U. Molter, An algorithm for the computation of the Hutchinson distance **40** (2) (1991) 113–117
2277. A. Aggarwal and P. Raghavan, Deferred data structure for the nearest neighbor problem **40** (3) (1991) 119–122
2278. W.-L. Hsu and K.-H. Tsai, Linear time algorithms on circular-arc graphs **40** (3) (1991) 123–129
2279. S. Boyd and H. Ural, The synchronization problem in protocol testing and its complexity **40** (3) (1991) 131–136
2280. S. Mehta, M. Mukherjee and G. Nagy, Constrained integer approximation to planar line intersection **40** (3) (1991) 137–139
2281. M. Abadi, B. Alpern, K.R. Apt, N. Francez, S. Katz, L. Lamport and F.B. Schneider, Preserving liveness: Comments on "Safety and liveness from a methodological point of view" **40** (3) (1991) 141–142
2282. F. Dederichs and R. Weber, Reply to the comments by M. Abadi et al. **40** (3) (1991) 143
2283. W.-H. Chen and C.Y. Tang, Computing the optimal IO sequences of a protocol in polynomial time **40** (3) (1991) 145–148
2284. R. Brewster and G. MacGillivray, A note on restricted H-colouring **40** (3) (1991) 149–151
2285. S. Ghosh, Binary self-stabilization in distributed systems **40** (3) (1991) 153–159
2286. J. Wein, Las Vegas RNC algorithms for unary weighted perfect matching and T-join problems **40** (3) (1991) 161–167
2287. A. Pelc, Broadcasting in complete networks with faulty nodes using unreliable calls **40** (3) (1991) 169–174
2288. J.K. Uhlmann, Satisfying general proximity/similarity queries with metric trees **40** (4) (1991) 175–179
2289. T.F. Gonzalez, Covering a set of points in multidimensional space **40** (4) (1991) 181–188

2290. D. Halperin and M. Sharir, On disjoint concave chains in arrangements of (pseudo) lines **40** (4) (1991) 189–192
2291. B. Jiang, DFS-traversing graphs in a paging environment, LRU or MRU? **40** (4) (1991) 193–196
2292. S. Rönn, On the logarithmic evaluation of recurrence relations **40** (4) (1991) 197–199
2293. D.-H. Kim and K.-M. Choe, Yet another efficient backward execution algorithm in the AND/OR Process Model **40** (4) (1991) 201–211
2294. T. Massart, An agent calculus with simple actions where the enabling and disabling are derived operators **40** (4) (1991) 213–218
2295. F. Cherief and Ph. Schnoebelen, τ-bisimulations and full abstraction for refinement of actions **40** (4) (1991) 219–222
2296. R. Lin, Fast algorithms for lowest common ancestors on a processor array with reconfigurable buses **40** (4) (1991) 223–230
2297. J.S. Pettersson, Comments on "Always-true is not invariant": Assertional reasoning about invariance (*Letter to the Editor*) **40** (5) (1991) 231–233
2298. J. Domingo-Ferrer, Distributed user identification by zero-knowledge access rights proving **40** (5) (1991) 235–239
2299. Z.-Z. Chen, A randomized NC algorithm for the maximal tree cover problem **40** (5) (1991) 241–246
2300. J.K. Park, A special case of the n-vertex traveling-salesman problem that can be solved in O(n) time **40** (5) (1991) 247–254
2301. R. Grossi, Further comments on the subtree isomorphism for ordered trees **40** (5) (1991) 255–256
2302. R.N. Mahapatra and H. Pareek, Modelling a fast parallel thinning algorithm for shared memory SIMD computers **40** (5) (1991) 257–261
2303. I.A. Stewart, Complete problems for symmetric logspace involving free groups **40** (5) (1991) 263–267
2304. C. Zhou, C.A.R. Hoare and A.P. Ravn, A calculus of durations **40** (5) (1991) 269–276
2305. S. Guha and A. Sen, Expected time analysis of interpolation merge – A simple new merging algorithm **40** (5) (1991) 277–281
2306. J.Y. Hsiao, C.Y. Tang and R.S. Chang, Solving the single step graph searching problem by solving the maximum two-independent set problem **40** (5) (1991) 283–287
2307. M. Bartha and É. Gombás, A structure theorem for maximum internal matchings in graphs **40** (6) (1991) 289–294
2308. C.-B. Yang, Reducing conflict resolution time for solving graph problems in broadcast communications **40** (6) (1991) 295–302
2309. F. Barsi, Mod m arithmetic in binary systems **40** (6) (1991) 303–309
2310. A. Kumar and S.Y. Cheung, A high availability $\sqrt{N}$ hierarchical grid algorithm for replicated data **40** (6) (1991) 311–316
2311. L. Allison, T.I. Dix and C.N. Yee, Shortest path and closure algorithms for banded matrices **40** (6) (1991) 317–322
2312. X. Shen and E.M. Reingold, Scheduling on a hypercube **40** (6) (1991) 323–328
2313. P.-C. Chu, Evaluating clustering factor approach to estimating block selectivities **40** (6) (1991) 329–334
2314. S. Ghosh and A. Mahanti, Bidirectional heuristic search with limited resources **40** (6) (1991) 335–340
2315. F. Erçal, Distributed evaluation of an iterative function for all object pairs on an SIMD hypercube **40** (6) (1991) 341–345
2316. G. Di Battista, R. Tamassia and I.G. Tollis, Constrained visibility representations of graphs **41** (1) (1992) 1–7
2317. J. Jacob, A model of reconfiguration in communicating sequential processes with a notion of transactions **41** (1) (1992) 9–12
2318. M. Ancona, C. Fassino and V. Gianuzzi, Optimization of LR(k) "Reduced parsers" **41** (1) (1992) 13–20
2319. M.D. Atkinson and J.-R. Sack, Generating binary trees at random **41** (1) (1992) 21–23
2320. P.D. Stotts and P. Godfrey, Place/transition nets with debit arcs **41** (1) (1992) 25–33
2321. J. Pachl, A simple proof of a completeness result for *leads-to* in the UNITY logic **41** (1) (1992) 35–38
2322. C.C.-Y. Chen and S.K. Das, Breadth-first traversal of trees and integer sorting in parallel **41** (1) (1992) 39–49
2323. P.K. Srimani and R.L.N. Reddy, Another distributed algorithm for multiple entries to a critical section **41** (1) (1992) 51–57
2324. J. Misra, Phase synchronization (*Corrigendum*) **41** (1) (1992) 59

2325. Y. Kobuchi, Order of state functions and logic functions **41** (2) (1992) 61–66
2326. P. Pavlů, On efficient implementation of LR-attributed grammars **41** (2) (1992) 67–75
2327. C.M. Adams, On immunity against Biham and Shamir's "differential cryptanalysis" **41** (2) (1992) 77–80
2328. J. von zur Gathen, Processor-efficient exponentiation in finite fields **41** (2) (1992) 81–86
2329. R. Leermakers, A recursive ascent Earley parser **41** (2) (1992) 87–91
2330. X. Yao, Finding approximate solutions to NP-hard problems by neural networks is hard **41** (2) (1992) 93–98
2331. R.C. Chang and H.S. Lee, Finding a maximum set of independent chords in a circle **41** (2) (1992) 99–102
2332. F. Aurenhammer and G. Stöckl, Searching for segments with largest relative overlap **41** (2) (1992) 103–108
2333. S.-T. Huang and N.-S. Chen, A self-stabilizing algorithm for constructing breadth-first trees **41** (2) (1992) 109–117
2334. L. Gemignani, Fast inversion of Hankel and Toeplitz matrices **41** (3) (1992) 119–123
2335. W.W. Kirchherr, Kolmogorov complexity and random graphs **41** (3) (1992) 125–130
2336. J. Misra and D. Gries, A constructive proof of Vizing's Theorem **41** (3) (1992) 131–133
2337. T.C. Shermer, A linear algorithm for bisecting a polygon **41** (3) (1992) 135–140
2338. K. Esselink, The order of Appel's algorithm **41** (3) (1992) 141–147
2339. A. Aggarwal, Parallel complexity of computing a maximal set of disjoint paths **41** (3) (1992) 149–151
2340. P. Rajčáni, Optimal parallel 3-coloring algorithm for rooted trees and its applications **41** (3) (1992) 153–156
2341. R.M. Verma, Strings, trees, and patterns **41** (3) (1992) 157–161
2342. K.S. Larsen, M.I. Schwartzbach and E.M. Schmidt, A new formalism for relational algebra **41** (3) (1992) 163–168
2343. K. Wada, Y. Luo and K. Kawaguchi, Optimal fault-tolerant routings for connected graphs **41** (3) (1992) 169–174
2344. A. Szalas, Axiomatizing fixpoint logics **41** (4) (1992) 175–180
2345. D. Gusfield, G.M. Landau and B. Schieber, An efficient algorithm for the All Pairs Suffix–Prefix Problem **41** (4) (1992) 181–185
2346. L.C. Wu and C.Y. Tang, Solving the satisfiability problem by using randomized approach **41** (4) (1992) 187–190
2347. G. Rote and G. Woeginger, Counting convex k-gons in planar point sets **41** (4) (1992) 191–194
2348. S. Kamin, Head-strictness is not a monotonic abstract property **41** (4) (1992) 195–198
2349. S.R. Buss, The graph of multiplication is equivalent to counting **41** (4) (1992) 199–201
2350. J. Radhakrishnan, Improved bounds for covering complete uniform hypergraphs **41** (4) (1992) 203–207
2351. D. Hoover and J. Poole, A distributed self-stabilizing solution to the dining philosophers problem **41** (4) (1992) 209–213
2352. K. Arvind and C. Pandu Rangan, Connected domination and Steiner set on weighted permutation graphs **41** (4) (1992) 215–220
2353. M. Goldmann and J. Håstad, A simple lower bound for monotone clique using a communication game **41** (4) (1992) 221–226
2354. E. Ma, B. Narahari and L. Tao, Optimal embedding of 2-D torus into ring **41** (4) (1992) 227–231
2355. T. Shoudai, A P-complete language describable with iterated shuffle **41** (5) (1992) 233–238
2356. T. Whaley, Alternative developments of cyclic-permutation algorithms **41** (5) (1992) 239–241
2357. G. Wang, An improved parallel algorithm for computing the generalized inverse A^+ **41** (5) (1992) 243–251
2358. I. Rivin and R. Zabih, A dynamic programming solution to the n-queens problem **41** (5) (1992) 253–256
2359. C. Narayanaswami and W.R. Franklin, Edge intersection on the hypercube computer **41** (5) (1992) 257–262
2360. C.W. Ko and F. Ruskey, Generating permutations of a bag by interchanges **41** (5) (1992) 263–269
2361. J. Urrutia and F. Gavril, An algorithm for fraternal orientation of graphs **41** (5) (1992) 271–274
2362. J. Błażewicz, P. Dell'Olmo, M. Drozdowski and M.G. Speranza, Scheduling multiprocessor tasks on three dedicated processors **41** (5) (1992) 275–280
2363. M. Dam, R-generability, and definability in branching time logics **41** (5) (1992) 281–287
2364. J.F. Myoupo, Dynamic programming on linear pipelines (*Corrigendum*) **41** (5) (1992) 289
2365. M. Clausen, Almost all boolean functions have no linear symmetries **41** (6) (1992) 291–292

2366. F. Müller, Confluence of the lambda calculus with left-linear algebraic rewriting **41** (6) (1992) 293–299
2367. C. Erbas, M.M. Tanik and Z. Aliyazicioglu, Linear congruence equations for the solutions of the N-Queens problem **41** (6) (1992) 301–306
2368. L.L. Miller, Generating hinges from arbitrary subhypergraphs **41** (6) (1992) 307–312
2369. J. Esparza, A solution to the covering problem for 1-bounded conflict-free Petri nets using Linear Programming **41** (6) (1992) 313–319
2370. N.H. Bshouty, A lower bound for the multiplication of polynomials modulo a polynomial **41** (6) (1992) 321–326
2371. E.L. Lozinskii, Counting propositional models **41** (6) (1992) 327–332
2372. K. Jansen, An approximation algorithm for the general routing problem **41** (6) (1992) 333–339
2373. S.D. Carson, V. Nirkhe and P. Vongsathorn, A discrete-state model of the two-headed disk **41** (6) (1992) 341–345
2374. J. Brandt, C. Cabrelli and U. Molter, An algorithm for the computation of the Hutchinson distance (*Corrigendum*) **41** (6) (1992) 347
2375. E. Mäkinen, On the structural grammatical inference problem for some classes of context-free grammars **42** (1) (1992) 1–5
2376. A.K. Singh, Towards an understanding of unbounded variables in asynchronous systems **42** (1) (1992) 7–17
2377. L.H. Clark, F. Shahrokhi and L.A. Székely, A linear time algorithm for graph partition problems **42** (1) (1992) 19–24
2378. H. Alt, V. Geffert and K. Mehlhorn, A lower bound for the nondeterministic space complexity of context-free recognition **42** (1) (1992) 25–27
2379. H. Fleischner and G.J. Woeginger, Detecting cycles through three fixed vertices in a graph **42** (1) (1992) 29–33
2380. H. Meijer and D. Rappaport, Computing the minimum weight triangulation of a set of linearly ordered points **42** (1) (1992) 35–38
2381. A. Sen, A. Sengupta and S. Bandyopadhyay, On the routing problem in faulty supercubes **42** (1) (1992) 39–46
2382. U.K. Sarkar, P.P. Chakrabarti, S. Ghose and S.C. De Sarkar, Effective use of memory in iterative deepening search **42** (1) (1992) 47–52
2383. N. Megiddo, A note on approximate linear programming **42** (1) (1992) 53
2384. A. Aggarwal, H. Edelsbrunner, P. Raghavan and P. Tiwari, Optimal time bounds for some proximity problems in the plane **42** (1) (1992) 55–60
2385. C.-C. Han and K.-J. Lin, Scheduling real-time computations with separation constraints **42** (2) (1992) 61–66
2386. U. Trier, Additive weights of a special class of nonuniformly distributed backtrack trees **42** (2) (1992) 67–76
2387. R. Rubinfeld, Batch checking with applications to linear functions **42** (2) (1992) 77–80
2388. M. Burmester, An almost-constant round interactive zero-knowledge proof **42** (2) (1992) 81–87
2389. S. Cho and D.T. Huynh, The parallel complexity of coarsest set partition problems **42** (2) (1992) 89–94
2390. B. Plateau and D. Trystam, Optimal total exchange for a 3-D torus of processors **42** (2) (1992) 95–102
2391. J.L.A. van de Snepscheut, A LISP programming exercise **42** (2) (1992) 103–108
2392. V. Chandru and J.N. Hooker, Detecting embedded Horn structure in propositional logic **42** (2) (1992) 109–111
2393. V. Kamakoti and C. Pandu Rangan, An optimal algorithm for reconstructing a binary tree **42** (2) (1992) 113–115
2394. N. Gabrani and P. Shankar, A note on the reconstruction of a binary tree from its traversals **42** (2) (1992) 117–119
2395. B.K. Szymanski and B. Sinharoy, Complexity of the closest vector problem in a lattice generated by (0,1)-matrix **42** (3) (1992) 121–126
2396. P.T. Huy, I. Livotsky and D.L. Van, Which finite monoids are syntactic monoids of rational ω-languages **42** (3) (1992) 127–132
2397. K. Zhang, R. Statman and D. Shasha, On the editing distance between unordered labeled trees **42** (3) (1992) 133–139

2398. A. Parker and J.O. Hamblen, Optimal value for the Newton–Raphson division algorithm **42** (3) (1992) 141–144
2399. M. Li and P.M.B. Vitányi, Average case complexity under the universal distribution equals worst-case complexity **42** (3) (1992) 145–149
2400. J.S. Salowe, A note on lower bounds for rectilinear Steiner trees **42** (3) (1992) 151–152
2401. T.N. Bui and C. Jones, Finding good approximate vertex and edge partitions is NP-hard **42** (3) (1992) 153–159
2402. M. Mowbray, Finitary logics for some CCS observational bisimulations **42** (3) (1992) 161–165
2403. J.F. Groote, A short proof of the decidability of bisimulation for normed BPA-processes **42** (3) (1992) 167–171
2404. U.K. Sarkar, P.P. Chakrabarti, S. Ghose and S.C. De Sarkar, A simple 0.5-bounded greedy algorithm for the 0/1 knapsack problem **42** (3) (1992) 173–177
2405. T. Hwang, Protocols for group oriented secret sharing **42** (4) (1992) 179–182
2406. A. Blum, Rank-r decision trees are a subclass of r-decision lists **42** (4) (1992) 183–185
2407. C. Aykanat and F. Ozgüner, A fault-tolerant hexagonal systolic array **42** (4) (1992) 187–196
2408. L. Chen, Optimal parallel time bounds for the maximum clique problem on intervals **42** (4) (1992) 197–201
2409. R. Vaidyanathan, Sorting on PRAMs with reconfigurable buses **42** (4) (1992) 203–208
2410. Z. Liu and J.-H. You, An implementation of a nonlinear skewing scheme **42** (4) (1992) 209–215
2411. R. Vaidyanathan, C.R.P. Hartmann and P.K. Varshney, PRAMs with variable word-size **42** (4) (1992) 217–222
2412. C.J. Colbourn, D.R. Stinson and L. Teirlinck, A parallelization of Miller's $n^{\log n}$ isomorphism technique **42** (4) (1992) 223–228
2413. A.P. Sprague and K.H. Kulkarni, Optimal parallel algorithms for finding cut vertices and bridges of interval graphs **42** (4) (1992) 229–234
2414. K. Day and A. Tripathi, Arrangement graphs: A class of generalized star graphs **42** (5) (1992) 235–241
2415. Z.-Z. Chen, A simple parallel algorithm for computing the diameters of all vertices in a tree and its application **42** (5) (1992) 243–248
2416. A.V. Goldberg, A natural randomization strategy for multicommodity flow and related algorithms **42** (5) (1992) 249–256
2417. S.K. Wismath, Computing the full visibility graph of a set of line segments **42** (5) (1992) 257–261
2418. J. Han, Binding propagation beyond the reach of rule/goal graphs **42** (5) (1992) 263–268
2419. B. Litow, On iterated integer product **42** (5) (1992) 269–272
2420. G. Wrightson and J. Coldwell, A truncation technique for clausal analytic tableaux **42** (5) (1992) 273–281
2421. S. Singh, Expected connectivity and leader election in unreliable networks **42** (5) (1992) 283–285
2422. H. Cameron and D. Wood, A note on the path length of red–black trees **42** (5) (1992) 287–292
2423. G.K. Manacher and T.A. Mankus, Incorporating negative-weight vertices in certain vertex-search graph algorithms **42** (6) (1992) 293–294
2424. P.B. Miltersen, Circuit depth relative to a random oracle **42** (6) (1992) 295–298
2425. G.J. Woeginger and Z. Yu, On the equal-subset-sum problem **42** (6) (1992) 299–302
2426. B. Zhu, Computing the shortest diagonal of a monotone polygon in linear time **42** (6) (1992) 303–307
2427. E. Dahlhaus, M. Karpinski and P. Kelsen, An efficient parallel algorithm for computing a maximal independent set in a hypergraph of dimension 3 **42** (6) (1992) 309–313
2428. C. Stein and J. Wein, Approximating the minimum-cost maximum flow is P-complete **42** (6) (1992) 315–319
2429. S. Khuller and B. Schieber, On independent spanning trees **42** (6) (1992) 321–323
2430. K. Morita, Computation-universality of one-dimensional one-way reversible cellular automata **42** (6) (1992) 325–329
2431. A. Brogi, A. Ciampolini, E. Lamma and P. Mello, The implementation of a distributed model for logic programming based on multiple-headed clauses **42** (6) (1992) 331–338
2432. E. Goles and S. Martínez, Automata networks and optimization **42** (6) (1992) 339–343
2433. N.G. Kinnersley, The vertex separation number of a graph equals its path-width **42** (6) (1992) 345–350
2434. S. Saluja, A note on the permanent value problem **43** (1) (1992) 1–5
2435. M. Bern and J.R. Gilbert, Drawing the planar dual **43** (1) (1992) 7–13

2436. B. Chandra, Does randomization help in on-line bin packing? **43** (1) (1992) 15–19
2437. L. Bachmair, Associative-commutative reduction orderings **43** (1) (1992) 21–27
2438. S. Schirra, Approximate decision algorithms for approximate congruence **43** (1) (1992) 29–34
2439. W. Kern, Learning convex bodies under uniform distribution **43** (1) (1992) 35–39
2440. L.-H. Tsai, An algorithm for flow time minimization and its asymptotic makespan properties **43** (1) (1992) 41–46
2441. M. Singhal and A. Kshemkalyani, An efficient implementation of vector clocks **43** (1) (1992) 47–52
2442. E. Koutsoupias and C.H. Papadimitriou, On the greedy algorithm for satisfiability **43** (1) (1992) 53–55
2443. M. Martelli and C. Tricomi, A new SLDNF-tree **43** (2) (1992) 57–62
2444. Y.M. Chee and A. Lim, The algorithmic complexity of colour switching **43** (2) (1992) 63–68
2445. F.R. Hsu, R.C.T. Lee and R.C. Chang, Special subgraphs of weighted visibility graphs **43** (2) (1992) 69–75
2446. S.-C. Hsu and S.-T. Huang, A self-stabilizing algorithm for maximal matching **43** (2) (1992) 77–81
2447. T. Hwang, Attacks on Okamoto and Tanaka's one-way ID-based key distribution system **43** (2) (1992) 83–86
2448. A. Sen, H. Deng and S. Guha, On a graph partition problem with application to VLSI layout **43** (2) (1992) 87–94
2449. M.E. Majster-Cederbaum, Ensuring the existence of a BCNF-decomposition that preserves functional dependencies in $O(N^2)$ time **43** (2) (1992) 95–100
2450. S. Cheung and F.C.M. Lau, Mesh permutation routing with locality **43** (2) (1992) 101–105
2451. M. Li and P.M.B. Vitányi, Optimality of wait-free atomic multiwriter variables **43** (2) (1992) 107–112
2452. O. de Moor, Inductive data types for predicate transformers **43** (3) (1992) 113–117
2453. S. Saluja and K.V. Subrahmanyam, On the power of enumerative counting **43** (3) (1992) 119–125
2454. G.J. Woeginger, Finding the closest extreme vertex to a fixed point **43** (3) (1992) 127–128
2455. X. Liu and J.L. Kim, An efficient parallel sorting algorithm **43** (3) (1992) 129–133
2456. T.A. Henzinger, Sooner is safer than later **43** (3) (1992) 135–141
2457. V.I. Galiev, A.F. Polupanov and I.E. Shparlinski, Distances from differences of roots of polynomials to the nearest integers **43** (3) (1992) 143–146
2458. W. Penczek, On undecidability of propositional temporal logics on trace systems **43** (3) (1992) 147–153
2459. M. Boreale, P. Inverardi and M. Nesi, Complete sets of axioms for finite basic LOTOS behavioural equivalences **43** (3) (1992) 155–160
2460. V.S. Dimitrov, T.V. Cooklev and B.D. Donevsky, On the multiplication of reduced biquaternions and applications **43** (3) (1992) 161–164
2461. D.-H. Kim and K.-M. Choe, Yet another efficient backward execution algorithm in the AND/OR Process Model (*Corrigendum*) **43** (3) (1992) 165
2462. B.K. Szymanski and B. Sinharoy, Complexity of the closest vector problem in a lattice generated by (0, 1)-matrix (*Corrigendum*) **43** (3) (1992) 167
2463. P. Gemmell and M. Sudan, Highly resilient correctors for polynomials **43** (4) (1992) 169–174
2464. J. Palsberg and M.I. Schwartzbach, Safety analysis versus type inference for partial types **43** (4) (1992) 175–180
2465. M.N. Kolountzakis and K.N. Kutulakos, Fast computation of the Euclidian distance maps for binary images **43** (4) (1992) 181–184
2466. J.-C. Birget, Intersection and union of regular languages and state complexity **43** (4) (1992) 185–190
2467. Z.-Z. Chen, A fast and efficient parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula **43** (4) (1992) 191–193
2468. T. Takaoka, A new upper bound on the complexity of the all pairs shortest path problem **43** (4) (1992) 195–199
2469. R.I. Greenberg and F. Miller Maley, Minimum separation for single-layer channel routing **43** (4) (1992) 201–205
2470. L. Allison, Lazy dynamic-programming can be eager **43** (4) (1992) 207–212
2471. A. Bagchi, On sorting in the presence of erroneous information **43** (4) (1992) 213–215
2472. D.P. Huttenlocher, K. Kedem and J.M. Kleinberg, Voronoi diagrams of rigidly moving sets of points **43** (4) (1992) 217–223
2473. K. Inoue, A. Ito and I. Takanami, A relationship between nondeterministic Turing machines and 1-inkdot Turing machines with small space **43** (4) (1992) 225–227

2474. J.Y. Hsiao, C.Y. Tang and R.S. Chang, An efficient algorithm for finding a maximum weight 2-independent set on interval graphs **43** (5) (1992) 229–235
2475. E.J. Schwabe, Embedding meshes of trees into deBruijn graphs **43** (5) (1992) 237–240
2476. R.W. Dawes, Some pursuit–evasion problems on grids **43** (5) (1992) 241–247
2477. R. Satyanarayanan and D.R. Muthukrishnan, A note on Raymond's tree based algorithm for distributed mutual exclusion **43** (5) (1992) 249–255
2478. Z.J. Czech, G. Havas and B.S. Majewski, An optimal algorithm for generating minimal perfect hash functions **43** (5) (1992) 257–264
2479. A.S. Pombortsis, Analysis of hierarchical bus-based multicomputer architectures **43** (5) (1992) 265–270
2480. E.K. Ressler, Random list permutations in place **43** (5) (1992) 271–275
2481. A. van Vliet, An improved lower bound for on-line bin packing algorithms **43** (5) (1992) 277–284
2482. I. Jerebic and R. Trobec, Optimal routing in toroidal networks **43** (6) (1992) 285–291
2483. M.-S. Chang and F.-H. Wang, Efficient algorithms for the maximum weight clique and maximum weight independent set problems on permutation graphs **43** (6) (1992) 293–295
2484. S.-L. Peng and M.-S. Chang, A simple linear time algorithm for the domatic partition problem on strongly chordal graphs **43** (6) (1992) 297–300
2485. D. Scholefield and H.S.M. Zedan, Weakest precondition semantics for time and concurrency **43** (6) (1992) 301–308
2486. E.A. Albacea, A parallel algorithm for edge-coloring of graphs with edge-disjoint cycles **43** (6) (1992) 309–314
2487. C. Kim and J.-S. Kim, A mean value analysis of the Ethernet throughput **43** (6) (1992) 315–320
2488. J. Wang, A note on two-way probabilistic automata **43** (6) (1992) 321–326
2489. H. Chen, X. Yu, K. Yamaguchi, H. Kitagawa, N. Ohbo and Y. Fujiwara, Decomposition – An approach for optimizing queries including ADT functions **43** (6) (1992) 327–333
2490. T. Hagerup, On a compaction theorem of Ragde **43** (6) (1992) 335–340
2491. S.M. Chung, Indexed extendible hashing **44** (1) (1992) 1–6
2492. S. Masuyama and S. Naito, Deciding whether graph G has page number one is in NC **44** (1) (1992) 7–10
2493. V.Th. Paschos, A $(\Delta/2)$-approximation algorithm for the maximum independent set problem **44** (1) (1992) 11–13
2494. M.-S. Yu and C.-H. Yang, An optimal parallel algorithm for the domatic partition problem on an interval graph given its sorted model **44** (1) (1992) 15–22
2495. P.L. Hammer and A. Kogan, Horn functions and their DNFs **44** (1) (1992) 23–29
2496. T. Hwang, Efficient ID-based key distribution with tamperfree devices **44** (1) (1992) 31–34
2497. S. Kapur and G. Bilardi, On uniform learnability of language families **44** (1) (1992) 35–38
2498. V.K. Garg, Some optimal algorithms for decomposed partially ordered sets **44** (1) (1992) 39–43
2499. N.Ch. Veeraraghavulu, P. Sreenivasa Kumar and C.E. Veni Madhavan, A linear-time algorithm for isomorphism of a subclass of chordal graphs **44** (1) (1992) 45–49
2500. A. Sharary and N. Zaguia, On a setup optimization problem for interval orders **44** (1) (1992) 51–55
2501. M. Bousquet-Mélou, The number of minimal word chains computing the Thue–Morse word **44** (2) (1992) 57–64
2502. P. Gastin, E. Ochmanski, A. Petit and B. Rozoy, Decidability of the Star Problem in $A^* \times \{b\}^*$ **44** (2) (1992) 65–71
2503. B. De Iaco and F. Luccio, Finding all the palindromes in a binary tree in linear time and space **44** (2) (1992) 73–77
2504. M.-Y. Kao and F. Wan, Not all planar digraphs have small cycle separators **44** (2) (1992) 79–83
2505. M. Morii and M. Kasahara, Perfect staircase profile of linear complexity for finite sequences **44** (2) (1992) 85–89
2506. R.-J. Chen and Y.-S. Hou, Non-associative parallel prefix computation **44** (2) (1992) 91–94
2507. K. Mukhopadhyaya and B.P. Sinha, Hamiltonian graphs with minimum number of edges for fault-tolerant topologies **44** (2) (1992) 95–99
2508. K.-H. Teo and T.-C. Tuan, An efficient one-side height minimization algorithm for routing around a rectangle **44** (2) (1992) 101–105
2509. B.-C. Chien and W.-P. Yang, The worst case analysis of algorithm on multiple stacks manipulation **44** (2) (1992) 107–111
2510. M. Cadoli, The complexity of model checking for circumscriptive formulae **44** (3) (1992) 113–118

2511. D.P. Bovet and S. Varricchio, On the regularity of languages on a binary alphabet generated by copying systems **44** (3) (1992) 119–123
2512. E. Mäkinen, Remarks on the structural grammatical inference problem for context-free grammars **44** (3) (1992) 125–127
2513. J. Lobo and V.S. Subrahmanian, Relating minimal models and pre-requisite-free normal defaults **44** (3) (1992) 129–133
2514. J.J. Lu and L.J. Henschen, The completeness of gp-resolution for annotated logics **44** (3) (1992) 135–140
2515. Y. Han, B. Narahari and H.-A. Choi, Mapping a chain task to chained processors **44** (3) (1992) 141–148
2516. V. Pan, A. Sadikou and E. Landowne, Polynomial division with a remainder by means of evaluation and interpolation **44** (3) (1992) 149–153
2517. S.K. Ghosh and A. Maheshwari, An optimal parallel algorithm for computing furthest neighbors in a tree **44** (3) (1992) 155–160
2518. G.J. Woeginger, The complexity of finding arborescences in hypergraphs **44** (3) (1992) 161–164
2519. J. Bainbridge, A heuristic method for generating large random expressions **44** (3) (1992) 165–170
2520. J. Pachl, A simple proof of a completeness result for *leads-to* in the UNITY logic (*Corrigendum*) **44** (3) (1992) 171
2521. M. Dalal and D.W. Etherington, A hierarchy of tractable satisfiability problems **44** (4) (1992) 173–180
2522. L. Zhang, The pre-NTS property is undecidable for context-free grammars **44** (4) (1992) 181–184
2523. K. Wang and L.Y. Yuan, Preservation of integrity constraints in definite DATALOG programs **44** (4) (1992) 185–193
2524. T. Jiang, M. Li and D.-Z. Du, A note on shortest superstrings with flipping **44** (4) (1992) 195–199
2525. H.-W. Chang and K.-L. Chung, Fault-tolerant routing in unique-path multistage Omega network **44** (4) (1992) 201–204
2526. S. Gupta, On the closure of certain function classes under integer division by polynomially-bounded functions **44** (4) (1992) 205–210
2527. A. Tamura and Y. Tamura, Degree constrained tree embedding into points in the plane **44** (4) (1992) 211–214
2528. R.D. Lins, Cyclic reference counting with lazy mark-scan **44** (4) (1992) 215–220
2529. S. Martello and P. Toth, A note on 0.5-bounded greedy algorithms for the 0/1 knapsack problem **44** (4) (1992) 221–222
2530. A.A. Shvartsman, An efficient Write-All algorithm for fail-stop PRAM without initialized memory **44** (4) (1992) 223–231
2531. A. Amir and M. Farach, Two-dimensional dictionary matching **44** (5) (1992) 233–239
2532. J.-S. Wu and R.-J. Chen, The towers of Hanoi problem with parallel moves **44** (5) (1992) 241–243
2533. J.-H. Lin and J.S. Vitter, Approximation algorithms for geometric median problems **44** (5) (1992) 245–249
2534. A. Bar-Noy, R. Motwani and J. Naor, The greedy algorithm is optimal for on-line edge coloring **44** (5) (1992) 251–253
2535. F. d'Amore and P.G. Franciosa, On the optimal binary plane partition for sets of isothetic rectangles **44** (5) (1992) 255–259
2536. M.H. Overmars, Point location in fat subdivisions **44** (5) (1992) 261–265
2537. P. Rossmanith and W. Rytter, Observations on $\log(n)$ time parallel recognition of unambiguous cfl's **44** (5) (1992) 267–272
2538. G. Gupta, Dynamic parallel evaluation of the cross-product set using time-stamps **44** (5) (1992) 273–280
2539. R. Greenberg, J. Jájá and S. Krishnamurthy, On the difficulty of Manhattan channel routing **44** (5) (1992) 281–284
2540. E. Dekel, J. Hu and W. Ouyang, An optimal algorithm for finding compact sets **44** (5) (1992) 285–289
2541. J. Engelfriet, An elementary proof of Double Greibach Normal Form **44** (6) (1992) 291–293
2542. U. Feige, On the complexity of finite random functions **44** (6) (1992) 295–296
2543. S. Vishwanathan, An approximation algorithm for the asymmetric travelling salesman problem with distances one and two **44** (6) (1992) 297–302
2544. L. Fortnow and M. Szegedy, On the power of two-local random reductions **44** (6) (1992) 303–306
2545. D.A. Cohen and E.A. Scott, Rationality of division orderings **44** (6) (1992) 307–311
2546. A. Pascoletti, An optimal algorithm for the period of a strongly connected digraph **44** (6) (1992) 313–316

2547. A. Acharya and B.R. Badrinath, Recording distributed snapshots based on causal order of message delivery **44** (6) (1992) 317–321
2548. S. Simonson and I.H. Sudborough, On the complexity of tree embedding problems **44** (6) (1992) 323–328
2549. H. Leung, A note on finitely ambiguous distance automata **44** (6) (1992) 329–331
2550. G. Luo, G. von Bochmann, A. Das and C. Wu, Failure-equivalent transformation of transition systems to avoid internal actions **44** (6) (1992) 333–343
2551. D. Breslauer, An on-line string superprimitivity test **44** (6) (1992) 345–347
2552. J. Palsberg, Normal forms have partial types **45** (1) (1993) 1–3
2553. J.F. Dillenburg and P.C. Nelson, Improving the efficiency of depth-first search by cycle elimination **45** (1) (1993) 5–10
2554. V.A. Fischetti, G.M. Landau, P.H. Sellers and J.P. Schmidt, Identifying periodic occurrences of a template with applications to protein structure **45** (1) (1993) 11–18
2555. M.M. Halldórsson, A still better performance guarantee for approximate graph coloring **45** (1) (1993) 19–23
2556. K.-C. Lin and M.-S. Chern, The most vital edges in the minimum spanning tree problem **45** (1) (1993) 25–31
2557. J.U. Kim, H. Chang and T.G. Kim, Multidisk partial match file design with known access pattern **45** (1) (1993) 33–39
2558. B. Schoenmakers, A systematic analysis of splaying **45** (1) (1993) 41–50
2559. R. Baeza-Yates and M. Régnier, Fast two-dimensional pattern matching **45** (1) (1993) 51–57
2560. J.A. Foster, The generic oracle hypothesis is false **45** (2) (1993) 59–62
2561. D. Cross, R. Drefenstedt and J. Keller, Reduction of network cost and wiring in Ranade's butterfly routing **45** (2) (1993) 63–67
2562. A. Chin, Permutations on the Block PRAM **45** (2) (1993) 69–73
2563. J. He and C.A.R. Hoare, From algebra to operational semantics **45** (2) (1993) 75–80
2564. S. Pilarski and T. Kameda, Simple bounds on the convergence rate of an ergodic Markov chain **45** (2) (1993) 81–87
2565. F. Drewes, NP-completeness of k-connected hyperedge-replacement languages of order k **45** (2) (1993) 89–94
2566. M. Bern, Approximate closest-point queries in high dimensions **45** (2) (1993) 95–99
2567. M.J. Fischer, S. Moran and G. Taubenfeld, Space-efficient asynchronous consensus without shared memory initialization **45** (2) (1993) 101–105
2568. T. Kimbrel and R.K. Sinha, A probabilistic algorithm for verifying matrix products using $O(n^2)$ time and $\log_2 n + O(1)$ random bits **45** (2) (1993) 107–110
2569. J. Bin, I/O- and CPU-optimal recognition of strongly connected components **45** (3) (1993) 111–115
2570. D. Ranjan and D. Rus, A tool for the analysis of manipulation **45** (3) (1993) 117–121
2571. K. Day and A. Tripathi, Unidirectional star graphs **45** (3) (1993) 123–129
2572. C.-C. Chen and I.-P. Lin, The computational complexity of satisfiability of temporal Horn formulas in propositional linear-time temporal logic **45** (3) (1993) 131–136
2573. M. Merritt and G. Taubenfeld, Speeding Lamport's fast mutual exclusion algorithm **45** (3) (1993) 137–142
2574. M. Liśkiewicz, On the relationship between deterministic time and deterministic reversal **45** (3) (1993) 143–146
2575. N. Amato, Improved processor bounds for parallel algorithms for weighted directed graphs **45** (3) (1993) 147–152
2576. S.H. Hsu and R. Snodgrass, Optimal block size for set-valued attributes **45** (3) (1993) 153–158
2577. F. Suraweera and P. Bhattacharya, An $O(\log m)$ parallel algorithm for the minimum spanning tree problem **45** (3) (1993) 159–163
2578. M. Raczunas, Remarks on the equivalence of c–e structures and Petri nets **45** (4) (1993) 165–169
2579. E. Ihler, D. Wagner and F. Wagner, Modeling hypergraphs by graphs with the same mincut properties **45** (4) (1993) 171–175
2580. F.-H. Wang and F.-C. Lin, On constructing multiple spanning trees in a hypercube **45** (4) (1993) 177–183
2581. Y.D. Liang and C. Rhee, Finding a maximum matching in a circular-arc graph **45** (4) (1993) 185–190

2582. A. Analyti and S. Pramanik, Performance analysis of a main memory multi-directory hashing technique **45** (4) (1993) 191–197
2583. X. Shen, Q. Hu, B. Cong, H. Sudborough, M. Girou and S. Bettayeb, The 4-star graph is not a subgraph of any hypercube **45** (4) (1993) 199–203
2584. B. Chor and E. Kushilevitz, A communication-privacy tradeoff for modular addition **45** (4) (1993) 205–210
2585. D.A. Rosenblueth, An execution mechanism for nondeterministic, state-oriented programs based on a chart parser **45** (4) (1993) 211–217
2586. M. Buro, On the maximum length of Huffman codes **45** (5) (1993) 219–223
2587. S. Cheung and F.C.M. Lau, A lower bound for permutation routing on two-dimensional bused meshes **45** (5) (1993) 225–228
2588. J.P. Spinrad, Doubly lexical ordering of dense 0–1 matrices **45** (5) (1993) 229–235
2589. P. Hanschke and J. Würtz, Satisfiability of the smallest binary program **45** (5) (1993) 237–241
2590. A. Bijlsma, Quasi-boolean equivalence **45** (5) (1993) 243–247
2591. R. De Prisco and A. De Santis, On binary search trees **45** (5) (1993) 249–253
2592. J. Lu, Parallelizing Mallat algorithm for 2-D wavelet transforms **45** (5) (1993) 255–259
2593. D.T. Lee and E. Papadopoulou, The all-pairs quickest path problem **45** (5) (1993) 261–267
2594. M.T. Dickerson and J. Shugart, A simple algorithm for enumerating longest distances in the plane **45** (5) (1993) 269–274
2595. J. Wang and J. Belanger, Honest iteration schemes of randomizing algorithms **45** (6) (1993) 275–278
2596. L. Cai, The recognition of union trees **45** (6) (1993) 279–283
2597. F. Gavril, An efficiently solvable graph partition problem to which many problems are reducible **45** (6) (1993) 285–290
2598. J.F. Korsh, Counting and randomly generating binary trees **45** (6) (1993) 291–294
2599. E.J. Schwabe, Constant-slowdown simulations of normal hypercube algorithms on the butterfly network **45** (6) (1993) 295–301
2600. A. Razborov and A. Wigderson, $n^{\Omega(\log n)}$ Lower bounds on the size of depth-3 threshold circuits with AND gates at the bottom **45** (6) (1993) 303–307
2601. W.-T. Chen and K.-R. Hsieh, A neural sorting network with O(1) time complexity **45** (6) (1993) 309–313
2602. L. Gargano, U. Vaccaro and A. Vozella, Fault tolerant routing in the star and pancake interconnection networks **45** (6) (1993) 315–320
2603. S. Ravindran and A. Gibbons, Dense edge-disjoint embedding of complete binary trees in the hypercube **45** (6) (1993) 321–325
2604. J.-S. Wu and R.-J. Chen, The towers of Hanoi problem with cyclic parallel moves **46** (1) (1993) 1–6
2605. M.-S. Yu, L.Y. Tseng and S.-J. Chang, Sequential and parallel algorithms for the maximum-weight independent set problem on permutation graphs **46** (1) (1993) 7–11
2606. G.M. Megson, Systolic partitioning algorithms **46** (1) (1993) 13–18
2607. R.D. Lins, Generational cyclic reference counting **46** (1) (1993) 19–20
2608. T.-H. Lai and S.-S. Wei, The Edge Hamiltonian Path Problem is NP-complete for bipartite graphs **46** (1) (1993) 21–26
2609. Y.X. Yang, New binary sequences with perfect staircase profile of linear complexity **46** (1) (1993) 27–29
2610. R. Vaidyanathan, C.R.P. Hartmann and P.K. Varshney, Running ASCEND, DESCEND and PIPELINE algorithms in parallel using small processors **46** (1) (1993) 31–36
2611. K. Kobayashi, Σ_n^0-complete properties of programs and Martin-Löf randomness **46** (1) (1993) 37–42
2612. S. Cha, I.S. Chung and Y.R. Kwon, Complexity measures for concurrent programs based on information-theoretic metrics **46** (1) (1993) 43–50
2613. S.B. Oh, An analytical evidence for Kalé's heuristic for the N queens problem **46** (1) (1993) 51–54
2614. C. Ho-Stuart, H.S.M. Zedan and M. Fang, Congruent weak bisimulation with dense real-time **46** (2) (1993) 55–61
2615. H. Ohtsuka, A proof of the substitution lemma in de Bruijn's notation **46** (2) (1993) 63–66
2616. S. Hoory and A. Wigderson, Universal traversal sequences for expander graphs **46** (2) (1993) 67–69
2617. A. Moffat and J. Zobel, Supporting random access in files of variable length records **46** (2) (1993) 71–77
2618. A.Z. Zelikovsky, A faster approximation algorithm for the Steiner tree problem in graphs **46** (2) (1993) 79–83

2619. I. Wegener, Optimal lower bounds on the depth of polynomial-size threshold circuits for some arithmetic functions **46** (2) (1993) 85–87
2620. P. Thangavel and V.P. Muthuswamy, Parallel algorithms for addition and multiplication on processor arrays with reconfigurable bus systems **46** (2) (1993) 89–94
2621. L. Longpré and S. Mocas, Symmetry of information and one-way functions **46** (2) (1993) 95–100
2622. X. Shen and Q. Hu, A note on minimal visibility graphs **46** (2) (1993) 101
2623. F. Makedon, D. Sheinwald and Y. Wolfsthal, A simple linear-time algorithm for the recognition of bandwidth-2 biconnected graphs **46** (2) (1993) 103–107
2624. L. Bianco, J. Błażewicz, P. Dell'Olmo and M. Drozdowski, Preemptive scheduling of multiprocessor tasks on the dedicated processor system subject to minimal lateness **46** (3) (1993) 109–113
2625. T. Fischer, A.V. Goldberg, D.J. Haglin and S. Plotkin, Approximating matchings in parallel **46** (3) (1993) 115–118
2626. R. Gavaldà, A positive relativization of polynomial time versus polylog space **46** (3) (1993) 119–123
2627. G.-H. Chen and Y.-C. Hung, On the quickest path problem **46** (3) (1993) 125–128
2628. L.-T. Liu, G.-H. Chen and K.-J. Lin, An algorithm for coalescing operations with precedence constraints in real-time systems **46** (3) (1993) 129–133
2629. R. Davis and A. Prieditis, The expected length of a shortest path **46** (3) (1993) 135–141
2630. S. Latifi, On the fault-diameter of the star graph **46** (3) (1993) 143–150
2631. T. Sato, Decidability for some problems of linear cellular automata over finite commutative rings **46** (3) (1993) 151–155
2632. V.A. Fischetti, G.M. Landau, J.P. Schmidt and P.H. Sellers, Identifying periodic occurrences of a template with applications to protein structure (*Corrigendum*) **46** (3) (1993) 157
2633. M. Crochemore, L. Gąsieniec and W. Rytter, Two-dimensional pattern matching by sampling **46** (4) (1993) 159–162
2634. L. Kuncheva, Genetic algorithm for feature selection for parallel classifiers **46** (4) (1993) 163–168
2635. M.M. Halldórsson, Approximating the minimum maximal independence number **46** (4) (1993) 169–172
2636. A. Mazurkiewicz, Distributed disassembly of mosaics **46** (4) (1993) 173–178
2637. J. Demetrovics and V.D. Thi, Some problems concerning keys for relation schemes and relations in the relational datamodel **46** (4) (1993) 179–184
2638. M. van Kreveld, The power of parallel projection **46** (4) (1993) 185–191
2639. J.-J. Tsay, An efficient implementation of priority queues using fixed-sized systolic coprocessors **46** (4) (1993) 193–198
2640. U.K. Chakraborty and D.G. Dastidar, Using reliability analysis to estimate the number of generations to convergence in genetic algorithms **46** (4) (1993) 199–209
2641. A. Bijlsma, Calculating with procedure calls **46** (5) (1993) 211–217
2642. G.D. Stamoulis and J.N. Tsitsiklis, An efficient algorithm for multiple simultaneous broadcasts in the hypercube **46** (5) (1993) 219–224
2643. H. Müller and F. Nicolai, Polynomial time algorithms for Hamiltonian problems on bipartite distance-hereditary graphs **46** (5) (1993) 225–230
2644. S.C. Chang and M.W. Du, Diamond deque: A simple data structure for priority deques **46** (5) (1993) 231–237
2645. U. Schöning, On random reductions from sparse sets to tally sets **46** (5) (1993) 239–241
2646. D.S. Wise, Stop-and-copy and one-bit reference counting **46** (5) (1993) 243–249
2647. M.H. Kim, J.H. Lee and Y.J. Lee, Analysis of fuzzy operators for high quality information retrieval **46** (5) (1993) 251–256
2648. W. Snyder, On the complexity of recursive path orderings **46** (5) (1993) 257–262
2649. T. Krishnaprasad, Locality in inheritance networks **46** (6) (1993) 263–268
2650. K.-U. Höffgen, Computational limitations on training sigmoid neural networks **46** (6) (1993) 269–274
2651. F.B. Chedid and R.B. Chedid, A new variation on hypercubes with smaller diameter **46** (6) (1993) 275–280
2652. M. Middendorf, Minimum Broadcast Time is NP-complete for 3-regular planar graphs and deadline 2 **46** (6) (1993) 281–287
2653. T. Bolognesi, Deriving graphical representations of process networks from algebraic expressions **46** (6) (1993) 289–294
2654. A. Andersson and S. Nilsson, Improved behaviour of tries by adaptive branching **46** (6) (1993) 295–300

2655. E.M. Clarke, I.A. Draghicescu and R.P. Kurshan, A unified approach for showing language inclusion and equivalence between various types of ω-automata **46** (6) (1993) 301–308
2656. H. Prodinger and W. Szpankowski, A note on binomial recurrences arising in the analysis of algorithms (*Letter to the Editor*) **46** (6) (1993) 309–311
2657. S. Toledo, Approximate parametric searching **47** (1) (1993) 1–4
2658. B. Teia, A lower bound for randomized list update algorithms **47** (1) (1993) 5–9
2659. P. Crescenzi and R. Silvestri, A note on the descriptive complexity of maximization problems **47** (1) (1993) 11–15
2660. O. Owolabi, Efficient pattern searching over large dictionaries **47** (1) (1993) 17–21
2661. J. Hershberger, A faster algorithm for the two-center decision problem **47** (1) (1993) 23–29
2662. M. Meskes and J. Noack, The generalized supplementary magic-sets transformation for stratified Datalog **47** (1) (1993) 31–41
2663. W.-H. Chen and C.Y. Tang, A $2 \cdot |E|$-bit distributed algorithm for the directed Euler trail problem **47** (1) (1993) 43–49
2664. D. Breslauer, L. Colussi and L. Toniolo, Tight comparison bounds for the string prefix-matching problem **47** (1) (1993) 51–57
2665. J. Dassow, G. Păun and A. Salomaa, On the union of 0L languages **47** (2) (1993) 59–63
2666. R. Nieuwenhuis, Simple LPO constraint solving methods **47** (2) (1993) 65–69
2667. G.N. Frederickson, S.E. Hambrusch and H.-Y. Tu, Shortest path computations in source-deplanarized graphs **47** (2) (1993) 71–75
2668. É. Tardos and V.V. Vazirani, Improved bounds for the max-flow min-multicut ratio for planar and $K_{r,r}$-free graphs **47** (2) (1993) 77–80
2669. S. Jain and A. Sharma, On the non-existence of maximal inference degrees for language identification **47** (2) (1993) 81–88
2670. M.-S. Yu and C.-H. Yang, An O(n) time algorithm for maximum matching on cographs **47** (2) (1993) 89–93
2671. C. Hancart, On Simon's string searching algorithm **47** (2) (1993) 95–99
2672. S.H. Lee and L.J. Henschen, Semantics and properties of existential quantifiers in deductive databases **47** (2) (1993) 101–108
2673. H. Park, H.J. Kim and V.K. Prasanna, An O(1) time optimal algorithm for multiplying matrices on reconfigurable mesh **47** (2) (1993) 109–113
2674. M.J. Katz and M. Sharir, Optimal slope selection via expanders **47** (3) (1993) 115–122
2675. H.-C. Shin and K.-M. Choe, An improved LALR(k) parser generation for regular right part grammars **47** (3) (1993) 123–129
2676. I. Durand and B. Salinier, Constructor equivalent term rewriting systems **47** (3) (1993) 131–137
2677. K. Gopalakrishnan, D.G. Hoffman and D.R. Stinson, A note on a conjecture concerning symmetric resilient functions **47** (3) (1993) 139–143
2678. C. Luchetti and M.C. Pinotti, Some comments on building heaps in parallel **47** (3) (1993) 145–148
2679. B.-M. Chang, K.-M. Choe and T. Han, Efficient bottom–up execution of logic programs using abstract interpretation **47** (3) (1993) 149–157
2680. J.D. Bright, Range-restricted mergeable priority queues **47** (3) (1993) 159–164
2681. G. Steiner and S. Yeomans, A note on "Scheduling unit-time tasks with integer release times and deadlines" **47** (3) (1993) 165–166
2682. A. Lim, Y.M. Chee and S.-W. Cheng, Single jog minimum area joining of compacted cells **47** (4) (1993) 167–172
2683. M. Luby, A. Sinclair and D. Zuckerman, Optimal speedup of Las Vegas algorithms **47** (4) (1993) 173–180
2684. C.-Z. Xu and F.C.M. Lau, Optimal parameters for load balancing using the diffusion method in k-ary n-cube networks **47** (4) (1993) 181–187
2685. I.-S. Yun, K.-M. Choe and T. Han, Syntactic error repair using repair patterns **47** (4) (1993) 189–196
2686. Y.-B. Lin, Parallel trace-driven simulation of packet-switched multiplexer under priority scheduling policy **47** (4) (1993) 197–201
2687. E.T. Bax, Inclusion and exclusion algorithm for the Hamiltonian Path Problem **47** (4) (1993) 203–207
2688. S. Bhattacharya and A. Bagchi, A faster alternative to SSS* with extension to variable memory **47** (4) (1993) 209–214

2689. D.S. Hirschberg and S.S. Seiden, A bounded-space tree traversal algorithm **47** (4) (1993) 215–219
2690. M.-S. Kim, J.-W. Ahn and S.-B. Lim, An algebraic algorithm to compute the exact general sweep boundary of a 2D curved object **47** (5) (1993) 221–229
2691. N.S.V. Rao and C. Luo, On similarity of polynomial configurations **47** (5) (1993) 231–236
2692. B.-M. Chang, K.-M. Choe and T. Han, Static filtering on stratified programs **47** (5) (1993) 237–244
2693. W.-J. Park, M.-J. Lee and K.-M. Choe, On the reduction of LR(k) parsers **47** (5) (1993) 245–251
2694. L. Alonso, E.M. Reingold and R. Schott, Determining the majority **47** (5) (1993) 253–255
2695. N.F. de Almeida Jr. and V.C. Barbosa, A string-matching algorithm for the CREW PRAM **47** (5) (1993) 257–259
2696. H. Gurla, Leftmost one computation on meshes with row broadcasting **47** (5) (1993) 261–266
2697. R. Vaidyanathan and J.L. Trahan, Optimal simulation of multidimensional reconfigurable meshes by two-dimensional reconfigurable meshes **47** (5) (1993) 267–273
2698. E.M. Arkin, M.M. Halldórsson and R. Hassin, Approximating the tree and tour covers of a graph **47** (6) (1993) 275–282
2699. D. Krizanc, Integer sorting on a mesh-connected array of processors **47** (6) (1993) 283–289
2700. H.P. Gumm, Another glance at the Alpern–Schneider characterization of safety and liveness in concurrent executions **47** (6) (1993) 291–294
2701. Z. Shen, Static behavior analysis of a mesh system **47** (6) (1993) 295–299
2702. J. Håstad, S. Phillips and S. Safra, A well-characterized approximation problem **47** (6) (1993) 301–305
2703. R.T. Udink and J.N. Kok, Unity properties and sequences of states, some observations **47** (6) (1993) 307–311
2704. M. Hühne, Linear speed-up does not hold on Turing machines with tree storages **47** (6) (1993) 313–318
2705. P. Eades, X. Lin and W.F. Smyth, A fast and effective heuristic for the feedback arc set problem **47** (6) (1993) 319–323
2706. D.Z. Chen and S. Guha, Testing a simple polygon for monotonicity optimally in parallel **47** (6) (1993) 325–331
2707. C.V. Hall, Using overloading to express distinctions between evaluators **48** (1) (1993) 1–8
2708. A.L. Buchsbaum and M.C. Carlisle, Determining uni-connectivity in directed graphs **48** (1) (1993) 9–12
2709. N.I. Hachem, An approximate analysis of the performance of extendible hashing with elastic buckets **48** (1) (1993) 13–20
2710. M. Ahuja, Assertions about past and future in *Highways*: Global flush broadcast and flush-vector-time **48** (1) (1993) 21–28
2711. D.M. Yellin and C.S. Jutla, Finding extremal sets in less than quadratic time **48** (1) (1993) 29–34
2712. T. Hwang, Scheme for secure digital mobile communications based on symmetric key cryptography **48** (1) (1993) 35–37
2713. J. Santos and J. Orozco, Rate monotonic scheduling in hard real-time systems **48** (1) (1993) 39–45
2714. M.-S. Yu and C.-H. Yang, A simple optimal parallel algorithm for the minimum coloring problem on interval graphs **48** (1) (1993) 47–51
2715. H. Karloff, Fast algorithms for approximately counting mismatches **48** (2) (1993) 53–60
2716. D. Pretolani, A linear time algorithm for unique Horn satisfiability **48** (2) (1993) 61–66
2717. W. Yang, An incremental LL(1) parsing algorithm **48** (2) (1993) 67–72
2718. M.D. Atkinson and L. Walker, Enumerating k-way trees **48** (2) (1993) 73–75
2719. M. Steel and T. Warnow, Kaikoura tree theorems: Computing the maximum agreement subtree **48** (2) (1993) 77–82
2720. S. Gärtner, A remark on the regulation of k1ET0L systems **48** (2) (1993) 83–85
2721. D.D. Chinn and R.K. Sinha, Bounds on sample space size for matrix product verification **48** (2) (1993) 87–91
2722. S. Gupta, On bounded-probability operators and $C_{=}P$ **48** (2) (1993) 93–98
2723. S. Voss, Worst-case performance of some heuristics for Steiner's problem in directed graphs **48** (2) (1993) 99–105
2724. Y. Tscha, Y. Choi and K.H. Lee, Rearrangeable nonblocking condition for multi-$\log_2 N$ multiconnection networks **48** (3) (1993) 107–112
2725. N.R. Shah, A parallel algorithm for constructing projection polyhedra **48** (3) (1993) 113–119
2726. E.-C. Chang, W. Wang and M.S. Kankanhalli, Multidimensional on-line bin-packing: An algorithm and its average-case analysis **48** (3) (1993) 121–125

2727. S. Fujita and M. Yamashita, Fast gossiping on square mesh computers **48** (3) (1993) 127–130
2728. D.A. Hensgen, D.L. Sims and D. Charley, A fair Banker's Algorithm for read and write locks **48** (3) (1993) 131–137
2729. D. Sieling and I. Wegener, Reduction of OBDDs in linear time **48** (3) (1993) 139–144
2730. K.V.S. Ramarao and S. Venkatesan, The lower bounds on distributed shortest paths **48** (3) (1993) 145–149
2731. H. Bennaceur and G. Plateau, An exact algorithm for the constraint satisfaction problem: Application to logical inference **48** (3) (1993) 151–158
2732. C.M. Khoong, Optimal parallel construction of heaps **48** (4) (1993) 159–161
2733. D. Lee, K.-M. Choe and T. Han, A description of dynamic behavior for compilers based on object oriented modeling **48** (4) (1993) 163–170
2734. G. Reichwein and J.L. Fiadeiro, Models for the substitution axiom of UNITY logic **48** (4) (1993) 171–176
2735. Y.T. Tsai and C.Y. Tang, The competitiveness of randomized algorithms for on-line Steiner tree and on-line spanning tree problems **48** (4) (1993) 177–182
2736. Z. Fülöp and P. Gyenizse, On injectivity of deterministic top-down tree transducers **48** (4) (1993) 183–188
2737. K.-L. Tan and H. Lu, On resource scheduling of multi-join queries in parallel database systems **48** (4) (1993) 189–195
2738. M.S. Paterson, H. Schröder, O. Sýkora and I. Vrt'o, A short proof of the dilation of a toroidal mesh in a path **48** (4) (1993) 197–199
2739. H. Buhrman, L. Torenvliet and P. van Emde Boas, Twenty questions to a p-selector **48** (4) (1993) 201–204
2740. M.-S. Chang and Y.-C. Liu, Polynomial algorithms for the weighted perfect domination problems on chordal graphs and split graphs **48** (4) (1993) 205–210
2741. K. Iwano and N. Katoh, Efficient algorithms for finding the most vital edge of a minimum spanning tree **48** (5) (1993) 211–213
2742. T. Johnson and K. Harathi, A simple correctness proof of the MCS contention-free lock **48** (5) (1993) 215–220
2743. D.L. Grinstead, P.J. Slater, N.A. Sherwani and N.D. Holmes, Efficient edge domination problems in graphs **48** (5) (1993) 221–228
2744. L. Kavraki, J.-C. Latombe and R.H. Wilson, On the complexity of assembly partitioning **48** (5) (1993) 229–235
2745. J.-P. Sheu, W.-H. Liaw and T.-S. Chen, A broadcasting algorithm in star graph interconnection networks **48** (5) (1993) 237–241
2746. Y. Rouskov and P.K. Srimani, Fault diameter of star graphs **48** (5) (1993) 243–251
2747. M.J. Golin and R. Sedgewick, Queue-mergesort **48** (5) (1993) 253–259
2748. A. Billionnet, Partitioning multiple-chain-like task across a host-satellite system **48** (5) (1993) 261–266
2749. K. Culik II and J. Kari, Parametrized recurrent systems for image generation **48** (6) (1993) 267–274
2750. M. Rodrigues and H. Ural, Exact solutions for the construction of optimal length test sequences **48** (6) (1993) 275–280
2751. M.W. Vincent and B. Srinivasan, A note on relation schemes which are in 3NF but not in BCNF **48** (6) (1993) 281–283
2752. K. Inoue, A. Ito, I. Takanami and T. Yoshinaga, A note on multi-inkdot nondeterministic Turing machines with small space **48** (6) (1993) 285–288
2753. K. Pillaipakkamnatt and V. Raghavan, A linear time equivalence test for read-twice DNF formulas **48** (6) (1993) 289–295
2754. P. Fraigniaud, C. Kenyon and A. Pelc, Finding a target subnetwork in sparse networks with random faults **48** (6) (1993) 297–303
2755. O. Goldschmidt, D.S. Hochbaum and G. Yu, A modified greedy heuristic for the Set Covering problem with improved worst case bound **48** (6) (1993) 305–310
2756. P. Dankelmann, Computing the average distance of an interval graph **48** (6) (1993) 311–314
2757. K.I.-J. Ho, J.Y.-T. Leung and W.-D. Wei, Complexity of scheduling tasks with time-dependent execution times **48** (6) (1993) 315–320
2758. V. Gianuzzi, Distributed termination detection in reducible communication graphs **49** (1) (1994) 1–8

2759. E. Nuutila and E. Soisalon-Soininen, On finding the strongly connected components in a directed graph **49** (1) (1994) 9–14
2760. M. Goldmann, P. Grape and J. Håstad, On average time hierarchies **49** (1) (1994) 15–20
2761. K. Kanchanasut, A shortest-path algorithm for Manhattan graphs **49** (1) (1994) 21–25
2762. M. Belbaraka and I. Stojmenović, On generating B-trees with constant average delay and in lexicographic order **49** (1) (1994) 27–32
2763. D. Veljan, Computing values of a polynomial with only few multiplications **49** (1) (1994) 33–37
2764. H.F. Ting and A.C. Yao, A randomized algorithm for finding maximum with $O((\log n)^2)$ polynomial tests **49** (1) (1994) 39–43
2765. C. Rhee, Y.D. Liang, S.K. Dhall and S. Lakshmivarahan, Efficient algorithms for finding depth-first and breadth-first search trees in permutation graphs **49** (1) (1994) 45–50
2766. H. Kaplan and R. Shamir, The domatic number problem on some perfect graph families **49** (1) (1994) 51–56
2767. G. Singh, Real-time leader election **49** (2) (1994) 57–61
2768. M.-S. Jung, K.-M. Choe and T. Han, An efficient computation of right context for LR-based error repair **49** (2) (1994) 63–71
2769. S. Saxena, Two-coloring linked lists is NC^1-complete for logarithmic space **49** (2) (1994) 73–76
2770. P. Gemmell and M. Harchol, Tight bounds on expected time to add correctly and add mostly correctly **49** (2) (1994) 77–83
2771. J. Steinbach, Generating polynomial orderings **49** (2) (1994) 85–93
2772. H.G. Mairson, Generating words in a context-free language uniformly at random **49** (2) (1994) 95–99
2773. J.W. Klop, A. Middeldorp, Y. Toyama and R. de Vrijer, Modularity of confluence: A simplified proof **49** (2) (1994) 101–109
2774. A. Amir, M. Farach and S. Muthukrishnan, Alphabet dependence in parameterized matching **49** (3) (1994) 111–115
2775. S.K. Kim, The range co-minima problem **49** (3) (1994) 117–121
2776. M. Ladermann and H. Petersen, Notes on looping deterministic two-way pushdown automata **49** (3) (1994) 123–127
2777. T.F. Li and S.W. Chang, An algorithm to estimate the fraction defective and the exponential mean life using unlabeled samples **49** (3) (1994) 129–133
2778. Y. Shibata, M. Shirahata and S. Osawa, Counting closed walks in generalized de Bruijn graphs **49** (3) (1994) 135–138
2779. B.S. Panda and S.P. Mohanty, Recognition algorithm for intersection graphs of edge disjoint paths in a tree **49** (3) (1994) 139–143
2780. Z. Jovanović and J. Mišić, Fault tolerance of the star graph interconnection network **49** (3) (1994) 145–150
2781. M.L. Bonet and S.R. Buss, Size-depth tradeoffs for Boolean formulae **49** (3) (1994) 151–155
2782. S.B. Yang, S.K. Dhall and S. Lakshmivarahan, A processor efficient MIS algorithm on random graphs **49** (3) (1994) 157–163
2783. C.-M. Wang, A new routing algorithm for cyclic shifts on BRGC hypercubes **49** (4) (1994) 165–169
2784. N.-F. Huang, C.-H. Huang and Y.-L. Wang, A sweepline algorithm to solve the two-center problem **49** (4) (1994) 171–177
2785. A. De Luca and L. Mione, On bispecial factors of the Thue–Morse word **49** (4) (1994) 179–183
2786. J.H. Leuchner, L. Miller and G. Slutzki, A note on the equivalence of a set of egds to a set of FDs **49** (4) (1994) 185–188
2787. K. Calvert, Eliminating disjunctions of leads-to properties **49** (4) (1994) 189–194
2788. G. Neiger, Distributed Consensus revisited **49** (4) (1994) 195–201
2789. D. Kim and J. Park, Two-way dominant sequence clustering for processor scheduling **49** (4) (1994) 203–208
2790. E. Cheng and W.H. Cunningham, A faster algorithm for computing the strength of a network **49** (4) (1994) 209–212
2791. H. Kakugawa, S. Fujita, M. Yamashita and T. Ae, A distributed k-mutual exclusion algorithm using k-coterie **49** (4) (1994) 213–218
2792. R. Khardon, On using the Fourier transform to learn Disjoint DNF **49** (5) (1994) 219–222
2793. W.J. Paul, A note on bitonic sorting **49** (5) (1994) 223–225

2794. M.C. van Wezel and G. Tel, An assertional proof of Rana's algorithm **49** (5) (1994) 227–233
2795. D. Breslauer, Testing string superprimitivity in parallel **49** (5) (1994) 235–241
2796. P. Tiwari and M. Tompa, A direct version of Shamir and Snir's lower bounds on monotone circuit depth **49** (5) (1994) 243–248
2797. K. Zhang and T. Jiang, Some MAX SNP-hard results concerning unordered labeled trees **49** (5) (1994) 249–254
2798. M.N. Kolountzakis, Selection of a large sum-free subset in polynomial time **49** (5) (1994) 255–256
2799. L.-C. Wuu and S.-T. Huang, Identity assignment in uniform synchronous rings **49** (5) (1994) 257–262
2800. S.V. Pemmaraju and C.A. Shaffer, Analysis of the worst case space complexity of a PR quadtree **49** (5) (1994) 263–267
2801. J. Błażewicz, P. Dell'Olmo, M. Drozdowski and M.G. Speranza, Scheduling multiprocessor tasks on three dedicated processors (*Corrigendum*) **49** (5) (1994) 269–270
2802. G. Tel, Maximal matching stabilizes in quadratic time **49** (6) (1994) 271–272
2803. L. Libkin and L. Wong, Conservativity of nested relational calculi with internal generic functions **49** (6) (1994) 273–280
2804. V. Chepoi and F. Dragan, Computing a median point of a simple rectilinear polygon **49** (6) (1994) 281–285
2805. A. Borchers and P. Gupta, Extending the quadrangle inequality to speed-up dynamic programming **49** (6) (1994) 287–290
2806. S. Rajsbaum, Upper and lower bounds for stochastic marked graphs **49** (6) (1994) 291–295
2807. Z. Collin and S. Dolev, Self-stabilizing depth-first search **49** (6) (1994) 297–301
2808. G. Sajith and S. Saxena, Optimal parallel algorithms for coloring bounded degree graphs and finding maximal independent sets in rooted trees **49** (6) (1994) 303–308
2809. V. Kann, Maximum bounded H-matching is MAX SNP-complete **49** (6) (1994) 309–318
2810. H.N. Reddy and E.L. Leiss, An O(log N) algorithm to solve linear recurrences on hypercubes **49** (6) (1994) 319–325
2811. H. Prodinger, An asymptotic comment on a paper by Analyti and Pramanik **49** (6) (1994) 327–328
2812. F. Barsi and M.C. Pinotti, A fully parallel algorithm for residue to binary conversion **50** (1) (1994) 1–8
2813. Y. Azar, A.Z. Broder and A.M. Frieze, On the problem of approximating the number of bases of a matroid **50** (1) (1994) 9–11
2814. Y.-B. Lin, Determining the global progress of parallel simulation with FIFO communication property **50** (1) (1994) 13–17
2815. M. Demange, P. Grisoni and V.Th. Paschos, Approximation results for the minimum graph coloring problem **50** (1) (1994) 19–23
2816. A.S. Fraenkel, E.M. Reingold and P. Saxena, Efficient management of dynamic tables **50** (1) (1994) 25–30
2817. P. Collette, An explanatory presentation of composition rules for assumption-commitment specifications **50** (1) (1994) 31–35
2818. J. Seberry, X.-M. Zhang and Y. Zheng, Improving the strict avalanche characteristics of cryptographic functions **50** (1) (1994) 37–41
2819. Y.-S. Kim, An optimal scheduling algorithm for preemptable real-time tasks **50** (1) (1994) 43–48
2820. S. Khuller, B. Raghavachari and N. Young, Designing multi-commodity flow trees **50** (1) (1994) 49–55
2821. F. Maire, Polyominos and perfect graphs **50** (2) (1994) 57–61
2822. P. Ferragina, Static and dynamic parallel computation of connected components **50** (2) (1994) 63–68
2823. H.-K. Chang and S.-M. Yuan, Message complexity of hierarchical quorum consensus algorithm **50** (2) (1994) 69–73
2824. T. Sony Roy, G. Athithan, M.S. Ganagi and A. Sivasankara Reddy, A new method to solve non-linear equations **50** (2) (1994) 75–79
2825. N. Deo, A. Jain and M. Medidi, An optimal parallel algorithm for merging using multiselection **50** (2) (1994) 81–87
2826. Y.L. Chen, Finding the k quickest simple paths in a network **50** (2) (1994) 89–92
2827. G. Di Crescenzo and G. Persiano, Round-optimal perfect zero-knowledge proofs **50** (2) (1994) 93–99
2828. R. Siromoney, L. Mathew, V.R. Dare and K.G. Subramanian, Infinite Lyndon words **50** (2) (1994) 101–104
2829. R. Simha and A. Majumdar, On lookahead in the list update problem **50** (2) (1994) 105–110

2830. H. Gurla, Leftmost one computation on meshes with row broadcasting (*Corrigendum*) **50** (2) (1994) 111
2831. Y. Bartal, H. Karloff and Y. Rabani, A better lower bound for on-line scheduling **50** (3) (1994) 113–116
2832. E. Moriya, On two-way tree automata **50** (3) (1994) 117–121
2833. P.F. Dietz, I.I. Macarie and J.I. Seiferas, Bits and relative order from residues, space efficiently **50** (3) (1994) 123–127
2834. D. Kim and S.-H. Kim, O($\log n$) numerical algorithms on a mesh with wormhole routing **50** (3) (1994) 129–136
2835. B.P. Weems and L.C. Swayze, Allocation techniques for distributed reduction data elements **50** (3) (1994) 137–142
2836. Y. Ding and M.A. Weiss, On the complexity of building an interval heap **50** (3) (1994) 143–144
2837. G.P. Kumar and G.P. Babu, Optimal network partitioning for fault-tolerant network management using evolutionary programming **50** (3) (1994) 145–149
2838. D.M. Dhamdhere and S.S. Kulkarni, A token based k-resilient mutual exclusion algorithm for distributed systems **50** (3) (1994) 151–157
2839. L.Y. Yuan, Logic program semantics and circumscription of autoepistemic theories **50** (3) (1994) 159–164
2840. R. Baldoni and B. Ciciani, Distributed algorithms for multiple entries to a critical section with priority **50** (3) (1994) 165–172
2841. K. Sugihara, Simpler proof of a realizability theorem on Delaunay triangulations **50** (4) (1994) 173–176
2842. R.F. Resende and A. El Abbadi, On the serializability theorem for nested transactions **50** (4) (1994) 177–183
2843. R. Ravi, A primal-dual approximation algorithm for the Steiner forest problem **50** (4) (1994) 185–190
2844. U. Manber and S. Wu, An algorithm for approximate membership checking with application to password security **50** (4) (1994) 191–197
2845. J. Radhakrishnan and K.V. Subrahmanyam, Directed monotone contact networks for threshold functions **50** (4) (1994) 199–203
2846. C. Narayanaswami and W. Luken, Approximating x^n efficiently **50** (4) (1994) 205–210
2847. S. Istrail and D. Zivkovic, Bounded-width polynomial-size Boolean formulas compute exactly those functions in AC^0 **50** (4) (1994) 211–216
2848. S.Y. Berkovich, Multiprocessor interconnection network using pairwise balanced combinatorial designs **50** (4) (1994) 217–222
2849. Y.-M. Wang, A. Lowry and W.K. Fuchs, Consistent global checkpoints based on direct dependency tracking **50** (4) (1994) 223–230
2850. G. Manzini, Sparse matrix vector multiplication on distributed architectures: Lower bounds and average complexity results **50** (5) (1994) 231–238
2851. D. Moore and W.F. Smyth, An optimal algorithm to compute all the covers of a string **50** (5) (1994) 239–246
2852. M.L. Neilsen and M. Mizuno, Nondominated k-coteries for multiple mutual exclusion **50** (5) (1994) 247–252
2853. H. Li, Trajectory planning in H-space **50** (5) (1994) 253–258
2854. X. Zhang and Z.M. Ozsoyoglu, Some results on the containment and minimization of (in)equality queries **50** (5) (1994) 259–267
2855. C.H. Perleberg, Single character searching methods and the *shift-or* pattern-matching algorithm **50** (5) (1994) 269–275
2856. S. Jimbo and A. Maruoka, On the relationship between the diameter and the size of a boundary of a directed graph **50** (5) (1994) 277–282
2857. A.P. Punnen and K.P.K. Nair, A fast and simple algorithm for the bottleneck biconnected spanning subgraph problem **50** (5) (1994) 283–286
2859. A. Bertoni, C. Mereghetti and G. Pighizzini, An optimal lower bound for nonregular languages **50** (6) (1994) 289–292
2860. G. Pirillo, Infinite words and biprefix codes **50** (6) (1994) 293–295
2861. C.-C. Lin and F.-C. Lin, Minimal fully adaptive wormhole routing on hypercubes **50** (6) (1994) 297–301
2862. J. Fortes Gálvez, A note on a proposed LALR parser for extended context-free grammars **50** (6) (1994) 303–305

2863. M. Nykänen and E. Ukkonen, Finding lowest common ancestors in arbitrary directed trees **50** (6) (1994) 307–310
2864. S. Alagar and S. Venkatesan, An optimal algorithm for distributed snapshots with causal message ordering **50** (6) (1994) 311–316
2865. J. Gergov and C. Meinel, On the complexity of analysis and manipulation of Boolean functions in terms of decision graphs **50** (6) (1994) 317–322
2866. M.D. Atkinson and J.-R. Sack, Uniform generation of forests of restricted height **50** (6) (1994) 323–327
2867. D.A. Naumann, A recursion theorem for predicate transformers on inductive data types **50** (6) (1994) 329–336
2868. L. Pagli and G. Pucci, Counting the number of fault patterns in redundant VLSI arrays **50** (6) (1994) 337–342
2869. K. Diks, E. Kranakis, D. Krizanc, B. Mans and A. Pelc, Optimal coteries and voting schemes **51** (1) (1994) 1–6
2870. M. Mahajan, T. Thierauf and N.V. Vinodchandran, A note on SpanP functions **51** (1) (1994) 7–10
2871. Z. Wen, New algorithms for the LCA problem and the binary tree reconstruction problem **51** (1) (1994) 11–16
2872. S. Jimbo and A. Maruoka, On the relationship between ε-biased random variables and ε-dependent random variables **51** (1) (1994) 17–23
2873. L. Chen and H.Y.H. Chuang, A fast algorithm for Euclidean distance maps of a 2-D binary image **51** (1) (1994) 25–29
2874. J. Gil and Y. Matias, Designing algorithms by expectations **51** (1) (1994) 31–34
2875. Y. Igarashi, S. Osawa and W. Unger, Automorphisms of broadcasting schemes with respect to start rounds **51** (1) (1994) 35–41
2876. A. Sinachopoulos, Logics and decidability for labelled pre- and partially ordered Kripke structures **51** (1) (1994) 43–52
2877. D. Halperin and M. Sharir, On disjoint concave chains in arrangements of (pseudo) lines (*Corrigendum*) **51** (1) (1994) 53–56
2878. N. Blum and H. Rochow, A lower bound on the single-operation worst-case time complexity of the union-find problem on intervals **51** (2) (1994) 57–60
2879. D.A. Basin, A term equality problem equivalent to Graph Isomorphism **51** (2) (1994) 61–66
2880. M. Frazier and C.D. Page Jr., Prefix grammars: An alternative characterization of the regular languages **51** (2) (1994) 67–71
2881. S.R. Blackburn, Increasing the rate of output of m-sequences **51** (2) (1994) 73–77
2882. E. Hemaspaandra, Census techniques collapse space classes **51** (2) (1994) 79–84
2883. E.-J. Lee and K.-M. Choe, Grammar coverings of a deterministic parser with action conflicts **51** (2) (1994) 85–92
2884. A. Sengupta and S. Viswanathan, On fault-tolerant fixed routing in hypercubes **51** (2) (1994) 93–99
2885. G. Bilardi, S. Chaudhuri, D. Dubhashi and K. Mehlhorn, A lower bound for area-universal graphs **51** (2) (1994) 101–105
2886. P. Kirrinnis, An optimal bound for path weights in Huffman trees **51** (2) (1994) 107–110
2887. M. Jerrum, Counting trees in a graph is #P-complete **51** (3) (1994) 111–116
2888. E.-H. Lu, Y.-C. Chen and H.-P. Wuu, A complete decoding algorithm for double-error-correcting primitive binary BCH codes of odd m **51** (3) (1994) 117–120
2889. K.S. Easwarakumar, C. Pandu Rangan and G.A. Cheston, A linear algorithm for centering a spanning tree of a biconnected graph **51** (3) (1994) 121–124
2890. V. Bapiraju and V.V. Bapeswara Rao, Enumeration of binary trees **51** (3) (1994) 125–127
2891. W.-C. Chen and W.-C. Ni, Internal path length of the binary representation of heap-ordered trees **51** (3) (1994) 129–132
2892. R. Hassin and S. Rubinstein, Approximations for the maximum acyclic subgraph problem **51** (3) (1994) 133–140
2893. V.G. Deineko, R. van Dal and G. Rote, The convex-hull-and-line Traveling Salesman Problem: A solvable case **51** (3) (1994) 141–148
2894. J.L. Szwarcfiter and G. Chaty, Enumerating the kernels of a directed graph with no odd circuits **51** (3) (1994) 149–153

2895. G. Ramalingam and T. Reps, On competitive on-line algorithms for the dynamic priority-ordering problem **51** (3) (1994) 155–161
2901. C.Y. Hung and B. Parhami, Fast RNS division algorithms for fixed divisors with application to RSA encryption **51** (4) (1994) 163–169
2902. A. Raspaud and E. Sopena, Good and semi-strong colorings of oriented planar graphs **51** (4) (1994) 171–174
2903. D. Barth and A. Raspaud, Two edge-disjoint hamiltonian cycles in the butterfly graph **51** (4) (1994) 175–179
2904. K. Sridharan, H.E. Stephanou, K.C. Craig and S.S. Keerthi, Distance measures on intersecting objects and their applications **51** (4) (1994) 181–188
2905. P. Fischer and K.-U. Höffgen, Computing a maximum axis-aligned rectangle in a convex polygon **51** (4) (1994) 189–193
2906. P. Cheng and S. Masuyama, On the equivalence in complexity among three computation problems on maximum number of edge-disjoint s–t paths in a probabilistic graph **51** (4) (1994) 195–199
2907. R. Harper, A simplified account of polymorphic references **51** (4) (1994) 201–206
2908. D. Eppstein, Arboricity and bipartite subgraph listing algorithms **51** (4) (1994) 207–211
2909. X.D. Hu, P.D. Chen and F.K. Hwang, A new competitive algorithm for the counterfeit coin problem **51** (4) (1994) 213–218
2910. B. Chen, A. van Vliet and G.J. Woeginger, A lower bound for randomized on-line scheduling algorithms **51** (5) (1994) 219–222
2911. E.A. Albacea, Parallel algorithm for finding a core of a tree network **51** (5) (1994) 223–226
2912. T.K. Dey and N.R. Shah, Many-face complexity in incremental convex arrangements **51** (5) (1994) 227–231
2913. J.-S. Jwo and T.-C. Tuan, On transmitting delay in a distance-transitive strongly antipodal graph **51** (5) (1994) 233–235
2914. X. Shen, Q. Hu and W. Liang, Realization of an arbitrary permutation on a hypercube **51** (5) (1994) 237–243
2915. P.M. Long, Halfspace learning, linear programming, and nonmalicious distributions **51** (5) (1994) 245–250
2916. L. Allison, Using Hirschberg's algorithm to generate random alignments of strings **51** (5) (1994) 251–255
2917. Y. Raz, Serializability by commitment ordering **51** (5) (1994) 257–264
2918. J. Gergov, Time–space tradeoffs for integer multiplication on various types of input oblivious sequential machines **51** (5) (1994) 265–269
2919. D. Gusfield, Faster implementation of a shortest superstring approximation **51** (5) (1994) 271–274
2920. Y.T. Tsai, C.Y. Tang and Y.Y. Chen, Average performance of a greedy algorithm for the on-line minimum matching problem on Euclidean space **51** (6) (1994) 275–282
2921. S.S. Seiden and D.S. Hirschberg, Finding succinct ordered minimal perfect hash functions **51** (6) (1994) 283–288
2922. B. Chandra, Constructing sparse spanners for most graphs in higher dimensions **51** (6) (1994) 289–294
2923. M. Hofri, On timeout for global deadlock detection in decentralized database systems **51** (6) (1994) 295–302
2924. O. Lysne, Extending Bachmair's method for proof by consistency to the final algebra **51** (6) (1994) 303–310
2925. A. López-Ortiz, New lower bounds for element distinctness on a one-tape Turing machine **51** (6) (1994) 311–314
2926. N.N. Kuzjurin, Multi-processor scheduling and expanders **51** (6) (1994) 315–319
2927. V. Acciaro, On the complexity of computing Gröbner bases in characteristic 2 **51** (6) (1994) 321–323
2928. N. Akinari and H. Hagiwara, On the real-number representation with variable-length exponent field **52** (1) (1994) 1–6
2929. C.U. Martel, Maximum finding on a multiple access broadcast network **52** (1) (1994) 7–13
2930. T.Æ. Mogensen, WORM-2DPDAs: An extension to 2DPDAs that can be simulated in linear time **52** (1) (1994) 15–22
2931. Md.M.H.A. Khan, An algorithm for hazard-free minimization of incompletely specified switching function **52** (1) (1994) 23–29

2932. L.L. Larmore and W. Rytter, An optimal sublinear time parallel algorithm for some dynamic programming problems **52** (1) (1994) 31–34
2933. S.D. Chen, H. Shen and R. Topor, An efficient permutation-based parallel range-join algorithm on N-dimensional torus computers **52** (1) (1994) 35–38
2934. J.M. Kleinberg, A lower bound for two-server balancing algorithms **52** (1) (1994) 39–43
2935. G. Galbiati, F. Maffioli and A. Morzenti, A short note on the approximability of the Maximum Leaves Spanning Tree Problem **52** (1) (1994) 45–49
2936. A. Mei and Y. Igarashi, An efficient strategy for robot navigation in unknown environment **52** (1) (1994) 51–56
2937. H. Seidl, Haskell overloading is DEXPTIME-complete **52** (2) (1994) 57–60
2938. M. Rittri, Semi-unification of two terms in Abelian groups **52** (2) (1994) 61–68
2939. B.-C. Liaw and R.C.T. Lee, An optimal algorithm to solve the minimum weakly cooperative guards problem for 1-spiral polygons **52** (2) (1994) 69–75
2940. C.H. Peng, J.S. Wang and R.C.T. Lee, Recognizing shortest-path trees in linear time **52** (2) (1994) 77–85
2941. R. Hassin and S. Lahav (Haddad), Maximizing the number of unused colors in the vertex coloring problem **52** (2) (1994) 87–90
2942. T. Tokuda and Y. Watanabe, An attribute evaluation of context-free languages **52** (2) (1994) 91–98
2943. M.G. Gouda, Stabilizing observers **52** (2) (1994) 99–103
2944. J. Mayo and P. Kearns, Distributed termination detection with roughly synchronized clocks **52** (2) (1994) 105–108
2945. T. Roos and P. Widmayer, k-violation linear programming **52** (2) (1994) 109–114
2946. A. Pedrotti, Analysis of a list-update strategy **52** (3) (1994) 115–121
2947. Y.D. Liang, On the feedback vertex set problem in permutation graphs **52** (3) (1994) 123–129
2948. K.R. Pruhs, Average-case scalable on-line algorithms for fault replacement **52** (3) (1994) 131–136
2949. I. Durand and B. Salinier, Constructor equivalent term rewriting systems are strongly sequential: A direct proof **52** (3) (1994) 137–145
2950. P.F. Dietz and R. Raman, A constant update time finger search tree **52** (3) (1994) 147–154
2951. L. Devroye and P. Kruszewski, A note on the Horton–Strahler number for random trees **52** (3) (1994) 155–159
2952. F. Wagner, Approximate Map Labeling is in $\Omega(n \log n)$ **52** (3) (1994) 161–165
2953. M. Flammini, On the learnability of monotone $k\mu$-DNF formulae under product distributions **52** (3) (1994) 167–173
2954. R.P.N. Rao, J. Rothe and O. Watanabe, Upward separation for FewP and related classes **52** (4) (1994) 175–180
2955. E. Cohen, The convergence span of greedy load balancing **52** (4) (1994) 181–182
2956. C. Iwamoto and G.T. Toussaint, Finding Hamiltonian circuits in arrangements of Jordan curves is NP-complete **52** (4) (1994) 183–189
2957. S.-H. Lee, D.-H. Kim and K.-M. Choe, Path for AND-parallel execution of logic programs **52** (4) (1994) 191–199
2958. H.-M. Sun and S.-P. Shieh, On dynamic threshold schemes **52** (4) (1994) 201–206
2959. E. Nuutila, An efficient transitive closure algorithm for cyclic digraphs **52** (4) (1994) 207–213
2960. M. de Berg and M. van Kreveld, Rectilinear decompositions with low stabbing number **52** (4) (1994) 215–221
2961. P. Kelsen, An optimal parallel algorithm for maximal matching **52** (4) (1994) 223–228
2962. H. Petersen, Refined simulation of multihead automata **52** (5) (1994) 229–233
2963. R.V. Book, On collapsing the polynomial-time hierarchy **52** (5) (1994) 235–237
2964. S. Khuller and U. Vishkin, On the parallel complexity of digraph reachability **52** (5) (1994) 239–241
2965. J.F. Korsh, Loopless generation of k-ary tree sequences **52** (5) (1994) 243–247
2966. E.T. Bax, Algorithms to count paths and cycles **52** (5) (1994) 249–252
2967. M.A. Weiss, Linear-time construction of treaps and Cartesian trees **52** (5) (1994) 253–257
2968. J.-T. Yan and P.-Y. Hsiao, A fuzzy clustering algorithm for graph bisection **52** (5) (1994) 259–263
2969. Z.-Z. Chen, A parallel algorithm for finding a triconnected component separator with an application **52** (5) (1994) 265–271
2970. Z. Duszak and W.W. Koczkodaj, Generalization of a new definition of consistency for pairwise comparisons **52** (5) (1994) 273–276

2971. F. Luccio and A. Pedrotti, A parallel list update problem **52** (5) (1994) 277–284
2972. J.A. Bergstra and Gh. Ştefănescu, Bisimulation is two-way simulation **52** (6) (1994) 285–287
2973. A. Carpi, On repeated factors in C^{∞}-words **52** (6) (1994) 289–294
2974. S. Bhattacharya and A. Bagchi, A general framework for minimax search in game trees **52** (6) (1994) 295–301
2975. P.N. Klein, A data structure for bicategories, with application to speeding up an approximation algorithm **52** (6) (1994) 303–307
2976. Y.D. Liang, Dominations in trapezoid graphs **52** (6) (1994) 309–315
2977. J.-H. Yan and G.J. Chang, The path-partition problem in block graphs **52** (6) (1994) 317–322
2978. H. Petersen, On the determinacy problem for two-way pushdown automata **52** (6) (1994) 323–324
2979. L. O'Connor, An upper bound on the number of functions satisfying the Strict Avalanche Criterion **52** (6) (1994) 325–327
2980. R.B. Boppana, The decision-tree complexity of element distinctness **52** (6) (1994) 329–331
2981. W. Fokkink, A complete equational axiomatization for prefix iteration **52** (6) (1994) 333–337
2982. A. Bertoni, C. Mereghetti and G. Pighizzini, An optimal lower bound for nonregular languages (*Corrigendum*) **52** (6) (1994) 339
2983. E.-H. Lu, Y.-C. Cheng and H.-P. Wuu, A complete decoding algorithm for double-error-correcting primitive binary BCH codes of odd m (*Corrigendum*) **52** (6) (1994) 341
2984. S. Jain, On a question about learning nearly minimal programs **53** (1) (1995) 1–4
2985. M. Fränzle, B. von Stengel and A. Wittmüss, A generalized notion of semantic independence **53** (1) (1995) 5–9
2986. A. Monti and A. Roncato, Completeness results concerning systolic tree automata and E0L languages **53** (1) (1995) 11–16
2987. R. Canetti, G. Even and O. Goldreich, Lower bounds for sampling algorithms for estimating the average **53** (1) (1995) 17–25
2988. A. Clementi and R. Impagliazzo, The reachability problem for finite cellular automata **53** (1) (1995) 27–31
2989. P. Kulasinghe and S. Bettayeb, Multiply-twisted hypercube with five or more dimensions is not vertex-transitive **53** (1) (1995) 33–36
2990. C.C. Aggarwal, N. Jain and P. Gupta, An efficient selection algorithm on the pyramid **53** (1) (1995) 37–47
2991. Y. Zheng, On key agreement protocols based on tamper-proof hardware **53** (1) (1995) 49–54
2992. Y.-C. Chang and L.-H. Hsu, Element perturbation problems of optimum spanning trees with two-parameter objectives **53** (1) (1995) 55–59
2993. A. Russell and R. Sundaram, The relativized relationship between probabilistically checkable debate systems, IP and PSPACE **53** (2) (1995) 61–68
2994. S.T. Fischer, A note on the complexity of local search problems **53** (2) (1995) 69–75
2995. K. Kurosawa, K. Okada and S. Tsujii, Low exponent attack against elliptic curve RSA **53** (2) (1995) 77–83
2996. C.-H. Ang and K.-P. Tan, The interval B-tree **53** (2) (1995) 85–89
2997. C.H. Lim and P.J. Lee, Several practical protocols for authentication and key exchange **53** (2) (1995) 91–96
2998. T. Hwang and Y.-H. Chen, On the security of SPLICE/AS — The authentication system in WIDE Internet **53** (2) (1995) 97–101
2999. T. Hwang, N.-Y. Lee, C.-M. Li, M.-Y. Ko and Y.-H. Chen, Two attacks on Neuman-Stubblebine authentication protocols **53** (2) (1995) 103–107
3000. R. Hassin and A. Tamir, On the minimum diameter spanning tree problem **53** (2) (1995) 109–111
3001. O. Wolfson and S. Jajodia, An algorithm for dynamic data allocation in distributed systems **53** (2) (1995) 113–119
3002. B. von Karger and C.A.R. Hoare, Sequential calculus **53** (3) (1995) 123–130
3003. Mathematics of Program Construction Group, Fixed-point calculus **53** (3) (1995) 131–136
3004. Eindhoven Tuesday Afternoon Club, Constructing the Galois adjoint **53** (3) (1995) 137–139
3005. E.W. Dijkstra, Heuristics for a calculational proof **53** (3) (1995) 141–143
3006. D. Gries and F.B. Schneider, Equational propositional logic **53** (3) (1995) 145–152
3007. J. Kornerup, Mapping a functional notation for parallel programs onto hypercubes **53** (3) (1995) 153–158

3008. K.R.M. Leino, Constructing a program with exceptions **53** (3) (1995) 159–163
3009. R.J.R. Back and J. von Wright, Games and winning strategies **53** (3) (1995) 165–172
3010. A. Subramanian, A polynomial bound on the number of light cycles in an undirected graph **53** (4) (1995) 173–176
3011. R.P. Boland and J. Urrutia, Separating collections of points in Euclidean spaces **53** (4) (1995) 177–183
3012. H.-C. Tu and C.H. Smith, Training digraphs **53** (4) (1995) 185–192
3013. R. Gupta, Generalized dominators **53** (4) (1995) 193–200
3014. R. De Prisco and G. Persiano, Characteristic inequalities for binary trees **53** (4) (1995) 201–207
3015. G. Kucherov and M. Rusinowitch, Undecidability of ground reducibility for word rewriting systems with variables **53** (4) (1995) 209–215
3016. J. Matoušek, On enclosing k points by a circle **53** (4) (1995) 217–221
3017. E. Ohlebusch, Termination is not modular for confluent variable-preserving term rewriting systems **53** (4) (1995) 223–228
3018. A. Likas and A. Stafylopatis, A parallel algorithm for the minimum weighted vertex cover problem **53** (4) (1995) 229–234
3019. M. Rittri, Semi-unification of two terms in Abelian groups (*Corrigendum*) **53** (4) (1995) 235
3020. F. Otto, Solvability of word equations modulo finite special and confluent string-rewriting systems is undecidable in general **53** (5) (1995) 237–242
3021. C.-S. Laih, F.-K. Tu and W.-C. Tai, On the security of the Lucas function **53** (5) (1995) 243–247
3022. R. Davis and A. Burns, Optimal priority assignment for aperiodic tasks with firm deadlines in fixed priority pre-emptive systems **53** (5) (1995) 249–254
3023. M.C. Heydemann and D. Sotteau, A note on recursive properties of the de Bruijn, Kautz and FFT digraphs **53** (5) (1995) 255–259
3024. V.C. Barbosa and S.C.S. Porto, An algorithm for FIFO message delivery among migrating tasks **53** (5) (1995) 261–267
3025. T. Tokuda and Y. Watanabe, An efficient semantic evaluator for warped LC(1) attributed grammars **53** (5) (1995) 269–276
3026. M. Hamdi, Topological properties of the directional hypercube **53** (5) (1995) 277–286
3027. P.A.S. Veloso and T.S.E. Maibaum, On the Modularization Theorem for logical specifications **53** (5) (1995) 287–293
3028. W. Steiger and I. Streinu, A pseudo-algorithmic separation of lines from pseudo-lines **53** (5) (1995) 295–299
3029. M. Spiliopoulou, Y. Cotronis and M. Hatzopoulos, Query processing for multimedia applications on optical media **53** (6) (1995) 301–306
3030. J.H.R. May and A.D. Lunn, New statistics for demand-based software testing **53** (6) (1995) 307–314
3031. I.I. Macarie, Decreasing the bandwidth of a transition matrix **53** (6) (1995) 315–320
3032. M. Goldmann, A note on the power of majority gates and modular gates **53** (6) (1995) 321–327
3033. R.M. Dijkstra, An experiment with the use of predicate transformers in UNITY **53** (6) (1995) 329–332
3034. M. Natu and S.-C. Fang, On the point-to-point connection problem **53** (6) (1995) 333–336
3035. M. Otto, A note on the number of monadic quantifiers in monadic $\sum_1^1$ **53** (6) (1995) 337–339
3036. A. Valmari, The weakest deadlock-preserving congruence **53** (6) (1995) 341–346
3037. L. O'Connor, A new lower bound on the expected size of irredundant forms for Boolean functions **53** (6) (1995) 347–353
3038. R. El-Yaniv and J. Kleinberg, Geometric two-server algorithms **53** (6) (1995) 355–358
3039. S.-H. Kim, J.-H. Park, S.-H. Choi, S.Y. Shin and K.-Y. Chwa, An optimal algorithm for finding the edge visibility polygon under limited visibility **53** (6) (1995) 359–365
3040. S.D. Nikolopoulos, Constant-time parallel recognition of split graphs **54** (1) (1995) 1–8
3041. H. Petersen, On space functions fully constructed by two-dimensional Turing machines **54** (1) (1995) 9–10
3042. H. Nassar, A Markov model for multibus multiprocessor systems under asynchronous operation **54** (1) (1995) 11–16
3043. R. Kaivola, On modal mu-calculus and Büchi tree automata **54** (1) (1995) 17–22
3044. P.E. Dunne, C.J. Gittings and P.H. Leng, Multiprocessor simulation strategies with optimal speed-up **54** (1) (1995) 23–33
3045. I. Rusu, Quasi-parity and perfect graphs **54** (1) (1995) 35–39

3046. M. Ogihara, On helping by parity-like languages **54** (1) (1995) 41–43
3047. S. Oberoi, $\lambda_{\beta'}$ — A λ-calculus with a generalized β-reduction rule **54** (1) (1995) 45–53
3048. D.M. Chickering, D. Geiger and D. Heckerman, On finding a cycle basis with a shortest maximal cycle **54** (1) (1995) 55–58
3049. M.-Y. Kao, Linear-time optimal augmentation for componentwise bipartite-completeness of graphs **54** (1) (1995) 59–63
3050. C.B. Jones, Partial functions and logics: A warning **54** (2) (1995) 65–67
3051. C.-C. Chen and R.-J. Chen, Compact embedding of binary trees into hypercubes **54** (2) (1995) 69–72
3052. G. Ausiello and M. Protasi, Local search, reducibility and approximability of NP-optimization problems **54** (2) (1995) 73–79
3053. L. Barriga and R. Ayani, Lazy update: An efficient implementation of LRU stacks **54** (2) (1995) 81–84
3054. G. Myers, Approximately matching context-free languages **54** (2) (1995) 85–92
3055. H. Bunke and J. Csirik, An improved algorithm for computing the edit distance of run-length coded strings **54** (2) (1995) 93–96
3056. R. Agarwala and D. Fernández-Baca, Weighted search in the plane **54** (2) (1995) 97–100
3057. D. Moore and W.F. Smyth, A correction to "An optimal algorithm to compute all the covers of a string" **54** (2) (1995) 101–103
3058. G. Dong, On the index of positive programmed formal languages **54** (2) (1995) 105–110
3059. I. Cidon and Y. Shavitt, Message terminating algorithms for anonymous rings of unknown size **54** (2) (1995) 111–119
3060. G. Varghese, R. Chamberlain and W.E. Weihl, Deriving global virtual time algorithms from conservative simulation protocols **54** (2) (1995) 121–126
3061. M.A. Weiss, A note on construction of treaps and Cartesian trees **54** (2) (1995) 127
3062. T.F. Gonzalez, A simple LP-free approximation algorithm for the minimum weight vertex cover problem **54** (3) (1995) 129–131
3063. J.S. Schlipf, F.S. Annexstein, J.V. Franco and R.P. Swaminathan, On finding solutions for extended Horn formulas **54** (3) (1995) 133–137
3064. G.A. Alvarez and M.O. Fernández, Efficient management of multiple outstanding timeouts **54** (3) (1995) 139–145
3065. R. Snelick, J. JáJá, R. Kacker and G. Lyon, Using synthetic perturbations and statistical screening to assay shared-memory programs **54** (3) (1995) 147–153
3066. G.J. Woeginger, Scheduling with time-dependent execution times **54** (3) (1995) 155–156
3067. R.H. Sloan, Four types of noise in data for PAC learning **54** (3) (1995) 157–162
3068. R. Jain and J. Werth, Analysis of approximate algorithms for edge-coloring bipartite graphs **54** (3) (1995) 163–168
3069. B. Jenner, Knapsack problems for NL **54** (3) (1995) 169–174
3070. S. Gawiejnowicz and L. Pankowska, Scheduling jobs with varying processing times **54** (3) (1995) 175–178
3071. R.P.N. Rao, A note on P-selective sets and closeness **54** (3) (1995) 179–185
3072. X. Yu, A new solution for Thue's problem **54** (4) (1995) 187–191
3073. R. Petreschim and A. Sterbini, Recognizing strict 2-threshold graphs in O(m) time **54** (4) (1995) 193–198
3074. H. Fernau, A note on uniformly limited ET0L systems with unique interpretation **54** (4) (1995) 199–204
3075. M. Kummer, A learning-theoretic characterization of classes of recursive functions **54** (4) (1995) 205–211
3076. F. Barsi, Decoding residue codes **54** (4) (1995) 213–222
3077. S. Fujita, A note on the size of a multicast tree in hypercubes **54** (4) (1995) 223–227
3078. M. Goldwurm, Random generation of words in an algebraic language in linear binary space **54** (4) (1995) 229–233
3079. J.-J. Hébrard, Unique Horn renaming and Unique 2-Satisfiability **54** (4) (1995) 235–239
3080. M. Chrobak and T.H. Payne, A linear-time algorithm for drawing a planar graph on a grid **54** (4) (1995) 241–246
3081. A. Subramanian, A polynomial bound on the number of light cycles in an undirected graph (*Erratum*) **54** (4) (1995) 247
3082. K. Simon, A note on lexicographic breadth first search for chordal graphs **54** (5) (1995) 249–251

3083. D.G. Corneil, S. Olariu and L. Stewart, A linear time algorithm to compute a dominating path in an AT-free graph **54** (5) (1995) 253–257
3084. T. Herman and S. Ghosh, Stabilizing phase-clocks **54** (5) (1995) 259–265
3085. E. Fromentin, C. Jard, G.-V. Jourdan and M. Raynal, On-the-fly analysis of distributed computations **54** (5) (1995) 267–274
3086. K. Sugihara and H. Inagaki, Why is the 3D Delaunay triangulation difficult to construct? **54** (5) (1995) 275–280
3087. S. Demri, 3-SAT = SAT for a class of normal modal logics **54** (5) (1995) 281–287
3088. K. Iwama and T. Pitassi, Exponential lower bounds for the tree-like Hajós calculus **54** (5) (1995) 289–294
3089. A. Fujiwara, T. Masuzawa and H. Fujiwara, An optimal parallel algorithm for the Euclidean distance maps of 2-D binary images **54** (5) (1995) 295–300
3090. A. Blokhuis and T. Kloks, On the equivalence covering number of splitgraphs **54** (5) (1995) 301–304
3091. G. Sajith and S. Saxena, Optimal parallel algorithms for coloring bounded degree graphs and finding maximal independent sets in rooted trees (*Corrigendum*) **54** (5) (1995) 305
3092. A. De Luca, A division property of the Fibonacci word **54** (6) (1995) 307–312
3093. J. Tromp and J. Shallit, Subword complexity of a generalized Thue–Morse word **54** (6) (1995) 313–316
3094. V. Zissimopoulos, On the performance guarantee of neural networks for NP-hard optimization problems **54** (6) (1995) 317–322
3095. J.P. Schmeiser and D.T. Barnard, Producing a top-down parse order with bottom-up parsing **54** (6) (1995) 323–326
3096. J. Desel, E. Kindler, T. Vesper and R. Walter, A simplified proof for a self-stabilizing protocol: A Game of Cards **54** (6) (1995) 327–328
3097. P. Vadapalli and P.K. Srimani, Trivalent Cayley graphs for interconnection networks **54** (6) (1995) 329–335
3098. N. Alon and Y. Mansour, ε-discrepancy sets and their application for interpolation of sparse polynomials **54** (6) (1995) 337–342
3099. F. Laroussinie, About the expressive power of CTL combinators **54** (6) (1995) 343–345
3100. B. Litow, The influence of graph structure on generalized dimension exchange **54** (6) (1995) 347–353
3101. Y.-J. Oyang, A tight upper bound of the lumped disk seek time for the Scan disk scheduling policy **54** (6) (1995) 355–358
3102. R.P. Boland and J. Urrutia, Separating collections of points in Euclidean spaces (*Corrigendum*) **54** (6) (1995) 359
3103. C.-M. Huang, J.M. Hsu and S.-W. Lee, ECFSM-based probabilistic protocol verification **55** (1) (1995) 1–9
3104. T. Kloks and D. Kratsch, Computing a perfect edge without vertex elimination ordering of a chordal bipartite graph **55** (1) (1995) 11–16
3105. D. Hong and J.Y.-T. Leung, Probabilistic analysis of k-dimensional packing algorithms **55** (1) (1995) 17–24
3106. F. Barsi and M.C. Perotti, Addendum to "A fully parallel algorithm for residue to binary conversion" **55** (1) (1995) 25–26
3107. M. Mahajan and N.V. Vinodchandran, A note on *Mod* and generalised *Mod* classes **55** (1) (1995) 27–31
3108. W. Vogler, Fairness and partial order semantics **55** (1) (1995) 33–39
3109. A.K. Datta and R.K. Sen, 1-Approximation algorithm for bottleneck disjoint path matching **55** (1) (1995) 41–44
3110. H.-Y. Lin and L. Harn, Fair reconstruction of a secret **55** (1) (1995) 45–47
3111. F.B. Chedid, On the generalized twisted cube **55** (1) (1995) 49–52
3112. P. Cull and S.M. Larson, On generalized twisted cubes **55** (1) (1995) 53–55
3113. G. Butler, Easy verification of behavioural subtyping in common cases **55** (1) (1995) 57–58
3114. J. Westbrook and D. Yan, Linear bounds for on-line Steiner problems **55** (2) (1995) 59–63
3115. S. Hill, The lazy z-buffer **55** (2) (1995) 65–70
3116. R.P. Swaminathan, D. Giriraj and D.K. Bhatia, The pagenumber of the class of bandwidth-k graphs is $k-1$ **55** (2) (1995) 71–74
3117. M.H. Alsuwaiyel and D.T. Lee, Finding an approximate minimum-link visibility path inside a simple polygon **55** (2) (1995) 75–79
3118. J. Wang, Some results on selectivity and self-reducibility **55** (2) (1995) 81–87

3119. J.D. Valois, A 3-valued wakeup protocol **55** (2) (1995) 89–93
3120. Y. Saab, Iterative improvement of vertex covers **55** (2) (1995) 95–98
3121. D.G. Corneil, H. Kim, S. Natarajan, S. Olariu and A.P. Sprague, Simple linear time recognition of unit interval graphs **55** (2) (1995) 99–104
3122. A. Dermouche, A fast algorithm for string matching with mismatches **55** (2) (1995) 105–110
3123. T. Huynh and K. Marriott, Incremental constraint deletion in systems of linear constraints **55** (2) (1995) 111–115
3124. M. Singhal and F. Mattern, An optimality proof for asynchronous recovery algorithms in distributed systems **55** (3) (1995) 117–121
3125. P.K. Jha and G. Slutzki, A scheme to construct distance-three codes using latin squares, with applications to the n-cube **55** (3) (1995) 123–127
3126. B. Berard, Untiming timed languages **55** (3) (1995) 129–135
3127. H. Shi, G.X. Ritter and J.N. Wilson, Simulations between two reconfigurable mesh models **55** (3) (1995) 137–142
3128. B. Nikolik, Constraint preservation through loops **55** (3) (1995) 143–148
3129. O. Oellermann and J.P. Spinrad, A polynomial algorithm for testing whether a graph is 3-Steiner distance hereditary **55** (3) (1995) 149–154
3130. E.-C. Chang and C. Yap, A note on improved deterministic time simulation of nondeterministic space for small space **55** (3) (1995) 155–157
3131. L.E. Kavraki and M.N. Kolountzakis, Partitioning a planar assembly into two connected parts is NP-complete **55** (3) (1995) 159–165
3132. L. Gong, Collisionful keyed hash functions with selectable collisions **55** (3) (1995) 167–170
3133. W. Hower, Constraint satisfaction – Algorithms and complexity analysis **55** (3) (1995) 171–178
3134. R. Schuler, Some properties of sets tractable under every polynomial-time computable distribution **55** (4) (1995) 179–184
3135. N.H. Lam, A note on codes having no finite completions **55** (4) (1995) 185–188
3136. C. Blundo, A note on dynamic threshold schemes **55** (4) (1995) 189–193
3137. J. Keller and T. Walle, A note on implementing combining networks **55** (4) (1995) 195–200
3138. S. Atkinson and D. Scholefield, Transformational vs reactive refinement in real-time systems **55** (4) (1995) 201–210
3139. K. Thirusangu and K. Rangarajan, A note on the construction of marked graphs **55** (4) (1995) 211–215
3140. X. Droubay, Palindromes in the Fibonacci word **55** (4) (1995) 217–221
3141. X. Tan and X. Song, Hexagonal three-layer channel routing **55** (4) (1995) 223–228
3142. Y. Park and B. Goldberg, Static analysis for optimizing reference counting **55** (4) (1995) 229–234
3143. T. Akutsu, Approximate string matching with don't care characters **55** (5) (1995) 235–239
3144. J. Ramachandran, Modulo classes and logarithmic advice **55** (5) (1995) 241–245
3145. G. Horng, Password authentication without using a password table **55** (5) (1995) 247–250
3146. K.-L. Tan and H. Lu, Workload scheduling for multiple query processing **55** (5) (1995) 251–257
3147. L. Chen, Solving the shortest-paths problem on bipartite permutation graphs efficiently **55** (5) (1995) 259–264
3148. S. Lee and J.L. Kim, Resolving all deadlocks in distributed systems **55** (5) (1995) 265–271
3149. T.-S. Chen, *SIMPLE*: An optimal disk system with two restricted heads **55** (5) (1995) 273–277
3150. H. Leung, D. Ranjan, H.J. Hernández, D. Tang and A. González, A simple proof on the decidability of equivalence between recursive and nonrecursive Datalog programs **55** (5) (1995) 279–282
3151. U.K. Park, H.K. Choi and T.G. Kim, Uniform partitioning of relations using histogram equalization framework: An efficient parallel hash-based join **55** (5) (1995) 283–289
3152. S. Boztaş, A robust multi-priority topology-independent transmission schedule for packet radio networks **55** (5) (1995) 291–295
3153. M. Farach, T.M. Przytycka and M. Thorup, On the agreement of many trees **55** (6) (1995) 297–301
3154. Z.-Z. Chen, A fast and efficient NC algorithm for maximal matching **55** (6) (1995) 303–307
3155. J. Nievergelt and N. Deo, Metric graphs elastically embeddable in the plane **55** (6) (1995) 309–315
3156. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Utility of *pathmax* in partial order heuristic search **55** (6) (1995) 317–322
3157. V.T. Vasconcelos, Unification of kinded infinite trees **55** (6) (1995) 323–328

3158. A.Z. Broder, A. Frieze, C. Lund, S. Phillips and N. Reingold, Balanced allocations for tree-like inputs **55** (6) (1995) 329–332
3159. W. Liang, Fast parallel algorithms for the approximate edge-coloring problem **55** (6) (1995) 333–338
3160. A. Nayak, V. Accia and P. Gissi, A note on isomorphic chordal rings **55** (6) (1995) 339–341
3161. Y.G. Park and B. Goldberg, Order-of-demand analysis for lazy languages **55** (6) (1995) 343–348
3162. G. Pitsch, LR(k)-coupled-context-free grammars **55** (6) (1995) 349–358
3163. S. Thomas, Garbage collection in shared-environment closure reducers: Space-efficient depth first copying using a tailored approach **56** (1) (1995) 1–7
3164. V. Estivill-Castro, J. O'Rourke, J. Urrutia and D. Xu, Illumination of polygons with vertex lights **56** (1) (1995) 9–13
3165. A. Bertoni, N. Cesa-Bianchi and G. Fiorino, Efficient learning with equivalence queries of conjunctions of modulo functions **56** (1) (1995) 15–17
3166. G.W. Greenwood, On the equity of mutual exclusion algorithms in distributed systems **56** (1) (1995) 19–22
3167. I. Parberry, A real-time algorithm for the $(n^2 - 1)$-puzzle **56** (1) (1995) 23–28
3168. Q.-P. Gu and S. Peng, Node-to-node cluster fault tolerant routing in star graphs **56** (1) (1995) 29–35
3169. S. Saxena and N.M. Rao, Parallel algorithms for connectivity problems on interval graphs **56** (1) (1995) 37–44
3170. J.S.B. Mitchell, G. Rote, G. Sundaram and G. Woeginger, Counting convex polygons in planar point sets **56** (1) (1995) 45–49
3171. J.Y.-T. Leung and W.-D. Wei, Tighter bounds on a heuristic for a partition problem **56** (1) (1995) 51–57
3172. T. Hagerup, The parallel complexity of integer prefix summation **56** (1) (1995) 59–64
3173. R. Petreschi and A. Sterbini, Recognizing strict 2-threshold graphs in O(m) time (*Erratum*) **56** (1) (1995) 65
3174. S.O. Krumke, On a generalization of the p-Center Problem **56** (2) (1995) 67–71
3175. T.W. Cusick, Cryptanalysis of a public key system based on Diophantine equations **56** (2) (1995) 73–75
3176. U.K. Chakraborty, A simpler derivation of schema hazard in genetic algorithms **56** (2) (1995) 77–78
3177. A.Z. Broder, M.E. Dyer, A.M. Frieze, P. Raghavan and E. Upfal, The worst-case running time of the random simplex algorithm is exponential in the height **56** (2) (1995) 79–81
3178. Y.-L. Wang, H.-C. Chen and C.-Y. Lee, An O($\log n$) parallel algorithm for constructing a spanning tree on permutation graphs **56** (2) (1995) 83–87
3179. E.L. Lawler and S. Sarkissian, An algorithm for "Ulam's Game" and its application to error correcting codes **56** (2) (1995) 89–93
3180. L. Devroye and P. Kruszewski, A note on the Horton–Strahler number for random trees **56** (2) (1995) 95–99
3181. Y.D. Liang, Steiner set and connected domination in trapezoid graphs **56** (2) (1995) 101–108
3182. V. Arvind, J. Köbler and M. Mundhenk, On reductions to sets that avoid EXPSPACE **56** (2) (1995) 109–114
3183. B. Aspvall, Minimizing elimination tree height can increase fill more than linearly **56** (2) (1995) 115–120
3184. F. Barsi and M.C. Pinotti, Addendum to "A fully parallel algorithm for residue to binary conversion" (*Erratum*) **56** (2) (1995) 121
3185. H. Prodinger, Multiple Quickselect — Hoare's Find algorithm for several elements **56** (3) (1995) 123–129
3186. G. Lowe, An attack on the Needham–Schroeder public-key authentication protocol **56** (3) (1995) 131–133
3187. S. Albers, B. von Stengel and R. Werchner, A combined BIT and TIMESTAMP algorithm for the list update problem **56** (3) (1995) 135–139
3188. D. Volpano and G. Smith, A type soundness proof for variables in LCF ML **56** (3) (1995) 141–146
3189. S. Jukna, Computing threshold functions by depth-3 threshold circuits with smaller thresholds of their gates **56** (3) (1995) 147–150
3190. J. Clark and J. Jacob, On the security of recent protocols **56** (3) (1995) 151–155
3191. O. Devillers and M.J. Golin, Incremental algorithms for finding the convex hulls of circles and the lower envelopes of parabolas **56** (3) (1995) 157–164
3192. A. Srinivasan, K. Madhukar, P. Nagavamsi, C. Pandu Rangan and M.-S. Chang, Edge domination on bipartite permutation graphs and cotriangulated graphs **56** (3) (1995) 165–171

3193. A. Tomkins, Lower bounds for two call control problems **56** (3) (1995) 173–178
3194. C.M.H. de Figueiredo, J. Meidanis and C.P. de Mello, A linear-time algorithm for proper interval graph recognition **56** (3) (1995) 179–184
3195. R.S. Rubinstein and J.N. Shutt, Self-modifying finite automata: An introduction **56** (4) (1995) 185–190
3196. B. Codenotti, G. Manzini and L. Margara, Algebraic techniques in communication complexity **56** (4) (1995) 191–195
3197. J.-E. Pin, A negative answer to a question of Wilke on varieties of ω-languages **56** (4) (1995) 197–200
3198. J.M. Sempere and D. López, A McCulloch–Pitts neural net to characterize even linear languages **56** (4) (1995) 201–208
3199. L. Libkin and L. Wong, On representation and querying incomplete information in databases with bags **56** (4) (1995) 209–214
3200. Y.D. Liang and N. Blum, Circular convex bipartite graphs: Maximum matching and Hamiltonian circuits **56** (4) (1995) 215–219
3201. G. Utard and G. Hains, Deadlock-free absorption of barrier synchronisations **56** (4) (1995) 221–227
3202. C. Mereghetti and G. Pighizzini, A remark on middle space bounded alternating Turing machines **56** (4) (1995) 229–232
3203. P. Damaschke, A parallel algorithm for nearly optimal edge search **56** (4) (1995) 233–236
3204. H.-C. Yen, A note on fine covers and iterable factors of VAS languages **56** (5) (1995) 237–243
3205. R. Uehara, Efficient simulations by a biased coin **56** (5) (1995) 245–248
3206. A.M. Youssef and S.E. Tavares, Resistance of balanced s-boxes to linear and differential cryptanalysis **56** (5) (1995) 249–252
3207. X. Yao, A note on neural sorting networks with O(1) time complexity **56** (5) (1995) 253–254
3208. B.-T. Yang, A better subgraph of the minimum weight triangulation **56** (5) (1995) 255–258
3209. W.-K. Chiang and R.-J. Chen, The (n, k)-star graph: A generalized star graph **56** (5) (1995) 259–264
3210. J.M. Vilar, Reducing the overhead of the AESA metric-space nearest neighbour searching algorithm **56** (5) (1995) 265–271
3211. V. Bokka, H. Gurla, S. Olariu and J.L. Schwing, Time- and VLSI-optimal convex hull computation on meshes with multiple broadcasting **56** (5) (1995) 273–280
3212. U.K. Chakraborty, A branching process model for genetic algorithms **56** (5) (1995) 281–292
3213. W. Kuich, Representations and complete semiring morphisms **56** (6) (1995) 293–298
3214. A. Raychaudhuri, The total interval number of a tree and the Hamiltonian completion number of its line graph **56** (6) (1995) 299–306
3215. S. Danicic, M. Harman and Y. Sivagurunathan, A parallel algorithm for static program slicing **56** (6) (1995) 307–313
3216. S. Mazzanti, Succinct iterative characterizations of primitive computable unary functions **56** (6) (1995) 315–319
3217. X. Zhou, N. Nagai and T. Nishizeki, Generalized vertex-rankings of trees **56** (6) (1995) 321–328
3218. N.H. Bshouty, On the additive complexity of 2×2 matrix multiplication **56** (6) (1995) 329–335
3219. P. Pritchard, A simple sub-quadratic algorithm for computing the subset partial order **56** (6) (1995) 337–341
3220. Y. Han, An improvement on parallel computation of a maximal matching **56** (6) (1995) 343–348
3221. S.K. Das, Modal logics in the theory of relational databases **57** (1) (1996) 1–7
3222. D.M. Volpano, Lower bounds on type checking overloading **57** (1) (1996) 9–13
3223. R. Harper, A note on "A simplified account of polymorphic references" **57** (1) (1996) 15–16
3224. A. Yanbe and K. Sakurai, A short certificate of the number of universal optimal strategies for stopping simple stochastic games **57** (1) (1996) 17–24
3225. M.W. Herman and W.W. Koczkodaj, A Monte Carlo study of pairwise comparison **57** (1) (1996) 25–29
3226. V. Dančík, Complexity of Boolean functions over bases with unbounded fan-in gates **57** (1) (1996) 31–34
3227. M. Drozdowski, Real-time scheduling of linear speedup parallel tasks **57** (1) (1996) 35–40
3228. D.-R. Duh, G.-H. Chen and D.F. Hsu, Combinatorial properties of generalized hypercube graphs **57** (1) (1996) 41–45
3229. Q. Xue, On a class of square-free graphs **57** (1) (1996) 47–48
3230. W.-B. Lee and C.-C. Chang, Integrating authentication in public key distribution system **57** (1) (1996) 49–52

3231. D. Merlini, R. Sprugnoli and M.C. Verri, A uniform model for the storage utilization of B-tree-like structures **57** (1) (1996) 53–58
3232. M. Zimand, A High-Low Kolmogorov Complexity Law equivalent to the 0-1 Law **57** (2) (1996) 59–64
3233. N. Blum, An $O(n \log n)$ implementation of the standard method for minimizing n-state finite automata **57** (2) (1996) 65–69
3234. A. Muscholl and H. Petersen, A note on the commutative closure of star-free languages **57** (2) (1996) 71–74
3235. S. Ghandeharizadeh, D. Ierardi and R. Zimmermann, An on-line algorithm to optimize file layout in a dynamic environment **57** (2) (1996) 75–81
3236. O. Garrido, S. Jarominek, A. Lingas and W. Rytter, A simple randomized parallel algorithm for maximal f-matchings **57** (2) (1996) 83–87
3237. B. Aspvall, C. Levcopoulos, A. Lingas and R. Storlind, On 2-QBF truth testing in parallel **57** (2) (1996) 89–93
3238. G. Dong and J. Su, Conjunctive query containment with respect to views and constraints **57** (2) (1996) 95–102
3239. X. Deng, A lower bound for communication on the crossbar **57** (2) (1996) 103–108
3240. R. Fagerberg, A generalization of binomial queues **57** (2) (1996) 109–114
3241. A. Nayak, V. Acciaro and P. Gissi, A note on isomorphic chordal rings (*Erratum*) **57** (2) (1996) 115
3242. P. Clote, A note on the monotone complexity of 2-REF **57** (3) (1996) 117–123
3243. G. Dányi and Z. Fülöp, A note on the equivalence problem of E-patterns **57** (3) (1996) 125–128
3244. C. Levcopoulos and D. Krznaric, Tight lower bounds for minimum weight triangulation heuristics **57** (3) (1996) 129–135
3245. J. Goldsmith and S. Homer, Scalability and the Isomorphism Problem **57** (3) (1996) 137–143
3246. T.Y. Chen and Y.T. Yu, A more general sufficient condition for partition testing to be better than random testing **57** (3) (1996) 145–149
3247. P. Alimonti, New local search approximation techniques for maximum generalized satisfiability problems **57** (3) (1996) 151–158
3248. M. Müller, C. Rüb and W. Rülling, A circuit for exact summation of floating-point numbers **57** (3) (1996) 159–163
3249. M. Abellanas, J. García, G. Hernández-Peñalver, F. Hurtado, O. Serra and J. Urrutia, Onion polygonizations **57** (3) (1996) 165–173
3250. Y. Métivier and N. Saheb, Medians and centres of polyominoes **57** (4) (1996) 175–181
3251. P. Vadapalli and P.K. Srimani, Shortest routing in trivalent Cayley graph network **57** (4) (1996) 183–188
3252. J.A. Aslam and S.E. Decatur, On the sample complexity of noise-tolerant learning **57** (4) (1996) 189–195
3253. K. Cattell, M.J. Dinneen and M.R. Fellows, A simple linear-time algorithm for finding path-decompositions of small width **57** (4) (1996) 197–203
3254. M. Manzur Murshed and M. Kaykobad, Seek distances in two-headed disk systems **57** (4) (1996) 205–209
3255. K. Baclawski and D.A. Simovici, A characterization of the information content of a classification **57** (4) (1996) 211–214
3256. A. Symvonis, Routing on trees **57** (4) (1996) 215–223
3257. M. Veanes and J. Barklund, On the number of edges in cycletrees **57** (4) (1996) 225–229
3258. L. Trevisan, A note on minimum-area upward drawing of complete and Fibonacci trees **57** (5) (1996) 231–236
3259. R. Canetti, More on BPP and the Polynomial-time Hierarchy **57** (5) (1996) 237–241
3260. H. Attiya and R. Friedman, Limitations of fast consistency conditions for distributed shared memories **57** (5) (1996) 243–248
3261. E. Koutsoupias and C. Papadimitriou, The 2-evader problem **57** (5) (1996) 249–252
3262. W. Lenhart and G. Liotta, Drawing outerplanar minimum weight triangulations **57** (5) (1996) 253–260
3263. T.W. Cusick, Bounds on the number of functions satisfying the Strict Avalanche Criterion **57** (5) (1996) 261–263
3264. S. Viswanathan, É. Czabarka and A. Sengupta, On fault-tolerant embedding of Hamiltonian circuits in line digraph interconnection networks **57** (5) (1996) 265–271
3265. S. Seshadri and D. Rotem, The two headed disk: Stochastic dominance of the greedy policy **57** (5) (1996) 273–277

3266. A. Monti and A. Roncato, A gap theorem for the anonymous torus **57** (5) (1996) 279–285
3267. C. Rhee and Y.D. Liang, An NC algorithm for the clique cover problem in cocomparability graphs and its application **57** (5) (1996) 287–290
3268. A. Monti, On the computational complexity of graph closures **57** (6) (1996) 291–295
3269. S. Gawiejnowicz, A note on scheduling on a single processor with speed dependent on a number of executed jobs **57** (6) (1996) 297–300
3270. I.-L. Yen, A highly safe self-stabilizing mutual exclusion algorithm **57** (6) (1996) 301–305
3271. I. Fudos, E. Pitoura and W. Szpankowski, On pattern occurrences in a random text **57** (6) (1996) 307–312
3272. D.Z. Chen and K.S. Klenk, Rectilinear short path queries among rectangular obstacles **57** (6) (1996) 313–319
3273. S. Ramnath and S. Sunder, On two-processor scheduling and maximum matching in permutation graphs **57** (6) (1996) 321–327
3274. M. Ben-Or and D. Ron, Agreement in the presence of faults, on networks of bounded degree **57** (6) (1996) 329–334
3275. S.K. Kim, A note on finding compact sets in graphs represented by an adjacency list **57** (6) (1996) 335–338
3276. T. Lacoste, Finitistic proofs of 0-1 laws for fragments of second-order logic **58** (1) (1996) 1–4
3277. S.W. Neufeld, A pursuit-evasion problem on a grid **58** (1) (1996) 5–9
3278. S. Harikumar and S. Kumar, Iterative deepening multiobjective A **58** (1) (1996) 11–15
3279. B.R. Krishnamachari and R. Mittal, Design and analysis of a generalized multi-ring architecture **58** (1) (1996) 17–21
3280. M.V. Marathe and S.S. Ravi, On approximation algorithms for the minimum satisfiability problem **58** (1) (1996) 23–29
3281. H. Caussinus, A note on a theorem of Barrington, Straubing and Thérien **58** (1) (1996) 31–33
3282. M. Ogihara, Functions computable with limited access to NP **58** (1) (1996) 35–38
3283. R.J. Lipton, On proving that a graph has no large clique: A connection with Ramsey theory **58** (1) (1996) 39–42
3284. W.-G. Tzeng, On path equivalence of nondeterministic finite automata **58** (1) (1996) 43–46
3285. L.M. Kirousis, P. Spirakis and P. Tsigas, Simple atomic snapshots: A linear complexity solution with unbounded time-stamps **58** (1) (1996) 47–53
3286. O. Garrido, P. Kelsen and A. Lingas, A simple NC-algorithm for a maximal independent set in a hypergraph of poly-log arboricity **58** (2) (1996) 55–58
3287. R. Balasubramanian and S.V. Nagaraj, Perfect power testing **58** (2) (1996) 59–63
3288. C.-C. Chao, W.-T. Chen and G.-H. Chen, Multiple search problem on reconfigurable meshes **58** (2) (1996) 65–69
3289. H.A. Eiselt, M. Gendreau and G. Laporte, Optimal location of facilities on a network with an unreliable node or link **58** (2) (1996) 71–74
3290. C. Kim, Unambiguous description of chain code picture languages **58** (2) (1996) 75–79
3291. M.M. de Azevedo, N. Bagherzadeh, M. Dowd and S. Latifi, Some topological properties of star connected cycles **58** (2) (1996) 81–85
3292. D.-Y. Ra and J.-H. Kim, A parallel parsing algorithm for arbitrary context-free grammars **58** (2) (1996) 87–96
3293. S. Kimura, A. Togashi and N. Shiratori, Extension of synthesis algorithm of recursive processes to μ-calculus **58** (2) (1996) 97–104
3294. V. Kann, J. Lagergren and A. Panconesi, Approximability of maximum splitting of k-sets and some other *Apx*-complete problems **58** (3) (1996) 105–110
3295. B.S. Panda, New linear time algorithms for generating perfect elimination orderings of chordal graphs **58** (3) (1996) 111–115
3296. K. Obokata, Y. Nishitani and Y. Igarashi, A probably optimal embedding of hyper-rings in hypercubes **58** (3) (1996) 117–122
3297. S.K. Seo and Y.J. Lee, Applicability of genetic algorithms to optimal evaluation of path predicates in object-oriented queries **58** (3) (1996) 123–128
3298. T. Hirata, A unified linear-time algorithm for computing distance maps **58** (3) (1996) 129–133
3299. A. Ta-Shma, A note on *PCP* vs. *MIP* **58** (3) (1996) 135–140
3300. T. Basten, Branching bisimilarity is an equivalence indeed! **58** (3) (1996) 141–147

3301. W. Liang, B.D. McKay and H. Shen, NC algorithms for dynamically solving the all pairs shortest paths problem and related problems **58** (3) (1996) 149–155
3302. J. Rehof, Strong normalization for non-structural subtyping via saturated sets **58** (4) (1996) 157–162
3303. A. Ciampolini, E. Lamma and P. Mello, An abstract interpretation framework for optimizing dynamic modular logic languages **58** (4) (1996) 163–170
3304. L. Cai, Fixed-parameter tractability of graph modification problems for hereditary properties **58** (4) (1996) 171–176
3305. P. Grandi, Implementing (nondeterministic) parallel assignments **58** (4) (1996) 177–179
3306. V. Balachandran, P. Nagavamsi and C. Pandu Rangan, Clique transversal and clique independence on comparability graphs **58** (4) (1996) 181–184
3307. J.-C. Birget, The state complexity of $\overline{\Sigma^* \tilde{L}}$ and its connection with temporal logic **58** (4) (1996) 185–188
3308. S.-J. Hwang, C.-C. Chang and W.-P. Yang, Authenticated encryption schemes with message linkage **58** (4) (1996) 189–194
3309. K. Salomaa, Yield-languages of two-way pushdown tree automata **58** (4) (1996) 195–199
3310. V.M. Malhotra, B. Srinivasan and S. Kulkarni, Storage-efficient data structure for large lookup dictionaries **58** (4) (1996) 201–206
3311. T. Hofmeister and H. Lefmann, Independent sets in graphs with triangles **58** (5) (1996) 207–210
3312. B. Shidlovsky and E. Bertino, On the number of descendants in an object DAG **58** (5) (1996) 211–216
3313. L. Colussi and A. De Col, A time and space efficient data structure for string searching on large texts **58** (5) (1996) 217–222
3314. A. Burns and R. Davis, Choosing task periods to minimise system utilisation in time triggered systems **58** (5) (1996) 223–229
3315. L.C.K. Hui and C.U. Martel, Analyzing self-adjusting linear list algorithms with deletions and unsuccessful searches **58** (5) (1996) 231–236
3316. R.M. Dijkstra, "Everywhere" in predicate algebra and modal logic **58** (5) (1996) 237–243
3317. M. Sharir, Excess in arrangements of segments **58** (5) (1996) 245–247
3318. D. Saccà, Multiple total stable models are definitely needed to solve unique solution problems **58** (5) (1996) 249–254
3319. J. Błażewicz, P. Bouvry, F. Guinand and D. Trystram, Scheduling complete intrees on two uniform processors with communication delays **58** (5) (1996) 255–263
3320. A. Lim, Minimum area joining of k compacted cells **58** (6) (1996) 265–269
3321. A.B. Binkley and S.R. Schach, A comparison of sixteen quality metrics for object-oriented design **58** (6) (1996) 271–275
3322. S.-W. Cheng, Widest empty L-shaped corridor **58** (6) (1996) 277–283
3323. W. Ogata, K. Sakano and K. Kurosawa, Multisymbol majority vote and hard core **58** (6) (1996) 285–292
3324. S. Obana and K. Kurosawa, Veto is impossible in secret sharing schemes **58** (6) (1996) 293–295
3325. L. Staiger, Codes, simplifying words, and open set condition **58** (6) (1996) 297–301
3326. B.H.H. Juurlink and H.A.G. Wijshoff, Communication primitives for BSP computers **58** (6) (1996) 303–310
3327. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Agent search in uniform b-ary trees: Multiple goals and unequal costs **58** (6) (1996) 311–318
3328. L. Higham and T. Przytycka, A simple, efficient algorithm for maximum finding on rings **58** (6) (1996) 319–324
3329. M. Ahuja, Assertions about past and future in *Highways*: Global flush broadcast and flush-vector-time (*Erratum*) **58** (6) (1996) 325
3330. G.S. Manku, A linear time algorithm for the Bottleneck Biconnected Spanning Subgraph problem **59** (1) (1996) 1–7
3331. S. Alstrup, J. Clausen and K. Jørgensen, An $O(|V| * |E|)$ algorithm for finding immediate multiple-vertex dominators **59** (1) (1996) 9–11
3332. D. Wätjen and H. Spilker, Decidability results concerning k-limited ED0L systems **59** (1) (1996) 13–17
3333. T. Natschläger and M. Schmitt, Exact VC-dimension of Boolean monomials **59** (1) (1996) 19–20
3334. R.A. Baeza-Yates and C.H. Perleberg, Fast and practical approximate string matching **59** (1) (1996) 21–27
3335. U. Zwick, On the number of ANDs versus the number of ORs in monotone Boolean circuits **59** (1) (1996) 29–30

3336. Y.-C. Kuo and S.-T. Huang, A simple scheme to construct k-coteries with $O(\sqrt{N})$ uniform quorum sizes **59** (1) (1996) 31–36
3337. N.H. Bshouty, A subexponential exact learning algorithm for DNF using equivalence queries **59** (1) (1996) 37–39
3338. M. Henzinger and D.P. Williamson, On the number of small cuts in a graph **59** (1) (1996) 41–44
3339. X. Wang and Q. Fu, A frame for general divide-and-conquer recurrences **59** (1) (1996) 45–51
3340. A. Marchetti-Spaccamela, U. Nanni and H. Rohnert, Maintaining a topological order under edge insertions **59** (1) (1996) 53–58
3341. T. Fujito, A note on approximation of the vertex cover and feedback vertex set problems — Unified approach **59** (2) (1996) 59–63
3342. P.G. Howard and J.S. Vitter, Parallel lossless image compression using Huffman and arithmetic coding **59** (2) (1996) 65–73
3343. I. Glaister and J. Shallit, A lower bound technique for the size of nondeterministic finite automata **59** (2) (1996) 75–77
3344. B. Dunten, J. Jones and J. Sorenson, A space-efficient fast prime number sieve **59** (2) (1996) 79–84
3345. D. Barth, Optimal broadcasting in the back to back d-ary trees **59** (2) (1996) 85–89
3346. H. Nagumo, M. Lu and K. Watson, On-line longest fragment first parsing algorithm **59** (2) (1996) 91–96
3347. M.S. Madanlal, G. Venkatesan and C. Pandu Rangan, Tree 3-spanners on interval, permutation and regular bipartite graphs **59** (2) (1996) 97–102
3348. T.-Y. Ho, Y.-L. Wang and M.-T. Juan, A linear time algorithm for finding all hinge vertices of a permutation graph **59** (2) (1996) 103–107
3349. S.M. Chung and P.S. Mah, Semantics-based transaction management for multidatabase systems **59** (2) (1996) 109–115
3350. H. Shen and S. Ramnath, Optimal parallel selection in sorted matrices **59** (3) (1996) 117–122
3351. N. Alon, P.G. Bradford and R. Fleischer, Matching nuts and bolts faster **59** (3) (1996) 123–127
3352. G. Păun, Splicing systems with targets are computationally universal **59** (3) (1996) 129–133
3353. C. Baier and M.E. Majster-Cederbaum, Denotational linear time semantics and sequential composition **59** (3) (1996) 135–143
3354. R.F.M. Aranha and C. Pandu Rangan, An efficient distributed algorithm for centering a spanning tree of a biconnected graph **59** (3) (1996) 145–150
3355. A. Bernasconi, Sensitivity vs. block sensitivity (an average-case study) **59** (3) (1996) 151–157
3356. C. Morgan and A. McIver, Unifying *wp* and *wlp* **59** (3) (1996) 159–163
3357. T. Moriya and H. Yamasaki, Literal shuffle on ω-languages **59** (3) (1996) 165–168
3358. S. De Agostino and J.A. Storer, On-line versus off-line computation in dynamic text compression **59** (3) (1996) 169–174
3359. F. Santos, Inscribing a symmetric body in an ellipse **59** (4) (1996) 175–178
3360. U. Goltz and H. Wehrheim, Modelling causality via action dependencies in branching time semantics **59** (4) (1996) 179–184
3361. P. Panaite, Hypercube permutations routable under all dimension orderings **59** (4) (1996) 185–189
3362. C.H. Young and P.A. Wilsey, A distributed method to bound rollback lengths for fossil collection in time warp simulators **59** (4) (1996) 191–196
3363. W. Holsztyński and W.W. Koczkodaj, Convergence of inconsistency algorithms for the pairwise comparisons **59** (4) (1996) 197–202
3364. A. Szepietowski, The element distinctness problem on one-tape Turing machines **59** (4) (1996) 203–206
3365. M.H. Alsuwaiyel, Finding a shortest Hamiltonian path inside a simple polygon **59** (4) (1996) 207–210
3366. B. Borchert and A. Lozano, Succinct circuit representations and leaf language classes are basically the same concept **59** (4) (1996) 211–215
3367. Y.-C. Tseng, Embedding a ring in a hypercube with both faulty links and faulty nodes **59** (4) (1996) 217–222
3368. G. Athithan and T.S. Roy, Hyperspherical neighbourhoods and pattern recognition using neural networks **59** (4) (1996) 223–228
3369. Z. Ivković and E.L. Lloyd, A fundamental restriction on fully dynamic maintenance of bin packing **59** (4) (1996) 229–232
3370. B. Bollig, M. Löbbing and I. Wegener, On the effect of local changes in the variable ordering of ordered decision diagrams **59** (5) (1996) 233–239

3371. R.A. Baeza-Yates and L.O. Fuentes, A framework to animate string algorithms **59** (5) (1996) 241–244
3372. J. Romijn and F. Vaandrager, A note on fairness in I/O automata **59** (5) (1996) 245–250
3373. G. Turán and F. Vatan, A size-depth trade-off for the analog computation of Boolean functions **59** (5) (1996) 251–254
3374. F. Nielsen, Output-sensitive peeling of convex and maximal layers **59** (5) (1996) 255–259
3375. A. Hernández Barrera, Algorithms for deciding the containment of polygons **59** (5) (1996) 261–265
3376. W. Plandowski, W. Rytter and T. Szymacha, Parallel tree-contraction and Fibonacci numbers **59** (5) (1996) 267–271
3377. K. Tanaka, T. Nishino and R. Beals, Negation-limited circuit complexity of symmetric functions **59** (5) (1996) 273–279
3378. S. Ghosh and A. Gupta, An exercise in fault-containment: Self-stabilizing leader election **59** (5) (1996) 281–288
3379. A. Czumaj, K. Diks and T.M. Przytycka, Parallel maximum independent set in convex bipartite graphs **59** (6) (1996) 289–294
3380. V.G. Deĭneko and G.J. Woeginger, The Convex-hull-and-k-line Travelling Salesman Problem **59** (6) (1996) 295–301
3381. H. Seidl, Fast and simple nested fixpoints **59** (6) (1996) 303–308
3382. R. De Prisco, G. Parlati and G. Persiano, A note on the expected path length of trees with known fringe **59** (6) (1996) 309–315
3383. A.A. Rescigno, On the communication complexity of polling **59** (6) (1996) 317–323
3384. A.P. Ustimenko, Algebra of two-level cause-effect structures **59** (6) (1996) 325–330
3385. S.-I. Tokunaga, Intersection number of two connected geometric graphs **59** (6) (1996) 331–333
3386. A.A. Melkman and S.E. Shimony, Algorithms for parsimonious complete sets in directed graphs **59** (6) (1996) 335–339
3387. S. Julia, I. Litovsky and B. Patrou, On codes, ω-codes and ω-generators **60** (1) (1996) 1–5
3388. S.A.M. Makki and G. Havas, Distributed algorithms for depth-first search **60** (1) (1996) 7–12
3389. A. García and J. Tejel, Using total monotonicity for two optimization problems on the plane **60** (1) (1996) 13–17
3390. D.-T. Lee, Semantic data modelling using linear logic **60** (1) (1996) 19–27
3391. V. Giakoumakis, P_4-laden graphs: A new class of brittle graphs **60** (1) (1996) 29–36
3392. M. Otto and J. Van den Bussche, First-order queries on databases embedded in an infinite structure **60** (1) (1996) 37–41
3393. A.Kh. Al Jabri, The unicity distance: An upper bound on the probability of an eavesdropper successfully estimating the secret key **60** (1) (1996) 43–47
3394. I. Wegener, On the complexity of encoding in analog circuits **60** (1) (1996) 49–52
3395. G. Melançon, Viennot factorization of infinite words **60** (2) (1996) 53–57
3396. P.A.S. Veloso, On pushout consistency, modularity and interpolation for logical specifications **60** (2) (1996) 59–66
3397. K. Sere, Procedures and atomicity refinement **60** (2) (1996) 67–74
3398. N. Reingold and J. Westbrook, Off-line algorithms for the list update problem **60** (2) (1996) 75–80
3399. S.-H. Shiau and C.-B. Yang, A fast maximum finding algorithm on broadcast communication **60** (2) (1996) 81–89
3400. K. Gopalakrishnan and D.R. Stinson, A simple analysis of the error probability of two-point based sampling **60** (2) (1996) 91–96
3401. P. Eades, C. Stirk and S. Whitesides, The techniques of Komolgorov and Bardzin for three-dimensional orthogonal graph drawings **60** (2) (1996) 97–103
3402. D.Z. Chen and K.S. Klenk, Erratum to "Rectilinear short path queries among rectangular obstacles" **60** (2) (1996) 105
3403. T. Natschläger and M. Schmitt, Erratum to "Exact VC-dimension of Boolean monomials" **60** (2) (1996) 107
3404. R. Banach, Transitive term graph rewriting **60** (3) (1996) 109–114
3405. Ú. Erlingsson, M. Krishnamoorthy and T.V. Raman, Efficient multiway radix search trees **60** (3) (1996) 115–120
3406. O. Schwarzkopf and J. Vleugels, Range searching in low-density environments **60** (3) (1996) 121–127
3407. C.-T. Chou, Simple proof techniques for property preservation via simulation **60** (3) (1996) 129–134

3408. T.Y. Chen and M.F. Lau, Dividing strategies for the optimization of a test suite **60** (3) (1996) 135–141
3409. R.E. Prather, The subprogram problem for software metric design **60** (3) (1996) 143–149
3410. G.C. Hunt, M.M. Michael, S. Parthasarathy and M.L. Scott, An efficient algorithm for concurrent priority queue heaps **60** (3) (1996) 151–157
3411. Y.D. Liang and C. Rhee, Finding biconnected components in O(n) time for a class of graphs **60** (3) (1996) 159–163
3412. D.A. Christie, Sorting permutations by block-interchanges **60** (4) (1996) 165–169
3413. E. Bax and J. Franklin, A finite-difference sieve to count paths and cycles by length **60** (4) (1996) 171–176
3414. M.D. Wagh and J. Mo, Hamilton cycles in Trivalent Cayley graphs **60** (4) (1996) 177–181
3415. Y.-C. Lin, Perfectly overlapped merging and sorting on a two-way linear array **60** (4) (1996) 183–187
3416. B. Alidaee and A. Ahmadian, Scheduling on a single processor with variable speed **60** (4) (1996) 189–193
3417. N. Kitsios and A. Tsakalidis, Space-optimal hidden line elimination for rectangles **60** (4) (1996) 195–200
3418. U. Nitsche and P. Ochsenschläger, Approximately satisfied properties of systems and simple language homomorphisms **60** (4) (1996) 201–206
3419. D.S. Buhăceanu and W.H.J. Feijen, Formal derivation of an algorithm for distributed phase synchronization **60** (4) (1996) 207–213
3420. T.W. Cusick and P. Stănică, Bounds on the number of functions satisfying the Strict Avalanche Criterion **60** (4) (1996) 215–219
3421. T. Kloks, $K_{1,3}$-free and W_4-free graphs **60** (4) (1996) 221–223
3422. J. Chlebíková, Approximating the Maximally Balanced Connected Partition Problem in graphs **60** (5) (1996) 225–230
3423. D.B. Skillicorn, A parallel tree difference algorithm **60** (5) (1996) 231–235
3424. Y. Sun, Term rewriting and Hoare logic — Coded rewriting **60** (5) (1996) 237–242
3425. S. Venema, H. Shen and F. Suraweera, NC algorithms for the Single Most Vital Edge problem with respect to shortest paths **60** (5) (1996) 243–248
3426. G. Venkatesan and C. Pandu Rangan, Approximate triclique coloring for register allocation **60** (5) (1996) 249–253
3427. N. Nassif and N. Bagherzadeh, A grid embedding into the star graph for image analysis solutions **60** (5) (1996) 255–260
3428. J.-K. Jan and Y.-M. Tseng, On the security of image encryption method **60** (5) (1996) 261–265
3429. M. Ito, N. Takagi and S. Yajima, Square rooting by iterative multiply-additions **60** (5) (1996) 267–269
3430. J. Domingo i Ferrer, A new privacy homomorphism and applications **60** (5) (1996) 277–282
3431. C. Germain and J. Pallo, Two shortest path metrics on well-formed parentheses strings **60** (6) (1996) 283–287
3432. S.-O. Nyström, There is no fully abstract fixpoint semantics for non-deterministic languages with infinite computations **60** (6) (1996) 289–293
3433. D.A. Grable, Nearly-perfect hypergraph packing is in NC **60** (6) (1996) 295–299
3434. K. Kurosawa and K. Okada, Combinatorial lower bounds for secret sharing schemes **60** (6) (1996) 301–304
3435. S. Kocberber and F. Can, Partial evaluation of queries for bit-sliced signature files **60** (6) (1996) 305–311
3436. M. Veanes and J. Barklund, Construction of natural cycletrees **60** (6) (1996) 313–318
3437. M.N. Neilsen and M. Mizuno, Erratum to "Nondominated k-coteries for multiple mutual exclusion" **60** (6) (1996) 319
3438. Y. Wang, NP-hard sets are superterse unless NP is small **61** (1) (1997) 1–6
3439. M. Farach and S. Muthukrishnan, Optimal parallel randomized renaming **61** (1) (1997) 7–10
3440. G.-H. King and W.-G. Tzeng, On-line algorithms for the dominating set problem **61** (1) (1997) 11–14
3441. J. Kornerup, Odd-even sort in powerlists **61** (1) (1997) 15–24
3442. T. Hasunuma and Y. Shibata, Containment of butterflies in networks constructed by the line digraph operation **61** (1) (1997) 25–30
3443. M.S. Sedjelmaci and C. Lavault, Improvements on the accelerated integer GCD algorithm **61** (1) (1997) 31–36
3444. P. Bozanis, N. Kitsios, C. Makris and A. Tsakalidis, The space-optimal version of a known rectangle enclosure reporting algorithm **61** (1) (1997) 37–41

3445. Y. Ashir, I.A. Stewart and A. Ahmed, Communication algorithms in k-ary n-cube interconnection networks **61** (1) (1997) 43–48
3446. A. Blum and D. Karger, An $\tilde{O}(n^{3/14})$-coloring algorithm for 3-colorable graphs **61** (1) (1997) 49–53
3447. S. Taylor, N. Hachem and S. Selkow, The average height of a node in the BANG abstract directory tree **61** (1) (1997) 55–61
3448. R. Zippel, Zero testing of algebraic functions **61** (2) (1997) 63–67
3449. B. Loescher, One unary function says less than two in existential second order logic **61** (2) (1997) 69–75
3450. D.J. Guan and X. Zhu, A coloring problem for weighted graphs **61** (2) (1997) 77–81
3451. R. Uehara, Collapse of PP with a semi-random source to BPP **61** (2) (1997) 83–87
3452. Y.G. Saab, An improved algorithm for intersecting convex polygons **61** (2) (1997) 89–90
3453. K. Shikishima-Tsuji, M. Katsura and Y. Kobayashi, On termination of confluent one-rule string-rewriting systems **61** (2) (1997) 91–96
3454. K.-L. Chung, Efficient Huffman decoding **61** (2) (1997) 97–99
3455. H.L. Bodlaender, D.M. Thilikos and K. Yamazaki, It is hard to know when greedy is good for finding independent sets **61** (2) (1997) 101–106
3456. C.L. Lu and C.Y. Tang, A linear-time algorithm for the weighted feedback vertex problem on interval graphs **61** (2) (1997) 107–111
3457. P.G. Franciosa, G. Gambosi and U. Nanni, The incremental maintenance of a Depth-First-Search tree in directed acyclic graphs **61** (2) (1997) 113–120
3458. J.S. Deogun, D. Kratsch and G. Steiner, An approximation algorithm for clustering graphs with dominating diametral path **61** (3) (1997) 121–127
3459. T. Lecroq, G. Luce and J.F. Myoupo, A faster linear systolic algorithm for recovering a longest common subsequence **61** (3) (1997) 129–136
3460. R. Mosca, Polynomial algorithms for the maximum stable set problem on particular classes of P_5-free graphs **61** (3) (1997) 137–143
3461. G. Zhang, A simple semi on-line algorithm for $P2//C_{max}$ with a buffer **61** (3) (1997) 145–148
3462. S.H. Hong and M.H. Kim, Resolving data conflicts with multiple versions and precedence relationships in real-time databases **61** (3) (1997) 149–156
3463. I. Friš, I. Havel and P. Liebl, The diameter of the cube-connected cycles **61** (3) (1997) 157–160
3464. A. Rosenbloom, Monotone real circuits are more powerful than monotone boolean circuits **61** (3) (1997) 161–164
3465. M.Z. Wang, Linear complexity profiles and jump complexity **61** (3) (1997) 165–168
3466. T. Sato, Ergodicity of linear cellular automata over $\mathbb{Z}_m$ **61** (3) (1997) 169–172
3467. S.-Y. Wang, L.-H. Hsu and T.-Y. Sung, Faithful 1-edge fault tolerant graphs **61** (4) (1997) 173–181
3468. M. Henk, Note on shortest and nearest lattice vectors **61** (4) (1997) 183–188
3469. P. Cintioli and R. Silvestri, Revisiting a result of Ko **61** (4) (1997) 189–194
3470. P. Dell'Olmo, S. Giordani and M.G. Speranza, An approximation result for a duo-processor task scheduling problem **61** (4) (1997) 195–200
3471. M.J. Encarnación, Black-box polynomial resultants **61** (4) (1997) 201–204
3472. F. Roupin, On approximating the memory-Constrained Module Allocation Problem **61** (4) (1997) 205–208
3473. S.M. Park, S. Lee, S.H. Sung and K. Kim, Improving bounds for the number of correlation immune Boolean functions **61** (4) (1997) 209–212
3474. Y. Choi and T.W. Lam, Dynamic suffix tree and two-dimensional texts management **61** (4) (1997) 213–220
3475. P.D. Kulasinghe, Connectivity of the crossed cube **61** (4) (1997) 221–226
3476. D.M. Thilikos and H.L. Bodlaender, Fast partitioning l-apex graphs with applications to approximating maximum induced-subgraph problems **61** (5) (1997) 227–232
3477. A. Mazurkiewicz, Distributed enumeration **61** (5) (1997) 233–239
3478. J.M. Morris, Non-deterministic expressions and predicate transformers **61** (5) (1997) 241–246
3479. T. Calamoneri and R. Petreschi, A new 3D representation of trivalent Cayley networks **61** (5) (1997) 247–252
3480. J.-F. Myoupo and A. Wabbi, Improved linear systolic algorithms for substring statistics **61** (5) (1997) 253–258
3481. C. Micheneau, Disjoint Hamiltonian cycles in recursive circulant graphs **61** (5) (1997) 259–264

3482. K. Iwama, C. Iwamoto and T. Ohsawa, A faster parallel algorithm for k-connectivity **61** (5) (1997) 265–269
3483. K. Verbarg, Approximate center points in dense point sets **61** (5) (1997) 271–278
3484. B. Schoenmakers, A tight lower bound for top-down skew heaps **61** (5) (1997) 279–284
3485. D. Kumar and A. Silberschatz, A counter-example to an algorithm for the generalized input–output construct of CSP **61** (6) (1997) 287
3486. E. Kushilevitz, A simple algorithm for learning $O(\log n)$-term DNF **61** (6) (1997) 289–292
3487. L. Ibarra, Finding pattern matchings for permutations **61** (6) (1997) 293–295
3488. M. Dror, W. Kubiak and P. Dell'Olmo, Scheduling chains to minimize mean flow time **61** (6) (1997) 297–301
3489. N.H. Bshouty, On learning multivariate polynomials under the uniform distribution **61** (6) (1997) 303–309
3490. H.S. Chao, F.R. Hsu and R.C.T. Lee, An optimal EREW parallel algorithm for computing breadth-first search trees on permutation graphs **61** (6) (1997) 311–316
3491. J. Chen, S.P. Kanchi and A. Kanevsky, A note on approximating graph genus **61** (6) (1997) 317–322
3492. A. Vakali and Y. Manolopoulos, An exact analysis on expected seeks in shadowed disks **61** (6) (1997) 323–329
3493. P. Flocchini, Minimal sense of direction in regular networks **61** (6) (1997) 331–338
3494. V. Halava, T. Harju and L. Ilie, On a geometric problem of zigzags **62** (1) (1997) 1–4
3495. B. von Karger and R. Berghammer, Computing kernels in directed bichromatic graphs **62** (1) (1997) 5–11
3496. A. Gál, A simple function that requires exponential size read-once branching programs **62** (1) (1997) 13–16
3497. H.V. Jagadish, Analysis of the Hilbert curve for representing two-dimensional space **62** (1) (1997) 17–22
3498. M. Gergatsoulis, Unfold/fold transformations for disjunctive logic programs **62** (1) (1997) 23–29
3499. E. Kindler and R. Walter, Mutex needs fairness **62** (1) (1997) 31–39
3500. A. Orda and M. Merritt, Efficient test&set constructions for faulty shared memory **62** (1) (1997) 41–46
3501. J. Orozco, R. Cayssials, J. Santos and E. Ferro, 802.4 Rate Monotonic scheduling in hard real-time environments: Setting the medium access control parameters **62** (1) (1997) 47–55
3502. E. Mäkinen, Inferring uniquely terminating regular languages from positive data **62** (2) (1997) 57–60
3503. A. Chmeiss and P. Jégou, A generalization of chordal graphs and the maximum clique problem **62** (2) (1997) 61–66
3504. H.-J. Kang, K. Kim and J.H. Kim, Approximating optimally discrete probability distribution with kth-order dependency for combining multiple decisions **62** (2) (1997) 67–75
3505. S.-M. Yen and K.-H. Liao, Shared authentication token secure against replay and weak key attacks **62** (2) (1997) 77–80
3506. G. Kant, G. Liotta, R. Tamassia and I.G. Tollis, Area requirement of visibility representations of trees **62** (2) (1997) 81–88
3507. K.R. Varadarajan and P.K. Agarwal, Linear approximation of simple objects **62** (2) (1997) 89–94
3508. A. Amir and E. Dar, An improved deterministic algorithm for generating different many-element random samples **62** (2) (1997) 95–101
3509. D. Breslauer, A. Czumaj, D.P. Dubhashi and F. Meyer auf der Heide, Transforming comparison model lower bounds to the parallel-random-access-machine **62** (2) (1997) 103–110
3510. F. Bouquet and P. Jégou, Using OBDDs to handle dynamic constraints **62** (3) (1997) 111–120
3511. D. Eppstein, Dynamic connectivity in digital images **62** (3) (1997) 121–126
3512. R. Glück and A. Klimov, A regeneration scheme for generating extensions **62** (3) (1997) 127–134
3513. S. Abbasi and A. Sengupta, An $O(n \log n)$ algorithm for finding dissimilar strings **62** (3) (1997) 135–139
3514. C.-N. Yang and C.-S. Laih, A note on error-correcting codes for authentication and subliminal channels **62** (3) (1997) 141–143
3515. E. Bach, The complexity of number-theoretic constants **62** (3) (1997) 145–152
3516. V. King, C.K. Poon, V. Ramachandran and S. Sinha, An optimal EREW PRAM algorithm for minimum spanning tree verification **62** (3) (1997) 153–159
3517. A. Döring and W.J. Paul, Decimal adjustment of long numbers in constant time **62** (3) (1997) 161–163
3518. M. Zimand, Large sets in AC^0 have many strings with low Kolmogorov complexity **62** (3) (1997) 165–170

3519. G. Istrate, The strong equivalence of ET0L grammars **62** (4) (1997) 171–176
3520. R. Sengupta, Cancellation is exponentially powerful for computing the determinant **62** (4) (1997) 177–181
3521. W. Fokkink, Unification for infinite sets of equations between finite terms **62** (4) (1997) 183–188
3522. S. Hirose and K. Ikeda, A conference key distribution system for the star configuration based on the discrete logarithm problem **62** (4) (1997) 189–192
3523. G. Dong and C. Pang, Maintaining transitive closure in first order after node-set and edge-set deletions **62** (4) (1997) 193–199
3524. Q.-P. Gu and S. Peng, Node-to-set disjoint paths problem in star graphs **62** (4) (1997) 201–207
3525. F. Cucker, P. Koiran and M. Matamala, Complexity and dimension **62** (4) (1997) 209–212
3526. F. Bao, A. Mei and Y. Igarashi, Average competitive ratios of on-line spanning trees **62** (4) (1997) 213–216
3527. W.F.J. Verhaegh and E.H.L. Aarts, A polynomial-time algorithm for knapsack with divisible item sizes **62** (4) (1997) 217–221
3528. Md.M.H.A. Khan and Md.S. Alam, Algorithms for conversion of minterms to positive polarity Reed–Muller coefficients and vice versa **62** (5) (1997) 223–230
3529. R. Harbane and C. Padró, Spanners of de Bruijn and Kautz graphs **62** (5) (1997) 231–236
3530. R. Harbane and C. Padró, Spanners of underlying graphs of iterated line digraphs **62** (5) (1997) 237–244
3531. T. Lambert, An optimal algorithm for realizing a Delaunay triangulation **62** (5) (1997) 245–250
3532. J.W. Gray III, On the Clark–Jacob version of SPLICE/AS **62** (5) (1997) 251–254
3533. W.Y. Mok, On keys and normal forms **62** (5) (1997) 255–258
3534. M. Hermo, Compressibility and uniform complexity **62** (5) (1997) 259–264
3535. V.A. Vassiliev, On decision trees for orthants **62** (5) (1997) 265–268
3536. A. Formica and M. Missikoff, A verification algorithm for inheritance hierarchies in object-oriented databases **62** (5) (1997) 269–279
3537. J.L. Fouquet, I. Parfenoff and H. Thuillier, An O(n) time algorithm for maximum matching in P_4-tidy graphs **62** (6) (1997) 281–287
3538. J. Justin and G. Pirillo, On some factorizations of infinite words by elements of codes **62** (6) (1997) 289–294
3539. S.R. Kumar, R. Panigrahy, A. Russell and R. Sundaram, A note on optical routing on trees **62** (6) (1997) 295–300
3540. Y. Ma and S. Plotkin, An improved lower bound for load balancing of tasks with unknown duration **62** (6) (1997) 301–303
3541. M. Sassa and T. Ookubo, Systematic debugging method for attribute grammar description **62** (6) (1997) 305–313
3542. S.-I. Nakano, Md.S. Rahman and T. Nishizeki, A linear-time algorithm for four-partitioning four-connected planar graphs **62** (6) (1997) 315–322
3543. S.-I. Nakayama and S. Masuyama, A parallel algorithm for solving the coloring problem on trapezoid graphs **62** (6) (1997) 323–327
3544. P. Pritchard, An old sub-quadratic algorithm for finding extremal sets **62** (6) (1997) 329–334
3545. R.S. Bird and J.N. Ravelo, On computing representatives **63** (1) (1997) 1–7
3546. E. Nardelli, V. Mastrobuoni and A. Santomo, On building the transitive reduction of a two-dimensional poset **63** (1) (1997) 9–12
3547. H.-C. Chen and Y.-L. Wang, A linear time algorithm for finding depth-first spanning trees on trapezoid graphs **63** (1) (1997) 13–18
3548. C.-C. Chang and S.-J. Hwang, A simple approach for generating RSA keys **63** (1) (1997) 19–21
3549. P. Flocchini, B. Mans and N. Santoro, On the impact of sense of direction on message complexity **63** (1) (1997) 23–31
3550. E. Bax and J. Franklin, A permanent formula with many zero-valued terms **63** (1) (1997) 33–39
3551. M. van Dijk, More information theoretical inequalities to be used in secret sharing? **63** (1) (1997) 41–44
3552. Z. Ivković and E.L. Lloyd, Partially dynamic bin packing can be solved within $1 + \varepsilon$ in (amortized) polylogarithmic time **63** (1) (1997) 45–50
3553. J. Sgall, A lower bound for randomized on-line multiprocessor scheduling **63** (1) (1997) 51–55
3554. K.-L. Chung, A fast algorithm for stereo matching **63** (2) (1997) 57–61

3555. R. Hassin and S. Rubinstein, An approximation algorithm for maximum packing of 3-edge paths **63** (2) (1997) 63–67
3556. J.G. Gaines, Partitions with minimum entropy of regions in $\mathbb{R}^2$ **63** (2) (1997) 69–73
3557. G.S. Frandsen and S. Skyum, Dynamic maintenance of majority information in constant time per update **63** (2) (1997) 75–78
3558. M. Chrobak, L.L. Larmore, C. Lund and N. Reingold, A better lower bound on the competitive ratio of the randomized 2-server problem **63** (2) (1997) 79–83
3559. C. Busch and M. Mavronicolas, Impossibility results for weak threshold networks **63** (2) (1997) 85–90
3560. W. Imrich and S. Klavžar, Recognizing Hamming graphs in linear time and space **63** (2) (1997) 91–95
3561. T. Calamoneri and A. Sterbini, 3D straight-line grid drawing of 4-colorable graphs **63** (2) (1997) 97–102
3562. J.-M. Ho and M.-T. Ko, Bounded fan-out m-center problem **63** (2) (1997) 103–108
3563. Y. Afek, M. Cohen and E. Haalman, The bit complexity of the predecessor problem **63** (2) (1997) 109–112
3564. R. Geist, Performance bounds for modeling NUMA architectures **63** (2) (1997) 113–117
3565. A.K. Amoura, A note on scheduling multiprocessor tasks with precedence constraints on parallel processors **63** (3) (1997) 119–122
3566. S.-H.S. Huang, H. Liu and R.M. Verma, On embedding rectangular meshes into rectangular meshes of smaller aspect ratio **63** (3) (1997) 123–129
3567. O. Goldreich and D. Ron, On universal learning algorithms **63** (3) (1997) 131–136
3568. C. Schittenkopf, G. Deco and W. Brauer, Finite automata-models for the investigation of dynamical systems **63** (3) (1997) 137–141
3569. P. Jonsson, A nonapproximability result for finite function generation **63** (3) (1997) 143–145
3570. A.A. Arratia-Quesada and I.A. Stewart, Generalized Hex and logical characterizations of polynomial space **63** (3) (1997) 147–152
3571. B. Borchert and R. Silvestri, A characterization of the leaf language classes **63** (3) (1997) 153–158
3572. L.M.G. Feijs and R.C. van Ommering, Abstract derivation of transitive closure algorithms **63** (3) (1997) 159–164
3573. L. Kučera, Computing OR on a randomized fixed adversary CRCW PRAM **63** (3) (1997) 165–166
3574. D. Kratsch and L. Stewart, Total domination and transformation **63** (3) (1997) 167–170
3575. J. Csirik and G.J. Woeginger, Shelf algorithms for on-line strip packing **63** (4) (1997) 171–175
3576. K.N. Lalgudi and M.C. Papaefthymiou, Computing strictly-second shortest paths **63** (4) (1997) 177–181
3577. K. Park, S.L. Min and Y. Cho, The working set algorithm has competitive ratio less than two **63** (4) (1997) 183–188
3578. P. Konana, J. Lee and S. Ram, Updating timestamp interval for dynamic adjustment of serialization order in Optimistic Concurrency Control-Time Interval (OCCTI) protocol **63** (4) (1997) 189–193
3579. M. Crochemore and T. Lecroq, Tight bounds on the complexity of the Apostolico–Giancarlo algorithm **63** (4) (1997) 195–203
3580. S.-J. Wang, Distributed routing in a fault-tolerant multistage interconnection network **63** (4) (1997) 205–210
3581. N.H. Bshouty, Y. Mansour, B. Schieber and P. Tiwari, A tight bound for approximating the square root **63** (4) (1997) 211–213
3582. M. de Berg, O. Devillers, K. Dobrindt and O. Schwarzkopf, Computing a single cell in the overlay of two simple polygons **63** (4) (1997) 215–219
3583. J. Ebert and G. Vossen, I-serializability: Generalized correctness for transaction-based environments **63** (4) (1997) 221–227
3584. S.L. Hakimi, E.F. Schmeichel and N.E. Young, Orienting graphs to optimize reachability **63** (5) (1997) 229–235
3585. C.F. Olson, An approximation algorithm for least median of squares regression **63** (5) (1997) 237–241
3586. D. Peled and T. Wilke, Stutter-invariant temporal properties are expressible without the next-time operator **63** (5) (1997) 243–246
3587. W.-B. Lee and C.-C. Chang, Authenticated encryption schemes with linkage between message blocks **63** (5) (1997) 247–250
3588. H. Veith, Languages represented by Boolean formulas **63** (5) (1997) 251–256
3589. R.B. Boppana, The average sensitivity of bounded-depth circuits **63** (5) (1997) 257–261

3590. B.Y. Wu and C.Y. Tang, An O(n) algorithm for finding an optimal position with relative distances in an evolutionary tree **63** (5) (1997) 263–269
3591. L.-C. Wei and R.-S. Chang, Broadcast scheduling in packet radio networks by Hopfield neural networks **63** (5) (1997) 271–276
3592. R.-S. Chang and S.-J. Leu, The minimum labeling spanning trees **63** (5) (1997) 277–282
3593. V.D. Blondel and J.N. Tsitsiklis, When is a pair of matrices mortal? **63** (5) (1997) 283–286
3594. M. Goldmann, On the power of a threshold gate at the top **63** (6) (1997) 287–293
3595. V.K. Garg and J.R. Mitchell, Detecting conjunctions of global predicates **63** (6) (1997) 295–302
3596. S.K. Kim, Logarithmic width, linear area upward drawing of AVL trees **63** (6) (1997) 303–307
3597. S.-H. Kim, K. Lim and C. Kim, Efficient stream distribution algorithm for heterogeneous multimedia multicast with link capacity constraint **63** (6) (1997) 309–315
3598. C. Blundo and A. De Santis, Lower bounds for robust secret sharing schemes **63** (6) (1997) 317–321
3599. N.-M. Lê, On non-smooth convex distance functions **63** (6) (1997) 323–329
3600. F. Luccio and L. Pagli, An insight on PRAM computational bounds **63** (6) (1997) 331–336
3601. E. Bertino, B. Catania and B. Shidlovsky, Towards optimal two-dimensional indexing for constraint databases **64** (1) (1997) 1–8
3602. D. Agrawal, Ö. Eğecioğlu and A. El Abbadi, Billiard quorums on the grid **64** (1) (1997) 9–16
3603. E. Belogay, C. Cabrelli, U. Molter and R. Shonkwiler, Calculating the Hausdorff distance between curves **64** (1) (1997) 17–22
3604. H.-Y. Chang and R.-J. Chen, Embedding cycles in IEH graphs **64** (1) (1997) 23–27
3605. S.S. Kulkarni and A. Arora, Multitolerant barrier synchronization **64** (1) (1997) 29–36
3606. J.Dj. Golić, M. Salmasizadeh, L. Simpson and E. Dawson, Fast correlation attacks on nonlinear filter generators **64** (1) (1997) 37–42
3607. S.K. Baruah, J.E. Gehrk, C.G. Plaxton, I. Stoica, H. Abdel-Wahab and K. Jeffay, Fair on-line scheduling of a dynamic set of tasks on a single resource **64** (1) (1997) 43–51
3608. A. Arnold, M. Kanta and D. Krob, Recognizable subsets of the two letter plactic monoid **64** (2) (1997) 53–59
3609. E.G. Coffman Jr., L. Flatto, E.N. Gilbert and A.G. Greenberg, An approximate model of processor communication rings under heavy load **64** (2) (1997) 61–67
3610. M.Y. Kovalyov and Y.M. Shafransky, Batch scheduling with deadlines on parallel machines: An NP-hard case **64** (2) (1997) 69–74
3611. G.-O. Lee and D.-H. Kim, Characterization of extended LR(k) grammars **64** (2) (1997) 75–82
3612. L. Coupry, A simple linear algorithm for the edge-disjoint (s, t)-paths problem in undirected planar graphs **64** (2) (1997) 83–86
3613. I. Rhee and J.L. Welch, Time bounds on synchronization in a periodic distributed system **64** (2) (1997) 87–93
3614. Y.-I. Chang and B.-Y. Yang, Efficient access methods for image databases **64** (2) (1997) 95–105
3615. F. Dehne and K. Guimarães, Exact and approximate computational geometry solutions of an unrestricted point set stereo matching problem **64** (3) (1997) 107–114
3616. E. Aaron and D. Gries, Formal justification of underspecification for S5 **64** (3) (1997) 115–121
3617. M. Flouret and E. Laugerotte, Noncommutative minimization algorithms **64** (3) (1997) 123–126
3618. L. Aceto and A. Ingólfsdóttir, A characterization of finitary bisimulation **64** (3) (1997) 127–134
3619. W.Y. Mok and D.W. Embley, On improving dependency implication algorithms **64** (3) (1997) 135–141
3620. M.-S. Lin and D.-J. Chen, The computational complexity of the reliability problem on distributed systems **64** (3) (1997) 143–147
3621. E. Nardelli, V. Mastrobuoni and A. Santomo, Computing a poset from its realizer **64** (3) (1997) 149–154
3622. S. Albers and M. Mitzenmacher, Revisiting the COUNTER algorithms for list update **64** (3) (1997) 155–160
3623. S. Alstrup, J.P. Secher and M. Spork, Optimal on-line decremental connectivity in trees **64** (4) (1997) 161–164
3624. M. Cesati and L. Trevisan, On the efficiency of polynomial time approximation schemes **64** (4) (1997) 165–171
3625. S.N. Kabadi and Y.P. Aneja, An efficient, strongly polynomial, ε-approximation parametric optimization scheme **64** (4) (1997) 173–177

3626. C. Domingo, T. Tsukiji and O. Watanabe, Partial Occam's Razor and its applications **64** (4) (1997) 179–185
3627. J. Tyszkiewicz, A note on the Kolmogorov data complexity and nonuniform logical definitions **64** (4) (1997) 187–195
3628. A. Edalat, D. Sharp and L. While, Bounding the attractor of an IFS **64** (4) (1997) 197–202
3629. A. Bagchi, Route selection with multiple metrics **64** (4) (1997) 203–205
3630. S. Di Zenzo, P. Bottoni and P. Mussio, A notion of information related to computation **64** (4) (1997) 207–215
3631. E.M. Reingold, K.J. Urban and D. Gries, K-M-P string matching revisited **64** (5) (1997) 217–223
3632. K. Hirata, Constructing simply recursive programs from a finite set of good examples **64** (5) (1997) 225–230
3633. P.A.S. Veloso and S.R.M. Veloso, On methods for safe introduction of operations **64** (5) (1997) 231–238
3634. M. Rabi and A.T. Sherman, An observation on associative one-way functions in complexity theory **64** (5) (1997) 239–244
3635. I. Wierzbowska, Checker for data structures which sort elements **64** (5) (1997) 245–249
3636. P. Slavík, Improved performance of the greedy algorithm for partial cover **64** (5) (1997) 251–254
3637. Y. Dai, K. Iwano and N. Katoh, A new probabilistic analysis of Karger's randomized algorithm for minimum cut problems **64** (5) (1997) 255–261
3638. P. Gupta, R. Janardan and M. Smid, A technique for adding range restrictions to generalized searching problems **64** (5) (1997) 263–269
3639. V. Iyengar and K. Chakrabarty, An efficient finite-state machine implementation of Huffman decoders **64** (6) (1997) 271–275
3640. V. Mitrana, Primitive morphisms **64** (6) (1997) 277–281
3641. M.A. Shokrollahi, D.A. Spielman and V. Stemann, A remark on matrix rigidity **64** (6) (1997) 283–285
3642. T. Graf and V. Kamakoti, Sparse dominance queries for many points in optimal time and space **64** (6) (1997) 287–291
3643. G.J. Woeginger, There is no asymptotic PTAS for two-dimensional vector packing **64** (6) (1997) 293–297
3644. P. Boldi and S. Vigna, Minimal sense of direction and decision problems for Cayley graphs **64** (6) (1997) 299–303
3645. L. Alonso, J.L. Rémy and R. Schott, Uniform generation of a Schröder tree **64** (6) (1997) 305–308
3646. A. Efrat and O. Schwarzkopf, Separating and shattering long line segments **64** (6) (1997) 309–314
3647. C. Queinnec, Fast and compact dispatching for dynamic object-oriented languages **64** (6) (1997) 315–321
3648. V. Raman, B. Ravikumar and S. Srinivasa Rao, A simplified NP-complete MAXSAT problem **65** (1) (1998) 1–6
3649. P.Y.A. Ryan and S.A. Schneider, An attack on a recursive authentication protocol A cautionary tale **65** (1) (1998) 7–10
3650. J. Lakhal and L. Litzler, A polynomial algorithm for the extendability problem in bipartite graphs **65** (1) (1998) 11–16
3651. P.E. Dunne and M. Zito, An improved upper bound on the non-3-colourability threshold **65** (1) (1998) 17–23
3652. C. Blundo, A. De Santis and U. Vaccaro, On secret sharing schemes **65** (1) (1998) 25–32
3653. A. Israeli and A. Shirazi, The time complexity of updating snapshot memories **65** (1) (1998) 33–40
3654. H.M. Mahmoud, On rotations in fringe-balanced binary trees **65** (1) (1998) 41–46
3655. R. Molva and G. Tsudik, Secret sets and applications **65** (1) (1998) 47–55
3656. T. Knapik and É. Payet, The full quotient and its closure property for regular languages **65** (2) (1998) 57–62
3657. A. Ait-Bouziad and H. Kassel, An improved algorithm for retrieving fuzzy information from two systems **65** (2) (1998) 63–66
3658. M.A. Odijk and H. van Maaren, Improved solutions to the Steiner triple covering problem **65** (2) (1998) 67–69
3659. G. Horng, An active attack on protocols for server-aided RSA signature computation **65** (2) (1998) 71–73
3660. T.C.E. Cheng and Q. Ding, The complexity of scheduling starting time dependent tasks with release times **65** (2) (1998) 75–79
3661. J.-M. Chang and C.-W. Ho, The recognition of geodetically connected graphs **65** (2) (1998) 81–88

3662. P.J. Grabner and H. Prodinger, An asymptotic study of a recursion occurring in the analysis of an algorithm on broadcast communication **65** (2) (1998) 89–93
3663. M. Segal and K. Kedem, Enclosing k points in the smallest axis parallel rectangle **65** (2) (1998) 95–99
3664. D. Dervos, Y. Manolopoulos and P. Linardis, Comparison of signature file models with superimposed coding **65** (2) (1998) 101–106
3665. A. Dessmark, O. Garrido and A. Lingas, A note on parallel complexity of maximum f-matching **65** (2) (1998) 107–109
3666. T.C. Biedl, Relating bends and size in orthogonal graph drawings **65** (2) (1998) 111–115
3667. S. Arya and H. Ramesh, A 2.5-factor approximation algorithm for the k-MST problem **65** (3) (1998) 117–118
3668. Q.S. Wu, K.M. Chao and R.C.T. Lee, The NPO-completeness of the longest Hamiltonian cycle problem **65** (3) (1998) 119–123
3669. P. Dasgupta, Agreement under faulty interfaces **65** (3) (1998) 125–129
3670. S. Chaudhuri, N. Garg and R. Ravi, The p-neighbor k-center problem **65** (3) (1998) 131–134
3671. L. Xiang and K. Ushijima, ANSV problem on BSRs **65** (3) (1998) 135–138
3672. J.J. Son, J.I. Lim, S. Chee and S.H. Sung, Global avalanche characteristics and nonlinearity of balanced Boolean functions **65** (3) (1998) 139–144
3673. V. Kann, J. Lagergren and A. Panconesi, Approximate Max k-Cut with subgraph guarantee **65** (3) (1998) 145–150
3674. E. Hemaspaandra and J. Rothe, Recognizing when greed can approximate maximum independent sets is complete for parallel access to NP **65** (3) (1998) 151–156
3675. J.-J. Wang, C.-N. Hung and L.-H. Hsu, Optimal 1-hamiltonian graphs **65** (3) (1998) 157–161
3676. R. Balasubramanian, M.R. Fellows and V. Raman, An improved fixed-parameter algorithm for vertex cover **65** (3) (1998) 163–168
3677. K.S. Larsen, Regular expressions with nested levels of back referencing form a hierarchy **65** (4) (1998) 169–172
3678. J.R. Nawrocki, A. Czajka and W. Complak, Scheduling cyclic tasks with binary periods **65** (4) (1998) 173–178
3679. S. Vedantham and S.S. Iyengar, The Bandwidth Allocation Problem in the ATM network model is NP-complete **65** (4) (1998) 179–182
3680. S.D. Nikolopoulos and P. Rondogiannis, On the number of spanning trees of multi-star related graphs **65** (4) (1998) 183–188
3681. T. Hwang and C.-H. Wang, Arbitrated unconditionally secure authentication scheme with multi-senders **65** (4) (1998) 189–193
3682. L. Devroye, On the richness of the collection of subtrees in random binary search trees **65** (4) (1998) 195–199
3683. C.K. Poon, B. Zhu and F. Chin, A polynomial time solution for labeling a rectilinear map **65** (4) (1998) 201–207
3684. O. Shmueli and K. Shoens, Data sufficiency for queries on cache **65** (4) (1998) 209–216
3685. N.H. Bshouty, C. Tamon and D.K. Wilson, On learning width two branching programs **65** (4) (1998) 217–222
3686. Y. Amir and A. Wool, Optimal availability quorum systems: Theory and practice **65** (5) (1998) 223–228
3687. P. Dell'Olmo, H. Kellerer, M.G. Speranza and Z. Tuza, A 13/12 approximation algorithm for bin packing with extendable bins **65** (5) (1998) 229–233
3688. J.F. Korsh and S. Lipschutz, Shifts and loopless generation of k-ary trees **65** (5) (1998) 235–240
3689. J. Frank, I.P. Gent and T. Walsh, Asymptotic and finite size parameters for phase transitions: Hamiltonian circuit as a case study **65** (5) (1998) 241–245
3690. H.-T. Kim and M.H. Kim, Starvation-free secure multiversion concurrency control **65** (5) (1998) 247–253
3691. D.J. Guan, An optimal message routing algorithm for double-loop networks **65** (5) (1998) 255–260
3692. W.-H. Chen, Test sequence generation from the protocol data portion based on the Selecting Chinese Postman algorithm **65** (5) (1998) 261–268
3693. D.Z. Chen and O. Daescu, Maintaining visibility of a polygon with a moving point of view **65** (5) (1998) 269–275
3694. P. Bose, J.F. Buss and A. Lubiw, Pattern matching for permutations **65** (5) (1998) 277–283

3695. W. McCune, Automatic proofs and counterexamples for some ortholattice identities **65** (6) (1998) 285–291
3696. A. Del Lungo, M. Nivat, R. Pinzani and L. Sorri, The medians of discrete sets **65** (6) (1998) 293–299
3697. E. Dahlhaus, P.D. Manuel and M. Miller, Maximum h-colourable subgraph problem in balanced graphs **65** (6) (1998) 301–303
3698. G. Andersson and L. Engebretsen, Better approximation algorithms for SET SPLITTING and NOT-ALL-EQUAL SAT **65** (6) (1998) 305–311
3699. P. Herrmann, Timed automata and recognizability **65** (6) (1998) 313–318
3700. K. Chang, H.T. Yan, Y. Varol and J.-H. Chu, A study on interleaving versus segmentation **65** (6) (1998) 319–324
3701. S.-T. Huang and T.-J. Liu, Four-state stabilizing phase clock for unidirectional rings of odd size **65** (6) (1998) 325–329
3702. Y.-W. Chang and C.-B. Yang, A parallel algorithm for circulant tridiagonal linear systems **65** (6) (1998) 331–337
3703. F. Gavril and O. Shmueli, Intersection graphs of k-acyclic families of subtrees and relational database query processing **66** (1) (1998) 1–6
3704. A. Rabinovich, Non-elementary lower bound for Propositional Duration Calculus **66** (1) (1998) 7–11
3705. K.W. Wagner, A note on parallel queries and the symmetric-difference hierarchy **66** (1) (1998) 13–20
3706. C. Ding and T. Helleseth, On cyclotomic generator of order r **66** (1) (1998) 21–25
3707. E. Dannoura and K. Sakurai, An improvement on El-Yaniv-Fiat-Karp-Turpin's money-making bi-directional trading strategy **66** (1) (1998) 27–33
3708. I.I. Măndoiu, Optimum extensions of prefix codes **66** (1) (1998) 35–40
3709. W. Hower, Revisiting global constraint satisfaction **66** (1) (1998) 41–48
3710. I. Suzuki, M. Yamashita, H. Umemoto and T. Kameda, Bushiness and a tight worst-case upper bound on the search number of a simple polygon **66** (1) (1998) 49–52
3711. B. Bollig and I. Wegener, A very simple function that requires exponential size read-once branching programs **66** (2) (1998) 53–57
3712. F.L. Luccio, Almost exact minimum feedback vertex set in meshes and butterflies **66** (2) (1998) 59–64
3713. M.-S. Chang, P. Nagavamsi and C. Pandu Rangan, Weighted irredundance of interval graphs **66** (2) (1998) 65–70
3714. C. Baier and M. Kwiatkowska, On the verification of qualitative properties of probabilistic processes under fairness constraints **66** (2) (1998) 71–79
3715. S.O. Krumke and H.-C. Wirth, On the minimum label spanning tree problem **66** (2) (1998) 81–85
3716. C.P. Low, A fast search algorithm for the quorumcast routing problem **66** (2) (1998) 87–92
3717. G.-M. Chiu, A fault-tolerant broadcasting algorithm for hypercubes **66** (2) (1998) 93–99
3718. T. Sato, Surjective linear cellular automata over $\mathbb{Z}_m$ **66** (2) (1998) 101–104
3719. J.-C. Ha and S.-J. Moon, A common-multiplicand method to the Montgomery algorithm for speeding up exponentiation **66** (2) (1998) 105–107
3720. E. Althaus and K. Mehlhorn, Maximum network flow with floating point arithmetic **66** (3) (1998) 109–113
3721. C. Rhee, On the chromatic index of graphs with $2m + 1$ vertices and $2m^2$ edges **66** (3) (1998) 115–118
3722. N. Baek and S.-Y. Shin, On circularly-hidden surface removal **66** (3) (1998) 119–123
3723. J. Czyzowicz, E. Kranakis and J. Urrutia, A simple proof of the representation of bipartite planar graphs as the contact graphs of orthogonal straight line segments **66** (3) (1998) 125–126
3724. G. Xue, S. Sun and J.B. Rosen, Fast data transmission and maximal dynamic flow **66** (3) (1998) 127–132
3725. C.-S. Shin, S.K. Kim, S.-H. Kim and K.-Y. Chwa, Algorithms for drawing binary trees in the plane **66** (3) (1998) 133–139
3726. S. Kim and I. Chung, Application of the special Latin square to a parallel routing algorithm on a recursive circulant network **66** (3) (1998) 141–147
3727. B. Litow and B. Mans, A note on the Ádám conjecture for double loops **66** (3) (1998) 149–153
3728. V.S. Dimitrov, G.A. Jullien and W.C. Miller, An algorithm for modular exponentiation **66** (3) (1998) 155–159
3729. C.A. Cabrelli and U.M. Molter, A linear time algorithm for a matching problem on the circle **66** (3) (1998) 161–164

3730. S. Shimozono, K. Hirata and A. Shinohara, On the hardness of approximating the minimum consistent acyclic DFA and decision diagram **66** (4) (1998) 165–170
3731. S.P. Fekete and W.R. Pulleyblank, Traveling the boundary of Minkowski sums **66** (4) (1998) 171–174
3732. E. Feuerstein, S. Leonardi, A. Marchetti-Spaccamela and N. Santoro, Efficient token-based control in rings **66** (4) (1998) 175–180
3733. K. Diks, S. Dobrev, E. Kranakis, A. Pelc and P. Ružička, Broadcasting in unlabeled hypercubes with a linear number of messages **66** (4) (1998) 181–186
3734. Y. Miyadera, K. Anzai, H. Unno and T. Yaku, Depth-first layout algorithm for trees **66** (4) (1998) 187–194
3735. H.G. Okuno, S.-I. Minato and H. Isozaki, On the properties of combination set operations **66** (4) (1998) 195–199
3736. T.-Y. Sung, C.-Y. Lin, Y.-C. Chuang and L.-H. Hsu, Fault tolerant token ring embedding in double loop networks **66** (4) (1998) 201–207
3737. H. Ito and M. Yokoyama, Linear time algorithms for graph search and connectivity determination on complement graphs **66** (4) (1998) 209–213
3738. W.-K. Chiang and R.-J. Chen, On the arrangement graph **66** (4) (1998) 215–219
3739. E.A. Luke, I. Banicescu and J. Li, The optimal effectiveness metric for parallel application analysis **66** (5) (1998) 223–229
3740. D.K.G. Campbell, On the CLUMPS model of parallel computation **66** (5) (1998) 231–236
3741. J. Nash, Scalable and predictable performance for irregular problems using the WPRAM computational model **66** (5) (1998) 237–246
3742. J.-S. Kim, S. Ha and C.S. Jhon, Relaxed barrier synchronization for the BSP model of computation on message-passing architectures **66** (5) (1998) 247–253
3743. J. Simon and J.-M. Wierum, The Latency-of-Data-Access model for analyzing parallel computation **66** (5) (1998) 255–261
3744. C.D. Thomborson, The economics of large-memory computations **66** (5) (1998) 263–268
3745. B.M. Maggs and E.J. Schwabe, Real-time emulations of bounded-degree networks **66** (5) (1998) 269–276
3746. C. Makris and A. Tsakalidis, Algorithms for three-dimensional dominance searching in linear space **66** (6) (1998) 277–283
3747. M. Mizuno and M. Nesterenko, A transformation of self-stabilizing serial model programs for asynchronous parallel computing environments **66** (6) (1998) 285–290
3748. S. Schwarz and S.O. Krumke, On budget-constrained flow improvement **66** (6) (1998) 291–297
3749. A. Salhi, H. Glaser and D. De Roure, Parallel implementation of a genetic-programming based tool for symbolic regression **66** (6) (1998) 299–307
3750. J.-L. Chen and F.-J. Wang, An inheritance flow model for class hierarchy analysis **66** (6) (1998) 309–315
3751. T.-M. Hsieh, Y.-S. Yeh, Y.-C. Hsieh and C.-C. Wang, A homophonic DES **66** (6) (1998) 317–320
3752. G. De Marco and U. Vaccaro, Broadcasting in hypercubes and star graphs with dynamic faults **66** (6) (1998) 321–326
3753. M. Hanus, S. Lucas and A. Middeldorp, Strongly sequential and inductively sequential term rewriting systems **67** (1) (1998) 1–8
3754. V. Liberatore, Uniform multipaging reduces to paging **67** (1) (1998) 9–12
3755. P. Bottoni, S. Levialdi and G. Păun, Successful visual human-computer interaction is undecidable **67** (1) (1998) 13–19
3756. W. Yang, A data-parallel algorithm for minimum-width tree layout **67** (1) (1998) 21–28
3757. A. Blass, Y. Gurevich, V. Kreinovich and L. Longpré, A variation on the zero-one law **67** (1) (1998) 29–30
3758. M.R. Cerioli, H. Everett, C.M.H. de Figueiredo and S. Klein, The homogeneous set sandwich problem **67** (1) (1998) 31–35
3759. J. Johannsen, Lower bounds for monotone real circuit depth and formula size and tree-like Cutting Planes **67** (1) (1998) 37–41
3760. U. Waldmann, Extending reduction orderings to ACU-compatible reduction orderings **67** (1) (1998) 43–49
3761. E. Nardelli, G. Proietti and P. Widmayer, Finding the detour-critical edge of a shortest path between two nodes **67** (1) (1998) 51–54

3762. W. Hower, Erratum to "Revisiting global constraint satisfaction" **67** (1) (1998) 55
3763. A. De Bonis and U. Vaccaro, Improved algorithms for group testing with inhibitors **67** (2) (1998) 57–64
3764. N.C. Audsley and A. Burns, On fixed priority scheduling, offsets and co-prime task periods **67** (2) (1998) 65–69
3765. M. Krivelevich and B. Sudakov, Coloring random graphs **67** (2) (1998) 71–74
3766. J. Castro, D. Guijarro and V. Lavín, Learning nearly monotone k-term DNF **67** (2) (1998) 75–79
3767. J.L. Montaña and L.M. Pardo, On Kolmogorov complexity in the real Turing machine setting **67** (2) (1998) 81–86
3768. V. Grolmusz, A lower bound for depth-3 circuits with MOD m gates **67** (2) (1998) 87–90
3769. B. Rosenberg, Fast nondeterministic recognition of context-free languages using two queues **67** (2) (1998) 91–93
3770. J.A. Bergstra and A. Ponse, Kleene's three-valued logic and process algebra **67** (2) (1998) 95–103
3771. J.M. Phillips, A.P. Punnen and S.N. Kabadi, A linear time algorithm for the bottleneck traveling salesman problem on a Halin graph **67** (2) (1998) 105–110
3772. M. Crochemore, F. Mignosi and A. Restivo, Automata and forbidden words **67** (3) (1998) 111–117
3773. M. Majster-Cederbaum and M. Roggenbach, Transition systems from event structures revisited **67** (3) (1998) 119–124
3774. R. Hassin and S. Rubinstein, An approximation algorithm for the maximum traveling salesman problem **67** (3) (1998) 125–130
3775. P. Damaschke, Randomized group testing for mutually obscuring defectives **67** (3) (1998) 131–135
3776. T.C. Hu and P.A. Tucker, Optimal alphabetic trees for binary search **67** (3) (1998) 137–140
3777. S. Rajasekaran, An optimal parallel algorithm for sorting multisets **67** (3) (1998) 141–143
3778. D. Pedreschi and S. Ruggieri, Weakest preconditions for pure Prolog programs **67** (3) (1998) 145–150
3779. L.-B. Chen and I.-C. Wu, On the time complexity of minimum and maximum global snapshot problems **67** (3) (1998) 151–156
3780. N. Chalamaiah and B. Ramamurthy, Finding shortest paths in distributed loop networks **67** (3) (1998) 157–161
3781. M. Löbbing, D. Sieling and I. Wegener, Parity OBDDs cannot be handled efficiently enough **67** (4) (1998) 163–168
3782. R. Backhouse, Pair algebras and Galois connections **67** (4) (1998) 169–175
3783. E. Bonabeau and F. Hénaux, Self-organizing maps for drawing large graphs **67** (4) (1998) 177–184
3784. F. Martinelli, An improvement of algorithms for solving interface equations **67** (4) (1998) 185–190
3785. S. Fujita, A quorum based k-mutual exclusion by weighted k-quorum systems **67** (4) (1998) 191–197
3786. G. Greco, Embeddings and the trace of finite sets **67** (4) (1998) 199–203
3787. O. Goldreich and J. Håstad, On the complexity of interactive proofs with bounded communication **67** (4) (1998) 205–214
3788. F. Baader, On the complexity of Boolean unification **67** (4) (1998) 215–220
3789. H. Wang, On syntactic nuclei of rational languages **67** (5) (1998) 221–226
3790. F. Harary and D. Ranjan, Breaking symmetry in complete graphs by orienting edges: asymptotic bounds **67** (5) (1998) 227–230
3791. R.E. Burkard and V.G. Deĭneko, On the traveling salesman problem with a relaxed Monge matrix **67** (5) (1998) 231–237
3792. H. Nagamochi and T. Ibaraki, A note on minimizing submodular functions **67** (5) (1998) 239–244
3793. S. Lucas, Root-neededness and approximations of neededness **67** (5) (1998) 245–254
3794. A. Sterbini and T. Raschle, An $O(n^3)$ time algorithm for recognizing threshold dimension 2 graphs **67** (5) (1998) 255–259
3795. G. Gens and E. Levner, An approximate binary search algorithm for the multiple-choice knapsack problem **67** (5) (1998) 261–265
3796. T.F. Gonzalez, Improved approximation algorithms for embedding hyperedges in a cycle **67** (5) (1998) 267–271
3797. J.L. Ramírez Alfonsín, A special arrangement with minimal number of triangles **67** (6) (1998) 273–276
3798. G. Guaiana, R. Meyer, A. Petit and P. Weil, An extension of the wreath product principle for finite Mazurkiewicz traces **67** (6) (1998) 277–282
3799. Q.-P. Gu and S. Peng, An efficient algorithm for k-pairwise disjoint paths in star graphs **67** (6) (1998) 283–287

3800. F. Chu, Reducing Ω to $\Diamond\mathcal{W}$ **67** (6) (1998) 289–293
3801. T. Feder and S.M. Shende, Online channel allocation in FDMA networks with reuse constraints **67** (6) (1998) 295–302
3802. T.M. Chan, Backwards analysis of the Karger–Klein–Tarjan algorithm for minimum spanning trees **67** (6) (1998) 303–304
3803. P. Sanders, Random permutations on distributed, external and hierarchical memory **67** (6) (1998) 305–309
3804. K. Choi, G. Jung, T. Kim and S. Jung, Real-time scheduling algorithm for minimizing maximum weighted error with $O(N \log N + cN)$ complexity **67** (6) (1998) 311–315
3805. A. Boroujerdi and J. Uhlmann, An efficient algorithm for computing least cost paths with turn constraints **67** (6) (1998) 317–321
3806. A. Turpin and A. Moffat, Comment on "Efficient Huffman decoding" and "An efficient finite-state machine implementation of Huffman decoders" **68** (1) (1998) 1–2
3807. A. García, P. Jodrá and J. Tejel, An efficient algorithm for on-line searching of minima in Monge path-decomposable tridimensional arrays **68** (1) (1998) 3–9
3808. A. Caprara and R. Rizzi, Improving a family of approximation algorithms to edge color multigraphs **68** (1) (1998) 11–15
3809. R. Govindan, M.A. Langston and X. Yan, Approximating the pathwidth of outerplanar graphs **68** (1) (1998) 17–23
3810. C.-S. Shin, S.Y. Shin and K.-Y. Chwa, The widest k-dense corridor problems **68** (1) (1998) 25–31
3811. B. Gärtner and S. Schönherr, Exact primitives for smallest enclosing ellipses **68** (1) (1998) 33–38
3812. C.-H. Yeh and B. Parhami, VLSI layouts of complete graphs and star graphs **68** (1) (1998) 39–45
3813. W. Fraczak and M.B. Zaremba, A non-SOS operational semantics for a process algebra **68** (1) (1998) 47–54
3814. A. Bottreau and Y. Métivier, Some remarks on the Kronecker product of graphs **68** (2) (1998) 55–61
3815. J.P. Warners, A linear-time transformation of linear inequalities into conjunctive normal form **68** (2) (1998) 63–69
3816. D. Ranjan, E. Pontelli and G. Gupta, Efficient algorithms for the temporal precedence problem **68** (2) (1998) 71–78
3817. J. Gabarró and X. Messeguer, Parallel dictionaries with local rules on AVL and brother trees **68** (2) (1998) 79–85
3818. C.J. Fidge, A limitation of vector timestamps for reconstructing distributed computations **68** (2) (1998) 87–91
3819. S. Venkatesh, Pseudo-average block sensitivity equals average sensitivity **68** (2) (1998) 93–95
3820. K.V. Ravi Kanth and A. Singh, Efficient dynamic range searching using data replication **68** (2) (1998) 97–105
3821. C. Padró, Robust vector space secret sharing schemes **68** (3) (1998) 107–111
3822. V. Vajnovszki, On the loopless generation of binary tree sequences **68** (3) (1998) 113–117
3823. M. Jurdziński, Deciding the winner in parity games is in UP $\cap$ co-UP **68** (3) (1998) 119–124
3824. A. Amir, G.M. Landau, M. Lewenstein and N. Lewenstein, Efficient special cases of Pattern Matching with Swaps **68** (3) (1998) 125–132
3825. F.M. Malvestuto, A complete axiomatization of full acyclic join dependencies **68** (3) (1998) 133–139
3826. C.-P. Low, A polynomial time solvable instance of the feasible minimum cover problem **68** (3) (1998) 141–146
3827. W. Charatonik, An undecidable fragment of the theory of set constraints **68** (3) (1998) 147–151
3828. V. Gordon and W. Kubiak, Single machine scheduling with release and due date assignment to minimize the weighted number of late jobs **68** (3) (1998) 153–159
3829. N. Creignou, Complexity versus stability for classes of propositional formulas **68** (4) (1998) 161–165
3830. R. Posenato and M. Santini, A new lower bound on approximability of the ground state problem for tridimensional Ising spin glasses **68** (4) (1998) 167–171
3831. W.H. Hesselink, Invariants for the construction of a handshake register **68** (4) (1998) 173–177
3832. D.-M. Kwai and B. Parhami, Pruned three-dimensional toroidal networks **68** (4) (1998) 179–183
3833. P.P. Sanchez and R. Soyer, Information concepts and pairwise comparison matrices **68** (4) (1998) 185–188

3834. Y. Mansour and M. Parnas, Learning conjunctions with noise under product distributions **68** (4) (1998) 189–196
3835. H. Gilbert, D. Gupta, A. Odlyzko and J.-J. Quisquater, Attacks on Shamir's 'RSA for paranoids' **68** (4) (1998) 197–199
3836. T. Kloks, H. Müller and C.K. Wong, Vertex ranking of asteroidal triple-free graphs **68** (4) (1998) 201–206
3837. A. Sengupta, On ring embedding in hypercubes with faulty nodes and links **68** (4) (1998) 207–214
3838. Y.C. Cheng, E.H. Lu and S.W. Wu, A modified version of the Rao–Nam algebraic-code encryption scheme **68** (4) (1998) 215–217
3839. A.P. Ustimenko, Colored cause–effect structures **68** (5) (1998) 219–225
3840. Y. Zheng and H. Imai, How to construct efficient signcryption schemes on elliptic curves **68** (5) (1998) 227–233
3841. K.O. Lee and H.Y. Yeom, A dynamic scheduling algorithm for large scale multimedia servers **68** (5) (1998) 235–240
3842. V. Guruswami and C. Pandu Rangan, A natural family of optimization problems with arbitrarily small approximation thresholds **68** (5) (1998) 241–248
3843. P. Jonsson, Near-optimal nonapproximability results for some NPO PB-complete problems **68** (5) (1998) 249–253
3844. B. Bultena and F. Ruskey, An Eades–McKay algorithm for well-formed parentheses strings **68** (5) (1998) 255–259
3845. M. Sereno, Binary search with errors and variable cost queries **68** (5) (1998) 261–270
3846. J. Rifà, A new algebraic algorithm to decode the ternary Golay code **68** (6) (1998) 271–274
3847. R.K. Sinha, Simulation of PRAMs with scan primitives by unbounded fan-in circuits **68** (6) (1998) 275–282
3848. J. Calera-Rubio and R.C. Carrasco, Computing the relative entropy between regular tree languages **68** (6) (1998) 283–289
3849. J.J. Harms, A simple optimal algorithm for scheduling variable-sized requests **68** (6) (1998) 291–293
3850. W.-M. Yan, W. Myrvold and K.-L. Chung, A formula for the number of spanning trees of a multi-star related graph **68** (6) (1998) 295–298
3851. A. Szepietowski, Weak and strong one-way space complexity classes **68** (6) (1998) 299–302
3852. P. Fraigniaud, Hierarchical broadcast networks **68** (6) (1998) 303–305
3853. U. Kühn, Local calculation of Voronoi diagrams **68** (6) (1998) 307–312
3854. T. Kloks, D. Kratsch and H. Müller, Bandwidth of chain graphs **68** (6) (1998) 313–315
3855. M.J. Collins and B.M.E. Moret, Improved lower bounds for the link length of rectilinear spanning paths in grids **68** (6) (1998) 317–319
3856. F. Denis, Finding a minimal 1-DNF consistent with a positive sample is LOGSNP-complete **69** (1) (1999) 1–5
3857. P. Gupta, R. Janardan and M. Smid, Efficient algorithms for counting and reporting pairwise intersections between convex polygons **69** (1) (1999) 7–13
3858. J.S. Deogun and K. Gopalakrishnan, Consecutive retrieval property — revisited **69** (1) (1999) 15–20
3859. S.H. Sung, S. Chee and C. Park, Global avalanche characteristics and propagation criterion of balanced Boolean functions **69** (1) (1999) 21–24
3860. T. Strijk and M. van Kreveld, Labeling a rectilinear map more efficiently **69** (1) (1999) 25–30
3861. J. Tsai, Y.-M. Wang and S.-Y. Kuo, Evaluations of domino-free communication-induced checkpointing protocols **69** (1) (1999) 31–37
3862. J.-H. Lee and K.-Y. Chwa, Tight analysis of a self-approaching strategy for the online kernel-search problem **69** (1) (1999) 39–45
3863. P. Kruszewski, A note on the Horton–Strahler number for random binary search trees **69** (1) (1999) 47–51
3864. G.-H. Lin and G. Xue, Steiner tree problem with minimum number of Steiner points and bounded edge-length **69** (2) (1999) 53–57
3865. H. Bordihn and M. Holzer, On a hierarchy of languages generated by cooperating distributed grammar systems **69** (2) (1999) 59–62
3866. B.Y. Wu, K.-M. Chao and C.Y. Tang, An efficient algorithm for the length-constrained heaviest path problem on a tree **69** (2) (1999) 63–67

3867. J.-H. Lee, G.-H. Cha and C.-W. Chung, A model for k-nearest neighbor query processing cost in multidimensional data space **69** (2) (1999) 69–76
3868. S.R. Chauhan and I.A. Stewart, On the power of built-in relations in certain classes of program schemes **69** (2) (1999) 77–82
3869. M. Zimand, Relative to a random oracle, P/poly is not measurable in EXP **69** (2) (1999) 83–86
3870. C.-W. Ho and J.-M. Chang, Solving the all-pairs-shortest-length problem on chordal bipartite graphs **69** (2) (1999) 87–93
3871. C.-H. Wang, T. Hwang and N.-Y. Lee, Comments on two group signatures **69** (2) (1999) 95–97
3872. M.G. Karpovsky, K. Chakrabarty, L.B. Levitin and D.R. Avresky, On the covering of vertices for fault diagnosis in hypercubes **69** (2) (1999) 99–103
3873. P. Crégut and B. Heyd, Progress properties for empty UNITY programs **69** (3) (1999) 107–109
3874. Z. Wang, On the complexity of quality of service routing **69** (3) (1999) 111–114
3875. Y. Wang, A separation of two randomness concepts **69** (3) (1999) 115–118
3876. H.-C. Chen, Y.-L. Wang and Y.-F. Lan, A memory-efficient and fast Huffman decoding algorithm **69** (3) (1999) 119–122
3877. D. Roelants van Baronaigien, A multi-stack method for the fast generation of permutations with minimal length increasing subsequences **69** (3) (1999) 123–126
3878. L. Cai, Y. Xu and B. Zhu, Computing the optimal bridge between two convex polygons **69** (3) (1999) 127–130
3879. D.R. Stinson and R. Wei, An application of ramp schemes to broadcast encryption **69** (3) (1999) 131–135
3880. R. Alur and D. Peled, Undecidability of partial order logics **69** (3) (1999) 137–143
3881. J.Dj. Golić, Stream cipher encryption of random access files **69** (3) (1999) 145–148
3882. I. Terekhov and T. Camp, Time efficient deadlock resolution algorithms **69** (3) (1999) 149–154
3883. Y. Iwasaki, Y. Kajiwara, K. Obokata and Y. Igarashi, Independent spanning trees of chordal rings **69** (3) (1999) 155–160
3884. N. Sugimoto and H. Ishizaka, Generating languages by a derivation procedure for elementary formal systems **69** (4) (1999) 161–166
3885. J.-Y. Cai, A classification of the probabilistic polynomial time hierarchy under fault tolerant access to oracle classes **69** (4) (1999) 167–174
3886. C. Damm, Depth-efficient simulation of Boolean semi-unbounded circuits by arithmetic ones **69** (4) (1999) 175–179
3887. V. Arvind and J. Torán, Sparse sets, approximable sets, and parallel queries to NP **69** (4) (1999) 181–188
3888. G. Robins, B.L. Robinson and B.S. Sethi, On detecting spatial regularity in noisy images **69** (4) (1999) 189–195
3889. A. Arvind and C. Pandu Rangan, Symmetric Min-Max heap: A simpler data structure for double-ended priority queue **69** (4) (1999) 197–199
3890. A. De Santis, G. Di Crescenzo, O. Goldreich and G. Persiano, The graph clustering problem has a perfect zero-knowledge interactive proof **69** (4) (1999) 201–206
3891. V.A. Nepomniaschy, Symbolic verification method for definite iteration over data structures **69** (4) (1999) 207–213
3892. O. Aichholzer, F. Aurenhammer and R. Hainz, New results on MWT subgraphs **69** (5) (1999) 215–219
3893. P.-Y. Schobbens and J.-F. Raskin, The logic of "initially" and "next": Complete axiomatization and complexity **69** (5) (1999) 221–225
3894. L.J. García-Villalba and A. Fúster-Sabater, On the general classification of nonlinear filters of m-sequences **69** (5) (1999) 227–232
3895. M. Mizuno, A structured approach for developing concurrent programs in Java **69** (5) (1999) 233–238
3896. J. Cheriyan and K. Mehlhorn, An analysis of the highest-level selection rule in the preflow-push max-flow algorithm **69** (5) (1999) 239–242
3897. K.Q. Yan, S.C. Wang and Y.H. Chin, Consensus under unreliable transmission **69** (5) (1999) 243–248
3898. D. Radhakrishnan and A.P. Preethy, A parallel approach to direct analog-to-residue conversion **69** (5) (1999) 249–252
3899. M.A. Torres, S. Kuroyanagi and A. Iwata, The Self-Indexed Search Algorithm: A bit-level approach to minimal perfect hashing **69** (5) (1999) 253–258
3900. N.H. Bshouty, L. Higham and J. Warpechowska-Gruca, Meeting times of random walks on graphs **69** (5) (1999) 259–265

3901. S. Jukna, Linear codes are hard for oblivious read-once parity branching programs **69** (6) (1999) 267–269
3902. M. Göbel, A rewriting technique for universal polynomial invariants **69** (6) (1999) 271–273
3903. Z. Liu, W. Yu and T.C.E. Cheng, Scheduling groups of unit length jobs on two identical parallel machines **69** (6) (1999) 275–281
3904. M. Chrobak and C. Dürr, Reconstructing hv-convex polyominoes from orthogonal projections **69** (6) (1999) 283–289
3905. Y. Saouter and H. Le Verge, Computability of affine non-conditional recurrent systems **69** (6) (1999) 291–295
3906. W.-G. Tzeng and C.-M. Hu, Inter-protocol interleaving attacks on some authentication and key distribution protocols **69** (6) (1999) 297–302
3907. H. Manos, Construction of halvers **69** (6) (1999) 303–307
3908. L. Fortnow, Relativized worlds with an infinite hierarchy **69** (6) (1999) 309–313
3911. A. Kučera, On finite representations of infinite-state behaviours **70** (1) (1999) 23–30
3912. H. Shachnai and J.J. Turek, Multiresource malleable task scheduling to minimize response time **70** (1) (1999) 47
3913. S. Khuller, A. Moss and J.S. Naor, The budgeted maximum coverage problem **70** (1) (1999) 39–45
3914. B. Barden, R. Libeskind-Hadas, J. Davis and W. Williams, On edge-disjoint spanning trees in hypercubes **70** (1) (1999) 13–16
3915. J.F. Korsh and P. LaFollette, Loopless generation of Gray codes for k-ary trees **70** (1) (1999) 7–11
3916. R. Harper and J.C. Mitchell, Parametricity and variants of Girard's J operator **70** (1) (1999) 1–5
3917. C.A. Wang, F.Y. Chin and B.T. Yang, Maximum weight triangulation and graph drawing **70** (1) (1999) 17–22
3918. J. Katajainen and T.A. Pasanen, In-place sorting with fewer moves **70** (1) (1999) 31–37
3919. F. Roussel and I. Rusu, A linear algorithm to color i-triangulated graphs **70** (2) (1999) 57–62
3920. R. Barbuti, N. De Francesco, A. Santone and G. Vaglini, Abstract interpretation of trace semantics for concurrent calculi **70** (2) (1999) 69–78
3921. K.R.M. Leino and R. Stata, Virginity: A contribution to the specification of object-oriented software **70** (2) (1999) 99–105
3922. N.-Y. Lee, T. Hwang and C.-H. Wang, The security of two ID-based multisignature protocols for sequential and broadcasting architectures **70** (2) (1999) 79–81
3923. L. Simpson, J. Golić, M. Salmasizadeh and E. Dawson, A fast correlation attack on multiplexer generators **70** (2) (1999) 89–93
3924. A. Rosenbloom, On the sets of perfect matchings for two bipartite graphs **70** (2) (1999) 95–97
3925. E. Biham, D. Boneh and O. Reingold, Breaking generalized Diffie–Hellman modulo a composite is no easier than factoring **70** (2) (1999) 83–87
3926. W. Fernandez de la Vega and M. Karpinski, On the approximation hardness of dense TSP and other path problems **70** (2) (1999) 53–55
3927. M.D. Atkinson and J.-R. Sack, Pop-stacks in parallel **70** (2) (1999) 63–67
3928. C.M.H. de Figueiredo, J. Meidanis and C.P. de Mello, Total-chromatic number and chromatic index of dually chordal graphs **70** (3) (1999) 147–152
3929. S. Jain, On a question of nearly minimal identification of functions **70** (3) (1999) 113–117
3930. W.E. Wright, A refinement of replacement selection **70** (3) (1999) 107–111
3931. D.R. Powell, L. Allison and T.I. Dix, A versatile divide and conquer technique for optimal string alignment **70** (3) (1999) 127–139
3932. Y. Dinitz, A. Itai and M. Rodeh, On an algorithm of Zemlyachenko for subtree isomorphism **70** (3) (1999) 141–146
3933. W.-G. Tzeng, Common modulus and chosen-message attacks on public-key schemes with linear recurrence relations **70** (3) (1999) 153–156
3934. F. Quaglia and R. Baldoni, Exploiting intra-object dependencies in parallel simulation **70** (3) (1999) 119–125
3935. K.-C. Huang, F.-J. Wang and J.-H. Tsai, Two design patterns for data-parallel computation based on master-slave model **70** (4) (1999) 197–204
3936. Y.-C. Lin and C.-K. Liu, Finding optimal parallel prefix circuits with fan-out 2 in constant time **70** (4) (1999) 191–195
3937. Y. Chen, Arc consistency revisited **70** (4) (1999) 175–184

3938. A. Amir, A. Butman and M. Lewenstein, Real scaled matching **70** (4) (1999) 185–190
3939. A. Bernasconi, On the complexity of balanced Boolean functions **70** (4) (1999) 157–163
3940. E. Bertino, B. Catania and L. Wong, Finitely representable nested relations **70** (4) (1999) 165–173
3941. D. Guijarro, V. Lavín and V. Raghavan, Exact learning when irrelevant variables abound **70** (5) (1999) 233–239
3942. Ö. Johansson, Simple distributed $\Delta + 1$-coloring of graphs **70** (5) (1999) 229–232
3943. J.D. Emerald, K.G. Subramanian and D.G. Thomas, A note on inferring uniquely terminating code languages **70** (5) (1999) 217–222
3944. M. Young-Lai, Adding state merging to the DMC data compression algorithm **70** (5) (1999) 223–228
3945. D.S. Franzblau, Ear decomposition with bounds on ear length **70** (5) (1999) 245–249
3946. S.K. Nath, R.A. Chowdhury and M. Kaykobad, On average edge length of minimum spanning trees **70** (5) (1999) 241–243
3947. H. Buhrman and R. de Wolf, A lower bound for quantum search of an ordered list **70** (5) (1999) 205–209
3948. P. Morillo, C. Padró, G. Sáez and J.L. Villar, Weighted threshold secret sharing schemes **70** (5) (1999) 211–216
3949. S.R. Arikati and K. Mehlhorn, A correctness certificate for the Stoer–Wagner min-cut algorithm **70** (5) (1999) 251–254
3950. C.-Y. Chou, D.J. Guan and K.-L. Wang, A dynamic fault-tolerant message routing algorithm for double-loop networks **70** (6) (1999) 259–264
3951. S. Crvenković, I. Dolinka and Z. Ésik, A note on equations for commutative regular languages **70** (6) (1999) 265–267
3952. E. Kindler and W. van der Aalst, Liveness, fairness, and recurrence in Petri nets **70** (6) (1999) 269–274
3953. T. Tsuchiya, N. Ido and T. Kikuno, Constructing Byzantine Quorum systems from combinatorial designs **71** (1) (1999) 35–42
3954. W.-P. Hwang and C.-L. Wang, In-place random list permutations **70** (6) (1999) 255–257
3955. A.K. Datta and R.K. Sen, An efficient scheme to solve two problems for two-terminal series parallel graphs **71** (1) (1999) 9–15
3956. Y.-M. Tseng and J.-K. Jan, Attacks on threshold signature schemes with traceable signers **71** (1) (1999) 1–4
3957. A. Ambainis, A note on quantum black-box complexity of almost all Boolean functions **71** (1) (1999) 5–7
3958. P.C. Chu, Verbs are not cases: Applying case grammar to document retrieval **71** (1) (1999) 29–34
3959. Q. Hu, Y. Zhang and X. Shen, Rearrangeable graphs **71** (1) (1999) 23–27
3960. E. Torng and P. Uthaisombut, A tight lower bound for the best-α algorithm **71** (1) (1999) 17–22
3961. O. Goldreich, D. Micciancio, S. Safra and J.-P. Seifert, Approximating shortest lattice vectors is not harder than approximating closest lattice vectors **71** (2) (1999) 55–61
3962. T. Yamakami and A.C. Yao, $\mathrm{NQP}_{\mathbb{C}} = \mathrm{co\text{-}C_{=}P}$ **71** (2) (1999) 63–69
3963. L. Xiang and K. Ushijima, Rearranging scattered information on BSR **71** (1) (1999) 43–47
3964. L. Xiang and K. Ushijima, A theorem on the relation between BSR_k and BSR^+ **71** (2) (1999) 71–73
3965. Y.-C. Lin and C.-S. Yeh, Efficient parallel prefix algorithms on multiport message-passing systems **71** (2) (1999) 91–95
3966. C.M. Li, A constraint-based approach to narrow search trees for satisfiability **71** (2) (1999) 75–80
3967. S. Klavžar, J. Koolen and H.M. Mulder, Graphs which locally mirror the hypercube structure **71** (2) (1999) 87–90
3968. P.C.P. Bhatt, An interesting way to partition a number **71** (3–4) (1999) 141–148
3969. S. Maitra and P. Sarkar, Hamming weights of correlation immune Boolean functions **71** (3–4) (1999) 149–153
3970. M. Crochemore, A. Czumaj, L. Gąsieniec, T. Lecroq, W. Plandowski and W. Rytter, Fast practical multi-pattern matching **71** (3–4) (1999) 107–113
3971. S. Dobrev and I. Vrťo, Optimal broadcasting in hypercubes with dynamic faults **71** (2) (1999) 81–85
3972. T.C.E. Cheng and G. Wang, Two-machine flowshop scheduling with consecutive availability constraints **71** (2) (1999) 49–54
3973. M. Levene and G. Loizou, How to prevent interaction of functional and inclusion dependencies **71** (3–4) (1999) 115–125

3974. M.K. Aguilera and S. Toueg, A simple bivalency proof that t-resilient consensus requires $t+1$ rounds **71** (3–4) (1999) 155–158
3975. P. Jayanti, T.D. Chandra and S. Toueg, The cost of graceful degradation for omission failures **71** (3–4) (1999) 167–172
3976. D.A. Plaisted and G. Kucherov, The complexity of some complementation problems **71** (3–4) (1999) 159–165
3977. M. Dror, W. Kubiak and J.Y.-T. Leung, Tree precedence in scheduling: The strong–weak distinction **71** (3–4) (1999) 127–134
3978. A. Bar-Noy, M.M. Halldórsson and G. Kortsarz, A matched approximation bound for the sum of a greedy coloring **71** (3–4) (1999) 135–140
3979. A. Symvonis, A note on deflection worm routing on meshes **71** (5–6) (1999) 235–239
3980. R. Kemp, A one-to-one correspondence between a class of leftist trees and binary trees **71** (3–4) (1999) 97–105
3981. M. Abellanas, F. Hurtado and P.A. Ramos, Structural tolerance and Delaunay triangulation **71** (5–6) (1999) 221–227
3982. L. Nourine and O. Raynaud, A fast algorithm for building lattices **71** (5–6) (1999) 199–204
3983. V.T. Vasconcelos and A. Ravara, Communication errors in the π-calculus are undecidable **71** (5–6) (1999) 229–233
3984. J.S. Kim, S.T. Kang and M.H. Kim, On temporal aggregate processing based on time points **71** (5–6) (1999) 213–220
3985. Y.-F. Lan, Y.-L. Wang and H. Suzuki, A linear-time algorithm for solving the center problem on weighted cactus graphs **71** (5–6) (1999) 205–212
3986. Z. Lotker and B. Patt-Shamir, A note on randomized mutual search **71** (5–6) (1999) 187–191
3987. S. Ramnath and V. Raman, Selecting small ranks in EREW PRAM **71** (5–6) (1999) 183–186
3988. J. Dassow and G. Păun, Min of Mat is not necessarily Mat **71** (5–6) (1999) 175–177
3989. J.L. Ramírez Alfonsín, Cyclic arrangements and Roudneff's conjecture in the space **71** (5–6) (1999) 179–182
3990. A. Wojna, Counter machines **71** (5–6) (1999) 193–197
3991. C.-Y. Chou, D.J. Guan and K.-L. Wang, Erratum to "A dynamic fault-tolerant message routing algorithm for double-loop networks" **71** (5–6) (1999) 241
3992. J. Nievergelt, N. Deo and A. Marzetta, Memory-efficient enumeration of constrained spanning trees **72** (1–2) (1999) 47–53
3993. J.A. Mount, Estimating the range of a function in an online setting **72** (1–2) (1999) 31–35
3994. D.-Y. Ra and G.C. Stockman, A new one pass algorithm for estimating stochastic context-free grammars **72** (1–2) (1999) 37–45
3995. V.C. Barbosa and J.L. Szwarcfiter, Generating all the acyclic orientations of an undirected graph **72** (1–2) (1999) 71–74
3996. G. Navarro and R. Baeza-Yates, Very fast and simple approximate string matching **72** (1–2) (1999) 65–70
3997. C.-N. Hung, L.-H. Hsu and T.-Y. Sung, Christmas tree: A versatile 1-fault-tolerant design for token rings **72** (1–2) (1999) 55–63
3998. C.-H. Tsai, C.-N. Hung, L.-H. Hsu and C.-H. Chang, The correct diameter of trivalent Cayley graphs **72** (3–4) (1999) 109–111
3999. Z.M. Ma, W.J. Zhang and W.Y. Ma, Assessment of data redundancy in fuzzy relational databases based on semantic inclusion degree **72** (1–2) (1999) 25–29
4000. A. Kučera, Regularity of normed PA processes **72** (1–2) (1999) 9–17
4001. F. Montoya Vitini, J. Muñoz Masqué and A. Peinado Domínguez, Linear complexity of the $x^2 \bmod p$ orbits **72** (1–2) (1999) 3–7
4002. Y. Wang, K. Inoue, A. Ito and T. Okazaki, A note on self-modifying finite automata **72** (1–2) (1999) 19–24
4003. Y. Verhoeven, Random 2-SAT and unsatisfiability **72** (3–4) (1999) 119–123
4004. I.I. Macarie and J.I. Seiferas, Amplification of slight probabilistic advantage at absolutely no cost in space **72** (3–4) (1999) 113–118
4005. M. Matamala and K. Meer, On the computational structure of the connected components of a hard problem **72** (3–4) (1999) 83–90
4006. K. Sridharan, Computing two penetration measures for curved 2D objects **72** (3–4) (1999) 143–148

4007. S. Khuller, An O($|V|^2$) algorithm for single connectedness **72** (3–4) (1999) 105–107
4008. M. Raynal and F. Tronel, Restricted failure detectors: Definition and reduction protocols **72** (3–4) (1999) 91–97
4009. C.-Y. Chen and C.-C. Chang, A fast modular multiplication algorithm for calculating the product *AB* modulo *N* **72** (3–4) (1999) 77–81
4010. S.-C. Hwang and G.-H. Chen, A note on cyclic-cubes **72** (3–4) (1999) 131–135
4011. C.-H. Huang, J.-Y. Hsiao and R.C.T. Lee, An optimal embedding of cycles into incomplete hypercubes **72** (5–6) (1999) 213–218
4012. T. Calamoneri and A. Massini, An optimal layout of multigrid networks **72** (3–4) (1999) 137–141
4013. G.M. Megson, X. Yang and X. Liu, Honeycomb tori are Hamiltonian **72** (3–4) (1999) 99–103
4014. S. Kosub, A note on unambiguous function classes **72** (5–6) (1999) 197–203
4015. C. Lavault and S.M. Sedjelmaci, Worst-case analysis of Weber's GCD algorithm **72** (3–4) (1999) 125–130
4016. K. Aardal, F.A. Chudak and D.B. Shmoys, A 3-approximation algorithm for the *k*-level uncapacitated facility location problem **72** (5–6) (1999) 161–167
4017. G. Lagogiannis, C. Makris and A. Tsakalidis, A new algorithm for rectangle enclosure reporting **72** (5–6) (1999) 177–182
4018. G.-O. Lee and K.-M. Choe, An LR parser with pre-determined reduction goals **72** (5–6) (1999) 189–196
4019. J.-Y. Chang and S.-G. Lee, Extended conditions for answering an aggregate query using materialized views **72** (5–6) (1999) 205–212
4020. X. Jiang and H. Bunke, Optimal vertex ordering of graphs **72** (5–6) (1999) 149–154
4021. P. Jančar, A note on well quasi-orderings for powersets **72** (5–6) (1999) 155–160
4022. E. Ohlebusch, A uniform framework for term and graph rewriting applied to combined systems **73** (1–2) (2000) 53–59
4023. R. Krishnamurti and D.R. Gaur, An approximation algorithm for nonpreemptive scheduling on hypercube parallel task systems **72** (5–6) (1999) 183–188
4024. G. Gambosi and G. Nicosia, On-line scheduling with setup costs **73** (1–2) (2000) 61–68
4025. C. Blundo, A. De Santis and A. Giorgio Gaggia, Probability of shares in secret sharing schemes **72** (5–6) (1999) 169–175
4026. S.K. Kim, C.-S. Shin and T.-C. Yang, Placing two disks in a convex polygon **73** (1–2) (2000) 33–39
4027. E. Cheng and M.J. Lipman, On the Day–Tripathi orientation of the star graphs: Connectivity **73** (1–2) (2000) 5–10
4028. V. Pestov, On the geometry of similarity search: Dimensionality curse and concentration of measure **73** (1–2) (2000) 47–51
4029. E. Mäkinen, On inferring linear single-tree languages **73** (1–2) (2000) 1–3
4030. M.A. Bender and C. Chekuri, Performance guarantees for the TSP with a parameterized triangle inequality **73** (1–2) (2000) 17–21
4031. J. Castro and D. Guijarro, PACS, simple-PAC and query learning **73** (1–2) (2000) 11–16
4032. M. Goldmann, A. Russell and D. Thérien, An ergodic theorem for read-once non-uniform deterministic finite automata **73** (1–2) (2000) 23–28
4033. M. Saks, A. Srinivasan, S. Zhou and D. Zuckerman, Low discrepancy sets yield approximate min-wise independent permutation families **73** (1–2) (2000) 29–32
4034. T. Herman and S. Pemmaraju, Error-detecting codes and fault-containing self-stabilization **73** (1–2) (2000) 41–46
4035. U. Feige and J. Kilian, Finding OR in a noisy broadcast network **73** (1–2) (2000) 69–75
4036. G. Dimauro, S. Impedovo, G. Pirlo and A. Salzo, RNS architectures for the implementation of the 'diagonal function' **73** (5–6) (2000) 189–198
4037. R. Niedermeier and P. Rossmanith, A general method to speed up fixed-parameter-tractable algorithms **73** (3–4) (2000) 125–129
4038. T.-S. Chen, Task migration in 2D wormhole-routed mesh multicomputers **73** (3–4) (2000) 103–110
4039. S. Ghosh and X. He, Fault-containing self-stabilization using priority scheduling **73** (3–4) (2000) 145–151
4040. F. Cicalese and U. Vaccaro, An improved heuristic for "Ulam–Rényi game" **73** (3–4) (2000) 119–124
4041. J. Pallo, An efficient upper bound of the rotation distance of binary trees **73** (3–4) (2000) 87–92
4042. S. Saeednia, On the security of a convertible group signature scheme **73** (3–4) (2000) 93–96

4043. A. Caprara, H. Kellerer and U. Pferschy, A PTAS for the Multiple Subset Sum Problem with different knapsack capacities **73** (3–4) (2000) 111–118
4044. D. Avis and L. Devroye, Estimating the number of vertices of a polyhedron **73** (3–4) (2000) 137–143
4045. A. Nayak, J. Ren and N. Santoro, An improved testing scheme for catastrophic fault patterns **73** (5–6) (2000) 199–206
4046. M.-S. Hwang, Cryptanalysis of YCN key assignment scheme in a hierarchy **73** (3–4) (2000) 97–101
4047. G. Fertin, Hierarchical broadcast and gossip networks **73** (3–4) (2000) 131–136
4048. V. Ravelomanana and L. Thimonier, Patchworks and metablocks enumeration **73** (3–4) (2000) 77–86
4049. R. Devillers and J. Goossens, Liu and Layland's schedulability test revisited **73** (5–6) (2000) 157–161
4050. L. Chen and N. Tokuda, A note on "Category and measure in complexity classes" **73** (5–6) (2000) 167–168
4051. A. Kaneko and K. Yoshimoto, On spanning trees with restricted degrees **73** (5–6) (2000) 163–165
4052. A. Ehrenfeucht, J. Hage, T. Harju and G. Rozenberg, Pancyclicity in switching classes **73** (5–6) (2000) 153–156
4053. S. McKellar and R. Davis, Redundancy removal in multicast protocols **73** (5–6) (2000) 169–173
4054. D. Štefankovič, Acyclic orientations do not lead to optimal deadlock-free packet routing algorithms **73** (5–6) (2000) 221–225
4055. D.J. Kavvadias, M. Sideri and E.C. Stavropoulos, Generating all maximal models of a Boolean expression **74** (3–4) (2000) 157–162
4056. A. Beimel and E. Kushilevitz, Learning unions of high-dimensional boxes over the reals **73** (5–6) (2000) 213–220
4057. F. Gavril, Maximum weight independent sets and cliques in intersection graphs of filaments **73** (5–6) (2000) 181–188
4058. A. Vigneron, L. Gao, M.J. Golin, G.F. Italiano and B. Li, An algorithm for finding a k-median in a directed tree **74** (1–2) (2000) 81–88
4059. A. Mostefaoui, M. Raynal and F. Tronel, From Binary Consensus to Multivalued Consensus in asynchronous message-passing systems **73** (5–6) (2000) 207–212
4060. Z. Fülöp and S. Maneth, Domains of partial attributed tree transducers **73** (5–6) (2000) 175–180
4061. M. Veanes, Farmer's Theorem revisited **74** (1–2) (2000) 47–53
4062. J.-M. Talbot, The $\exists\forall^2$ fragment of the first-order theory of atomic set constraints is Π_1^0-hard **74** (1–2) (2000) 27–33
4063. M. Göbel, Rings of polynomial invariants of the alternating group have no finite SAGBI bases with respect to any admissible order **74** (1–2) (2000) 15–18
4064. J. Håstad, On bounded occurrence constraint satisfaction **74** (1–2) (2000) 1–6
4065. A. Baveja and A. Srinivasan, Approximating low-congestion routing and column-restricted packing problems **74** (1–2) (2000) 19–25
4066. W.W. Bein and L.L. Larmore, Trackless online algorithms for the server problem **74** (1–2) (2000) 73–79
4067. R.P.N. Rao, J. Rothe and O. Watanabe, Corrigendum to "Upward separation for FewP and related classes" **74** (1–2) (2000) 89
4068. J. Niehren, S. Tison and R. Treinen, On rewrite constraints and context unification **74** (1–2) (2000) 35–40
4069. T. Dimitrakos and T. Maibaum, On a generalized modularization theorem **74** (1–2) (2000) 65–71
4070. C.H.C. Duarte and T. Maibaum, A rely–guarantee discipline for open distributed systems design **74** (1–2) (2000) 55–63
4071. S.D. Nikolopoulos, Recognizing cographs and threshold graphs through a classification of their edges **74** (3–4) (2000) 129–139
4072. F. Bertault, A force-directed algorithm that preserves edge-crossing properties **74** (1–2) (2000) 7–13
4073. J.K.-Y. Ng, S. Song and W. Zhao, Statistical delay analysis on an ATM switch with self-similar input traffic **74** (3–4) (2000) 163–173
4074. A. Schönhage, Variations on computing reciprocals of power series **74** (1–2) (2000) 41–46
4075. M. Schneider, On distribution properties of sequences with perfect linear complexity profile **74** (3–4) (2000) 175–182
4076. A. Dovier, E. Pontelli and G. Rossi, A necessary condition for Constructive Negation in Constraint Logic Programming **74** (3–4) (2000) 147–156
4077. T. Kloks, D. Kratsch and H. Müller, Finding and counting small induced subgraphs efficiently **74** (3–4) (2000) 115–121

4078. L. Granvilliers and G. Hains, A conservative scheme for parallel interval narrowing **74** (3–4) (2000) 141–146
4079. K.-L. Chung, On finding medians of weighted discrete points **74** (3–4) (2000) 103–106
4080. S. Ramnath and P. Zhao, On the isomorphism of expressions **74** (3–4) (2000) 97–102
4081. H.N. Gabow, Path-based depth-first search for strong and biconnected components **74** (3–4) (2000) 107–114
4082. S. Iwata, S.T. McCormick and M. Shigeno, A fast cost scaling algorithm for submodular flow **74** (3–4) (2000) 123–128
4083. I. Wegener, Worst case examples for operations on OBDDs **74** (3–4) (2000) 91–96
4084. S. Khuller, Addendum to "An $O(|V|^2)$ algorithm for single connectedness" **74** (5–6) (2000) 263
4085. A. Bouajjani, J. Esparza, A. Finkel, O. Maler, P. Rossmanith, B. Willems and P. Wolper, An efficient automata approach to some problems on context-free grammars **74** (5–6) (2000) 221–227
4086. J. Durand-Lose, Randomized uniform self-stabilizing mutual exclusion **74** (5–6) (2000) 203–207
4087. W. Chen, Multi-subsequence searching **74** (5–6) (2000) 229–233
4088. P. Pudlák, A note on the use of determinant for proving lower bounds on the size of linear circuits **74** (5–6) (2000) 197–201
4089. B.-M. Im, M.H. Kim, H.-I. Kang and J.S. Yoo, Declustering signature files based on a dynamic measure **74** (5–6) (2000) 235–241
4090. J.-W. Lin and S.-Y. Kuo, Resolving error propagation in distributed systems **74** (5–6) (2000) 257–262
4091. A. De Santis and B. Masucci, On secret set schemes **74** (5–6) (2000) 243–251
4092. G. Das and M. Smid, A lower bound for approximating the geometric minimum weight matching **74** (5–6) (2000) 253–255
4093. P. Sarkar, A note on the spectral characterization of correlation immune Boolean functions **74** (5–6) (2000) 191–195
4094. S. Kundu, An optimal $O(N^2)$ algorithm for computing the min-transitive closure of a weighted graph **74** (5–6) (2000) 215–220
4095. A. Freund and H. Karloff, A lower bound of $8/(7+\frac{1}{k-1})$ on the integrality ratio of the Călinescu–Karloff–Rabani relaxation for multiway cut **75** (1–2) (2000) 43–50
4096. J.D. Yang, A concept-based query evaluation with indefinite fuzzy triples **74** (5–6) (2000) 209–214
4097. C.A. Wang, F.Y. Chin and B. Yang, Triangulations without minimum-weight drawing **74** (5–6) (2000) 183–189
4098. J.-H. Lee, D.-H. Kim, S.-L. Lee, C.-W. Chung and G.-H. Cha, Distributed similarity search algorithm in distributed heterogeneous multimedia databases **75** (1–2) (2000) 35–42
4099. Y. Shi, Lower bounds of quantum black-box complexity and degree of approximating polynomials by influence of Boolean variables **75** (1–2) (2000) 79–83
4100. M. Chrobak and J. Sgall, A simple analysis of the harmonic algorithm for two servers **75** (1–2) (2000) 75–77
4101. M. Goldberg, Gödelization in the lambda calculus **75** (1–2) (2000) 13–16
4102. K. Giaro and M. Kubale, Edge-chromatic sum of trees and bounded cyclicity graphs **75** (1–2) (2000) 65–69
4103. M. Penn and M. Tennenholtz, Constrained multi-object auctions and b-matching **75** (1–2) (2000) 29–34
4104. M.D. Wagh, P. Math and O. Guzide, Cyclic-cubes and wrap-around butterflies **75** (1–2) (2000) 25–27
4105. B. Bérard and C. Dufourd, Timed automata and additive clock constraints **75** (1–2) (2000) 1–7
4106. K.-N. Chang and S.-C. Tsai, Exact solution of a minimal recurrence **75** (1–2) (2000) 61–64
4107. A.B. Premkumar, On the optimal utilization of all available states in the 2^n moduli set **75** (1–2) (2000) 51–56
4108. T. Hasunuma, On edge-disjoint spanning trees with small depths **75** (1–2) (2000) 71–74
4109. G.S. Brodal and S. Venkatesh, Improved bounds for dictionary look-up with one error **75** (1–2) (2000) 57–59
4110. C.J. Colbourn and A.C.H. Ling, Quorums from difference covers **75** (1–2) (2000) 9–12
4111. J.M. Howe and A. King, Abstracting numeric constraints with Boolean functions **75** (1–2) (2000) 17–23
4112. P.F. Williams, M. Nikolskaïa and A. Rauzy, Bypassing BDD construction for reliability analysis **75** (1–2) (2000) 85–89
4113. W. Günther and R. Drechsler, On the computational power of linearly transformed BDDs **75** (3) (2000) 119–125

4114. P.O. Boykin, T. Mor, M. Pulver, V. Roychowdhury and F. Vatan, A new universal and fault-tolerant quantum basis **75** (3) (2000) 101–107
4115. A. Ambainis, How rich is the structure of the intrinsic complexity of learning **75** (3) (2000) 109–112
4116. M. Goldwurm and M. Santini, Clique polynomials have a unique root of smallest modulus **75** (3) (2000) 127–132
4117. H.-J. Böckenhauer, J. Hromkovič, R. Klasing, S. Seibert and W. Unger, Approximation algorithms for the TSP with sharpened triangle inequality **75** (3) (2000) 133–138
4118. U. Hertrampf, S. Reith and H. Vollmer, A note on closure properties of logspace MOD classes **75** (3) (2000) 91–93
4119. D.J. Guan, C.-Y. Chou and C.-W. Chen, Computational complexity of similarity retrieval in a pictorial database **75** (3) (2000) 113–117
4120. S. Bespamyatnikh and M. Segal, Covering a set of points by two axis-parallel boxes **75** (3) (2000) 95–100
4121. P. Boldi and S. Vigna, Coverings that preserve sense of direction **75** (4) (2000) 175–180
4122. I.I. Măndoiu and A.Z. Zelikovsky, A note on the MST heuristic for bounded edge-length Steiner trees with minimum number of Steiner points **75** (4) (2000) 165–167
4123. A. Efrat and M.J. Katz, Computing Euclidean bottleneck matchings in higher dimensions **75** (4) (2000) 169–174
4124. R. Hassin and S. Rubinstein, Better approximations for max TSP **75** (4) (2000) 181–186
4125. F.-C. Leu, Y.-T. Tsai and C.Y. Tang, An efficient external sorting algorithm **75** (4) (2000) 159–163
4126. P. Høyer, Simplified proof of the Fourier Sampling Theorem **75** (4) (2000) 139–143
4127. B.-K. Lu, F.-R. Hsu and C.Y. Tang, Guarding in a simple polygon **75** (4) (2000) 153–158
4128. K.V.R.C.N. Kishore and S. Saxena, An optimal parallel algorithm for general maximal matchings is as easy as for bipartite graphs **75** (4) (2000) 145–151
4129. B.Y. Wu, Polynomial time algorithms for some minimum latency problems **75** (5) (2000) 225–229
4130. J. Ellis, T. Krahn and H. Fan, Computing the cycles in the perfect shuffle permutation **75** (5) (2000) 217–224
4131. S. Zeadally, Performance evaluation of a Java-based networking Application Programming Interface (API) **75** (5) (2000) 199–209
4132. E. Gamess, *plapackJava*: Towards an efficient Java interface for high performance parallel linear algebra **75** (5) (2000) 191–197
4133. F.K. Hwang and C.K. Pai, Sequetial construction of a circular consecutive-2 system **75** (5) (2000) 231–235
4134. A. Riera, J. Rifà and J. Borrell, Efficient construction of vote-tags to allow open objection to the tally in electronic elections **75** (5) (2000) 211–215
4135. C. Blundo, A. De Santis and M. Naor, Visual cryptography for grey levels images **75** (6) (2000) 255–259
4136. S.D. Nikolopoulos and C. Papadopoulos, On the performance of the first-fit coloring algorithm on permutation graphs **75** (6) (2000) 265–273
4137. Z. Li, L.C.K. Hui, K.P. Chow, C.F. Chong, W.W. Tsang and H.W. Chan, Security of Tseng–Jan's group signature schemes **75** (5) (2000) 187–189
4138. I.-R. Chen, D.-C. Wang and C.-P. Chu, Response time behavior of distributed voting algorithms for managing replicated data **75** (6) (2000) 247–253
4139. D. Takahashi, A fast algorithm for computing large Fibonacci numbers **75** (6) (2000) 243–246
4140. K. Etessami, A note on a question of Peled and Wilke regarding stutter-invariant LTL **75** (6) (2000) 261–263
4141. C. Rick, Simple and fast linear space computation of longest common subsequences **75** (6) (2000) 275–281
4142. T. Tambouratzis, Solving the Hamiltonian cycle problem via an artificial neural network **75** (6) (2000) 237–242
4143. G. Rozenberg, The equivalence problem for deterministic T0L-systems is undecidable (*Erratum*) **1** (6) (1972) 252
4144. D.E. Knuth and J.L. Szwarcfiter, A structured program to generate all topological sorting arrangements (*Erratum*) **3** (2) (1974) 64
4145. P. Hansen, A cascade algorithm for the logical closure of a set of binary relations (*Erratum*) **5** (4) (1976) 124

4146. D.P. Friedman and D.S. Wise, Garbage collecting a heap which includes a scatter table (*Erratum*) **6** (2) (1977) 72
4147. F.J. Urbanek, An O(log n) algorithm for computing the nth element of the solution of a difference equation **11** (2) (1980) 66–67
4148. A. Goldberg, P. Purdom and C. Brown, Average time analyses of simplified Davis–Putnam procedures (*Corrigendum*) **16** (4) (1983) 213
4149. G. Dányi and Z. Fülöp, Letter to the Editor **58** (6) (1996) 327
4150. A.M. Youssef and S.E. Tavares, Comment on "Bounds on the number of functions satisfying the Strict Avalanche Criterion" **60** (5) (1996) 271–275
4151. S.E. Hambrusch, Preface to the Special Issue on Parallel Models **66** (5) (1998) 221

END